Few Dimensions are Enough: Fine-tuning BERT with Selected Dimensions Revealed Its Redundant Nature

Shion Fukuhata¹, Yoshinobu Kano¹

¹ Shizuoka University {sfukuhata, kano}@kanolab.net

Abstract

When fine-tuning BERT models for specific tasks, it is common to select part of the final layer's output and input it into a newly created fully connected layer. However, it remains unclear which part of the final layer should be selected and what information each dimension of the layers holds. In this study, we comprehensively investigated the effectiveness and redundancy of token vectors, layers, and dimensions through BERT fine-tuning on GLUE tasks. The results showed that outputs other than the CLS vector in the final layer contain equivalent information, most tasks require only 2-3 dimensions, and while the contribution of lower layers decreases, there is little difference among higher layers. We also evaluated the impact of freezing pre-trained layers and conducted cross-fine-tuning, where fine-tuning is applied sequentially to different tasks. The findings suggest that hidden layers may change significantly during fine-tuning, BERT has considerable redundancy, enabling it to handle multiple tasks simultaneously, and its number of dimensions may be excessive.

1 Introduction

Fine-tuning Transformer models (Vaswani et al., 2023) for specific tasks often involves selecting outputs from the final layer and feeding them into a newly created fully connected layer for task-specific learning (Devlin et al., 2019) (Rogers et al., 2020).

By adding a special token [CLS] at the beginning of the input during pre-training, the final layer vector corresponding to this token (hereafter CLS vector) is commonly used to represent the entire sentence (Reimers and Gurevych, 2019) (Sun et al., 2020) (Rogers et al., 2020). However, it is unclear which part of the final layer is optimal for selection, or what information each dimension holds (Clark et al., 2019). Additionally, using hidden layer outputs instead of the final layer has been shown to improve performance (Song et al., 2020), but the exact information encoded in each layer and dimension remains unknown (Tenney et al., 2019).

By pre-training, models are expected to capture general linguistic representations (Kim et al., 2020). Fine-tuning leverages these pre-trained representations, but it is not well understood whether the newly added fully connected layer performs most of the learning if the hidden layers serve as fixed "language feature extractors," (Howard and Ruder, 2018) (Irpan et al., 2019) or if catastrophic forgetting (McCloskey and Cohen, 1989) causes significant changes in these layers (Li et al., 2024).

Several studies have reported that BERT contains excessive parameters and can be pruned without affecting performance (Sanh et al., 2020). The Lottery Ticket Hypothesis (Frankle and Carbin, 2018) suggests that within a dense, randomly initialized feedforward network, there exists a "winning ticket"-a sparse subnetwork that can achieve test accuracy comparable to the original network. This has been demonstrated in small networks like LeNet (Lecun et al., 1998) for computer vision and is also applicable to LSTM (Hochreiter and Schmidhuber, 1997) and Transformers in NLP (Yu et al., 2020) (Chen et al., 2020) (Prasanna et al., 2020). In pre-trained BERT models, sparse subnetworks corresponding to 40%-90% of the tasks have been identified (Chen et al., 2020). However, while pruning reduces model parameters, it remains unclear which subnetworks are effective or what information each dimension contains.

In this study, we comprehensively examine what happens during fine-tuning of pre-trained BERT models using the GLUE benchmark (Wang et al., 2019), conducting dimension-wise, token-wise, and layer-wise comparisons (Figure 1). Our contributions are as follows:

• We show that final layer vectors corresponding to tokens other than the CLS vector con-



Figure 1: Overview of the proposed method. **Dimension-wise**: select a few dimensions, **Token-wise**: select a token vector by Max-Pooling, **Layer-wise**: select a few dimensions from hidden layers

tain equivalent information (token-wise).

- We demonstrated that using only 2-3 dimensions from hidden layers reveals redundancy between layers and task-specific differences (layer-wise).
- We showed that, despite significant changes during fine-tuning, the redundancy in hidden layers allows them to adapt to multiple tasks simultaneously (cross-fine-tune).

2 Method

The common assumption is that fine-tuning a pretrained model enables it to perform various downstream classification tasks from the GLUE benchmark (Wang et al., 2019).

Token-wise Redundancy We examine the redundancy of the CLS vector information by comparing inference using the other token vectors. Specifically, inference is performed using representations selected via MaxPooling based on norm size. If the CLS vector contains unique information, replacing it with MaxPooling-selected vectors should result in a significant performance drop.

Dimension-wise Redundancy We investigate whether the vector used for downstream task inference is redundant and which dimensions are effective. Using DropConnect (Wan et al., 2013), we nullify subnetworks corresponding to unselected dimensions and infer using arbitrary two-dimensional combinations from the CLS vector.

Identifying Effective Dimensions We assess the influence of individual dimensions on performance. First, we perform inference using three dimensions, then remove one at a time to observe the performance drop. If removing a specific dimension significantly reduces performance, it is likely important for the task. We then combine the identified dimensions to conduct inference with two dimensions. If all combinations yield high performance, the dimensions are considered effective for the task.

Layer-wise Redundancy Similary, we evaluate redundancy in hidden layers. We select two dimensions from the CLS vector in the N-th layer and input only these into the final fully connected layer. If high performance is achieved without using the final layer, it indicates redundancy in higher layers. A significant performance drop at a specific hidden layer suggests that information up to that layer is sufficient for the task.

Freezing Pretrained Layers We compare performances between when the pre-trained layers are frozen with two fully connected layers added for fine-tuning, and when the layers are not frozen with one fully connected layer added for fine-tuning.

Cross-Fine-Tuning If redundant, effective dimensions exist across tasks, a model fine-tuned on one task can be further fine-tuned on another without catastrophic forgetting. To test this, we perform cross-fine-tuning, evaluating the model's performance after fine-tuning on one downstream task and then further fine-tuning on another. If the hypothesis holds, the performance will not degrade compared to directly fine-tuning on the second task.

3 Experiment

We used bert-base-uncased (Devlin et al., 2018)¹ as the standard pre-trained model. The downstream tasks were from the GLUE benchmark: CoLA, SST-2, MRPC, STS-B, QQP, MNLI, QNLI, and RTE. For error analysis, only public training and validation data were used, split into an 8:1:1 ratio for training, validation, and testing. During training, the CLS vector (or the MaxPooling-selected vector) of the pre-trained final layer was fed into a newly added fully connected layer. During inference on test data, we select dimensions and layers to fed into the fully connected layer. Detailed settings described in Appendix A.1.

3.1 Token-wise: MaxPooling Output

Inference was performed using the token vector with the largest norm, selected via MaxPooling, compared with the CLS vector.

3.2 Dimension-wise

Inference with Few Dimensions We evaluated whether inference using only a few dimensions from the final layer's CLS vector could achieve sufficient accuracy. For each task, inference was repeated using randomly selected 2 or 3 dimensions. Multiple random sampling rates were tested when using 3 dimensions to assess their impact on performance, as described in A.2.

Identifying Effective Dimensions We investigated which dimensions were effective for each task. For the top 10 performing three-dimensional sets, we evaluated the effect of removing one dimension at a time on performance. Dimensions causing significant performance degradation upon removal were deemed effective. The top 5 effective dimensions were then combined for twodimensional inference and evaluated.

Impact of Dropout We investigated whether applying Dropout (Srivastava et al., 2014) during training affects the dimension-wise redundancy.

3.3 Inference using Hidden Layers

We examined whether sufficient inference could be achieved using CLS vectors from layers other than

the final layer. Two randomly selected dimensions from the CLS vector of each hidden layer were used. The focus was on whether the inference accuracy using lower-layer outputs was comparable to that of the final layer. The sampled dimension sets were consistent across all layers.

3.4 Freezing Pretrained Layers

We compared performances when freezing and not freezing pretrained layers.

3.5 Cross-Task Fine-Tuning

We explored the impact of redundant dimensions. First, models were fine-tuned on one downstream task and then further fine-tuned on a different task. Performance was compared to a baseline where models were fine-tuned on each task individually. After resetting the fully connected layer, the model was fine-tuned again on each task, and performance differences were measured.

4 Results

4.1 Token-wise: Output Selection by MaxPooling

Table 4 shows a comparison of the performance using the final layer's CLS vector versus the MaxPooling-selected vector. In RTE, performance dropped when using the MaxPooling-selected vector, but no performance drop in other tasks.

4.2 Dimension-wise

Inference with Few Dimensions The performance of the top five dimension sets, which achieved the highest accuracy on the validation data, is shown in Table 1, 3. For all tasks except MNLI, the performance on the test data using the best-performing dimension set was nearly equivalent to using all dimensions. Table 2 shows the results of using five different seed values for inference with all dimensions, which helped estimate the performance equivalence range.

Identifying Effective Dimensions Table A.1 shows the performance of the top five threedimensional sets when one dimension was removed. Some dimensions caused a significant performance drop when removed. The top five dimensions with the largest drop were selected as effective, and the results of two-dimensional inference using these dimensions are shown in Table A.2. For all tasks except MNLI and CoLA, two-dimensional inference performed comparably to using all dimensions. As

¹https://huggingface.co/google-bert/bert-base-uncased

Dimension Set	MN Accu	ILI racv	Q Accu)P racv	QN Accu	LI racy	STS Pe	S-B	MR Accu	PC racy	R] Accu	TE racv	SS Accu	F-2 racy	Col M	LA cc
	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test
All (baseline)	N/A	83.2	N/A	90.1	N/A	88.7	N/A	88.8	N/A	77.9	N/A	67.5	N/A	94.8	N/A	53.1
Set 1	75.1	75.1	89.1	89.0	88.5	87.9	83.2	86.1	78.4	76.5	70.4	65.3	94.8	94.2	60.3	54.3
Set 2	73.4	72.5	88.6	88.7	88.1	87.7	82.7	86.0	78.2	77.2	66.8	61.4	94.7	94.4	58.1	54.0
Set 3	73.1	73.2	88.6	88.6	88.1	87.4	82.6	85.8	77.7	78.9	66.4	62.8	94.6	94.8	57.7	55.3
Set 4	73.0	72.9	88.4	88.4	88.0	87.2	82.6	85.7	77.7	73.8	66.1	64.6	94.6	94.2	57.6	51.1
Set 5	72.8	72.2	88.1	88.0	87.9	87.3	82.6	85.8	77.7	77.7	66.1	66.1	94.6	94.6	57.6	53.9

Table 1: Evaluation scores on **valid**ation and **test** sets for top 5 sets using two dimensions and **All** dimensions, showing comparable results by only two dimensions. (Pcc: Pearson Correlation Coefficient, Mcc: Matthews Correlation Coefficient)

Seed	MN Ac	LI cc	QQ)P cc	QN Ad	LI x	STS Co	S-B rr	MR Ac	PC cc	RT Ac	TE cc	SST Ac	Г-2 сс	Col M	LA cc
	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test
42	83.5	83.2	90.1	90.1	89.6	88.7	85.8	88.7	77.5	77.9	65.7	67.5	95.2	94.8	55.8	53.1
0	83.2	83.1	90.2	90.0	89.5	89.0	84.2	88.2	79.9	79.7	61.7	65.7	95.1	95.0	56.3	50.3
331	83.1	83.1	90.2	90.0	89.5	89.0	85.6	88.7	78.4	78.2	65.7	67.2	94.3	94.3	56.7	54.0
17	83.2	83.3	90.1	90.0	89.5	88.7	84.8	88.5	79.2	80.4	66.8	67.2	94.5	94.9	58.0	54.3
31	83.3	83.2	90.0	90.0	89.5	88.8	83.9	88.3	78.9	78.2	66.8	64.6	95.0	94.9	56.4	54.5

Table 2: Inference performance on each task for different seed values.



Figure 2: The distribution of inference performance on the MRPC dataset using two dimensions, comparing cases with and without Dropout. The vertical axis represents the number of dimension combinations, and the horizontal axis represents inference performance.

noted earlier, with three dimensions, performance was equivalent for all tasks except MNLI, suggesting that the number of effective dimensions for simpler tasks is generally 2 or 3.

Impact of Dropout With Dropout, there were more high-performing dimension combinations, but the difference is slight (Figure 2); Without Dropout, similar tendency of redundancy observed, thus Dropout should not be an essential factor of the redundancy.

4.3 Inference Using Hidden Layers

Table A.3 shows the results of inference using twodimension from hidden layers, the top five dimension sets for each layer on the validation data. For QQP, MRPC, SST-2, STS-B, and CoLA, the performance of the best dimension set was similar between layers 12 and 11. However, for MNLI, QNLI, and RTE, there was a significant performance drop when using layer 11 instead of layer 12. Additionally, some tasks showed a sharp performance drop beyond a specific layer. For example, STS-B between layers 5-4, SST-2 between layers 10-9 and 9-8, and CoLA between layers 10-9.

4.4 Results of Inference Using Token Vectors Selected by MaxPooling

Table 4 compares the performances between using the CLS vector and the token vectors selected by MaxPooling. In RTE, performance decreased when using the vector selected by MaxPooling, but in other tasks, no significant performance degradation was observed.

	STS Co	S-B orr	MR A	CPC CC	RT Ad	r E cc	SS:	Г-2 сс	Co M	LA cc
Rank	valid	test	valid	test	valid	test	valid	test	valid	test
All (baseline)	N/A	88.8	N/A	77.9	N/A	67.5	N/A	94.8	N/A	53.1
1	83.7	86.5	80.9	76.7	68.6	69.0	94.9	94.7	61.2	58.5
2	83.6	86.9	79.7	77.5	68.2	64.3	94.7	94.3	60.9	58.5
3	83.5	86.3	79.2	78.9	68.2	61.4	94.6	94.5	60.2	58.9
4	83.5	86.5	79.2	79.2	68.2	63.2	94.6	94.3	60.1	54.4
5	83.5	86.4	79.2	74.0	67.9	62.8	94.6	94.4	59.3	55.6

(a) sampling: 75,202 STS-B MRPC SST-2 RTE CoLA Corr Mcc Acc Acc Acc Rank valid test valid test valid test valid test valid test 88.8 77.9 N/A 67.5 53.1 All (baseline) N/A N/A N/A 94.8 N/A 54.4 83.5 86.3 79.7 77.5 67.5 62.1 94.9 94.7 60.1 78.9 77.9 94.7 94.3 58.9 56.8 83.3 86.3 67.1 65.7 82.9 85.5 78.2 77.9 94.6 94.5 58.7 523 66.8 61.0 75.5 94.6 94.3 58.1 82.9 86.3 77.7 66.4 63.9 52.6 77.5 77.7 94.6 94.4 58.1 82.9 85.5 66.4 58.8 53.5

(b) sampling: 7,520

	M	NLI	QQ)P	QN	LI	STS	S-B	MR	PC	RT	E	SS	Г-2	Col	LA
Rank	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test
All (baseline)	N/A	83.2	N/A	90.1	N/A	88.7	N/A	88.8	N/A	77.9	N/A	67.5	N/A	94.8	N/A	53.1
1	79.3	78.81	88.9	88.7	88.9	88.3	82.6	85.9	76.7	75.7	66.4	63.9	94.4	94.3	56.3	50.8
2	77.6	77.0	88.6	88.5	88.6	87.8	82.5	84.5	76.5	77.0	66.1	60.6	94.4	94.2	56.2	52.4
3	77.1	76.8	88.3	87.9	88.1	87.7	81.9	85.2	76.2	75.0	65.3	59.6	94.4	94.3	56.2	52.4
4	76.04	75.8	88.3	87.9	87.8	86.9	80.8	83.4	76.0	78.9	64.6	62.1	94.3	94.2	55.9	49.4
5	75.5	75.3	88.2	88.4	87.6	87.0	80.1	83.4	76.0	75.0	64.6	62.1	94.2	93.5	55.4	51.9

(c) sampling: 752																
	MN Ad	ILI cc	QQ)P	QN Ac	LI	STS Co	S-B orr	MR A	C C C	RT Ad	Г Е cc	SST Ac	Г-2	Col M	LA cc
Rank	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test	valid	test
All (baseline)	N/A	83.2	N/A	90.1	N/A	88.7	N/A	88.8	N/A	77.9	N/A	67.5	N/A	94.8	N/A	53.1
1	71.7	71.2	87.8	87.5	88.1	87.7	79.7	83.6	75.23	77.23	64.6	62.1	94.4	94.3	51.2	49.5
2	70.3	70.3	87.5	87.3	87.1	86.7	79.6	80.8	75.0	76.2	61.0	60.3	94.3	94.2	50.2	46.8
3	70.2	70.0	87.4	87.2	86.7	86.2	78.5	81.7	74.3	73.3	60.7	56.0	94.2	93.7	50.0	43.7
4	69.2	68.9	87.3	86.7	86.6	86.2	78.0	80.6	73.8	73.0	60.7	62.1	93.3	93.2	45.7	46.9
5	66.8	66.8	87.3	87.1	85.6	84.9	75.6	79.1	73.3	75.0	60.7	58.1	93.0	92.9	45.6	42.0



Table 3: Top five evaluation results on the validation dataset of inference with 3 dimensions, and corresponding evaluation scores for test dataset, for four different numbers of combination sampling.

	MNLI	QQP	QNLI	STS-B	MRPC	RTE	SST-2	CoLA
	Acc	Acc	Acc	Corr	Acc	Acc	Acc	Mcc
CLS	83.2	90.1	88.7	88.8	77.9	67.5	94.8	53.1
MaxPooling	83.4	89.8	90.0	88.1	77.9	56.3	94.8	58.2

Table 4: Performance comparison between CLS and
MaxPooling.

4.5 Freezing Pretrained Layers

Adding two fully connected layers resulted in a greater performance drop when the layers were frozen compared to adding one fully connected layer without freezing (Table 5). This suggests that the Transformer layers learn downstream tasks more effectively than the fully connected layers.

	MNLI	QQP	QNLI	STS-B	MRPC	RTE	SST-2	CoLA
	Acc	Acc	Acc	Corr	Acc	Acc	Acc	Mcc
Not Freezing	83.2	90.1	88.7	88.8	77.9	67.5	94.8	53.1
Freezing	54.5	73.5	69.1	19.7	69.6	59.6	78.4	0.0

 Table 5: Performance comparison between freezing and not freezing pretrained layers

4.6 Cross-Task Fine-Tuning

Regardless of the task, cross-fine-tuning achieved inference accuracy comparable to direct fine-tuning (Table 6).

4.7 Redundancy in the Number of Dimensions

We confirmed that inference using only two dimensions could achieve comparable accuracy to using all dimensions, provided a good set of dimensions was selected. This was particularly evident in simpler tasks, such as sentiment classification in SST-2 and grammatical correctness judgment in CoLA, where accuracy was on par with using all dimensions. This suggests that sparse subnetworks corresponding to good dimension sets may contain as much information as dense networks for these tasks. In this regard, the number of dimensions used during model inference may be redundant,

					Tar	get			
		MNLI	QQP	QNLI	STS-B	MRPC	RTE	SST-2	CoLA
		Acc	Acc	Acc	Corr	Acc	Acc	Acc	Mcc
	MNLI	83.2	88.9	90.0	88.2	79.9	68.6	95.1	54.6
	QQP	83.1	88.7	89.9	87.2	78.9	65.3	94.9	54.4
	QNLI	82.8	87.8	90.1	88.2	81.1	67.1	94.9	50.6
Source	STS-B	82.8	88.9	90.4	88.8	78.7	64.2	94.7	52.3
Source	MRPC	82.3	88.6	89.8	88.3	77.9	65.0	95.1	53.4
	RTE	82.3	88.8	89.9	87.9	76.7	67.5	95.0	53.4
	SST-2	83.2	88.7	90.0	88.0	79.7	68.6	94.8	54.7
	CoLA	83.1	89.0	90.0	87.8	81.6	63.2	95.1	53.1

Table 6: Cross-fine-tuning results. Each cell shows the inference evaluation score on the target task, after fine-tuning the model on the source task followed by additional fine-tuning on the target task. The diagonal entries represent the inference scores when directly fine-tuning on the target task.

especially for simpler tasks.

4.8 Effectiveness of Each Dimension

It was observed that certain dimensions, when removed, led to significant performance degradation, and using these dimensions resulted in high inference accuracy. This suggests that the dimensions effective for each task may vary, and that only specific sparse subnetworks are heavily influenced by task-specific learning.

4.9 Redundancy in the Number of Transformer Layers

The number of Transformer layers contributed to performance. Notably, for SST-2 and CoLA, there was a significant drop in inference performance beyond certain layers. This indicates that the information up to those specific layers may be crucial for these tasks. In general, the redundancy in the number of Transformer layers appears to be minimal, but this may not hold true for certain tasks.

4.10 Impact of Redundant Dimensions

The results of cross-finetuning revealed that the inference performance when a model trained on Task A was further fine-tuned on Task B showed no difference compared to directly training on Task B. Considering the redundancy in dimensions required for inference, it is possible that the dimensions learned for different tasks vary. The redundancy in dimensions in existing models may contribute to their adaptability to a wide range of tasks.

5 Conclusion

We showed that BERT exhibits redundancy across token vectors, dimensions, and layers, with performance maintained even when significantly removing the dimensions. Fine-tuning alters the Transformer layer weights but retains previously learned information due to this redundancy. These results suggest a potential for optimizing BERT models.

Limitations

Sampling In this study, inference using only two or three dimensions was conducted with randomly sampled combinations. While some dimension combinations were not tested, the claim of this study is that selecting an optimal set of dimensions can achieve performance equivalent to using all dimensions. Therefore, the current experimental setup is deemed sufficient.

GPT Models This study focuses on BERT models. While similar redundancy may exist in GPT models, investigating this is left for future work.

Other Languages This study examined the English BERT model. Similar redundancy may exist in other languages, but verifying this is also a subject for future research.

Acknowledgments

The present study was supported by the JSPS Kakenhi (JP22H00804), JST PRESTO (JPMJPR2461), JST AIP Accelerated Research Program (JP-MJCR22U4), and the SECOM Science and Technology Foundation's Specific Area Research Grant.

References

- Tianlong Chen, Jonathan Frankle, Shiyu Chang, Sijia Liu, Yang Zhang, Zhangyang Wang, and Michael Carbin. 2020. The lottery ticket hypothesis for pretrained bert networks. *Advances in neural information processing systems*, 33:15834–15846.
- Kevin Clark, Urvashi Khandelwal, Omer Levy, and Christopher D. Manning. 2019. What does bert look at? an analysis of bert's attention. *Preprint*, arXiv:1906.04341.

- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2018. BERT: pre-training of deep bidirectional transformers for language understanding. *CoRR*, abs/1810.04805.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. Bert: Pre-training of deep bidirectional transformers for language understanding. *Preprint*, arXiv:1810.04805.
- Jonathan Frankle and Michael Carbin. 2018. The lottery ticket hypothesis: Finding sparse, trainable neural networks. *arXiv preprint arXiv:1803.03635*.
- Sepp Hochreiter and Jürgen Schmidhuber. 1997. Long Short-Term Memory. *Neural Computation*, 9(8):1735–1780.
- Jeremy Howard and Sebastian Ruder. 2018. Universal language model fine-tuning for text classification. *Preprint*, arXiv:1801.06146.
- Alex Irpan, Kanishka Rao, Konstantinos Bousmalis, Chris Harris, Julian Ibarz, and Sergey Levine. 2019. Off-policy evaluation via off-policy classification. *Preprint*, arXiv:1906.01624.
- Taeuk Kim, Jihun Choi, Daniel Edmiston, and Sang goo Lee. 2020. Are pre-trained language models aware of phrases? simple but strong baselines for grammar induction. *Preprint*, arXiv:2002.00737.
- Y. Lecun, L. Bottou, Y. Bengio, and P. Haffner. 1998. Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11):2278–2324.
- Hongyu Li, Liang Ding, Meng Fang, and Dacheng Tao. 2024. Revisiting catastrophic forgetting in large language model tuning. *Preprint*, arXiv:2406.04836.
- Michael McCloskey and Neal J. Cohen. 1989. Catastrophic interference in connectionist networks: The sequential learning problem. volume 24 of *Psychology of Learning and Motivation*, pages 109–165. Academic Press.
- Sai Prasanna, Anna Rogers, and Anna Rumshisky. 2020. When bert plays the lottery, all tickets are winning. *Preprint*, arXiv:2005.00561.
- Nils Reimers and Iryna Gurevych. 2019. Sentence-bert: Sentence embeddings using siamese bert-networks. *Preprint*, arXiv:1908.10084.
- Anna Rogers, Olga Kovaleva, and Anna Rumshisky. 2020. A primer in bertology: What we know about how bert works. *Preprint*, arXiv:2002.12327.
- Victor Sanh, Lysandre Debut, Julien Chaumond, and Thomas Wolf. 2020. Distilbert, a distilled version of bert: smaller, faster, cheaper and lighter. *Preprint*, arXiv:1910.01108.
- Youwei Song, Jiahai Wang, Zhiwei Liang, Zhiyue Liu, and Tao Jiang. 2020. Utilizing bert intermediate layers for aspect based sentiment analysis and natural language inference. *Preprint*, arXiv:2002.04815.

- Nitish Srivastava, Geoffrey Hinton, Alex Krizhevsky, Ilya Sutskever, and Ruslan Salakhutdinov. 2014. Dropout: A simple way to prevent neural networks from overfitting. *Journal of Machine Learning Research*, 15(56):1929–1958.
- Chi Sun, Xipeng Qiu, Yige Xu, and Xuanjing Huang. 2020. How to fine-tune bert for text classification? *Preprint*, arXiv:1905.05583.
- Ian Tenney, Dipanjan Das, and Ellie Pavlick. 2019. Bert rediscovers the classical nlp pipeline. *Preprint*, arXiv:1905.05950.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz Kaiser, and Illia Polosukhin. 2023. Attention is all you need. *Preprint*, arXiv:1706.03762.
- Li Wan, Matthew Zeiler, Sixin Zhang, Yann Le Cun, and Rob Fergus. 2013. Regularization of neural networks using dropconnect. In Proceedings of the 30th International Conference on Machine Learning, volume 28 of Proceedings of Machine Learning Research, pages 1058–1066, Atlanta, Georgia, USA. PMLR.
- Alex Wang, Amanpreet Singh, Julian Michael, Felix Hill, Omer Levy, and Samuel R. Bowman. 2019. Glue: A multi-task benchmark and analysis platform for natural language understanding. *Preprint*, arXiv:1804.07461.
- Haonan Yu, Sergey Edunov, Yuandong Tian, and Ari S. Morcos. 2020. Playing the lottery with rewards and multiple languages: lottery tickets in rl and nlp. *Preprint*, arXiv:1906.02768.

A Experimental Settings

A.1 Experimental Setup for Fine-Tuning

Dropout rate: 0.1 Learning rate: 5e-5 Batch size: 64 Maximum Training Epochs: 5 Random seed: 42

A.2 Sampling Rate for Inference Using Two or Three Dimensions

Different sampling rates were used depending on the dataset, considering execution time.

A.2.1 Using Two Dimensions

We have $_{768}C_2 = 294,528$ combinations of dimensions in total, which correspond to 100% in the following values. For each task, we executed sampling rates of: MLNI, QQP, QNLI: 1% (2,945) STS-B, MRPC, RTE, SST-2, CoLA: 5% (14,726)

A.2.2 Using Three Dimensions

We have $_{768}C_3 = 75,202,816$ combinations of dimensions in total, which correspond to 100% in the following values. For each task, we executed sampling rates of: MLNI, QQP, QNLI: 0.001% (752) / 0.0001% (75) STS-B, MRPC, RTE, SST-2, CoLA: 0.1% (75,202) / 0.01% (7,520) / 0.001% (752) / 0.0001% (75)

B Error Analysis

We conducted an analysis of the cases in which fails when using two dimensions. For the CoLA task, we investigated the data that was correctly classified when using all dimensions but was consistently misclassified by the top five high-performing dimension sets. The results showed that the misclassified data included sentences with reversed word order (e.g., "this problem, the sooner you solve the more easily you'll satisfy the folks up at corporate headquarters.") and sentences where the subject was omitted (e.g., "robin will eat cabbage but she won't ice cream."). It was confirmed that these challenging examples, which were labeled as grammatically correct, were incorrectly inferred as grammatically incorrect.

Original Dimension Set	Removed Dimension	Dimension Set	A	c
			valid	test
N/A	N/A	All (Baseline)	N/A	83.2
[89, 90, 192]	89	[90, 192]	59.5	59.2
	90	[89, 192]	56.2	56.5
	192	[89, 90]	62.5	62.3
[549, 621, 765]	549	[621, 765]	59.4	59.0
	621	[549, 765]	46.7	46.7
	765	[549, 621]	39.3	39.1
[0, 572, 734]	0	[572, 734]	63.7	63.1
	572	[0, 734]	60.1	59.8
	734	[0, 572]	47.6	47.5
[158, 623, 663]	158	[623, 663]	64.5	64.2
	623	[158, 663]	58.6	58.2
	663	[158, 623]	62.8	62.6
[126, 391, 580]	126	[391, 580]	60.8	60.4
	391	[126, 580]	60.2	59.8
	580	[126, 391]	61.8	61.3
[271, 445, 679]	271	[445, 679]	59.2	59.0
	445	[271, 679]	50.7	50.7
	679	[271, 445]	55.2	55.4
[73, 554, 632]	73	[554, 632]	55.8	55.8
	554	[73, 632]	56.3	56.3
	632	[73, 554]	35.7	35.5
[225, 338, 663]	225	[338, 663]	66.7	66.4
[338	[225, 663]	59.5	58.9
	663	[225, 338]	49.7	49.9
[167, 176, 580]	167	[176, 580]	63.2	63.1
	176	[167, 580]	50.8	50.2
	580	[167, 176]	70.4	69.9
[37 92 363]	37	[92, 363]	55.7	55.6
[0.1, 22, 505]	92	[37, 363]	58.9	58.6
	262	[27 02]	60.6	60.4

Original Dimension Set	Removed Dimension	Dimension Set	A	c
			valid	test
N/A	N/A	All (Baseline)	N/A	90.1
[302, 683, 718]	302	[683, 718]	78.9	78.7
	683	[302, 718]	56.5	56.4
	718	[302, 683]	79.3	79.3
[456, 518, 546]	456	[518, 546]	58.2	58.3
	518	[456, 546]	64.7	64.5
	546	[456, 518]	50.1	50.0
[253, 268, 633]	253	[268, 633]	43.5	43.7
	268	[253, 633]	49.0	49.0
	633	[253, 268]	60.6	60.5
[223, 688, 706]	223	[688, 706]	64.8	65.0
	688	[223, 706]	66.1	66.5
	706	[223, 688]	61.0	61.4
[71, 375, 473]	71	[375, 473]	81.2	81.0
	375	[71, 473]	74.9	75.0
	473	[71, 375]	85.5	85.1
[94, 302, 536]	94	[302, 536]	69.7	69.6
	302	[94, 536]	62.6	62.3
	536	[94, 302]	53.4	53.0
[302, 436, 592]	302	[436, 592]	84.5	84.6
	436	[302, 592]	81.6	81.7
	592	[302, 436]	81.5	81.8
[302, 413, 451]	302	[413, 451]	83.8	83.6
	413	[302, 451]	82.0	81.9
	451	[302, 413]	67.8	67.9
[71, 230, 327]	71	[230, 327]	41.2	41.2
	230	[71, 327]	77.8	77.3
	327	[71, 230]	70.2	69.7
[111, 219, 533]	111	[219, 533]	64.0	63.7
	219	[111, 533]	63.1	62.8
	533	[111, 219]	53.5	53.4

	(a) MNL	I		
Original Dimension Set	Removed Dimension	Dimension Set	A	c
-			valid	test
N/A	N/A	All (Baseline)	N/A	88.7
[313, 510, 517]	313	[510, 517]	77.5	77.4
	510	[313, 517]	88.0	87.5
	517	[313, 510]	81.8	81.5
[280, 358, 424]	280	[358, 424]	80.0	79.8
	358	[280, 424]	81.4	81.1
	424	[280, 358]	78.7	79.2
[294, 310, 698]	294	[310, 698]	76.6	76.7
	310	[294, 698]	79.4	79.2
	698	[294, 310]	61.3	60.8
[101, 275, 765]	101	[275, 765]	84.8	84.0
	275	[101, 765]	81.5	80.9
	765	[101, 275]	61.6	61.4
[280, 626, 733]	280	[626, 733]	73.9	73.7
	626	[280, 733]	82.5	82.5
	733	[280, 626]	88.4	87.6
[59, 245, 716]	59	[245, 716]	62.0	62.0
	245	[59, 716]	53.6	53.0
	716	[59, 245]	37.7	38.3
[54, 216, 721]	54	[216, 721]	65.2	64.0
	216	[54, 721]	34.5	34.3
	721	[54, 216]	72.1	71.0
[429, 578, 765]	429	[578, 765]	85.6	84.9
	578	[429, 765]	84.6	84.0
	765	[429, 578]	68.8	68.3
[17, 358, 641]	17	[358, 641]	62.3	62.3
	358	[17, 641]	64.5	64.3
	641	[17, 358]	56.7	56.4
[68, 310, 612]	68	[310, 612]	37.7	38.1
	310	[68, 612]	34.9	35.1

(b) QQP

Original Dimension Set	Removed Dimension	Dimension Set	Co	orr
			valid	test
N/A	N/A	All (Baseline)	N/A	88.8
[145, 223, 476]	145	[223, 476]	36.7	33.5
	223	[145, 476]	53.7	62.8
	476	[145, 223]	42.5	45.6
[476, 478, 686]	476	[478, 686]	11.3	10.5
	478	[476, 686]	58.0	63.0
	686	[476, 478]	24.6	21.9
[53, 476, 630]	53	[476, 630]	63.0	67.1
	476	[53, 630]	62.8	66.7
	630	[53, 476]	57.1	56.4
[53, 259, 476]	53	[259, 476]	60.7	63.6
	259	[53, 476]	57.1	56.4
	476	[53, 259]	40.6	42.2
[53, 476, 739]	53	[476, 739]	65.2	66.9
	476	[53, 739]	67.5	67.6
	739	[53, 476]	57.1	56.4
[476, 666, 719]	476	[666, 719]	-11.6	-17.9
	666	[476, 719]	20.4	14.3
	719	[476, 666]	18.0	16.0
[136, 445, 476]	136	[445, 476]	70.2	76.6
	445	[136, 476]	70.0	74.7
	476	[136, 445]	71.0	77.5
[53, 353, 476]	53	[353, 476]	-0.2	-7.2
	353	[53, 476]	57.1	56.4
	476	[53, 353]	2.7	-5.3
[456, 476, 700]	456	[476, 700]	57.0	59.8
	476	[456, 700]	61.4	69.6
	700	[456, 476]	67.8	75.0
[94, 206, 478]	94	[206, 478]	4.5	-2.7
1	206	[94, 478]	9.2	6.5
1	478	[94, 206]	5.6	-3.0

	(c) QNL	1		
Original Dimension Set	Removed Dimension	Dimension Set	A	c
			valid	test
N/A	N/A	All (Baseline)	N/A	77.9
[97, 333, 519]	97	[333, 519]	71.1	75.0
	333	[97, 519]	73.3	76.2
	519	[97, 333]	72.6	70.1
[16, 147, 377]	16	[147, 377]	77.5	76.7
	147	[16, 377]	75.0	76.0
	377	[16, 147]	46.1	43.1
[128, 260, 406]	128	[260, 406]	66.7	71.6
	260	[128, 406]	63.0	65.4
	406	[128, 260]	72.1	71.6
[147, 360, 591]	147	[360, 591]	75.5	78.9
	360	[147, 591]	76.7	75.5
	591	[147, 360]	59.6	59.6
[42, 97, 699]	42	[97, 699]	75.5	71.3
	97	[42, 699]	66.2	75.7
	699	[42, 97]	77.2	72.6
[60, 90, 548]	60	[90, 548]	70.6	71.8
	90	[60, 548]	71.1	71.3
	548	[60, 90]	59.3	58.6
[213, 363, 754]	213	[363, 754]	72.8	78.9
	363	[213, 754]	76.5	78.9
	754	[213, 363]	65.0	62.3
[213, 495, 716]	213	[495, 716]	72.3	75.0
, .,,	495	[213, 716]	69.9	74.5
	716	[213, 495]	73.3	76.0
[40, 60, 139]	40	[60, 139]	63.7	62.8
	60	[40, 139]	72.1	70.8
	139	[40, 60]	71.1	69.6
[60, 108, 548]	60	[108, 548]	68.6	73.3
[00, 000, 000]	108	[60, 548]	71.1	71.3
	548	160 1081	60.1	62.5



47.0 61.1 42.0 61.1 41.4 40.5 24.3 42.5 61.1 43.8 34.4 60.3 45.9 46.1 60.3 54.2 56.9

13.7 53.6

29.5 53.9 58.9 44.1 58.7 54.0 37.7 59.9 40.3

18.8 47.6

31.9 50.8

56.9 52.0 51.7 39.5 55.2 42.0

45.7 58.8 46.0 58.8 38.3 43.8



Table A.1: The evaluation scores on the validation dataset of the top 10 three-dimension set, where one dimension is removed for each. Numbers in the columns of Original Dimension Set and Dimension Set are unique dimension IDs. Red highlighted cells show top five sets on their performance.

Dimension Set	A	ec
	valid	test
[445, 632]	56.0	56.1
[445, 663]	60.7	60.3
[445, 734]	67.4	67.0
[445, 765]	61.9	61.8
[632, 663]	58.1	57.9
[632, 734]	72.4	72.2
[632, 765]	56.9	57.0
[663, 734]	55.3	54.8
[663, 765]	67.2	66.6
[734, 765]	68.2	67.5
(a) MN	ILI	

Dimension Set	A	cc
	valid	test
[71, 253]	72.9	72.6
[71, 268]	78.4	77.9
[71, 536]	74.1	73.4
[71, 546]	69.1	69.1
[253, 268]	60.6	60.5
[253, 536]	63.5	63.2
[253, 546]	64.5	64.3
[268, 536]	67.8	67.6
[268, 546]	62.7	62.6
[536, 546]	68.9	68.5

Dimension Set	Ac	cc
	valid	test
[68, 216]	69.2	68.5
[68, 245]	43.1	44.0
[68, 310]	58.2	58.3
[68, 716]	56.0	55.2
[216, 245]	73.8	73.2
[216, 310]	70.3	69.0
[216, 716]	58.4	57.6
[245, 310]	45.5	46.4
[245, 716]	62.0	61.9
[310, 716]	57.1	56.4

()				
Dimension Set	Co	Dim		
	valid	test		
[53, 94]	39.6	37.5	[4	
[53, 476]	57.1	56.4	[4	
[53, 478]	21.2	18.4	[4	
[53, 719]	22.8	14.8	[4	
[94, 476]	57.3	58.8	[20	
[94, 478]	9.2	6.5	[20	
[94, 719]	0.6	-6.4	[20	
[476, 478]	24.6	21.9	[37	
[476, 719]	20.4	14.3	[37	
[478, 719]	6.0	-0.7	[54	

(b) Q0	QP					
Dimension Set	Acc					
	valid	test				
[40, 260]	34.1	28.4				
[40, 377]	58.6	53.7				
[40, 548]	54.4	56.1				
[40, 591]	68.4	75.3				
[260, 377]	34.6	27.7				
[260, 548]	37.5	28.4				
[260, 591]	70.8	76.0				
[377, 548]	53.4	57.6				
[377, 591]	68.1	75.3				
[548, 591]	71.8	75.3				

(c) QNLI										
Dimension Set	Acc									
	valid	test								
[95, 270]	56.0	60.7								
[95, 336]	51.3	55.6								
[95, 610]	46.6	40.1								
[95, 611]	61.0	62.1								
[270, 336]	54.9	63.5								
[270, 610]	59.6	62.5								
[270, 611]	57.4	62.5								
[336, 610]	52.4	55.6								
[336, 611]	57.8	63.2								
[610, 611]	63.5	61.0								

(d) ST	S-B			(e) MR	PC		
Dimension Set	Acc			Dimension Set	Mcc		
	valid	test]		valid	test	
[120, 238]	87.1	87.7]	[223, 313]	61.1	58.8	
[120, 294]	92.5	93.0		[223, 16]	40.9	45.1	
[120, 606]	89.6	89.7		[223, 83]	54.7	53.2	
[120, 704]	68.1	68.1		[223, 154]	58.7	55.1	
[238, 294]	90.8	91.6		[313, 16]	55.7	55.3	
[238, 606]	89.2	89.3		[313, 83]	47.3	39.9	
[238, 704]	86.0	86.4		[313, 154]	52.6	48.0	
[294, 606]	93.2	93.6		[16, 83]	60.3	54.3	
[294, 704]	92.3	92.7		[16, 154]	59.9	55.2	
[606, 704]	88.5	88.9		[83, 154]	53.1	45.9	
(g) SS	T-2		-	(h) Co	LA		

(f) RTE

Table A.2: Inference performance for combinations of effective dimensions. Numbers in the column of Dimension Set are unique dimension IDs.

v v	Layer	Rank	Ac valid	c test	Layer	Rank	A valid	cc test	Layer	Rank	A valid	cc test	Layer	Rank	Co valid	orr test
in in <th< td=""><td>12</td><td>All (Baseline)</td><td>N/A</td><td>83.2</td><td>12</td><td>All (Baseline)</td><td>N/A</td><td>90.1</td><td>12</td><td>All (Baseline)</td><td>N/A</td><td>88.7</td><td>12</td><td>All (Baseline)</td><td>N/A</td><td>88.8</td></th<>	12	All (Baseline)	N/A	83.2	12	All (Baseline)	N/A	90.1	12	All (Baseline)	N/A	88.7	12	All (Baseline)	N/A	88.8
1 1		1 2	67.7 64.7	67.5 64.8		1 2 2	86.7 86.4	86.3 86.3		1 2	81.1 81.0	80.7 79.9		1 2	80.9 80.9	84.8 82.6
Im Im <th< td=""><td>11</td><td>3</td><td>64.4 64.0</td><td>64.1 63.9</td><td></td><td>3 4 5</td><td>86.4 86.2 86.0</td><td>86.2 85.9 85.7</td><td>11</td><td>3 4 5</td><td>80.4 80.4 80.3</td><td>79.8 79.3 79.3</td><td>11</td><td>3</td><td>80.9 80.6</td><td>84.2 83.4</td></th<>	11	3	64.4 64.0	64.1 63.9		3 4 5	86.4 86.2 86.0	86.2 85.9 85.7	11	3 4 5	80.4 80.4 80.3	79.8 79.3 79.3	11	3	80.9 80.6	84.2 83.4
w 1		1	63.3 59.4 54.1	58.9 52.7		1	82.6 82.4	82.7 82.3		1	80.5 80.4	80.4 79.6		5	80.4 79.6 70.2	83.8 81.9 80.6
i i	10	2 3 4	54.0 53.3	53.6 53.2	10	3	81.8 81.7	81.8 81.3	10	3	79.9	79.8 79.7	10	3	79.2 79.1 79.0	80.6 82.3 80.5
0 1 0		5	52.6 55.1	52.0 54.9		5	81.6 82.7	81.7 82.6		5	79.5 80.2	78.8 80.0		5	79.0	82.5
i i	9	2 3	49.3 49.2	49.4 49.2	9	23	82.7 81.8	82.4 81.6	9	2 3	80.2 79.9	80.0 79.6	9	23	80.8 80.4	83.9 83.8
a b		4 5	47.5 47.3	47.6 47.4		4 5	81.6 81.1	81.4 81.2		4 5	79.5 79.3	79.4 78.6		4 5	79.9 79.7	83.9 81.6
a b		1 2	46.6 46.6	46.9 46.2		2	78.4	78.1 77.0		1 2	79.7	78.7 79.2		1 2	77.7 77.0	81.9 78.5
1 1 <th1< th=""> 1 <th1< th=""> <th1< th=""></th1<></th1<></th1<>	8	3	45.6	45.5	8	4	76.0	75.3	8	3 4 5	78.5	77.6	8	4	76.8	81.0 80.5
1 1		1	45.0	45.0		1	77.2	77.0		1	78.5	77.2		1	79.9	83.2 82.9
i i	7	3	46.6	47.2	7	3	74.5 74.1	74.5 73.8	7	3	78.0 77.7	77.5 77.2	7	3	78.8 78.7	82.0 82.0
x z x z <thz< th=""> <thz< th=""> <thz< th=""> <</thz<></thz<></thz<>		5	44.5 43.3	43.4 43.3		5	74.0 73.8	74.0		5	77.7	78.1 72.6		5	78.6 71.2	81.9 74.5
i i	6	2 3	41.5 41.4	41.8 41.1	6	23	73.1 72.9	72.9 72.5	6	23	73.0	71.8 71.0	6	23	70.7 70.6	73.6 74.1
3 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 3 4 4 3		4 5	40.6 40.6	40.5 40.8		4 5	72.6	72.3		4 5	71.6	69.9 71.0		4 5	70.0	72.0 74.4
2 4 10 1 4 6 60 </td <td>-</td> <td>2</td> <td>39.4 38.1</td> <td>39.2 38.1</td> <td>5</td> <td>2</td> <td>66.3</td> <td>65.9 66.5</td> <td>5</td> <td>2</td> <td>69.7 66.1</td> <td>67.5 66.2</td> <td>5</td> <td>2</td> <td>64.7 60.7</td> <td>69.0 70.0 65.1</td>	-	2	39.4 38.1	39.2 38.1	5	2	66.3	65.9 66.5	5	2	69.7 66.1	67.5 66.2	5	2	64.7 60.7	69.0 70.0 65.1
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	5	3 4 5	37.8	37.5		4	66.0 65.8	65.3 65.7		4	64.9 64.8	66.0 65.1		4	59.9 59.9	62.1 65.0
4 3 182 35 4 3 10		1	36.3	35.7 36.2		1 2	64.5 63.9	64.4 63.6		1 2	56.7 56.5	55.6 55.6		1 2	28.8 27.0	30.9 28.5
i i	4	3	36.2 35.9	35.5 35.6	4	3 4	63.7 63.6	63.5 63.3	4	3 4	56.0 55.9	55.6 55.1	4	3 4	26.5 26.4	32.6 33.7
3 2 13 3 2 13 3 2 13 3 2 13 3 2 13 3 2 13 3 2 13 3 2 13 3 2 13 3 2 13 3 2 13 3 2 14 13 13 2 1 14 13 13 1 1 13 13 13 13 13 13 13 13 14		5	35.7 35.8	35.6 35.4		5	63.4 63.2	63.0 63.3		5	55.7 54.3	54.3 52.8		5	26.2	27.0
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	3	23	35.8 35.3	35.7 34.9	3	23	63.2 63.1	63.0 63.0	3	2	53.0 53.0	52.7 52.7	3	3	18.9	23.4 18.2 21.5
1 1		4 5	35.3 35.3	34.5 35.0		5	63.1	63.1		5	52.7	52.1 51.9		5	18.7	23.7
- -	2	2	35.9	35.5 35.3	2	2	63.2 63.2	63.2 63.1	2	2	54.6	53.8 53.2	2	23	18.0 17.1	18.4 17.5
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	2	3 4 5	34.9 34.9	34.5 34.1	2	4	63.1 63.1	62.9 63.2	2	4	54.4 54.2	53.1 52.5	_	4	16.9 16.7	22.8 20.1
1 3 333 333 1 1 3 6.9 6.0 1 1 3 9.0 1 3 9.0 1 3 9.0 1 3 9.0 9.0 0.0		1	33.5 33.5	33.2 33.2		1 2	62.9 62.9	63.0 63.0		1 2	50.7 50.7	49.8 49.8		1 2	NaN NaN	NaN NaN
i i	1	3	33.5 33.5	33.2 33.2	1	3 4	62.9 62.9	63.0 63.0	1	3 4	50.7 50.7	49.8 49.8	1	3 4	NaN NaN	NaN NaN
(c) QNLI(c) QNLI(d) STS-BImportant to the state testImportant test(c) QNLI(d) STS-BImportant testImportant test(c) QNLI(d) STS-BImportant testImportant testImportant testImportant test(c) QNLI(c) QNLI(d) STS-BImportant testImportant testImportant testImportant testImportant testImportant test(c) QNLI(c) QNLI(d) STS-BImportant testImportant testImportant testImportant testImportant testImportant testImportant testImportant test(c) QNLI(c) QNLI(c) QNLIImportant testImportant testImportant testImportant testImportant testImportant testImportant testImportant test(c) QNLI(c) QNLI(c) QNLIImportant testImportant testImportant testImportant testImportant testImportant testImportant test		5	33.5	33.2		5	62.9	63.0		5	50.7	49.8		5	NaN	NaN
Live Live <thlive< th=""> Live Live <th< th=""><th></th><th>(a) MN</th><th>ILI</th><th></th><th></th><th>(b) Q0</th><th>QP</th><th></th><th></th><th>(c) QN</th><th>ILI</th><th></th><th></th><th>(d) STS</th><th>S-B</th><th></th></th<></thlive<>		(a) MN	ILI			(b) Q0	QP			(c) QN	ILI			(d) STS	S-B	
12 Na NA<	Lawrence	Damla	A	- 1	I	Damb	-		L Treven	Denle			Tanan	Deals	м	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer	Rank	Ac valid	c test	Layer	Rank	A valid	cc test	Layer	Rank	A valid	cc test	Layer	Rank	M valid	cc test
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	12	Rank All (Baseline)	Ac valid N/A	c test 77.9	Layer 12	Rank All (Baseline)	A valid N/A	cc test 67.5	12	Rank All (Baseline)	Advalid N/A	cc test 94.8	Layer 12	Rank All (Baseline)	M valid N/A	cc test 53.1
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	12 11	Rank All (Baseline) 1 2 3	Ac valid N/A 77.7 77.2 77.2	c test 77.9 72.3 74.3	12	Rank All (Baseline) 1 2 3	A valid N/A 67.5 66.8 66.8	cc test 67.5 58.8 68.6 62.5	12	Rank All (Baseline) 1 2 3	Ad valid N/A 94.3 94.1 94.0	cc test 94.8 93.6 93.9 93.5	12	Rank All (Baseline) 1 2 3	M valid N/A 57.2 56.4 56.3	cc test 53.1 51.0 54.8 55.4
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	12 11	Rank All (Baseline) 1 2 3 4 5	Ac valid N/A 77.7 77.2 77.2 77.2 77.2 77.0	c test 77.9 72.3 74.3 76.5 74.3	12	Rank All (Baseline) 1 2 3 4 5	A valid N/A 67.5 66.8 66.8 66.4 65.7	cc test 67.5 58.8 68.6 62.5 65.0 59.9	Layer 12 11	All (Baseline) 1 2 3 4 5	A valid N/A 94.3 94.1 94.0 94.0 94.0 94.0	cc test 94.8 93.6 93.5 93.5 93.6 93.7	Layer 12 11	All (Baseline) 1 2 3 4 5	M valid N/A 57.2 56.4 56.3 56.1 56.0	cc test 53.1 51.0 54.8 55.4 53.3 55.5
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Layer 12 11	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5	Ac valid N/A 77.7 77.2 77.2 77.2 77.2 77.0 77.7 76.5	c test 77.9 72.3 74.3 76.5 74.3 77.2 77.2 77.2	12	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.8 66.4 65.7 67.2 66.8 (6.8)	cc test 67.5 58.8 68.6 62.5 65.0 59.9 62.5 62.1 62.1	12	Rank All (Baseline) 1 2 3 4 5 1 2	Ad valid N/A 94.3 94.1 94.0 94.0 94.0 94.0 94.0 91.5 90.4 90.4	cc test 94.8 93.6 93.9 93.5 93.6 93.7 91.7 90.6	Layer 12 11 10	All (Baseline) 1 2 3 4 5 1 2 2	M valid N/A 57.2 56.4 56.3 56.1 56.0 55.8 54.2 54.2	cc test 53.1 51.0 54.8 55.4 53.3 55.5 52.1 50.9 90.9
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Ac valid N/A 77.7 77.2 77.2 77.2 77.2 77.0 77.7 76.5 75.7 75.7 75.7 75.5	c test 77.9 72.3 74.3 76.5 74.3 77.2 77.2 77.2 76.5 74.3 77.9	Layer 12 11 10	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.8 66.4 65.7 67.2 66.8 66.4 66.4 66.4 65.7	cc test 67.5 58.8 68.6 62.5 65.0 59.9 62.5 62.1 59.9 59.9 59.9 59.9 59.9 59.9 59.9	12 11 10	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Ad valid N/A 94.3 94.1 94.0 94.0 94.0 94.0 91.5 90.4 90.3 90.3	test 94.8 93.6 93.9 93.5 93.6 93.7 91.7 90.6 90.5 90.6 90.5 90.6	Layer 12 11 10	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid N/A 57.2 56.4 56.3 56.1 56.0 55.8 54.2 53.9 53.9 53.5	cc test 53.1 51.0 54.8 55.4 55.5 52.1 50.9 48.9 46.1 44.5
5 74.3 75.5 66.1 67.2 78.8 79.6 79.8 79.6 1 1 2 8.1 2 73.8 74.5 1 1 64.6 63.3 8 1 72.0 71.9 1 2 66.1 62.3 8 3 71.8	Layer 12 11 10	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Ac valid N/A 77.7 77.2 77.2 77.2 77.2 77.0 77.7 75.7 75.7 75.7 75.7 75.5	c test 77.9 72.3 74.3 76.5 74.3 77.2 77.2 76.5 74.3 77.9 77.2 76.5 74.3 77.9 79.2 76.5 74.3 77.9 79.2 76.5 74.3 77.9 77.9 72.3 74.3 76.5 74.3 77.9 77.9 77.9 77.9 76.5 74.3 77.9 77.9 77.9 77.9 76.5 74.3 77.9 77.9 77.9 77.9 76.5 74.3 77.9 77.9 77.9 77.9 76.5 74.3 77.9 77.9 77.9 77.9 77.9 77.9 77.9 76.5 74.3 77.9 77.9 77.9 77.9 77.2 76.5 74.3 77.9 77.9 76.5 74.3 77.9 76.5 74.3 77.9 76.5 74.3 77.9 76.5 74.3 77.9 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.	12 12 11 10	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	A valid N/A 67.5 66.8 66.8 66.4 65.7 67.2 66.8 66.4 65.7 67.2 66.8 66.4 65.7 68.2 66.2	cc test 67.5 58.8 68.6 62.5 65.0 59.9 62.5 62.1 59.9 66.1 66.8 59.9	12 11 10	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Av valid N/A 94.3 94.1 94.0 94.0 94.0 94.0 94.0 91.5 90.4 90.3 90.3 90.3 81.2	cc test 93.6 93.9 93.5 93.6 93.7 91.7 90.6 90.5 90.4 90.8 81.0 81.0	Layer 12 11 10	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid N/A 57.2 56.4 56.3 56.1 56.0 55.8 54.2 53.9 53.7 53.5 24.0 23.5	cc test 53.1 51.0 54.8 55.4 55.5 52.1 50.9 48.9 46.1 44.5 12.2 13.3
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Ac valid N/A 77.7 77.2 77.2 77.2 77.2 77.2 77.2 77.	c test 77.9 72.3 74.3 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.9 79.2 76.7 75.0 74.3	Layer 12 11 10 9	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.4 65.7 67.2 66.8 66.4 65.7 67.2 66.8 66.4 65.7 68.2 66.8 66.4 65.4 66.4	test 67.5 58.8 68.6 62.5 65.0 59.9 62.1 59.9 66.1 66.8 59.9 66.1 66.2 59.9 66.1 59.9 67.5 62.1	12 11 10 9	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4	Adv valid N/A 94.3 94.1 94.0 94.0 94.0 91.5 90.4 90.3 90.3 81.2 80.1	test 93.6 93.9 93.5 93.6 93.7 90.6 90.5 90.6 90.5 90.4 90.8 81.0 81.0 81.0 81.0	Layer 12 11 10 9	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid N/A 57.2 56.4 56.3 56.1 56.0 55.8 54.2 53.9 53.7 53.5 24.0 23.5 23.1 22.8	cc test 53.1 51.0 54.8 55.4 53.3 55.5 52.1 50.9 48.9 46.1 44.5 12.2 13.3 11.1 14.1
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	Ac valid N/A 77.7 77.2 77.2 77.2 77.2 77.7 75.7 75.7	c test 77.9 77.9 72.3 74.3 76.5 74.3 77.2 77.2 76.5 74.3 77.9 79.2 76.7 75.0 74.3 77.9 79.2 76.7 75.0 74.3 75.5 76.7 75.0 74.3 75.2 76.7 75.2 76.7 75.2 76.7 75.2 76.7 75.2 76.7 75.2 76.2	Layer 12 11 10 9	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.4 65.7 67.2 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	test 67.5 58.8 68.6 62.5 65.0 62.5 62.1 59.9 66.1 66.8 59.9 66.1 66.8 59.9 66.1 66.8 59.9 64.3	12 11 10 9	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	Au valid N/A 94.3 94.0 94.0 94.0 94.0 94.0 90.3 90.3 90.3 90.3 90.3 81.2 81.2 81.2 80.1 80.1 72.9	test 93.6 93.7 93.6 93.7 90.6 90.5 90.4 90.8 81.0 80.5 79.0 79.6 71.9	Layer 12 11 10 9	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	M valid N/A 56.2 56.4 56.3 56.1 56.0 55.8 54.2 53.9 53.7 53.5 24.0 23.5 23.1 22.8 22.8 22.8 20.6	test 53.1 51.0 54.8 55.4 55.5 52.1 50.9 48.9 46.1 44.5 12.2 13.3 11.1 16.5 5.0
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3	Ac valid N/A 77.7 77.2 77.0 77.2 77.0 77.7 76.5 75.7 75.5 75.7 75.5 74.3 73.8 73.0	c test 77.9 72.3 74.3 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.9 79.2 76.5 74.3 77.9 79.2 76.5 74.3 77.9 75.0 74.3 75.0 74.3 75.0 74.3 75.5 76.	Layer 12 11 10 9 8	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3	A valid N/A 67.5 66.8 66.8 66.4 65.7 67.2 66.8 66.4 65.7 67.2 66.8 66.4 65.7 68.2 66.8 66.4 65.7 66.4 66.1 66.1	test 67.5 58.8 68.6 62.5 65.0 59.9 62.5 62.1 59.9 66.1 66.8 59.9 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.2 64.3 64.3	12 11 10 9 8	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3	Advalid valid N/A 94.3 94.1 94.0 94.0 94.0 91.5 90.4 90.3 90.3 90.3 81.2 81.2 80.1 79.8 72.9 72.9 72.0 71.6	test 94.8 93.6 93.9 93.5 93.6 93.7 90.6 90.4 90.8 81.0 81.0 80.5 79.0 79.6 71.7 71.5	Layer 12 11 10 9 8	All All (Baseline) 1 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3	M valid N/A 57.2 56.4 56.3 56.1 56.0 55.8 54.2 53.9 53.7 53.5 24.0 23.5 23.1 22.8 22.8 20.6 19.8 19.4	test 53.1 51.0 54.8 55.4 55.5 52.1 50.9 48.9 44.5 12.2 13.3 11.1 16.5 50.6 1.6
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Ac valid N/A 77.7 77.2 77.2 77.2 77.2 77.7 75.7 75.7	c test 77.9 72.3 74.3 76.5 74.3 77.2 77.2 77.2 76.5 74.3 77.9 79.2 76.7 75.0 74.3 75.5 76.2 74.5 76.2 74.5 75.0 77.0 74.5	Layer 12 11 10 9 8	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.4 65.7 67.2 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	cc test 67.5 58.8 68.6 62.5 65.0 59.9 62.5 62.1 59.9 62.5 59.9 66.1 66.8 59.9 67.2 64.3 64.3 64.3	Layer 12 11 10 9 8	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Advalid valid 94.3 94.1 94.0 94.0 94.0 91.5 90.3 90.3 90.3 81.2 80.1 80.1 80.1 80.1 80.1 72.9 72.0 71.6 71.3 71.5 71	test 94.8 93.6 93.9 93.5 93.6 93.7 91.7 90.8 81.0 80.5 79.0 71.9 71.9 71.9 71.9 71.9 71.9 71.9 72.7 71.3 72.7 71.3 72.7 71.3 72.7 71.3 72.7 71.3 72.7 71.3	Layer 12 11 10 9 8	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid N/A 57.2 56.4 56.3 56.1 56.0 55.8 54.2 53.9 53.7 53.5 24.0 23.5 23.1 22.8 22.8 22.8 22.8 20.6 19.8 19.4 18.0 17.8	ec test 53.1 51.0 54.8 55.5 52.1 50.9 48.9 46.1 44.5 13.3 11.1 16.5 5.0 8.6 9.0 6.8 9.0 6.2
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Ac valid N/A 77.7 77.2 77.2 77.2 77.7 75.7 75.7 75.5 75.5	c test 77.9 77.9 77.9 72.3 74.3 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.9 79.2 76.5 74.3 77.9 79.2 76.5 74.3 77.9 79.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.9 79.2 76.5 74.3 77.9 79.2 76.5 74.3 75.5 76.5 77.0 76.5 76.5 76.5 77.9 77.9 77.9 76.5 76.5 76.5 77.9 77.9 77.9 77.9 76.5 76.5 77.9 77.9 77.9 77.9 76.5 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.0 77.	Layer 12 11 10 9 8 8	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid N/A 67.5 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	cc test 67.5 58.8 68.6 62.5 59.9 62.5 59.9 66.1 59.9 66.2 66.3 66.4 64.3 62.5 66.4 64.3 62.5 66.4 64.3 65.0 66.4 64.6 65.0	Layer 12 11 10 9 8 7	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Advector of the second	test 94.8 93.6 93.7 93.7 91.7 90.5 90.4 90.5 90.8 81.0 81.0 79.6 71.9 71.5 71.5 72.7 68.1 64.8	Layer 12 11 10 9 8 7	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3	M valid N/A 57.2 56.4 56.3 55.8 53.9 53.7 23.1 22.8 22.8 22.8 22.8 20.6 19.8 19.4 19.4 19.0 18.0 18.0	cc test 53.1 51.0 54.8 55.4 55.5 52.1 33.3 55.5 50.9 48.9 44.5 12.2 13.3 11.1 16.5 5.0 6.8 1.6 9.0 8.6 1.6 3.2 -4.8 3.2
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7	Rank All (Baselene) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Ac valid N/A 77.7 77.2 77.2 77.2 77.2 77.2 77.2 75.5 75.7 75.5 75.5	c test 77.9 77.9 77.9 77.9 74.3 76.5 74.3 77.2 74.3 77.2 76.5 74.3 77.2 76.7 75.0 75.0 76.7 75.0 76.5 76.2 77.9 75.5 76.2 75.0 76.5 76.5 76.5 76.7 75.0 76.5 76.7 75.0 76.5 76.2 77.0 77.0 76.5 76.5 76.5 76.7 76.5 76.7 76.5 76.7 76.5 76.7 75.0 76.5 76.2 75.0 76.5 75.0 76.5 75.0 76.7 75.0 76.5 75.0 76.7 75.0 75.0 76.7 75.0 75.0 75.0 75.7 75.0 75.7 75.8	Layer 12 11 10 9 8 7	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.4 65.7 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66	cc test 67.5 58.8 68.6 62.5 59.9 62.5 59.9 66.1 66.2 66.3 66.4 64.3 64.3 62.5 66.4 64.3 62.5 66.6 65.0 62.5 66.6 65.0 62.5 65.0 62.5 65.0 62.5 65.0 62.5 62.5 62.6 65.0 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 62.5 </td <td>Layer 12 11 10 9 8 7</td> <td>All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td> <td>Ak valid N/A 94.3 94.1 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 91.5 90.3 90.4 90.70.0 72.0</td> <td>test 94.8 93.6 93.7 93.7 93.7 91.7 90.6 90.5 90.6 90.7 90.8 81.0 81.0 80.5 79.0 71.3 72.7 71.3 72.7 64.8 67.1 63.5</td> <td>Layer 12 11 10 9 8 7</td> <td>Alii Alii (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td> <td>M valid N/A 57.2 56.4 55.8 53.5 53.5 53.5 24.0 23.5 23.1 22.8 22.8 22.8 22.8 19.4 19.8 19.4 19.8 19.4 19.0 16.4 16.0 15.6</td> <td>test 53.1 51.0 54.8 55.4 55.5 55.5 55.7 50.9 48.9 46.1 44.5 5.0 5.0 6.8 3.2 4.8 11.8 3.6 0.4 3.6 2.4</td>	Layer 12 11 10 9 8 7	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Ak valid N/A 94.3 94.1 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 91.5 90.3 90.4 90.70.0 72.0	test 94.8 93.6 93.7 93.7 93.7 91.7 90.6 90.5 90.6 90.7 90.8 81.0 81.0 80.5 79.0 71.3 72.7 71.3 72.7 64.8 67.1 63.5	Layer 12 11 10 9 8 7	Alii Alii (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid N/A 57.2 56.4 55.8 53.5 53.5 53.5 24.0 23.5 23.1 22.8 22.8 22.8 22.8 19.4 19.8 19.4 19.8 19.4 19.0 16.4 16.0 15.6	test 53.1 51.0 54.8 55.4 55.5 55.5 55.7 50.9 48.9 46.1 44.5 5.0 5.0 6.8 3.2 4.8 11.8 3.6 0.4 3.6 2.4
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7	Rank All (Baselene) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 1 2	Acc valid Valid N/A 77.2 75.5 75.5 74.3 73.0 74.0 73.3 70.1	c test 77.9 77.9 77.9 74.3 76.5 74.3 76.5 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.3 77.9 77.2 77.3 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.9 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.3 77.2 77.2 77.2 77.2 76.5 74.3 77.0 76.5 76.5 76.5 74.3 77.0 76.5 74.3 77.0 76.5 74.5 76.5 74.5 76.5 76.5 74.5 76.5 74.5 76.5 74.5 76.5 74.5 76.5 74.5 76.5 74.5 76.5 74.5 77.2 76.5 74.5 77.9 76.5 74.5 77.9 77.9 77.9 77.9 76.5 74.5 77.9 77.9 77.9 76.5 74.5 77.9 77.9 77.9 77.9 76.5 74.8 77.9 72.1 74.0 74.	Layer 12 11 10 9 8 7	Rank All (Baseline) 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	A valid N/A 67.5 66.8 66.4 66.4 66.7 67.2 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	cc test 67.5 58.8 68.6 62.5 62.6 65.0 59.9 66.1 67.5 62.7 64.3 64.3 64.3 64.3 64.3 64.4 64.6 65.0 59.2 63.9 61.0	Layer 12 11 10 9 8 7	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 2	Ak valid N/A 94.3 94.4 94.0 94.0 94.0 94.0 94.1 94.2 94.3 94.1 94.0 94.1 94.2 94.3 94.1 94.2 94.3 94.1 94.2 94.3 94.1 94.2 94.3 94.1 94.1 94.1 94.2 94.3 94.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 </td <td>test 94.8 93.5 93.7 93.7 93.7 93.7 91.7 90.6 90.5 90.6 90.7 91.7</td> <td>Layer 12 11 10 9 8 7</td> <td>Alii Alii (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 2</td> <td>M valid N/A 57.2 56.4 55.8 54.2 53.5 53.5 23.1 24.0 23.1 22.8 22.8 22.8 20.6 19.8 19.4 19.8 19.8 19.0 17.8 19.0 16.4 19.0 15.6 19.8 19.4 19.0 15.6 19.8 19.8 19.8 19.8 19.8 19.8 19.8 19.8</td> <td>test 53.1 51.0 54.8 55.5 52.1 50.9 46.1 44.5 11.1 11.5 5.0 9.0 6.6 1.6 5.0 9.0 6.8 3.2 4.8 11.8 10.8 1.6 5.0 8.6 1.6 2.4 1.7 2.5</td>	test 94.8 93.5 93.7 93.7 93.7 93.7 91.7 90.6 90.5 90.6 90.7 91.7	Layer 12 11 10 9 8 7	Alii Alii (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 2	M valid N/A 57.2 56.4 55.8 54.2 53.5 53.5 23.1 24.0 23.1 22.8 22.8 22.8 20.6 19.8 19.4 19.8 19.8 19.0 17.8 19.0 16.4 19.0 15.6 19.8 19.4 19.0 15.6 19.8 19.8 19.8 19.8 19.8 19.8 19.8 19.8	test 53.1 51.0 54.8 55.5 52.1 50.9 46.1 44.5 11.1 11.5 5.0 9.0 6.6 1.6 5.0 9.0 6.8 3.2 4.8 11.8 10.8 1.6 5.0 8.6 1.6 2.4 1.7 2.5
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc valid N/A 77.7 77.7 77.2 77.2 77.2 77.2 77.2 77.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.8 73.8 73.0 73.0 73.3 70.4 73.3 70.4 73.3 70.6 70.1 70.1 70.1 69.8	c test 77.9 77.9 72.3 74.3 74.3 74.3 74.3 77.2 76.5 74.3 77.2 76.5 77.0 76.5 76.5 76.5 76.5 77.0 76.5 76.5 77.0 76.5 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 77.2 77.0 76.5 77.0 77.0 76.5 77.0 77.	Layer 12 11 10 9 8 7 6	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	cc test 67.5 588.8 68.6 62.5 62.5 62.7 59.9 62.5 62.1 66.1 67.2 64.1 67.2 64.3 67.2 64.3 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 61.0 61.0 61.0 61.0 61.4	Layer 12 11 10 9 8 7 6	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4	Ak valid N/A 94.3 94.0 94.0 94.0 94.0 94.0 90.3 90.3 90.3 90.3 90.3 90.3 90.3 81.2 80.1 72.9 71.6 72.6 71.6 75.6 65.6 65.4 65.6 65.4 65.4	test 93.6 93.9 93.7 93.7 93.7 93.7 91.7 90.6 90.5 90.6 90.7 90.7 91.7 91.7 91.7 91.7 90.8 80.0 71.9 71.9 72.7 71.3 72.7 71.3 72.7 68.1 64.8 67.1 63.5 64.9 65.1 65.2	Layer 12 11 10 9 8 7 6	Alii Alii (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4	M valid N/A 57.2 56.4 56.3 56.4 55.8 54.2 23.5 23.5 23.5 23.5 23.5 23.2 23.1 22.8 20.6 19.8 19.4 18.0 17.8 19.0 16.0 15.6 19.0 16.0 15.6 19.0 19.0 19.0 11.0 19.0 19.0 19.0 19.0	cc test 53.1 51.0 54.8 55.5 52.1 55.5 52.1 50.0 44.1 12.2 13.3 11.1 14.1 16.5 5.0 8.6 0.7 4.1.8 3.6 2.4 3.6 2.4 3.6 2.4 3.6 3.7 2.5 3.2
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc valid NIA 77.7 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.7 75.5 75.5 75.5 74.3 73.8 73.0 73.8 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.5 73.6 73.7 73.8 73.9 70.1 698 67.9	c test test 77.9 77.9 77.2 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 76.7 75.0 76.5 76.5 76.5 76.5 76.7 76.7 75.0 76.5 76.5 76.5 76.5 76.7 76.7 75.0 76.5 76.5 76.5 76.5 76.7 76.7 76.5 76.7 76.7 76.5 76.7 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 76.5 77.0 77.0 76.5 77.0 77.0 76.5 77.0 77.0 77.0 76.5 77.0 77.0 77.5	Layer 12 11 10 9 8 7 6	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.8 66.4 65.7 67.2 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	cc test 67.5 588.8 68.6 62.5 65.0 62.1 59.9 62.5 66.1 67.5 59.9 62.1 59.9 66.1 67.2 64.3 62.5 66.4 64.3 62.5 66.4 64.3 62.5 66.4 64.3 65.9 61.0 61.4 61.7	Layer 12 11 10 9 8 7 6	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Ak valid N/A 94.3 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0	cec test 93.6 93.7 93.7 91.7 90.6 90.3 90.4 90.5 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.0 81.0 81.0 81.0 81.0 68.1 63.2 65.1 65.2 64.7	Layer 12 11 10 9 8 7 6	Alii Alii (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 1 2 3 4 5 1	M valid N/A 57:2 56.4 56.4 55.8 54.2 53.9 53.7 24.0 23.5 24.0 23.5 24.0 23.5 24.0 23.5 24.0 23.5 24.0 23.5 24.0 23.1 22.8 20.6 19.8 19.4 19.0 17.8 19.0 18.0 19.0 18.0 19.0 18.0 19.0 18.0 19.0 18.0 19.0 18.0 19.0 18.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0 19	cc test 53.1 51.0 54.8 55.4 55.7 52.1 50.9 48.9 48.1 13.3 11.1 16.5 5.0 8.6 1.6 3.2 -4.8 3.6 2.4 3.6 2.4 3.6 2.4 3.6 2.4 3.6 2.4 3.6 2.5 5.0
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3	Acc valid NIA 77.17 77.2 77.2 77.2 77.2 77.2 77.7 75.5 75.5 75.5 75.5 74.3 73.8 73.0 73.3 74.3 74.3 70.6 70.1 69.6 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7 67.2 67.2 67.2 67.2 67.2	c test 77.9 77.9 77.2 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.2 76.5 74.3 77.9 79.2 76.7 74.3 77.9 76.7 76.7 76.5 74.3 77.9 75.0 74.3 77.9 75.5 76.5 76.5 74.3 77.9 76.5 76.5 74.3 77.9 75.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 77.2 76.5 76.7 76.7 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.7 76.9 76.7 76.9 76.7 76.9 76.7 76.9 76.7 76.9 77.0 77.	Layer 12 11 10 9 8 7 6 5	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 67.5 66.8 66.8 66.4 65.7 67.7 67.7 67.7 67.7 67.7 67.7 67.7	ccc test 67.5 58.8 68.6 62.5 65.9 9 9 9 66.1 66.2 66.3 66.4 67.5 62.7 62.8 64.3 62.5 62.6 62.7 66.8 62.8 64.3 62.5 62.6 65.0 62.7 61.4 61.7 61.4 61.7 61.4 61.7 61.4 61.7 61.4 61.7 61.4 61.7 61.4 61.7 61.4 61.7 61.4 61.7 61.4 61.7 61.7 61.8	Layer 12 11 10 9 8 7 6 5	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	Au valid 94.3 94.1 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0	cc test 94.8 93.6 93.7 93.7 93.7 93.7 93.7 91.7 90.6 90.7 90.7 90.8 90.8 90.7 90.7 90.8 90.7 90.7 90.7 90.7 90.7 90.7 90.7 90.7 90.7 90.7 90.8 90.9 90.9 90.7 90.7 90.7 90.8 90.9 90.9 90.9 90.9 90.9 90.9 90.9 90.9 90.9 90.9 90.9 90.9 90.9 90.9 90.9 </td <td>Layer 12 11 10 9 8 7 6 5</td> <td>All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td> <td>M valid 57.2 56.4 56.5 55.8 55.8 55.8 55.8 55.8 55.8 55.8</td> <td>cc test 53.1 51.0 54.8 55.4 55.3 55.5 52.1 50.9 44.5 44.1 44.1 14.1 16.5 5.0 5.0 9.0 6.8 3.2 4.8 3.6 1.1 11.1 16.5 5.0 8.6 1.6 9.0 6.8 3.2 4.1 1.7 2.5 5.0 0.2 3.0 5.4</td>	Layer 12 11 10 9 8 7 6 5	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid 57.2 56.4 56.5 55.8 55.8 55.8 55.8 55.8 55.8 55.8	cc test 53.1 51.0 54.8 55.4 55.3 55.5 52.1 50.9 44.5 44.1 44.1 14.1 16.5 5.0 5.0 9.0 6.8 3.2 4.8 3.6 1.1 11.1 16.5 5.0 8.6 1.6 9.0 6.8 3.2 4.1 1.7 2.5 5.0 0.2 3.0 5.4
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc Valid N/A 77.7 77.2 77.3 75.5 75.7 75.7 75.7 73.0 73.0 73.0 73.0 73.0 73.3 73.3 73.4 73.5 73.3 73.5 73.6 73.7 73.8 73.9 <	c test 77.9 77.9 77.9 77.9 77.2 74.3 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.5 76.5 77.0 77.0 77.2 77.0 77.2 72.3 76.5 76.5 76.5 76.5 76.5 76.5 77.0 72.3 72.1 72.0 72.3 72.1 72.5 72.5 76.5 77.0 72.5 76.5 77.0 72.5 76.5 77.0 72.5 76.5 77.0 72.5 76.5 77.0 72.5 72.5 74.8 77.0 72.5 74.0 72.5 74.0 72.6 74.0 72.6 74.0 72.6 74.0 72.5 74.0 72.5 74.0 72.5 74.0 72.6 75.6 74.0 75.6 75.6 74.0 75.6 75.6 74.0 75.6 74.0 75.6 76.6 74.0 75.6 76.6 76.6 76.6 76.6 77.0 76.6 76.6 76.6 76.6 76.6 77.0 76.6 76.6 76.6 76.6 76.6 77.0 77.0 77.0 77.0 77.0 77.0 77.0 77.6 77.0 77.6 77.0 77.6 77.0 77.6 77.0 77.6 77.0 77.6 77.6 77.6 77.6 77.0 77.6 77.6 77.6 77.0 77.6 77.0 77.6 77.0 77.6 77.0 77.6 77.6 77.0 77.6 77.0 77.	Layer 12 11 10 9 8 7 6 5	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid N/A 07.5 07.5 07.5 07.5 07.2 07.2 06.8 06.4 06.4 07.2 06.8 06.4 06.4 06.4 06.7 07.2 06.8 06.4 06.5 07.2 06.8 06.8 06.2 06.8 06.4 06.4 06.1 06.2 06.2 06.5 05.7 05.3 05.7 05.3 05.7 05.3 05.7 05.3 05.5	test 1 67.5 58.8 68.6 68.6 62.5 62.1 59.9 66.1 67.5 62.7 62.3 62.5 62.1 59.9 66.1 64.3 64.3 64.3 64.3 64.3 64.4 64.5 65.0 61.7 61.7 61.4 61.7 61.4 61.7 61.4 61.7 61.7 61.4 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 <td>Layer 12 11 10 9 8 7 6 5</td> <td>All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1</td> <td>Ar valid valid N/A 94.0 95.6 94.4 95.6 94.4 95.6 95</td> <td>ce test 94.8 93.6 93.7 93.6 93.7 93.6 93.7 93.6 93.7 93.6 93.7 93.6 93.7 93.8 90.8 90.8 90.4 90.8 80.5 79.0 71.9 71.9 71.9 71.9 71.1 71.3 71.3 71.3 72.7 63.1 65.5 64.8 67.1 65.0 64.2 64.3 64.4 64.2 64.4 64.2 64.4 64.5 64.6 607</td> <td>Layer 12 11 10 9 8 7 6 5</td> <td>All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td> <td>M valid 57.2 56.4 56.3 55.8 55.8 55.8 55.8 55.8 55.8 55.8 55</td> <td>cc test 53.1 51.0 54.8 55.4 55.4 53.3 55.5 55.4 50.9 46.1 50.9 46.1 13.3 11.1 16.5 5.0 5.0 9.0 6.8.6 1.6 1.6 9.0 3.2 4.8 4.8 4.4.5 4.1 16.5 5.0 0.0 6.8.6 1.6 1.7 2.5 5.0 0.2 3.0 -5.4 3.0 -5.4</td>	Layer 12 11 10 9 8 7 6 5	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	Ar valid valid N/A 94.0 95.6 94.4 95.6 94.4 95.6 95	ce test 94.8 93.6 93.7 93.6 93.7 93.6 93.7 93.6 93.7 93.6 93.7 93.6 93.7 93.8 90.8 90.8 90.4 90.8 80.5 79.0 71.9 71.9 71.9 71.9 71.1 71.3 71.3 71.3 72.7 63.1 65.5 64.8 67.1 65.0 64.2 64.3 64.4 64.2 64.4 64.2 64.4 64.5 64.6 607	Layer 12 11 10 9 8 7 6 5	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid 57.2 56.4 56.3 55.8 55.8 55.8 55.8 55.8 55.8 55.8 55	cc test 53.1 51.0 54.8 55.4 55.4 53.3 55.5 55.4 50.9 46.1 50.9 46.1 13.3 11.1 16.5 5.0 5.0 9.0 6.8.6 1.6 1.6 9.0 3.2 4.8 4.8 4.4.5 4.1 16.5 5.0 0.0 6.8.6 1.6 1.7 2.5 5.0 0.2 3.0 -5.4 3.0 -5.4
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5 4	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc Valid NVA 77.7 77.2 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 73.8 73.0 73.0 73.1 70.1 70.2 76.2 76.2 70.6 70.1 70.2 76.2 76.2 75.3 <	c test 77.9 77.9 77.9 77.3 74.3 74.3 74.3 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.5 76.5 77.0 77.	Layer 12 11 10 9 8 7 6 5 4	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3	A valid valid 07.5 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	test 1 67.5 58.8 68.6 62.5 62.1 59.9 66.1 59.9 66.1 59.9 66.2 66.8 65.9 67.5 62.1 66.8 59.9 66.1 66.2 67.5 62.1 66.8 65.0 67.5 62.1 66.8 65.0 67.5 62.7 64.3 62.5 59.2 63.9 61.0 61.4 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 <td>Layer 12 11 10 9 8 7 6 5 4</td> <td>Rank Ail (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1</td> <td>A. valid N/A 94.3 94.1 94.0 94.0 94.0 91.5 90.3 90.4 65.6 65.7 65.6 65.7 65.8 65.9 90.0 90.0 <!--</td--><td>ce test 94.8 93.6 93.7 93.6 93.7 93.6 93.7 90.5 90.7 90.7 90.8 90.8 90.8 90.8 90.8 90.7 70.0 71.9 71.9 71.9 71.3 71.3 71.3 72.7 71.5 71.3 72.7 65.1 65.2 64.7 65.1 65.1 65.1 65.1 65.1 65.1 65.1 65.1 65.2 64.7 64.8 60.7 58.6</td><td>Layer 12 11 10 9 8 7 6 5 4</td><td>All All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3</td><td>M valid Valid N/A 57.2 56.4 56.5 55.8 54.2 23.5 23.5 23.5 23.5 23.2 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 23.5 33.7 19.4 19.4 19.5 19.8 19.4 19.0 18.0 13.1 13.2 13.2 13.2 13.3 12.4</td><td>cc test 53.1 55.4 55.4 55.5 55.4 55.5 55.6 55.7 50.9 46.1 50.9 60.6 11.1 16.5 5.0 5.0 6.6 9.0 6.8 2.4 1.7 2.5 0.0 0.2 3.0 -5.4 0.2 3.0 -5.4 2.4</td></td>	Layer 12 11 10 9 8 7 6 5 4	Rank Ail (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	A. valid N/A 94.3 94.1 94.0 94.0 94.0 91.5 90.3 90.4 65.6 65.7 65.6 65.7 65.8 65.9 90.0 90.0 </td <td>ce test 94.8 93.6 93.7 93.6 93.7 93.6 93.7 90.5 90.7 90.7 90.8 90.8 90.8 90.8 90.8 90.7 70.0 71.9 71.9 71.9 71.3 71.3 71.3 72.7 71.5 71.3 72.7 65.1 65.2 64.7 65.1 65.1 65.1 65.1 65.1 65.1 65.1 65.1 65.2 64.7 64.8 60.7 58.6</td> <td>Layer 12 11 10 9 8 7 6 5 4</td> <td>All All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3</td> <td>M valid Valid N/A 57.2 56.4 56.5 55.8 54.2 23.5 23.5 23.5 23.5 23.2 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 23.5 33.7 19.4 19.4 19.5 19.8 19.4 19.0 18.0 13.1 13.2 13.2 13.2 13.3 12.4</td> <td>cc test 53.1 55.4 55.4 55.5 55.4 55.5 55.6 55.7 50.9 46.1 50.9 60.6 11.1 16.5 5.0 5.0 6.6 9.0 6.8 2.4 1.7 2.5 0.0 0.2 3.0 -5.4 0.2 3.0 -5.4 2.4</td>	ce test 94.8 93.6 93.7 93.6 93.7 93.6 93.7 90.5 90.7 90.7 90.8 90.8 90.8 90.8 90.8 90.7 70.0 71.9 71.9 71.9 71.3 71.3 71.3 72.7 71.5 71.3 72.7 65.1 65.2 64.7 65.1 65.1 65.1 65.1 65.1 65.1 65.1 65.1 65.2 64.7 64.8 60.7 58.6	Layer 12 11 10 9 8 7 6 5 4	All All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3	M valid Valid N/A 57.2 56.4 56.5 55.8 54.2 23.5 23.5 23.5 23.5 23.2 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 23.5 33.7 19.4 19.4 19.5 19.8 19.4 19.0 18.0 13.1 13.2 13.2 13.2 13.3 12.4	cc test 53.1 55.4 55.4 55.5 55.4 55.5 55.6 55.7 50.9 46.1 50.9 60.6 11.1 16.5 5.0 5.0 6.6 9.0 6.8 2.4 1.7 2.5 0.0 0.2 3.0 -5.4 0.2 3.0 -5.4 2.4
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5 4	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc Valid Vvalid 77.7 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 73.8 73.0 73.3 73.3 70.1 69.2 66.2 66.2 66.2 66.2	c test 77.9 77.9 77.9 74.3 76.5 74.3 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.5 77.9 79.2 77.2 77.7 77.9 79.2 77.9 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.7 76.7 77.9 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.5 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.7 76.7 77.0 76.5 76.5 76.6 76.5 76.5 76.6 76.5 76.5 76.0 76.5 76.5 76.0 76.5 76.0 76.5 77.0 77.0 77.0 76.5 76.5 76.5 76.5 76.5 76.6 76.5 77.0 77.0 77.0 76.6 76.5 76.6 76.5 77.0 77.0 77.0 76.6 76.5 77.0 77.0 77.0 77.0 76.5 77.0 77.	Layer 12 11 10 9 8 7 6 5 4	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid 07.5 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	test 1 67.5 58.8 68.6 62.5 62.1 59.9 59.9 59.9 66.8 67.5 62.1 59.9 59.9 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 59.9 51.4 59.9 51.4 51.5 52.4 51.2 51.3 53.8	Layer 12 11 10 9 8 7 6 5 4	Rank Ail (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A. valid NIA 94.1 94.2 94.1 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 90.3 90.3 90.3 90.3 90.4 90.3 90.4 90.72.0 71.3 71.1 65.7 65.6 65.7 65.6 65.2 65.4 65.5 65.6 65.2 65.6 59.4 59.4 59.4 59.4 58.7	cc test 94.8 93.6 93.7 90.8 81.0 80.5 65.1 65.2 64.7 64.8 64.9 64.2 64.2 64.2 64.3 81.9 </td <td>Layer 12 11 10 9 8 7 6 5 4</td> <td>All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td> <td>M valid Valid Str.2 56.4 56.5 55.8 54.2 23.5 23.5 23.5 23.6 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 23.5 31.0 16.4 16.4 16.4 16.4 13.0 12.8 13.1 13.2 13.3 13.4 13.2 13.4 13.2 12.4 12.4 12.1</td> <td>cc test 53.1 55.4 55.5 52.1 55.5 52.1 50.9 46.1 10.0 5.0 5.1 5.2 11.1 16.5 5.0 5.0 6.2 4.4.5 3.6 1.6 5.0 6.2 4.4.8 3.6 1.6 9.0 6.8 3.2 5.0 2.4 -5.0 2.4 -5.4 -5.2 2.4 -3.8 2.4 -3.2 2.4</td>	Layer 12 11 10 9 8 7 6 5 4	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid Valid Str.2 56.4 56.5 55.8 54.2 23.5 23.5 23.5 23.6 22.8 22.8 22.8 22.8 22.8 22.8 22.8 22.8 23.5 31.0 16.4 16.4 16.4 16.4 13.0 12.8 13.1 13.2 13.3 13.4 13.2 13.4 13.2 12.4 12.4 12.1	cc test 53.1 55.4 55.5 52.1 55.5 52.1 50.9 46.1 10.0 5.0 5.1 5.2 11.1 16.5 5.0 5.0 6.2 4.4.5 3.6 1.6 5.0 6.2 4.4.8 3.6 1.6 9.0 6.8 3.2 5.0 2.4 -5.0 2.4 -5.4 -5.2 2.4 -3.8 2.4 -3.2 2.4
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5 4	Rank All (Baseden) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	Acc Valid Vvalid 77.7 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.7 75.7 75.7 75.7 75.7 75.7 75.7 74.8 74.3 73.0 73.0 73.1 73.3 73.3 70.1 70.1 70.1 70.1 70.1 70.1 70.2 66.9 66.9 66.9 66.9 66.9 66.2 66.2 66.2 66.2 66.2	c test 77.9 77.9 77.9 74.3 76.5 74.3 77.2 77.2 77.2 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 77.9 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 77.2 77.5 76.5 77.2 76.5 77.2 77.2 77.2 77.2 77.2 77.5 77.2 77.2 77.5 77.2 77.2 77.5 77.2 77.5 77.2 76.5 77.2 76.5 77.2 76.5 77.2 76.5 77.2 76.5 77.2 76.5 76.5 76.5 77.2 76.5 77.2 76.5 76.5 76.5 77.2 76.5 76.5 76.5 77.0 76.5 77.2 76.5 76.5 76.5 76.5 76.5 77.0 76.5 77.2 76.5 76.5 77.2 76.5 76.5 77.2 76.5 76.5 77.0 76.5 77.2 76.5 76.5 70.0 76.5 77.2 76.5 70.0 76.5 70.0 76.5 70.0 76.5 70.0 76.5 70.0 76.5 70.0 76.5 70.0 76.5 70.0 76.5 70.0 77.2 77.5 70.5 70.0 76.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.6 70.0 70.6 70.6 70.0 70.6 70.6 70.0 70.6 70.0 70.6 70.0 70.6 70.0 70.6 70.6 70.0 70.6 70.	Layer 12 11 10 9 8 7 6 5 4	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid 07.5 66.8 66.4 66.7 67.5 66.8 66.4 66.7 67.8 66.8 66.4 66.7 66.8 66.4 66.1 66.3 66.4 66.1 66.3 66.4 66.1 66.3 66.3 66.4 66.1 66.3 66.4 66.1 66.3 66.3 66.4 66.3 65.7 65.3 65.3 62.5 62.5 62.5 62.7 59.9 59.2 58.8 57.4 57.4 57.4 57.4 57.4 <	test test 67.5 58.8 68.6 62.5 59.9 62.5 59.9 59.9 59.9 62.5 62.1 59.9 62.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.6 61.7 61.7 61.7 61.7 61.7 61.7 61.7 59.2 59.2 59.2 59.2 59.2 59.2 59.2 59.2 59.2 59.2 59.2 59.2 59.2 59.2	Layer 12 11 10 9 8 7 6 5 4	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	A. valid valid N/A 94.1 94.2 94.3 94.1 94.0 94.1 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 91.1 92.2 91.4 65.4 65.5 65.2 65.4 65.5 65.7 59.4 59.4 59.4 59.4 <	cc test 94.8 93.6 93.9 93.6 93.7 93.7 93.7 93.7 93.7 90.6 90.6 90.4 90.6 90.4 90.6 90.4 90.6 90.4 90.7 90.7 90.8 80.5 79.0 79.6 71.9 72.7 71.3 72.7 71.3 72.7 71.3 72.7 71.3 72.7 71.3 72.7 768.1 64.9 65.1 64.9 65.1 64.9 65.1 64.9 65.2 64.9 65.8 64.6 64.7 64.8 64.6 64.6 63.8 58.6 58.6 58.6 58.6 58.1	Layer 12 11 10 9 8 7 6 5 4	Alii Alii (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid Valid Stell Statistic Statis <td>cc test 151.0 55.4 55.4 55.4 55.5 52.1 55.6 55.5 52.1 13.3 14.5 50.9 50.9 50.9 50.9 50.9 50.6 1.6 1.6 5.6 1.6 1.6 5.0 9.0 6.8 2.4 3.2 -4.8 3.6 2.4 -5.0 -2.3 -2.1 2.0 2.4 -3.8 -2.2 2.0 2.1 2.2</td>	cc test 151.0 55.4 55.4 55.4 55.5 52.1 55.6 55.5 52.1 13.3 14.5 50.9 50.9 50.9 50.9 50.9 50.6 1.6 1.6 5.6 1.6 1.6 5.0 9.0 6.8 2.4 3.2 -4.8 3.6 2.4 -5.0 -2.3 -2.1 2.0 2.4 -3.8 -2.2 2.0 2.1 2.2
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5 4 3	Rank All (Baseden) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	Acc Valid Vvalid 77.7 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.7 75.7 75.7 75.7 75.7 75.7 75.7 74.8 74.3 73.0 73.0 73.1 73.3 73.3 70.1 70.1 70.1 70.1 70.1 70.1 70.1 70.1 70.1 70.1 70.1 70.2 66.9 66.9 66.9 66.9 66.2 66.2	c test 77.9 77.9 77.9 74.3 76.5 74.3 77.2 76.5 74.3 77.2 76.5 76.5 75.0 76.7 76.5 75.0 76.7 76.5 75.0 76.5 76.5 76.5 77.0 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76.6 76.5 77.0 75.0 76.5 70.0 70.5 76.5 70.0 70.5 70.5 70.5 70.5 70.6 70.5 70.6 70.3 70.6 70.3 70.6 70.6 70.3 70.6 70.3 70.6 70.6 70.3 70.6 70.6 70.3 70.6 70.6 70.6 70.3 70.6 70.6 70.6 70.6 70.3 70.6 70.6 70.6 70.6 70.6 70.3 70.6 70.6 70.6 70.6 70.6 70.3 70.6 70.	Layer 12 11 10 9 8 7 6 5 4 3	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid 07.5 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	test test 67.5 58.8 68.6 62.5 62.6 59.9 59.9 59.9 66.1 66.6 66.7 66.8 66.1 66.2 66.3 66.4 64.3 64.3 64.3 65.5 59.2 66.3 61.4 61.7	Layer 12 11 10 9 8 7 6 5 4 3	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	A.d. valid N/A 94.3 94.1 94.0 94.1 94.0 94.1 94.0 94.0 94.0 94.0 90.3 90.4 65.5 65.5 65.7 65.4	cc test 94.8 93.6 93.7 93.7 93.7 93.7 93.7 93.7 90.7 90.7 90.7 90.8 90.8 90.8 90.7 90.7 90.7 90.7 90.8 90.7 90.7 90.8 90.9 90.8 90.7 90.8 90.8 90.9 90.8 90.7 90.8 90.8 90.8 90.8 90.8 90.8 90.8 90.8 90.8 90.8 90.8 63.1 63.2 64.3 64.4 60.5 58.1 58.4 </td <td>Layer 12 11 10 9 8 7 6 5 4 3</td> <td>Rank Ail (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4</td> <td>M valid Valid Store Store</td> <td>cc test test 33.1 51.0 55.4 55.4 55.5 52.1 55.5 52.1 13.3 14.5 50.9 55.6 11.1 14.1 16.5 50.6 1.6 1.6 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.2 3.5 5.5</td>	Layer 12 11 10 9 8 7 6 5 4 3	Rank Ail (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4	M valid Valid Store	cc test test 33.1 51.0 55.4 55.4 55.5 52.1 55.5 52.1 13.3 14.5 50.9 55.6 11.1 14.1 16.5 50.6 1.6 1.6 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.2 3.5 5.5
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5 4 3	Rank All (Baseden) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	Acc Valid Valid 77.7 77.2 77.3 75.5 73.8 73.0 73.0 73.0 73.0 73.0 73.0 73.1 73.2 73.3 73.0 73.1 73.2 73.3 73.3 73.0 70.1 692 66.9	c test 77.9 77.9 77.9 74.3 76.5 77.2 76.5 77.2 76.5 75.0 76.7 75.0 76.7 75.0 76.7 75.0 76.7 75.0 76.7 77.0 76.7 76.7 76.7 76.7 77.0 76.7 76.7 76.7 77.0 76.7 77.0 76.7 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 76.7 77.0 76.7 76.7 77.0 76.7 76.7 77.0 76.7 76.7 77.0 76.7 76.7 77.0 76.7 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 76.7 77.0 77.0 76.7 77.0 77.	Layer 12 11 10 9 8 7 6 5 4 3	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid 07.5 66.8 66.4 66.8 66.4 66.7 66.8 66.4 66.4 66.6 66.4 66.6 66.4 66.7 66.8 66.8 66.4 66.1 66.4 66.3 66.4 66.3 66.3 63.5 64.3 63.5 62.1 61.0 59.9 59.2 58.8 57.4 57.4 57.4 58.8 58.5 58.5 58.5 58.5 58.1 59.2	test 67.5 58.8 68.6 62.5 62.6 59.9 99.9 99.9 99.9 61.1 66.8 62.5 62.1 66.1 66.2 66.2 66.3 66.4 64.3 62.5 62.6 63.9 61.7	Layer 12 11 10 9 8 7 6 5 4 3	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	A. valid N/A 94.3 94.4 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 91.5 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 91.5 80.1 72.9 72.0 71.1 65.7 65.7 65.6 65.7 65.6 65.7 65.7 65.7 65.7 65.7 65.7 </td <td>cc test 94.8 93.0 93.7 <!--</td--><td>Layer 12 11 10 9 8 7 6 5 4 3</td><td>All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td><td>M valid Valid St2 S6.3 S5.2 S5.3 S5.2 S3.5 S2.2 S2.3 S2.3 S3.4 S5.4 S3.7 S3.8 S3.9 S3.9 S3.2 S3.3 S3.4 S0.0 S0.0 <!--</td--><td>cc test 53.1 53.1 55.4 55.4 55.5 52.1 55.5 52.1 14.5 50.9 44.5 13.3 11.1 14.1 16.5 5.0 5.0 6.8 3.2 5.0 6.8 3.2 5.0 0.6 3.2 5.0 0.2 3.0 0.2 3.0 0.2 3.0 2.4.8 3.6 2.2.1 2.0 2.0 2.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4<!--</td--></td></td></td>	cc test 94.8 93.0 93.7 </td <td>Layer 12 11 10 9 8 7 6 5 4 3</td> <td>All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td> <td>M valid Valid St2 S6.3 S5.2 S5.3 S5.2 S3.5 S2.2 S2.3 S2.3 S3.4 S5.4 S3.7 S3.8 S3.9 S3.9 S3.2 S3.3 S3.4 S0.0 S0.0 <!--</td--><td>cc test 53.1 53.1 55.4 55.4 55.5 52.1 55.5 52.1 14.5 50.9 44.5 13.3 11.1 14.1 16.5 5.0 5.0 6.8 3.2 5.0 6.8 3.2 5.0 0.6 3.2 5.0 0.2 3.0 0.2 3.0 0.2 3.0 2.4.8 3.6 2.2.1 2.0 2.0 2.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4<!--</td--></td></td>	Layer 12 11 10 9 8 7 6 5 4 3	All All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid Valid St2 S6.3 S5.2 S5.3 S5.2 S3.5 S2.2 S2.3 S2.3 S3.4 S5.4 S3.7 S3.8 S3.9 S3.9 S3.2 S3.3 S3.4 S0.0 S0.0 </td <td>cc test 53.1 53.1 55.4 55.4 55.5 52.1 55.5 52.1 14.5 50.9 44.5 13.3 11.1 14.1 16.5 5.0 5.0 6.8 3.2 5.0 6.8 3.2 5.0 0.6 3.2 5.0 0.2 3.0 0.2 3.0 0.2 3.0 2.4.8 3.6 2.2.1 2.0 2.0 2.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4<!--</td--></td>	cc test 53.1 53.1 55.4 55.4 55.5 52.1 55.5 52.1 14.5 50.9 44.5 13.3 11.1 14.1 16.5 5.0 5.0 6.8 3.2 5.0 6.8 3.2 5.0 0.6 3.2 5.0 0.2 3.0 0.2 3.0 0.2 3.0 2.4.8 3.6 2.2.1 2.0 2.0 2.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 </td
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5 4 3 2	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc Valid N/A 77.7 77.2 77.3 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 70.1 69.6 66.7 <	c test 77.9 77.9 77.9 77.9 74.3 76.5 77.2 76.5 77.0 76.7 75.0 77.2 76.7 75.0 77.2 76.7 75.0 77.2 76.7 75.0 77.2 76.7 75.0 77.2 77.2 76.7 75.0 77.2 77.2 76.7 75.0 77.2 76.7 75.0 77.2 76.7 75.0 76.7 75.0 76.7 76.7 75.0 76.7 77.0 76.7 77.2 76.7 75.0 76.7 77.2 76.7 76.7 77.2 76.7 76.7 77.0 76.7 77.2 76.7 77.2 76.7 77.2 76.7 76.7 77.0 77.0 76.7 77.0 77.	Layer 12 11 10 9 8 7 6 5 4 3 2	Rank All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid 07.5 66.8 66.4 66.8 66.4 66.7 7 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.4 66.1 66.3 66.3 66.3 64.3 65.7 65.3 64.3 63.5 52.2 58.8 52.5 57.8 57.8 57.8 58.5 58.5 58.5 58.1 59.2 58.8 58.5 58.5 58.5 58.5 58.5 58.5 58.5 58.8 58.1 59.2 58.8 58.8 58.1 59.2 58.8 58.8 58.1	test 67.5 58.8 68.6 62.5 62.6 59.9 62.7 59.9 62.7 59.9 62.7 59.9 62.7 62.8 62.7 62.8 62.7 62.7 62.8 62.7 62.8 62.4 62.7 62.8 62.7 62.8 62.7 62.8 62.9 62.7 63.9 61.4 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7 61.7	Layer 12 11 10 9 8 7 6 5 4 3 2	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	A.A. valid N/A 94.3 94.1 94.3 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 94.1 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 91.5 88.6 90.3 90.4 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3	cc test 94.8 93.6 93.7 </td <td>Layer 12 11 10 9 8 7 6 5 4 3 2</td> <td>Rank Ail (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4</td> <td>M valid Valid Store Store</td> <td>cc test 1 53.1 5 53.1 5 55.4 5 55.5 5 52.1 1 13.3 11.1 16.5 5.0 9 48.9 46.1 44.5 5.0 6.8 3.2 7.7 5.0 9.0 6.8 3.2 5.0 0.6.8 3.6 2.4 8.8 3.6 5.4 -5.0 3.0 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.5 -5.4 -5.5 -5.4</td>	Layer 12 11 10 9 8 7 6 5 4 3 2	Rank Ail (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4	M valid Valid Store	cc test 1 53.1 5 53.1 5 55.4 5 55.5 5 52.1 1 13.3 11.1 16.5 5.0 9 48.9 46.1 44.5 5.0 6.8 3.2 7.7 5.0 9.0 6.8 3.2 5.0 0.6.8 3.6 2.4 8.8 3.6 5.4 -5.0 3.0 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.4 -5.5 -5.4 -5.5 -5.4
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Layer 12 11 10 9 8 7 6 5 4 3 2	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc Valid Vvalid 77.7 77.2 75.5 75.5 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0	c test 77.9 77.9 77.9 77.9 74.3 76.5 77.2 76.5 77.2 75.0 77.2 75.0 77.2 75.0 75.0 76.2 74.3 77.9 77.2 76.5 75.0 76.5 75.0 76.2 75.0 76.5 76.5 76.2 76.5 76.2 76.5 76.5 76.2 76.5 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.5 76.2 76.4 80.4 60.9 9.1 70.6 70.3 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.0 70.5 70.1 70.5 70.1 70.5 70.3	Layer 12 11 10 9 8 7 6 5 4 3 2	Rank All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid 07.5 66.8 66.4 66.4 65.7 67.2 66.8 66.4 66.4 66.4 66.4 66.4 66.4 66.4	test 67.5 58.8 68.6 62.5 65.0 62.7 59.9 62.1 59.9 62.6 59.9 62.7 66.8 62.9 62.1 66.8 64.3 64.3 64.3 64.3 64.3 64.3 64.3 64.3 64.4 64.5 65.7 66.4 65.7 63.9 61.7 61.7 61.7 61.4 61.7 50.5 53.4 50.5 53.8 50.5 53.8 50.5 53.8 50.5 53.8 50.5 53.8 50.5 53.8	Layer 12 11 10 9 8 7 6 5 4 3 2	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	A.a. valid N/A 94.3 94.1 94.0 94.1 94.0 94.1 94.1 94.1 90.3 90.3 90.3 90.3 90.4 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3 90.3	cc test 94.8 93.0 93.7 91.7 91.7 91.7 91.7 71.3 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 71.7 </td <td>Layer 12 11 10 9 8 7 6 5 4 3 2</td> <td>Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1</td> <td>M valid NAA 57.2 56.3 56.3 56.3 56.3 53.7 23.5 23.5 23.5 23.5 22.8 23.6 13.0 12.8 13.4 13.2 13.3 13.0 12.6 13.2 13.1 13.0 0.0</td> <td>cc itest 53.1 55.4 55.5 52.1 55.5 52.1 52.2 11.1 14.5 5.0 46.1 44.5 5.0 5.0 46.1 44.5 5.0 6.8 6.16 9.0 6.2 4.1 1.6 5.0 0.2 3.2 0.0 -2.3 2.0 2.3 2.0 2.4 3.2 1.2 3.2 1.2 3.2 1.2 3.2 2.0 2.4 3.5 3.6 -2.3 2.4 3.5 3.6 2.1 2.2</td>	Layer 12 11 10 9 8 7 6 5 4 3 2	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	M valid NAA 57.2 56.3 56.3 56.3 56.3 53.7 23.5 23.5 23.5 23.5 22.8 23.6 13.0 12.8 13.4 13.2 13.3 13.0 12.6 13.2 13.1 13.0 0.0	cc itest 53.1 55.4 55.5 52.1 55.5 52.1 52.2 11.1 14.5 5.0 46.1 44.5 5.0 5.0 46.1 44.5 5.0 6.8 6.16 9.0 6.2 4.1 1.6 5.0 0.2 3.2 0.0 -2.3 2.0 2.3 2.0 2.4 3.2 1.2 3.2 1.2 3.2 1.2 3.2 2.0 2.4 3.5 3.6 -2.3 2.4 3.5 3.6 2.1 2.2
(e) MRPC (f) RTE (g) SST-2 (h) CoLA	Layer 12 11 10 9 8 7 6 5 4 3 2 1	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc Valid Vvalid 77.7 77.2 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 77.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 75.7 73.8 73.0 73.0 73.3 73.3 73.3 73.5 73.5 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0 73.0	c test 77.9 77.9 77.9 77.9 74.3 76.5 77.2 76.5 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 76.7 77.2 76.7 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 77.2 77.2 76.7 77.2 76.7 77.2 76.7 77.2 76.7 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.2 77.4 80.9 40.9 72.1 70.6 80.9 40.9 70.3 70.3 70.3 70.3 70.3 70.3 70.3 70.4 80.9 70.3 70.3 70.3 70.3 70.3 70.3 70.3 70.3 70.3 70.3 70.3 70.4 80.9 70.3 70.1 71.1 71.1 71.1	Layer 12 11 10 9 8 7 6 5 4 3 2 1	Rank All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid 07.5 66.8 66.4 66.4 65.7 67.2 66.8 66.4 66.4 66.1 66.1 66.1 66.4 66.4 66.4	test 67.5 58.8 67.5 58.8 62.5 62.5 62.6 59.9 62.7 59.9 62.6 59.9 62.1 59.9 66.1 66.8 62.7 67.5 62.7 67.5 62.7 62.8 62.7 62.8 62.7 62.7 62.8 62.5 62.6 63.9 61.7 61.7 61.7 61.7 61.7 61.7 61.4 61.7 59.9 53.8 50.5 53.8 50.5 53.8 50.5 53.8 50.2 53.8 50.2	Layer 12 11 10 9 8 7 6 5 4 3 2 1	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	A. valid N/A 94.3 94.1 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 90.3 90.3 90.3 90.3 90.4 90.4 90.4 90.3 90.4 90.4 90.4 90.4 90.7 90.7 90.7 90.8 90.1 72.9 71.6 65.7 65.6 65.6 65.7 65.6 65.7 65.8 50.4 50.6 57.8 57.8 55.1 </td <td>cc test 94.8 93.9 93.7 93.7 93.7 93.7 91.7 90.6 90.9 90.6 90.7 91.7 92.8 93.8 <!--</td--><td>Layer 12 11 10 9 8 7 6 5 4 3 2 1 1</td><td>Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td><td>M valid NAA 57.2 56.3 56.3 56.3 56.3 53.7 54.9 18.0 16.0 15.6 13.0 12.8 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 <td>cc </td></td></td>	cc test 94.8 93.9 93.7 93.7 93.7 93.7 91.7 90.6 90.9 90.6 90.7 91.7 92.8 93.8 </td <td>Layer 12 11 10 9 8 7 6 5 4 3 2 1 1</td> <td>Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td> <td>M valid NAA 57.2 56.3 56.3 56.3 56.3 53.7 54.9 18.0 16.0 15.6 13.0 12.8 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 <td>cc </td></td>	Layer 12 11 10 9 8 7 6 5 4 3 2 1 1	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	M valid NAA 57.2 56.3 56.3 56.3 56.3 53.7 54.9 18.0 16.0 15.6 13.0 12.8 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 <td>cc </td>	cc
	Layer 12 11 10 9 8 7 6 5 4 3 2 1 1	All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2	Acc Valid Vvalid Vvalid T7.7 T7.2 T5.5 T5.7 T5.7 T5.7 T5.7 T5.7 T5.7 T5.7 T5.3 T0.1 T0.1 T0.1 T0.1 T0.1 T0.1 T0.1 T0.1 T0.1 T0.2 G6.9 G6.9	c test 77.9 77.9 77.9 74.3 76.5 77.2 76.7 77.2 76.5 77.2 74.8 77.2 74.8 77.2 74.8 77.2 71.4 70.6 69.4 69.1 70.3 69.4 69.1 70.3 66.2 69.4 69.1 <td>Layer 12 11 10 9 8 7 6 5 4 3 2 1</td> <td>Rank All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5</td> <td>A valid valid N/A valid 67.5 66.8 66.4 66.7 67.5 66.8 66.4 65.7 67.2 66.8 66.4 66.4 66.4 66.4 66.4 66.3 66.4 66.3 66.3 63.3 64.3 63.3 64.3 63.4 63.2 62.8 62.8 59.6 59.2 59.8 57.8 58.5 58.5 58.8 51.6 51.6 51.6 51.6 51.6</td> <td>test 67.5 58.8 67.5 58.8 62.5 62.5 62.7 59.9 62.7 59.9 62.7 59.9 66.1 59.9 66.2 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.3 66.4 65.0 61.4 61.7 61.4 61.7 61.4 61.7 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5</td> <td>Layer 12 11 10 9 8 7 6 5 4 3 2 1 1</td> <td>Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1</td> <td>A. valid NAA 94.3 94.1 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 91.5 90.3 90.3 90.3 90.3 90.3 90.3 90.4 90.3 90.3 90.4 90.3 90.4 90.3 90.4 90.7 90.8 71.3 71.6 65.7 65.6 65.7 65.6 65.7 65.6 65.7 59.6 59.4 59.6 57.8 57.8 57.8 57.8 57.8 <!--</td--><td>cc test 94.8 93.6 93.7 93.6 93.9 93.6 93.7 93.7 91.7 93.7 91.7 90.4 90.4 80.5 79.0 90.4 80.5 71.9 77.7 77.7 71.3 72.7 71.3 72.7 71.3 72.7 76.6 64.8 67.1 65.5 64.9 65.5 64.9 65.5 64.1 64.0 64.2 64.1 64.2 56.3 56.3 56.3 56.3 56.3 56.3 56.3 56.3 54.5 54.5 54.5</td><td>Layer 12 11 10 9 8 7 6 5 4 3 2 1 1</td><td>All All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 <</td><td>M valid NAA 55.2 56.3 56.0 55.2 53.7 53.8 54.1 55.2 53.2 53.3 54.3 55.3 55.3 55.3 55.3 55.3 55.3 55.3 <td>cc test test 33.1 55.4 55.4 55.5 55.7 52.1 55.5 52.1 55.5 52.1 12.2 13.3 11.1 14.5 50.0 50.6 6.6 8.6 9.0 6.8 3.2 4.8 3.6 3.2 -4.8 11.8 3.6 2.4 -3.3 -5.0 -2.3 -2.0 -2.4 -3.5 -3.6 -2.3 -4.7 -5.2 -2.2 0.0 0.0 0.0 0.0 0.0 0.0</td></td></td>	Layer 12 11 10 9 8 7 6 5 4 3 2 1	Rank All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5	A valid valid N/A valid 67.5 66.8 66.4 66.7 67.5 66.8 66.4 65.7 67.2 66.8 66.4 66.4 66.4 66.4 66.4 66.3 66.4 66.3 66.3 63.3 64.3 63.3 64.3 63.4 63.2 62.8 62.8 59.6 59.2 59.8 57.8 58.5 58.5 58.8 51.6 51.6 51.6 51.6 51.6	test 67.5 58.8 67.5 58.8 62.5 62.5 62.7 59.9 62.7 59.9 62.7 59.9 66.1 59.9 66.2 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.1 67.5 62.3 66.4 65.0 61.4 61.7 61.4 61.7 61.4 61.7 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5 50.5	Layer 12 11 10 9 8 7 6 5 4 3 2 1 1	Rank All (Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1	A. valid NAA 94.3 94.1 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 94.0 91.5 90.3 90.3 90.3 90.3 90.3 90.3 90.4 90.3 90.3 90.4 90.3 90.4 90.3 90.4 90.7 90.8 71.3 71.6 65.7 65.6 65.7 65.6 65.7 65.6 65.7 59.6 59.4 59.6 57.8 57.8 57.8 57.8 57.8 </td <td>cc test 94.8 93.6 93.7 93.6 93.9 93.6 93.7 93.7 91.7 93.7 91.7 90.4 90.4 80.5 79.0 90.4 80.5 71.9 77.7 77.7 71.3 72.7 71.3 72.7 71.3 72.7 76.6 64.8 67.1 65.5 64.9 65.5 64.9 65.5 64.1 64.0 64.2 64.1 64.2 56.3 56.3 56.3 56.3 56.3 56.3 56.3 56.3 54.5 54.5 54.5</td> <td>Layer 12 11 10 9 8 7 6 5 4 3 2 1 1</td> <td>All All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 <</td> <td>M valid NAA 55.2 56.3 56.0 55.2 53.7 53.8 54.1 55.2 53.2 53.3 54.3 55.3 55.3 55.3 55.3 55.3 55.3 55.3 <td>cc test test 33.1 55.4 55.4 55.5 55.7 52.1 55.5 52.1 55.5 52.1 12.2 13.3 11.1 14.5 50.0 50.6 6.6 8.6 9.0 6.8 3.2 4.8 3.6 3.2 -4.8 11.8 3.6 2.4 -3.3 -5.0 -2.3 -2.0 -2.4 -3.5 -3.6 -2.3 -4.7 -5.2 -2.2 0.0 0.0 0.0 0.0 0.0 0.0</td></td>	cc test 94.8 93.6 93.7 93.6 93.9 93.6 93.7 93.7 91.7 93.7 91.7 90.4 90.4 80.5 79.0 90.4 80.5 71.9 77.7 77.7 71.3 72.7 71.3 72.7 71.3 72.7 76.6 64.8 67.1 65.5 64.9 65.5 64.9 65.5 64.1 64.0 64.2 64.1 64.2 56.3 56.3 56.3 56.3 56.3 56.3 56.3 56.3 54.5 54.5 54.5	Layer 12 11 10 9 8 7 6 5 4 3 2 1 1	All All Baseline) 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 <	M valid NAA 55.2 56.3 56.0 55.2 53.7 53.8 54.1 55.2 53.2 53.3 54.3 55.3 55.3 55.3 55.3 55.3 55.3 55.3 <td>cc test test 33.1 55.4 55.4 55.5 55.7 52.1 55.5 52.1 55.5 52.1 12.2 13.3 11.1 14.5 50.0 50.6 6.6 8.6 9.0 6.8 3.2 4.8 3.6 3.2 -4.8 11.8 3.6 2.4 -3.3 -5.0 -2.3 -2.0 -2.4 -3.5 -3.6 -2.3 -4.7 -5.2 -2.2 0.0 0.0 0.0 0.0 0.0 0.0</td>	cc test test 33.1 55.4 55.4 55.5 55.7 52.1 55.5 52.1 55.5 52.1 12.2 13.3 11.1 14.5 50.0 50.6 6.6 8.6 9.0 6.8 3.2 4.8 3.6 3.2 -4.8 11.8 3.6 2.4 -3.3 -5.0 -2.3 -2.0 -2.4 -3.5 -3.6 -2.3 -4.7 -5.2 -2.2 0.0 0.0 0.0 0.0 0.0 0.0

Table A.3: Inference performance when using CLS tokens of 11 hidden layers