

# Results from the DESI and JWST Collaborations suggest an older universe with varying dark energy

Kevin Cahill\*

*Department of Physics and Astronomy*

*University of New Mexico*

*Albuquerque, NM 87106, USA*

(Dated: April 10, 2025)

On the basis of their redshift and Lyman- $\alpha$  measurements, the DESI Collaboration find that dark energy is time-dependent and suggest that it varies with the scale factor  $a$  as  $\rho_{de}(a) = a^{-3(1+w_0+w_a)} e^{-3w_a(1-a)} \rho_{de,0}$  in which  $w_0 = -0.752 \pm 0.057$  and  $w_a = -0.86_{-0.20}^{+0.23}$ . The age of the universe would then be 15.5 Gyr or about 1.7 Gyr older than the  $\Lambda$ CDM universe. The DESI universe thus may be more compatible with JWST observations of bright and well-formed galaxies in the very early universe.

## TIME-DEPENDENT DARK ENERGY

In  $\Lambda$ CDM cosmology, the density of dark energy  $\rho_{de}$  is a constant; it is a multiple multiple  $\Omega_\Lambda = 0.6889 \pm 0.0056$  of the critical density  $\rho_c = 3H_0^2/(8\pi G) = 8.63696 \times 10^{-27} \text{ kg m}^{-3}$  namely [1]

$$\rho_{de} = \Omega_\Lambda \rho_c = \Omega_\Lambda \frac{3H_0^2}{8\pi G} = 5.95 \times 10^{-27} \text{ kg m}^{-3}. \quad (1)$$

The DESI collaboration have measured the redshifts of over 30 million galaxies and quasars and the Lyman- $\alpha$  forest spectra of more than 820,000 quasars. They find that dark energy is time-dependent and suggest that it varies with the scale factor  $a$  as [2]

$$\frac{\rho_{de}(a)}{\rho_{de,0}} = a^{-3(1+w_0+w_a)} e^{-3w_a(1-a)} \quad (2)$$

in which  $w_0 = -0.752 \pm 0.057$  and  $w_a = -0.86_{-0.20}^{+0.23}$ . In  $\Lambda$ CDM cosmology,  $w_0 = -1$  and  $w_a = 0$ . As the DESI collaboration explain in their figure 11, the significance of their rejection of  $\Lambda$ CDM is  $2.8\sigma$ ,  $3.8\sigma$  and  $4.2\sigma$  for combinations of their data with the Pantheon+, Union3 and DESY5 SNe samples respectively. The ratio  $\rho_{de}(a)/\rho_{de,0}$  of the DESI dark-energy density

$\rho_{de}(a)$  to its present value  $\rho_{de,0}$  as given by equation 2 is plotted against the scale factor  $a$  in Fig. 1.




FIG. 1: The DESI density  $\rho_{de}(a)$  of dark energy divided by its present value  $\rho_{de,0}$  as in equation 2 is plotted against the scale factor  $a$ . Also shown is the constant ratio  $\rho_{\Lambda}/\rho_{de,0} = 1$  used in  $\Lambda$ CDM cosmology.

## TWO COSMOLOGIES

The first-order Friedmann equation for the Hubble frequency is

$$H(a) = \sqrt{\frac{8\pi G}{3} (\rho_{\Lambda}(a) + \rho_K(a) + \rho_m a + \rho_r(a))}. \quad (3)$$

The Hubble frequency  $H(a)$  divided by its present value the Hubble constant  $H_0 = H(1)$

$$H_0 = \sqrt{\frac{8\pi G}{3} \rho_c} = 2.1976 \times 10^{-18} \text{ s}^{-1} \quad (4)$$

is in  $\Lambda$ CDM cosmology

$$\frac{H_{\Lambda\text{CDM}}(a)}{H_0} = \sqrt{\Omega_{\Lambda} + \Omega_k a^{-2} + \Omega_m a^{-3} + \Omega_r a^{-4}}. \quad (5)$$

In DESI cosmology, the ratio of Hubble frequencies is

$$\frac{H_{\text{DESI}}(a)}{H_0} = \sqrt{\Omega_\Lambda a^{1.836} e^{2.58(1-a)} + \Omega_k a^{-2} + \Omega_m a^{-3} + \Omega_r a^{-4}}. \quad (6)$$

The  $\Omega$  ratios are given in Table I and are those of the Planck Collaboration [1] except that neutrinos are counted as radiation  $\Omega_r$  since  $c^2 \sum m_\nu < 0.11$  eV (equation 43 of [1]).

**Cosmological parameters**

$H_0$ (km/(s Mpc))	$\Omega_\Lambda$	$\Omega_k$	$\Omega_m$	$\Omega_r$
$67.81 \pm 0.38$	$0.6889 \pm 0.0056$	$0.0000 \pm 0.0016$	$0.3071 \pm .0051$	$9.0824 \times 10^{-5}$

TABLE I: Cosmological parameters of the Planck collaboration [1], but with neutrinos considered as radiation  $\Omega_r$  [1].

### TWO AGES FOR THE UNIVERSE




FIG. 2: The time evolution of the scale factor  $a(t)$  is plotted for the  $\Lambda$ CDM and DESI cosmologies. The vertical lines are at 13.8 Gyr for  $\Lambda$ CDM and 15.5 Gyr for DESI.

In  $\Lambda$ CDM cosmology, the age of the universe is

$$t_{\Lambda\text{CDM}}(1) = \frac{1}{H_0} \int_0^1 \frac{da}{\sqrt{\Omega_\Lambda a^2 + \Omega_k + \Omega_m a^{-1} + \Omega_r a^{-2}}} = 13.8 \text{ Gyr} \quad (7)$$

as illustrated by the vertical line at 13.8 Gyr in Fig. 2.

In DESI cosmology, the age of the universe is

$$t_{\text{DESI}}(1) = \frac{1}{H_0} \int_0^1 \frac{da}{\sqrt{\Omega_\Lambda a^{3.836} e^{2.58(1-a)} + \Omega_k + \Omega_m a^{-1} + \Omega_r a^{-2}}} = 15.5 \text{ Gyr} \quad (8)$$

as illustrated by the vertical line at 15.5 Gyr in Fig. 2.

JWST observations reveal the presence of bright and well-formed galaxies at high redshifts [3–9]; these observations may be more compatible with an age of 15.5 Gyr as suggested by the DESI data [2] than with the  $\Lambda$ CDM age of 13.8 Gyr.

---

\* cahill@unm.edu

- [1] M. Tristram, A. J. Banday, M. Douspis, X. Garrido, K. M. Górski, S. Henrot-Versillé, L. T. Hergt, S. Ilić, R. Keskitalo, G. Lagache, C. R. Lawrence, B. Partridge, and D. Scott, Cosmological parameters derived from the final planck data release (pr4), *Astronomy and Astrophysics* **682**, A37 (2024).
- [2] DESI Collaboration, DESI DR2 Results II: Measurements of baryon acoustic oscillations and cosmological constraints (2025), arXiv:2503.14738 [astro-ph.CO].
- [3] J. W. Moffat, Galaxy formation in the early universe (2024), arXiv:2412.03534 [astro-ph.GA].
- [4] C. Lovell, M. Lee, A. Vijayan, T. Harvey, L. Sommovigo, A. Long, E. Lambrides, W. Roper, S. Wilkins, D. Narayanan, N. Adams, D. Austin, and M. Maltz, Alma band 3 selection of ultra-high redshift dropouts: The final challenge to  $\Lambda$ CDM (2025), arXiv:2503.24312 [astro-ph.GA].
- [5] F. Melia, Strong observational support for the  $r_h = ct$  timeline in the early universe (2024), arXiv:2407.15279 [astro-ph.CO].
- [6] F. Melia, The cosmic timeline implied by the JWST reionization crisis (2024), arXiv:2407.01581 [astro-ph.CO].
- [7] S. Carniani, K. Hainline, F. D’Eugenio, D. J. Eisenstein, P. Jakobsen, J. Witstok, B. D. Johnson, J. Chevallard, R. Maiolino, J. M. Helton, C. Willott, B. Robertson, S. Alberts, S. Arribas, W. M. Baker, R. Bhatawdekar, K. Boyett, A. J. Bunker, A. J. Cameron, P. A. Cargile, S. Charlot,

- M. Curti, E. Curtis-Lake, E. Egami, G. Giardino, K. Isaak, Z. Ji, G. C. Jones, N. Kumari, M. V. Maseda, E. Parlanti, P. G. Pérez-González, T. Rawle, G. Rieke, M. Rieke, B. R. Del Pino, A. Saxena, J. Scholtz, R. Smit, F. Sun, S. Tacchella, H. Übler, G. Venturi, C. C. Williams, and C. N. A. Willmer, Spectroscopic confirmation of two luminous galaxies at a redshift of 14, *Nature* **633**, 318–322 (2024).
- [8] R. P. Gupta, JWST early universe observations and CDM cosmology, *MNRAS* **524**, 3385 (2023).
- [9] Y. Qin and J. S. B. Wyithe, Reionization morphology and intrinsic velocity offsets allow transmission of Lyman- $\alpha$  emission from JADES-GS-z13-1-LAi (2024), arXiv:2409.07356 [astro-ph.CO].