UNIVERSAL QUANTIFICATION FOR SELF-ORGANIZED CRITICALITY IN ATMOSPHERIC FLOWS

A.Mary Selvam

Indian Institute of Tropical Meteorology, Pune 411 008, India

Proc. Conf. Patterns, Nonlinear Dynamics and Stochastic Behaviour in Spatially Extended Complex Systems, October 24-28, 1997, Budapest, Hungary

Abstract

Atmospheric flows exhibit selfsimilar fluctuations on all scales (spacetime) ranging from climate(kilometers/years) to turbulence(millimeters/seconds) manifested as fractal geometry to the global cloud cover pattern concomitant with inverse power law form for power spectra of temporal fluctuations. Selfsimilar fluctuations implying long-rang correlations are ubiquitous to dynamical systems in nature and are identified as signatures of self-organized criticality in atmospheric flows. Also, mathematical models for simulation and prediction of atmospheric flows are nonlinear and computer realization give unrealistic solutions because of deterministic chaos, a direct consequence of finite precision roundoff error doubling for each iteration of iterative computations incorporated in long-term numerical integration schemes used for model solutions An alternative non-deterministic cell dynamical system model [1] predicts, (a): the observed self organized criticality as a consequence of quantumlike mechanics governing flow dynamics, (b):atmospheric flows trace an overall logarithmic spiral trajectory with the quasiperiodic Penrose tiling pattern for the internal structure, (c): eddy circulation structure follows Kepler's third law of planetary motion and

results in inverse law form for centripetal acceleration. The inertial masses representing the eddy circulation therefore follow laws analogous to the Newton's inverse square law for gravitation. The model is similar to a superstring model for subatomic dynamics[2] which unifies quantum mechanical and classical concept and incorporates gravitational forces along with nuclear and electromagnetic forces.

[1]Mary Selvam et.al., Int'l. J.climatol. 16(1996)1.

[2]Kaku, New Scientist 18 Jan. 1997,32