# Reply to "On the Systematic Errors in the Detection of the Lense-Thirring Effect with a Mars Orbiter ", by Giampiero Sindoni, Claudio Paris and Paolo Ialongo

Lorenzo Iorio Viale Unità di Italia 68, 70125 Bari (BA), Italy tel. 0039 328 6128815 e-mail: lorenzo.iorio@libero.it

#### Abstract

In this note we reply to the criticisms by Sindoni, Paris and Ialongo concerning some aspects of the recent frame-dragging test performed by Iorio with the Mars Global Surveyor (MGS) spacecraft in the gravitational field of Mars.

Keywords: gravity tests; Lense-Thirring effect; Mars Global Surveyor

PACS: 04.80.-y, 04.80.Cc, 91.10.Sp, 95.10.Ce, 95.55.Pe, 96.30.Gc

### 1 Introduction

The remarks by Sindoni et al (2007) to the analysis by Iorio (2007a) mainly concern with an alleged huge underestimation of the impact of various sources of systematic errors, both of gravitational and non-gravitational origin, in the MGS orbital motion.

### 2 The gravitational perturbations

In regard to the impact of the mismodelling in the even zonal harmonic coefficients of the multipolar expansion of the Martian gravitational field on the out-of-plane portion of the MGS trajectory, a mere formal evaluation can be done following, e.g., (Rosborough and Tapley 1987; Iorio 2003). By using the MGS95J solution (Konopliv et al. 2006) and truncating the calculation at degree  $\ell = 20$  for the sake of simplicity, we get an average bias of 49.297 m over the same time span of the analysis by Iorio (2007a), i.e. 30 times larger

than the predicted Lense-Thirring shift; the inclusion of the other higher degree terms would certainly make it bigger. In fact, the average of the MGS out-of-plane RMS orbit overlap differences by (Konopliv et al. 2006) over the observational time span used by Iorio (2007a) amounts to 1.613 m only; there is no trace at all of the very huge bias postulated by Sindoni et al (2007) whose existence is, thus, neatly and unambiguously ruled out by the data processed by Konopliv et al. (2006).

#### 3 The non-gravitational perturbations

In regard to the non-conservative forces, Sindoni et al. (2007) yield a total un-modelled non-gravitational acceleration of  $\approx 10^{-11}$  m s<sup>-2</sup> which is of the same order of magnitude of the Lense-Thirring acceleration induced by Mars on MGS. They do not present detailed calculation of the effect of such an acceleration on the normal portion of the MGS orbit, but some simple considerations can be traced: a perturbing out-of-plane force 6.7 times larger than the Lense-Thirring one, as claimed by Sindoni et al (2007), and having the same time signature should induce a 10.8 m cross-track shift, on average, over the considered time span. Again, such a bias is neatly absent from the data. Time-dependent, long-period, i.e. averaged over one orbital revolution which covers about 2 hr, signatures would, instead, be averaged out. It is just the case, as shown by the time-varying patterns of the main non-gravitational accelerations over 12 hr presented in (Lemoine et al. 2001). Moreover, as clearly stated in (Konopliv et al. 2006) and (Lemoine et al. 2001), the along-track and radial portions of the MGS orbit-left unaffected by the Lense-Thirring force- are primarily perturbed by the nongravitational forces: indeed, the along-track empirical accelerations fitted by Konopliv et al. (2006) amount just to  $\approx 10^{-11}$  m s<sup>-2</sup>.

### 4 Conclusions

In conclusion, we cannot find evidence of the total 10 km corrupting shift postulated by Sindoni et al. (2007) in the time series of the out-of-plane RMS orbit overlap difference of MGS. It must be recalled that RMS of orbit solution overlaps are commonly used in satellite geodesy as useful and significant indicators of the overall orbit accuracy (Tapley et al. 2004), i.e., they, among other things, account for all the mis-modelled/un-modelled forces acting on the spacecraft, independently of their physical origin: they concisely tell us the whole about any sort of errors (systematic, measurement, modelling, etc.). Any serious speculations cannot leave aside this basilar, but fundamental, fact.

## References

- [1] Iorio L 2003 Celest. Mech. Dyn. Astron. 86 277
- [2] Iorio L 2007<br/>a gr-qc/0701042
- [3] Iorio L 2007b gr-qc/0701146
- [4] Lemoine F G et al 2001 J Geophys Res 106 23359
- [5] Konopliv A S et al 2006 Icarus 182 23
- [6] Rosborough G W and Tapley B D 1987 Celest. Mech. Dyn. Astron. 40 409
- [7] Sindoni G, Paris C and Ialongo P 2007 gr-qc/0701141
- [8] Tapley B D, Schutz B E, Born G H 2004 Statistical Orbit Determination (Elsevier Academic Press)