

**Search for CP violation and $b \rightarrow sg$
in inclusive B decays***

Mourad Daoudi

*Stanford Linear Accelerator Center
Stanford, CA 94309*

Representing the SLD Collaboration

Abstract

We present preliminary results on two analyses performed by the SLD Collaboration using inclusive B decays: a search for CP violation and a search for the $b \rightarrow sg$ transition.

Talk given at the International Europhysics Conference on High Energy Physics
Jerusalem, Israel, August 19–26, 1997

*Work supported by U.S. Department of Energy contract DE-AC03-76SF00515.

1 Search for CP violation in inclusive B decays

Because they involve large branching fractions and sizable CP asymmetries, (semi-) inclusive B decays have been proposed[1] as a means of searching for CP violation, and extracting measurements of CKM parameters. The totally inclusive asymmetry provides a measurement of the CP observable $a = \mathcal{I}m \frac{\Gamma_{12}}{M_{12}}$. It is the focus of this analysis. Its time dependence is[1]:

$$\mathcal{A}(t) = \frac{\Gamma(B^0(t) \rightarrow all) - \Gamma(\bar{B}^0(t) \rightarrow all)}{\Gamma(B^0(t) \rightarrow all) + \Gamma(\bar{B}^0(t) \rightarrow all)} = a \left(\frac{\Delta m \tau_B}{2} \sin \Delta m t - \sin^2 \frac{\Delta m t}{2} \right).$$

A non-zero value of a implies CP violation. Due to the large value of Δm_s , this analysis is only sensitive to asymmetries in B_d decays for which a_d is expected to be $\approx 10^{-3}$ in the Standard Model.




Fig.1. Asymmetry as a function of decay length.

B -decay vertices are reconstructed using a topological technique[2]. From the 1993-96 data sample (200k Z^0 's), about 11k neutral and 19k charged vertices are selected, with a B_d content of 50% and 35%, respectively. The crucial part of the analysis is tagging the flavor of the b quark at production. This is done mainly using the left-right forward-backward asymmetry (given by the electron beam longitudinal polarization and the thrust axis polar angle) and the opposite hemisphere momentum-weighted jet charge. These two tags which have an efficiency of 100%, are complemented by additional information from the opposite hemisphere when it is available (vertex charge, sign of a high- p_T lepton, charge sum for kaons from a B -decay). The overall b -flavor tag purity is estimated to be 84%.

The measured asymmetry is shown in Fig. 1 as a function of decay length. A binned χ^2 fit is performed and a value of $a_d = -0.04 \pm 0.12(stat) \pm 0.05(sys)$ is obtained. This gives a 95% C.L. limit of $-0.29 < a_d < 0.22$.

2 Search for enhanced $b \rightarrow sg$ in inclusive B decays

It was suggested recently that a branching ratio $\sim 10\%$ for the $b \rightarrow sg$ transition (0.2% in the Standard Model) could resolve a variety of B decay puzzles (e.g., b semileptonic branching ratio, number of c quarks produced per B decay, etc)[3]. The search strategy consists of looking for an excess in kaon production at high p_T , where the signal-to-background ratio is expected to be of the order of 1:1 (for a 10% branching ratio).

Table 1. Number of kaons with $p_T > 1.8$ GeV/c

	1-Vertex		2-Vertex	
	All	No Lepton	All	No Lepton
Data	35.0	30.0	30.0	23.0
M.C.	22.1	14.1	27.5	20.3
Diff.	12.9 ± 5.9	15.9 ± 5.5	2.5 ± 5.5	2.7 ± 5.5

At SLD, we select B vertices that contain an identified K^\pm using the Čerenkov Ring Imaging Detector. We measure the kaon transverse momentum w.r.t. the direction defined by the small SLC interaction point and the well-reconstructed B decay vertex. The signal is enhanced by: *i*) separating the data into a one-vertex sample (signal) and a two-vertex sample (control) according to the probability for all B -decay tracks to originate from a single point, *ii*) rejecting decays that contain an identified lepton. The efficiency for isolating true one-vertex decays (e.g., charmonium) is estimated at 80%, whereas only 45% of standard $b \rightarrow c$ transitions satisfy the one-vertex requirement. We compare the K^\pm transverse momentum spectrum observed in the data to that in the Monte Carlo and look for an excess above 1.8 GeV/c. Our modeling of the p_T resolution is cross-checked using leptons whose spectrum is well known. The results are summarized in Table 1. We observe in the 1993-95 data (150k Z^0 's) an excess of $12.9 \pm 5.9(stat) \pm 3.1(syst)$ decays, without lepton rejection. The systematic error is dominated by the uncertainty in the modeling of the D^0 momentum spectrum and its two-body decay branching fractions. The result for the case with lepton rejection is also given in Table 1 (statistical error only). This analysis will be significantly improved with the addition of an anticipated large data sample in the near future.

References

- [1] M. Beneke, G. Buchalla, and I. Dunietz, Phys. Lett. B393 (1997) 132.
- [2] D.J. Jackson, Nucl. Inst. and Meth. A388 (1997) 247.
- [3] A. Kagan and J. Rathsmann, hep-ph/9701300.

The SLD Collaboration

K. Abe,⁽¹⁸⁾ K. Abe,⁽²⁹⁾ T. Abe,⁽²⁷⁾ T. Akagi,⁽²⁷⁾ N.J. Allen,⁽⁴⁾ D. Aston,⁽²⁷⁾ K.G. Baird,⁽¹⁶⁾
C. Baltay,⁽³³⁾ H.R. Band,⁽³²⁾ T. Barklow,⁽²⁷⁾ J.M. Bauer,⁽¹⁷⁾ A.O. Bazarko,⁽¹⁰⁾ G. Bellodi,⁽¹¹⁾
A.C. Benvenuti,⁽²⁾ G.M. Bilei,⁽²¹⁾ D. Bisello,⁽²⁰⁾ G. Blaylock,⁽¹⁶⁾ J.R. Bogart,⁽²⁷⁾ T. Bolton,⁽¹⁰⁾
G.R. Bower,⁽²⁷⁾ J.E. Brau,⁽¹⁹⁾ M. Breidenbach,⁽²⁷⁾ W.M. Bugg,⁽²⁸⁾ D. Burke,⁽²⁷⁾ T.H. Burnett,⁽³¹⁾
P.N. Burrows,⁽¹⁵⁾ A. Calcaterra,⁽¹²⁾ D.O. Caldwell,⁽⁵⁾ D. Calloway,⁽²⁷⁾ B. Camanzi,⁽¹¹⁾
M. Carpinelli,⁽²²⁾ R. Cassell,⁽²⁷⁾ R. Castaldi,^{(22)(a)} A. Castro,⁽²⁰⁾ M. Cavalli-Sforza,⁽⁶⁾ A. Chou,⁽²⁷⁾
H.O. Cohn,⁽²⁸⁾ J.A. Coller,⁽³⁾ M.R. Convery,⁽²⁷⁾ V. Cook,⁽³¹⁾ R.F. Cowan,⁽¹⁵⁾ D.G. Coyne,⁽⁶⁾
G. Crawford,⁽²⁷⁾ C.J.S. Damerell,⁽²⁴⁾ M. Daoudi,⁽²⁷⁾ N. de Groot,⁽²⁷⁾ R. Dell'Orso,⁽²¹⁾ P.J. Dervan,⁽⁴⁾
R. De Sangro,⁽¹²⁾ M. Dima,⁽⁸⁾ A. D'Oliveira,⁽⁷⁾ D.N. Dong,⁽¹⁵⁾ R. Dubois,⁽²⁷⁾ B.I. Eisenstein,⁽¹³⁾
V.O. Eschenburg,⁽¹⁷⁾ E. Etzion,⁽³²⁾ S. Fahey,⁽⁹⁾ D. Falciari,⁽¹²⁾ J.P. Fernandez,⁽⁶⁾ M.J. Fero,⁽¹⁵⁾
R. Frey,⁽¹⁹⁾ G. Gladding,⁽¹³⁾ E.L. Hart,⁽²⁸⁾ J.L. Harton,⁽⁸⁾ A. Hasan,⁽⁴⁾ K. Hasuko,⁽²⁹⁾ S.J. Hedges,⁽³⁾
S.S. Hertzbach,⁽¹⁶⁾ M.D. Hildreth,⁽²⁷⁾ M.E. Huffer,⁽²⁷⁾ E.W. Hughes,⁽²⁷⁾ Y. Iwasaki,⁽¹⁹⁾
D.J. Jackson,⁽²⁴⁾ P. Jacques,⁽²³⁾ J.A. Jaros,⁽²⁷⁾ Z.Y. Jiang,⁽²⁷⁾ A.S. Johnson,⁽²⁷⁾ J.R. Johnson,⁽³²⁾
R.A. Johnson,⁽⁷⁾ R. Kajikawa,⁽¹⁸⁾ M. Kalelkar,⁽²³⁾ Y. Kamyshev,⁽²⁸⁾ H. J. Kang,⁽²⁵⁾ I. Karliner,⁽¹³⁾
Y.D. Kim,⁽²⁵⁾ M.E. King,⁽²⁷⁾ R.R. Kofler,⁽¹⁶⁾ R.S. Kroeger,⁽¹⁷⁾ M. Langston,⁽¹⁹⁾ D.W.G.S. Leith,⁽²⁷⁾
V. Lia,⁽¹⁵⁾ M.X. Liu,⁽³³⁾ X. Liu,⁽⁶⁾ M. Loreti,⁽²⁰⁾ H.L. Lynch,⁽²⁷⁾ G. Mancinelli,⁽²³⁾ S. Manly,⁽³³⁾
G. Mantovani,⁽²¹⁾ T.W. Markiewicz,⁽²⁷⁾ T. Maruyama,⁽²⁷⁾ H. Masuda,⁽²⁷⁾ A.K. McKemey,⁽⁴⁾
B.T. Meadows,⁽⁷⁾ G. Menegatti,⁽¹¹⁾ R. Messner,⁽²⁷⁾ P.M. Mockett,⁽³¹⁾ K.C. Moffeit,⁽²⁷⁾ T.B. Moore,⁽³³⁾
D. Muller,⁽²⁷⁾ T. Nagamine,⁽²⁹⁾ S. Narita,⁽²⁹⁾ U. Nauenberg,⁽⁹⁾ M. Nussbaum,^{(7)†} N. Oishi,⁽¹⁸⁾
D. Onoprienko,⁽²⁸⁾ L.S. Osborne,⁽¹⁵⁾ R.S. Panvini,⁽³⁰⁾ C.H. Park,⁽²⁶⁾ T.J. Pavel,⁽²⁷⁾ I. Peruzzi,^{(12)(b)}
M. Piccolo,⁽¹²⁾ L. Piemontese,⁽¹¹⁾ E. Pieroni,⁽²²⁾ R.J. Plano,⁽²³⁾ R. Prepost,⁽³²⁾ C.Y. Prescott,⁽²⁷⁾
G.D. Punkar,⁽²⁷⁾ J. Quigley,⁽¹⁵⁾ B.N. Ratcliff,⁽²⁷⁾ J. Reidy,⁽¹⁷⁾ P.L. Reinertsen,⁽⁶⁾ L.S. Rochester,⁽²⁷⁾
P.C. Rowson,⁽²⁷⁾ J.J. Russell,⁽²⁷⁾ O.H. Saxton,⁽²⁷⁾ T. Schalk,⁽⁶⁾ R.H. Schindler,⁽²⁷⁾ B.A. Schumm,⁽¹⁴⁾
J. Schwiening,⁽²⁷⁾ S. Sen,⁽³³⁾ V.V. Serbo,⁽³²⁾ M.H. Shaevitz,⁽¹⁰⁾ J.T. Shank,⁽³⁾ G. Shapiro,⁽¹⁴⁾
D.J. Sherden,⁽²⁷⁾ K.D. Shmakov,⁽²⁸⁾ N.B. Sinev,⁽¹⁹⁾ S.R. Smith,⁽²⁷⁾ M.B. Smy,⁽⁸⁾ J.A. Snyder,⁽³³⁾
H. Staengle,⁽⁸⁾ A. Stahl,⁽²⁷⁾ P. Stamer,⁽²³⁾ H. Steiner,⁽¹⁴⁾ R. Steiner,⁽¹⁾ D. Su,⁽²⁷⁾ F. Suekane,⁽²⁹⁾
A. Sugiyama,⁽¹⁸⁾ S. Suzuki,⁽¹⁸⁾ M. Swartz,⁽²⁷⁾ F.E. Taylor,⁽¹⁵⁾ E. Torrence,⁽¹⁵⁾ A.I. Trandafir,⁽¹⁶⁾
J.D. Turk,⁽³³⁾ T. Usher,⁽²⁷⁾ J. Va'vra,⁽²⁷⁾ C. Vannini,⁽²²⁾ E. Vella,⁽²⁷⁾ J.P. Venuti,⁽³⁰⁾ R. Verdier,⁽¹⁵⁾
P.G. Verdini,⁽²²⁾ S.R. Wagner,⁽²⁷⁾ D.L. Wagner,⁽⁹⁾ A.P. Waite,⁽²⁷⁾ C. Ward,⁽⁴⁾ S.J. Watts,⁽⁴⁾
A.W. Weidemann,⁽²⁸⁾ E.R. Weiss,⁽³¹⁾ J.S. Whitaker,⁽³⁾ S.L. White,⁽²⁸⁾ F.J. Wickens,⁽²⁴⁾
D.C. Williams,⁽¹⁵⁾ S.H. Williams,⁽²⁷⁾ S. Willocq,⁽²⁷⁾ R.J. Wilson,⁽⁸⁾ W.J. Wisniewski,⁽²⁷⁾
J.L. Wittlin,⁽¹⁶⁾ M. Woods,⁽²⁷⁾ T.R. Wright,⁽³²⁾ J. Wyss,⁽²⁰⁾ R.K. Yamamoto,⁽¹⁵⁾ X. Yang,⁽¹⁹⁾
J. Yashima,⁽²⁹⁾ S.J. Yellin,⁽⁵⁾ C.C. Young,⁽²⁷⁾ H. Yuta,⁽²⁹⁾ G. Zapalac,⁽³²⁾ R.W. Zdarko,⁽²⁷⁾
and J. Zhou,⁽¹⁹⁾

⁽¹⁾ *Adelphi University, Garden City, New York 11530*

⁽²⁾ *INFN Sezione di Bologna, I-40126 Bologna, Italy*

⁽³⁾ *Boston University, Boston, Massachusetts 02215*

⁽⁴⁾ *Brunel University, Uxbridge, Middlesex UB8 3PH, United Kingdom*

⁽⁵⁾ *University of California at Santa Barbara, Santa Barbara, California 93106*

⁽⁶⁾ *University of California at Santa Cruz, Santa Cruz, California 95064*

⁽⁷⁾ *University of Cincinnati, Cincinnati, Ohio 45221*

⁽⁸⁾ *Colorado State University, Fort Collins, Colorado 80523*

⁽⁹⁾ *University of Colorado, Boulder, Colorado 80309*

⁽¹⁰⁾ *Columbia University, New York, New York 10027*

⁽¹¹⁾ *INFN Sezione di Ferrara and Università di Ferrara, I-44100 Ferrara, Italy*

⁽¹²⁾ *INFN Lab. Nazionali di Frascati, I-00044 Frascati, Italy*

⁽¹³⁾ *University of Illinois, Urbana, Illinois 61801*

⁽¹⁴⁾ *Lawrence Berkeley Laboratory, University of California, Berkeley, California 94720*

⁽¹⁵⁾ *Massachusetts Institute of Technology, Cambridge, Massachusetts 02139*

⁽¹⁶⁾ *University of Massachusetts, Amherst, Massachusetts 01003*

⁽¹⁷⁾ *University of Mississippi, University, Mississippi 38677*

⁽¹⁸⁾ *Nagoya University, Chikusa-ku, Nagoya 464 Japan*

- (¹⁹) *University of Oregon, Eugene, Oregon 97403*
- (²⁰) *INFN Sezione di Padova and Università di Padova, I-35100 Padova, Italy*
- (²¹) *INFN Sezione di Perugia and Università di Perugia, I-06100 Perugia, Italy*
- (²²) *INFN Sezione di Pisa and Università di Pisa, I-56100 Pisa, Italy*
- (²³) *Rutgers University, Piscataway, New Jersey 08855*
- (²⁴) *Rutherford Appleton Laboratory, Chilton, Didcot, Oxon OX11 0QX United Kingdom*
- (²⁵) *Sogang University, Seoul, Korea*
- (²⁶) *Soongsil University, Seoul, Korea 156-743*
- (²⁷) *Stanford Linear Accelerator Center, Stanford University, Stanford, California 94309*
- (²⁸) *University of Tennessee, Knoxville, Tennessee 37996*
- (²⁹) *Tohoku University, Sendai 980 Japan*
- (³⁰) *Vanderbilt University, Nashville, Tennessee 37235*
- (³¹) *University of Washington, Seattle, Washington 98195*
- (³²) *University of Wisconsin, Madison, Wisconsin 53706*
- (³³) *Yale University, New Haven, Connecticut 06511*
- † *Deceased*
- (^a) *Also at the Università di Genova*
- (^b) *Also at the Università di Perugia*