

The symmetries of the Fokker - Planck equation in three dimensions

Igor A. Tanski
tanski@protek.ru

ZAO CV Protek

ABSTRACT

We calculate all point symmetries of the Fokker - Planck equation in three-dimensional Euclidean space. General expression of symmetry group action on arbitrary solution of Fokker - Planck equation is presented.

1. The symmetries of the Fokker - Planck equation in three dimensions

The object of our considerations is a special case of Fokker - Planck equation, which describes evolution of 3D continuum of non-interacting particles imbedded in a dense medium without outer forces. The interaction between particles and medium causes combined diffusion in physical space and velocities space. The only force, which acts on particles, is damping force proportional to velocity.

The 3D variant of this equation was investigated in our work [1]. In this work fundamental solution of 3D equation was obtained by means of Fourier transform.

The 1D and 2D variants of this equation were investigated in our works [2-3]. All point symmetries of the Fokker - Planck equation in one-dimensional Euclidean space were calculated.

In present work we continue this investigation for more complex 3D equation.

The Fokker - Planck equation in three dimensions is

$$\frac{\partial n}{\partial t} + u \frac{\partial n}{\partial x} + v \frac{\partial n}{\partial y} + w \frac{\partial n}{\partial z} - au \frac{\partial n}{\partial u} - av \frac{\partial n}{\partial v} - aw \frac{\partial n}{\partial z} - 3an - k \left(\frac{\partial^2 n}{\partial u^2} + \frac{\partial^2 n}{\partial v^2} + \frac{\partial^2 n}{\partial w^2} \right) = 0. \quad (1)$$

where

$n = n(t, x, y, z, u, v, w)$ - density;

t - time variable;

x, y, z - space coordinates;

u, v, w - velocity;

a - coefficient of damping;

k - coefficient of diffusion.

The list of symmetries of the Fokker - Planck equation in three dimensions follows. The calculations of symmetries are rather awkward. They are carried out to APPENDIX 1.

Instead of classic " $\xi - \phi$ " notation we use another (" δ ") notation. This notation was presented in our work [2].

Addition of arbitrary solution

$$\mathbf{v}_1 = A \frac{\partial}{\partial n}; \quad (2)$$

where A is arbitrary solution of the (1) equation.

Scaling of density

$$\mathbf{v}_2 = n \frac{\partial}{\partial n}. \quad (3)$$

The reason of symmetries (2-3) existence is linearity of PDE (1).

Time shift

$$\mathbf{v}_3 = \frac{\partial}{\partial t}. \quad (4)$$

Space translations

$$\mathbf{v}_4 = \frac{\partial}{\partial x}; \quad \mathbf{v}_5 = \frac{\partial}{\partial y}; \quad \mathbf{v}_6 = \frac{\partial}{\partial z}. \quad (5)$$

Space rotations

$$\mathbf{v}_7 = w \frac{\partial}{\partial v} - v \frac{\partial}{\partial w} + z \frac{\partial}{\partial y} - y \frac{\partial}{\partial z}; \quad \mathbf{v}_8 = u \frac{\partial}{\partial w} - w \frac{\partial}{\partial u} + x \frac{\partial}{\partial z} - z \frac{\partial}{\partial x}; \quad \mathbf{v}_9 = v \frac{\partial}{\partial u} - u \frac{\partial}{\partial v} + y \frac{\partial}{\partial x} - x \frac{\partial}{\partial y}. \quad (6)$$

Transformations (5) and (6) build three-dimensional Euclidean movements group.

Extended Galilean transformations, which besides time and space coordinates affect the density

$$\begin{aligned} \mathbf{v}_{10} &= \frac{\partial}{\partial u} + t \frac{\partial}{\partial x} - \frac{an}{2k} (ax + u) \frac{\partial}{\partial n}; \quad \mathbf{v}_{11} = \frac{\partial}{\partial v} + t \frac{\partial}{\partial y} - \frac{an}{2k} (ay + v) \frac{\partial}{\partial n}; \\ \mathbf{v}_{12} &= \frac{\partial}{\partial w} + t \frac{\partial}{\partial z} - \frac{an}{2k} (az + w) \frac{\partial}{\partial n}. \end{aligned} \quad (7)$$

Negative exponent transformations - they affect time and space coordinates, contain time-dependent common multiplier (negative exponent). They do not affect density.

$$\mathbf{v}_{13} = e^{-at} \left(-a \frac{\partial}{\partial u} + \frac{\partial}{\partial x} \right); \quad \mathbf{v}_{14} = e^{at} \left(-a \frac{\partial}{\partial v} + \frac{\partial}{\partial y} \right); \quad \mathbf{v}_{15} = e^{-at} \left(-a \frac{\partial}{\partial w} + \frac{\partial}{\partial z} \right). \quad (8)$$

Positive exponent transforms - they affect time, space and density, contain time-dependent common multiplier (positive exponent).

$$\begin{aligned} \mathbf{v}_{16} &= e^{at} \left(a \frac{\partial}{\partial u} + \frac{\partial}{\partial x} - \frac{a^2}{k} nv \frac{\partial}{\partial n} \right); \quad \mathbf{v}_{17} = e^{at} \left(a \frac{\partial}{\partial v} + \frac{\partial}{\partial y} - \frac{a^2}{k} nv \frac{\partial}{\partial n} \right); \\ \mathbf{v}_{18} &= e^{at} \left(a \frac{\partial}{\partial w} + \frac{\partial}{\partial z} - \frac{a^2}{k} nv \frac{\partial}{\partial n} \right). \end{aligned} \quad (9)$$

One-parameter groups, generated by vector fields $\mathbf{v}_1 - \mathbf{v}_{18}$, are enumerated in the following list. The list contains images of the point (n, t, x, y, z, u, v, w) by transformation $\exp(\varepsilon \mathbf{v}_i)$

- $G_1:$ $(n + \varepsilon A, t, x, y, z, u, v, w);$
- $G_2:$ $(e^\varepsilon n, t, x, y, z, u, v, w);$
- $G_3:$ $(n, t + \varepsilon, x, y, z, u, v, w);$
- $G_4:$ $(n, t, x + \varepsilon, y, z, u, v, w);$
- $G_5:$ $(n, t, x, y + \varepsilon, z, u, v, w);$

- $G_6:$ $(n, t, x, y, z + \varepsilon, u, v, w);$
- $G_7:$ $(n, t, x, (\cos(\varepsilon)y + \sin(\varepsilon)z), (-\sin(\varepsilon)y + \cos(\varepsilon)z), u, (\cos(\varepsilon)v + \sin(\varepsilon)w), (-\sin(\varepsilon)v + \cos(\varepsilon)w));$
- $G_8:$ $(n, t, (\cos(\varepsilon)x - \sin(\varepsilon)z), y, (\sin(\varepsilon)x + \cos(\varepsilon)z), (\cos(\varepsilon)u - \sin(\varepsilon)w), v, (\sin(\varepsilon)u + \cos(\varepsilon)w));$
- $G_9:$ $(n, t, (\cos(\varepsilon)x + \sin(\varepsilon)y), (-\sin(\varepsilon)x + \cos(\varepsilon)y), z, (\cos(\varepsilon)u + \sin(\varepsilon)v), (-\sin(\varepsilon)u + \cos(\varepsilon)v), w);$
- $G_{10}:$ $(\exp\left[-\frac{a}{2k}\left(\varepsilon(ax + u) + \frac{1}{2}\varepsilon^2(at + 1)\right)\right] n, t, x + \varepsilon t, y, z, u + \varepsilon, v, w); \quad (10)$
- $G_{11}:$ $(\exp\left[-\frac{a}{2k}\left(\varepsilon(ay + v) + \frac{1}{2}\varepsilon^2(at + 1)\right)\right] n, t, x, y + \varepsilon t, z, u, v + \varepsilon, w);$
- $G_{12}:$ $(\exp\left[-\frac{a}{2k}\left(\varepsilon(az + w) + \frac{1}{2}\varepsilon^2(at + 1)\right)\right] n, t, x, y, z + \varepsilon t, u, v, w + \varepsilon);$
- $G_{13}:$ $(n, t, x + \varepsilon e^{-at}, y, z, u - \varepsilon a e^{-at}, v, w);$
- $G_{14}:$ $(n, t, x, y + \varepsilon e^{-at}, z, u, v - \varepsilon a e^{-at}, w);$
- $G_{15}:$ $(n, t, x, y, z + \varepsilon e^{-at}, u, v, w - \varepsilon a e^{-at});$
- $G_{16}:$ $(n \exp\left[-\frac{a^2}{k} e^{at}\left(\varepsilon u + \frac{1}{2}\varepsilon^2 a e^{at}\right)\right], t, x + \varepsilon e^{at}, y, z, u + \varepsilon a e^{at}, v, w);$
- $G_{17}:$ $(n \exp\left[-\frac{a^2}{k} e^{at}\left(\varepsilon v + \frac{1}{2}\varepsilon^2 a e^{at}\right)\right], t, x, y + \varepsilon e^{at}, z, u, v + \varepsilon a e^{at}, w);$
- $G_{18}:$ $(n \exp\left[-\frac{a^2}{k} e^{at}\left(\varepsilon w + \frac{1}{2}\varepsilon^2 a e^{at}\right)\right], t, x, y, z + \varepsilon e^{at}, u, v, w + \varepsilon a e^{at}).$

For relatively nontrivial integration of $G_{10} - G_{12}$, $G_{16} - G_{18}$. we refer to [2] (APPENDIX 3-4).

The fact, that G_i are symmetries of PDE (1) means, that if $f(t, x, y, u, v)$ is arbitrary solution of (1), the functions

- $u^{(1)}:$ $f(t, x, y, z, u, v, w) + \varepsilon A(t, x, y, z, u, v, w);$
- $u^{(2)}:$ $e^\varepsilon f(t, x, y, z, u, v, w);$
- $u^{(3)}:$ $f(t - \varepsilon, x, y, z, u, v, w);$
- $u^{(4)}:$ $f(t, x - \varepsilon, y, z, u, v, w);$
- $u^{(5)}:$ $f(t, x, y - \varepsilon, z, u, v, w);$
- $u^{(6)}:$ $f(t, x, y, z - \varepsilon, u, v, w);$
- $u^{(7)}:$ $f(t, x, (\cos(\varepsilon)y - \sin(\varepsilon)z), (\sin(\varepsilon)y + \cos(\varepsilon)z), u, (\cos(\varepsilon)v - \sin(\varepsilon)w), (\sin(\varepsilon)v + \cos(\varepsilon)w));$

$$\begin{aligned}
 u^{(8)}: & f(t, (\cos(\varepsilon)x + \sin(\varepsilon)z), y, (-\sin(\varepsilon)x + \cos(\varepsilon)z), (\cos(\varepsilon)u + \sin(\varepsilon)w), v, (-\sin(\varepsilon)u + \cos(\varepsilon)w)); \\
 u^{(9)}: & f(t, (\cos(\varepsilon)x - \sin(\varepsilon)y), (\sin(\varepsilon)x + \cos(\varepsilon)y), z, (\cos(\varepsilon)u - \sin(\varepsilon)v), (\sin(\varepsilon)u + \cos(\varepsilon)v), w); \\
 u^{(10)}: & \exp\left[-\frac{a}{2k}\left(\varepsilon(ax+u) - \frac{1}{2}\varepsilon^2(at+1)\right)\right]f(t, x - \varepsilon t, y, z, u - \varepsilon, v, w); \\
 u^{(11)}: & \exp\left[-\frac{a}{2k}\left(\varepsilon(ay+v) - \frac{1}{2}\varepsilon^2(at+1)\right)\right]f(t, x, y - \varepsilon t, z, u, v - \varepsilon, w); \\
 u^{(12)}: & \exp\left[-\frac{a}{2k}\left(\varepsilon(az+w) - \frac{1}{2}\varepsilon^2(at+1)\right)\right]f(t, x, y, z - \varepsilon t, u, v, w - \varepsilon); \\
 u^{(13)}: & f(t, x - \varepsilon e^{-at}, y, z, u + \varepsilon a e^{-at}, v, w); \\
 u^{(14)}: & f(t, x, y - \varepsilon e^{-at}, z, u, v + \varepsilon a e^{-at}, w); \\
 u^{(15)}: & f(t, x, y, z - \varepsilon e^{-at}, u, v, w + \varepsilon a e^{-at}); \\
 u^{(16)}: & \exp\left[-\frac{a^2}{k}e^{at}\left(\varepsilon u - \frac{1}{2}\varepsilon^2 a e^{at}\right)\right]f(t, x - \varepsilon e^{at}, y, z, u - \varepsilon a e^{at}, v, w); \\
 u^{(17)}: & \exp\left[-\frac{a^2}{k}e^{at}\left(\varepsilon v - \frac{1}{2}\varepsilon^2 a e^{at}\right)\right]f(t, x, y - \varepsilon e^{at}, z, u, v - \varepsilon a e^{at}, w); \\
 u^{(18)}: & \exp\left[-\frac{a^2}{k}e^{at}\left(\varepsilon w - \frac{1}{2}\varepsilon^2 a e^{at}\right)\right]f(t, x, y, z - \varepsilon e^{at}, u, v, w - \varepsilon a e^{at}).
 \end{aligned}$$

where ε - arbitrary real number , also are solutions of (1). Here A is another arbitrary solution of (1).

We systematically replace "old coordinates" by their expressions through "new coordinates". Note, that due to these replacements terms with ε^2 in $u^{(10)} - u^{(12)}$ and $u^{(16)} - u^{(18)}$ change their signs.

We have trivial solution $n = e^{3at}$ at our disposal. If we act on this solution by transformations (10), we obtain 6 new solutions:

$$n = \exp\left[3at - \frac{a}{2k}\left(\varepsilon(ax+u) - \frac{1}{2}\varepsilon^2(at+1)\right)\right]; \quad (19)$$

$$n = \exp\left[3at - \frac{a}{2k}\left(\varepsilon(ay+v) - \frac{1}{2}\varepsilon^2(at+1)\right)\right]. \quad (20)$$

$$n = \exp\left[3at - \frac{a}{2k}\left(\varepsilon(az+w) - \frac{1}{2}\varepsilon^2(at+1)\right)\right]; \quad (21)$$

$$n = \exp\left[3at - \frac{a^2}{k}e^{at}\left(\varepsilon u - \frac{1}{2}\varepsilon^2 a e^{at}\right)\right]. \quad (22)$$

$$n = \exp\left[3at - \frac{a^2}{k}e^{at}\left(\varepsilon v - \frac{1}{2}\varepsilon^2 a e^{at}\right)\right]. \quad (23)$$

$$n = \exp \left[3at - \frac{a^2}{k} e^{at} \left(\varepsilon_w - \frac{1}{2} \varepsilon^2 a e^{at} \right) \right]. \quad (24)$$

General expression is

$$\begin{aligned} U &= e^{\varepsilon_2} \exp \left[-\frac{a}{2k} \left(\varepsilon_{10}(a\bar{x} + \bar{u}) - \frac{1}{2} \varepsilon_{10}^2 (at + 1) \right) \right] \exp \left[-\frac{a}{2k} \left(\varepsilon_{11}(a\bar{y} + \bar{v}) - \frac{1}{2} \varepsilon_{11}^2 (at + 1) \right) \right] \exp \left[-\frac{a}{2k} \left(\varepsilon_{12}(a\bar{z} + \bar{w}) - \frac{1}{2} \varepsilon_{12}^2 (at + 1) \right) \right] \times (25) \\ &\times \exp \left[-\frac{a^2}{k} e^{at} \left(\varepsilon_{16}(\bar{u} - \varepsilon_{10}) - \frac{1}{2} \varepsilon_{16}^2 a e^{at} \right) \right] \exp \left[-\frac{a^2}{k} e^{at} \left(\varepsilon_{17}(\bar{v} - \varepsilon_{11}) - \frac{1}{2} \varepsilon_{17}^2 a e^{at} \right) \right] \exp \left[-\frac{a^2}{k} e^{at} \left(\varepsilon_{18}(\bar{w} - \varepsilon_{12}) - \frac{1}{2} \varepsilon_{18}^2 a e^{at} \right) \right] \times \\ &\times f(t - \varepsilon_3, \bar{x} - \varepsilon_4 - \varepsilon_{10}t - \varepsilon_{13}e^{-at} - \varepsilon_{16}e^{at}, \bar{y} - \varepsilon_5 - \varepsilon_{11}t - \varepsilon_{14}e^{-at} - \varepsilon_{17}e^{at}, \bar{z} - \varepsilon_6 - \varepsilon_{12}t - \varepsilon_{15}e^{-at} - \varepsilon_{18}e^{at}, \\ &\bar{u} - \varepsilon_{10} + \varepsilon_{13}a e^{-at} - \varepsilon_{16}a e^{at}, \bar{v} - \varepsilon_{11} + \varepsilon_{14}a e^{-at} - \varepsilon_{17}a e^{at}, \bar{w} - \varepsilon_{12} + \varepsilon_{15}a e^{-at} - \varepsilon_{18}a e^{at}) + \varepsilon_1 A(t, x, y, z, u, v, w); \end{aligned}$$

where

$$\bar{x} = \left(\cos(\varepsilon_8) \cos(\varepsilon_9) \right) x + \left(\cos(\varepsilon_8) \sin(\varepsilon_9) \right) y + (-\sin(\varepsilon_8)) z; \quad (26)$$

$$\begin{aligned} \bar{y} &= \left(\sin(\varepsilon_7) \sin(\varepsilon_8) \cos(\varepsilon_9) - \cos(\varepsilon_7) \sin(\varepsilon_9) \right) x + \left(\sin(\varepsilon_7) \sin(\varepsilon_8) \sin(\varepsilon_9) + \cos(\varepsilon_7) \cos(\varepsilon_9) \right) y + (27) \\ &+ (\sin(\varepsilon_7) \cos(\varepsilon_8)) z; \end{aligned}$$

$$\begin{aligned} \bar{z} &= \left(\sin(\varepsilon_7) \sin(\varepsilon_9) + \cos(\varepsilon_7) \sin(\varepsilon_8) \cos(\varepsilon_9) \right) x + \left(-\sin(\varepsilon_7) \cos(\varepsilon_9) + \cos(\varepsilon_7) \sin(\varepsilon_8) \sin(\varepsilon_9) \right) y + (28) \\ &+ (\cos(\varepsilon_7) \cos(\varepsilon_8)) z; \end{aligned}$$

$$\bar{u} = \left(\cos(\varepsilon_8) \cos(\varepsilon_9) \right) u + \left(\cos(\varepsilon_8) \sin(\varepsilon_9) \right) v + (-\sin(\varepsilon_8)) w; \quad (29)$$

$$\begin{aligned} \bar{v} &= \left(\sin(\varepsilon_7) \sin(\varepsilon_8) \cos(\varepsilon_9) - \cos(\varepsilon_7) \sin(\varepsilon_9) \right) u + \left(\sin(\varepsilon_7) \sin(\varepsilon_8) \sin(\varepsilon_9) + \cos(\varepsilon_7) \cos(\varepsilon_9) \right) v + (30) \\ &+ (\sin(\varepsilon_7) \cos(\varepsilon_8)) w; \end{aligned}$$

$$\begin{aligned} \bar{w} &= \left(\sin(\varepsilon_7) \sin(\varepsilon_9) + \cos(\varepsilon_7) \sin(\varepsilon_8) \cos(\varepsilon_9) \right) u + \left(-\sin(\varepsilon_7) \cos(\varepsilon_9) + \cos(\varepsilon_7) \sin(\varepsilon_8) \sin(\varepsilon_9) \right) v + (31) \\ &+ (\cos(\varepsilon_7) \cos(\varepsilon_8)) w. \end{aligned}$$

DISCUSSION

Looking at the list of all point symmetries of the Fokker - Planck equation in two-dimensional Euclidean space, we see, that there is no simple way to get, for example, fundamental solution of PDE, using these symmetries. We have not at our disposal such an instrument, as scaling of independent variables t, x, y, z, u, v, w . The result (19-24) of action of symmetry group on trivial solution is not very interesting from physical point of view.

Indirect way of use of Galilean transformations (7) was demonstrated in [1]. The transformation was used for generalization of solution, which was obtained in the form of exponent of quadratic form of space coordinates and velocities with time dependent coefficients.

There is need of further investigations of Fokker - Planck equation and its set of symmetries, which may lead to another physically interesting results. We can follow the scheme of [8] : to consider invariant solutions for some one-parameter group, thus reduce the independent variables number. To find for obtained in such a way equation all point symmetries - and so long.

In the work [8] this scheme was represented for equations of elasticity and plasticity.

ACKNOWLEDGMENTS

We wish to thank Jos A. M. Vermaesen from NIKHEF (the Dutch Institute for Nuclear and High-Energy Physics), for he made his symbolic computations program FORM release 3.1 available for download for non-commercial purposes (see [9]). This wonderful program makes difficult task of symmetries search more accessible.

REFERENCES

- [1] Igor A. Tanski. Fundamental solution of Fokker - Planck equation. arXiv:nlin.SI/0407007 v1 4 Jul 2004
- [2] Igor A. Tanski. The symmetries of the Fokker - Planck equation in two dimensions. arXiv:nlin.CD/0412075 v1 31 Dec 2004
- [3] Igor A. Tanski. The symmetries of the Fokker - Planck equation in one dimension. arXiv:nlin.PS/0501008 v1 3 Jan 2005
- [4] L. P. Eisenhart, Continuous Groups of Transformations, Princeton University Press, Princeton, 1933.
- [5] L. V. Ovsyannikov, Group analysis of differential equations, Moscow, Nauka, 1978.
- [6] Peter J. Olver, Applications of Lie groups to differential equations. Springer-Verlag, New York, 1986.
- [7] N. H. Ibragimov, CRC Handbook of Lie Group Analysis of Differential Equations, V. 3, CRC Press, New York, 1996.
- [8] B. D. Annin, V. O. Bytev, S. I. Senashov, Group properties of equations of elasticity and plasticity (Gruppovye svojstva uravnenij uprugosti i plastichnosti), Nauka, Novosibirsk, 1985.
- [9] Michael M. Tung. FORM Matters: Fast Symbolic Computation under UNIX. arXiv:cs.SC/0409048 v1 27 Sep 2004

APPENDIX 1

The infinitesimal invariance criteria for PDE (1) is

$$\begin{aligned} & \delta \frac{\partial n}{\partial t} + \delta u \frac{\partial n}{\partial x} + u \delta \frac{\partial n}{\partial x} + \delta v \frac{\partial n}{\partial y} + v \delta \frac{\partial n}{\partial y} + \delta w \frac{\partial n}{\partial z} + w \delta \frac{\partial n}{\partial z} - \\ & - a \delta u \frac{\partial n}{\partial u} - a u \delta \frac{\partial n}{\partial u} - a \delta v \frac{\partial n}{\partial v} - a v \delta \frac{\partial n}{\partial v} - a \delta w \frac{\partial n}{\partial w} - a w \delta \frac{\partial n}{\partial w} - \\ & - 3a \delta n - k(\delta \frac{\partial^2 n}{\partial u^2} + \delta \frac{\partial^2 n}{\partial v^2} + \delta \frac{\partial^2 n}{\partial w^2}) = 0; \end{aligned} \quad (\text{A1-1})$$

Expressions for variations of derivatives are presented in APPENDIX 2.

We eliminate $\frac{\partial n}{\partial t}$ using original equation

$$\frac{\partial n}{\partial t} = -(u \frac{\partial n}{\partial x} + v \frac{\partial n}{\partial y} + w \frac{\partial n}{\partial z} - a u \frac{\partial n}{\partial u} - a v \frac{\partial n}{\partial v} - a w \frac{\partial n}{\partial w} - 3a n - k(\frac{\partial^2 n}{\partial u^2} + \frac{\partial^2 n}{\partial v^2} + \frac{\partial^2 n}{\partial w^2})); \quad (\text{A1-2})$$

Collecting similar terms, we obtain following equations:

$$\begin{aligned} & \frac{\partial n}{\partial x} \frac{\partial n}{\partial u} \\ & - 2k u \frac{\partial^2}{\partial n \partial u} (\delta t) + 2k \frac{\partial^2}{\partial n \partial u} (\delta x) = 0; \end{aligned} \quad (\text{A1-3})$$

$$\begin{aligned} & \frac{\partial n}{\partial x} \frac{\partial n}{\partial u^2} \\ & - k u \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta x) = 0; \end{aligned} \quad (\text{A1-4})$$

$$\begin{aligned} & \frac{\partial n}{\partial x} \frac{\partial n}{\partial v} \\ & - 2k u \frac{\partial^2}{\partial n \partial v} (\delta t) + 2k \frac{\partial^2}{\partial n \partial v} (\delta x) = 0; \end{aligned} \quad (\text{A1-5})$$

$$\begin{aligned} & \frac{\partial n}{\partial x} \frac{\partial n}{\partial v^2} \\ & - k u \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta x) = 0; \end{aligned} \quad (\text{A1-6})$$

$$\begin{aligned} & \frac{\partial n}{\partial x} \frac{\partial n}{\partial w} \\ & - 2k u \frac{\partial^2}{\partial n \partial w} (\delta t) + 2k \frac{\partial^2}{\partial n \partial w} (\delta x) = 0; \end{aligned} \quad (\text{A1-7})$$

$$\begin{aligned} & \frac{\partial n}{\partial x} \frac{\partial n}{\partial w^2} \\ & - k u \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta x) = 0; \end{aligned} \quad (\text{A1-8})$$

$$\begin{aligned} & \frac{\partial n}{\partial x} \\ & - a u v \frac{\partial}{\partial v} (\delta t) - a u w \frac{\partial}{\partial w} (\delta t) + 3a u n \frac{\partial}{\partial n} (\delta t) + a u \frac{\partial}{\partial u} (\delta x) - \\ & - \end{aligned} \quad (\text{A1-9})$$

$$\begin{aligned}
& -au^2 \frac{\partial}{\partial u}(\delta t) + av \frac{\partial}{\partial v}(\delta x) + aw \frac{\partial}{\partial w}(\delta x) - 3an \frac{\partial}{\partial n}(\delta x) - \\
& -ku \frac{\partial^2}{\partial u^2}(\delta t) - ku \frac{\partial^2}{\partial v^2}(\delta t) - ku \frac{\partial^2}{\partial w^2}(\delta t) + k \frac{\partial^2}{\partial u^2}(\delta x) + \\
& +k \frac{\partial^2}{\partial v^2}(\delta x) + k \frac{\partial^2}{\partial w^2}(\delta x) + uv \frac{\partial}{\partial y}(\delta t) + uw \frac{\partial}{\partial z}(\delta t) - \\
& -u \frac{\partial}{\partial x}(\delta x) + u \frac{\partial}{\partial t}(\delta t) + u^2 \frac{\partial}{\partial x}(\delta t) - \\
& -v \frac{\partial}{\partial y}(\delta x) - w \frac{\partial}{\partial z}(\delta x) + \delta u - \frac{\partial}{\partial t}(\delta x) = 0; \\
& \frac{\partial n}{\partial y} \frac{\partial n}{\partial u} \\
& -2kv \frac{\partial^2}{\partial n \partial u}(\delta t) + 2k \frac{\partial^2}{\partial n \partial u}(\delta y) = 0; \tag{A1-10}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial y} \frac{\partial n}{\partial u^2} \\
& -kv \frac{\partial^2}{\partial n^2}(\delta t) + k \frac{\partial^2}{\partial n^2}(\delta y) = 0; \tag{A1-11}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial y} \frac{\partial n}{\partial v} \\
& -2kv \frac{\partial^2}{\partial n \partial v}(\delta t) + 2k \frac{\partial^2}{\partial n \partial v}(\delta y) = 0; \tag{A1-12}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial y} \frac{\partial n}{\partial v^2} \\
& -kv \frac{\partial^2}{\partial n^2}(\delta t) + k \frac{\partial^2}{\partial n^2}(\delta y) = 0; \tag{A1-13}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial y} \frac{\partial n}{\partial w} \\
& -2kv \frac{\partial^2}{\partial n \partial w}(\delta t) + 2k \frac{\partial^2}{\partial n \partial w}(\delta y) = 0; \tag{A1-14}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial y} \frac{\partial n}{\partial w^2} \\
& -kv \frac{\partial^2}{\partial n^2}(\delta t) + k \frac{\partial^2}{\partial n^2}(\delta y) = 0; \tag{A1-15}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial y} \\
& -auv \frac{\partial}{\partial u}(\delta t) + au \frac{\partial}{\partial u}(\delta y) - avw \frac{\partial}{\partial w}(\delta t) + 3avn \frac{\partial}{\partial n}(\delta t) + \\
& +av \frac{\partial}{\partial v}(\delta y) - av^2 \frac{\partial}{\partial v}(\delta t) + aw \frac{\partial}{\partial w}(\delta y) - 3an \frac{\partial}{\partial n}(\delta y) - \tag{A1-16}
\end{aligned}$$

$$\begin{aligned}
& -kv \frac{\partial^2}{\partial u^2} (\delta t) - kv \frac{\partial^2}{\partial v^2} (\delta t) - kv \frac{\partial^2}{\partial w^2} (\delta t) + k \frac{\partial^2}{\partial u^2} (\delta y) + \\
& + k \frac{\partial^2}{\partial v^2} (\delta y) + k \frac{\partial^2}{\partial w^2} (\delta y) + uv \frac{\partial}{\partial x} (\delta t) - u \frac{\partial}{\partial x} (\delta y) + \\
& + vw \frac{\partial}{\partial z} (\delta t) - v \frac{\partial}{\partial y} (\delta y) + v \frac{\partial}{\partial t} (\delta t) + \\
& + v^2 \frac{\partial}{\partial y} (\delta t) - w \frac{\partial}{\partial z} (\delta y) + \delta v - \frac{\partial}{\partial t} (\delta y) = 0; \\
& \frac{\partial n}{\partial z} \frac{\partial n}{\partial u} \\
& - 2kw \frac{\partial^2}{\partial n \partial u} (\delta t) + 2k \frac{\partial^2}{\partial n \partial u} (\delta z) = 0; \tag{A1-17}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial z} \frac{\partial n}{\partial u^2} \\
& - kw \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta z) = 0; \tag{A1-18}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial z} \frac{\partial n}{\partial v} \\
& - 2kw \frac{\partial^2}{\partial n \partial v} (\delta t) + 2k \frac{\partial^2}{\partial n \partial v} (\delta z) = 0; \tag{A1-19}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial z} \frac{\partial n}{\partial v^2} \\
& - kw \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta z) = 0; \tag{A1-20}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial z} \frac{\partial n}{\partial w} \\
& - 2kw \frac{\partial^2}{\partial n \partial w} (\delta t) + 2k \frac{\partial^2}{\partial n \partial w} (\delta z) = 0; \tag{A1-21}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial z} \frac{\partial n}{\partial w^2} \\
& - kw \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta z) = 0; \tag{A1-22}
\end{aligned}$$

$$\begin{aligned}
& \frac{\partial n}{\partial z} \\
& - auw \frac{\partial}{\partial u} (\delta t) + au \frac{\partial}{\partial u} (\delta z) - avw \frac{\partial}{\partial v} (\delta t) + av \frac{\partial}{\partial v} (\delta z) + \\
& + 3awn \frac{\partial}{\partial n} (\delta t) + aw \frac{\partial}{\partial w} (\delta z) - aw^2 \frac{\partial}{\partial w} (\delta t) - 3an \frac{\partial}{\partial n} (\delta z) - \\
& - kw \frac{\partial^2}{\partial v^2} (\delta t) - kw \frac{\partial^2}{\partial w^2} (\delta t) + k \frac{\partial^2}{\partial u^2} (\delta z) + k \frac{\partial^2}{\partial v^2} (\delta z) + \tag{A1-23}
\end{aligned}$$

$$\begin{aligned}
 & +k \frac{\partial^2}{\partial w^2} (\delta z) + uw \frac{\partial}{\partial x} (\delta t) - u \frac{\partial}{\partial x} (\delta z) + vw \frac{\partial}{\partial y} (\delta t) - v \frac{\partial}{\partial y} (\delta z) - \\
 & -w \frac{\partial}{\partial z} (\delta z) + w \frac{\partial}{\partial t} (\delta t) + w^2 \frac{\partial}{\partial z} (\delta t) + \delta w - \frac{\partial}{\partial t} (\delta z) = 0; \\
 \frac{\partial n}{\partial u} \frac{\partial n}{\partial v} \\
 2aku \frac{\partial^2}{\partial n \partial v} (\delta t) + 2akv \frac{\partial^2}{\partial n \partial u} (\delta t) + 2k \frac{\partial^2}{\partial n \partial u} (\delta v) + 2k \frac{\partial^2}{\partial n \partial v} (\delta u) = 0;
 \end{aligned} \tag{A1-24}$$

$$\begin{aligned}
 \frac{\partial n}{\partial u} \frac{\partial n}{\partial v^2} \\
 aku \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta u) = 0;
 \end{aligned} \tag{A1-25}$$

$$\begin{aligned}
 \frac{\partial n}{\partial u} \frac{\partial n}{\partial w} \\
 2aku \frac{\partial^2}{\partial n \partial w} (\delta t) + 2akw \frac{\partial^2}{\partial n \partial u} (\delta t) + 2k \frac{\partial^2}{\partial n \partial u} (\delta w) + 2k \frac{\partial^2}{\partial n \partial w} (\delta u) = 0;
 \end{aligned} \tag{A1-26}$$

$$\begin{aligned}
 \frac{\partial n}{\partial u} \frac{\partial n}{\partial w^2} \\
 aku \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta u) = 0;
 \end{aligned} \tag{A1-27}$$

$$\begin{aligned}
 \frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial u^2} \\
 2k \frac{\partial}{\partial n} (\delta u) + 2k^2 \frac{\partial^2}{\partial n \partial u} (\delta t) = 0;
 \end{aligned} \tag{A1-28}$$

$$\begin{aligned}
 \frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial v^2} \\
 2k^2 \frac{\partial^2}{\partial n \partial u} (\delta t) = 0;
 \end{aligned} \tag{A1-29}$$

$$\begin{aligned}
 \frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial w^2} \\
 2k^2 \frac{\partial^2}{\partial n \partial u} (\delta t) = 0;
 \end{aligned} \tag{A1-30}$$

$$\begin{aligned}
 \frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial u \partial v} \\
 2k \frac{\partial}{\partial n} (\delta v) = 0;
 \end{aligned} \tag{A1-31}$$

$$\begin{aligned}
 \frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial u \partial w} \\
 2k \frac{\partial}{\partial n} (\delta w) = 0;
 \end{aligned} \tag{A1-32}$$

$$\frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial u \partial x}$$

$$2k \frac{\partial}{\partial n} (\delta x) = 0; \quad (\text{A1-33})$$

$$\begin{aligned} \frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial u \partial y} \\ 2k \frac{\partial}{\partial n} (\delta y) = 0; \end{aligned} \quad (\text{A1-34})$$

$$\begin{aligned} \frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial u \partial z} \\ k \frac{\partial}{\partial n} (\delta z) = 0; \end{aligned} \quad (\text{A1-35})$$

$$\begin{aligned} \frac{\partial n}{\partial u} \frac{\partial^2 n}{\partial t \partial u} \\ 2k \frac{\partial}{\partial n} (\delta t) = 0; \end{aligned} \quad (\text{A1-36})$$

$$\begin{aligned} \frac{\partial n}{\partial u} \\ ak u \frac{\partial^2}{\partial u^2} (\delta t) + ak u \frac{\partial^2}{\partial v^2} (\delta t) + ak u \frac{\partial^2}{\partial w^2} (\delta t) + 6akn \frac{\partial^2}{\partial n \partial u} (\delta t) - \\ -auv \frac{\partial}{\partial y} (\delta t) - auw \frac{\partial}{\partial z} (\delta t) + au \frac{\partial}{\partial u} (\delta u) - au \frac{\partial}{\partial t} (\delta t) - \\ -au^2 \frac{\partial}{\partial x} (\delta t) + av \frac{\partial}{\partial v} (\delta u) + aw \frac{\partial}{\partial w} (\delta u) - 3an \frac{\partial}{\partial n} (\delta u) - \\ -a\delta u + a^2 uv \frac{\partial}{\partial v} (\delta t) + a^2 uw \frac{\partial}{\partial w} (\delta t) - 3a^2 un \frac{\partial}{\partial n} (\delta t) + a^2 u^2 \frac{\partial}{\partial u} (\delta t) + \\ +k \frac{\partial^2 n}{\partial u \partial z} \frac{\partial}{\partial n} (\delta z) - 2k \frac{\partial^2}{\partial n \partial u} (\delta n) + \\ +k \frac{\partial^2}{\partial u^2} (\delta u) + k \frac{\partial^2}{\partial v^2} (\delta u) + k \frac{\partial^2}{\partial w^2} (\delta u) - \\ -u \frac{\partial}{\partial x} (\delta u) - v \frac{\partial}{\partial y} (\delta u) - w \frac{\partial}{\partial z} (\delta u) - \frac{\partial}{\partial t} (\delta u) = 0; \end{aligned} \quad (\text{A1-37})$$

$$\begin{aligned} \frac{\partial n}{\partial u^2} \frac{\partial n}{\partial v} \\ akv \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta v) = 0; \end{aligned} \quad (\text{A1-38})$$

$$\begin{aligned} \frac{\partial n}{\partial u^2} \frac{\partial n}{\partial w} \\ akw \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta w) = 0; \end{aligned} \quad (\text{A1-39})$$

$$\begin{aligned} \frac{\partial n}{\partial u^2} \frac{\partial^2 n}{\partial u^2} \\ k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \end{aligned} \quad (\text{A1-40})$$

$$\frac{\partial n}{\partial u^2} \frac{\partial^2 n}{\partial v^2} \\ k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \quad (\text{A1-41})$$

$$\frac{\partial n}{\partial u^2} \frac{\partial^2 n}{\partial w^2} \\ k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \quad (\text{A1-42})$$

$$\frac{\partial n}{\partial u^2} \\ 2aku \frac{\partial^2}{\partial n \partial u} (\delta t) + 3akn \frac{\partial^2}{\partial n^2} (\delta t) - k \frac{\partial^2}{\partial n^2} (\delta n) + 2k \frac{\partial^2}{\partial n \partial u} (\delta u) = 0; \quad (\text{A1-43})$$

$$\frac{\partial n}{\partial u^3} \\ aku \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta u) = 0; \quad (\text{A1-44})$$

$$\frac{\partial n}{\partial v} \frac{\partial n}{\partial w} \\ 2akov \frac{\partial^2}{\partial n \partial w} (\delta t) + 2akw \frac{\partial^2}{\partial n \partial v} (\delta t) + 2k \frac{\partial^2}{\partial n \partial v} (\delta w) + 2k \frac{\partial^2}{\partial n \partial w} (\delta v) = 0; \quad (\text{A1-45})$$

$$\frac{\partial n}{\partial v} \frac{\partial n}{\partial w^2} \\ akv \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta v) = 0; \quad (\text{A1-46})$$

$$\frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial u^2} \\ 2k^2 \frac{\partial^2}{\partial n \partial v} (\delta t) = 0; \quad (\text{A1-47})$$

$$\frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial v^2} \\ 2k \frac{\partial}{\partial n} (\delta v) + 2k^2 \frac{\partial^2}{\partial n \partial v} (\delta t) = 0; \quad (\text{A1-48})$$

$$\frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial w^2} \\ 2k^2 \frac{\partial^2}{\partial n \partial v} (\delta t) = 0; \quad (\text{A1-49})$$

$$\frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial u \partial v} \\ 2k \frac{\partial}{\partial n} (\delta u) = 0; \quad (\text{A1-50})$$

$$\frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial v \partial w}$$

$$2k \frac{\partial}{\partial n} (\delta w) = 0; \quad (\text{A1-51})$$

$$\begin{aligned} \frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial v \partial x} \\ 2k \frac{\partial}{\partial n} (\delta x) = 0; \end{aligned} \quad (\text{A1-52})$$

$$\begin{aligned} \frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial v \partial y} \\ 2k \frac{\partial}{\partial n} (\delta y) = 0; \end{aligned} \quad (\text{A1-53})$$

$$\begin{aligned} \frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial v \partial z} \\ k \frac{\partial}{\partial n} (\delta z) = 0; \end{aligned} \quad (\text{A1-54})$$

$$\begin{aligned} \frac{\partial n}{\partial v} \frac{\partial^2 n}{\partial t \partial v} \\ 2k \frac{\partial}{\partial n} (\delta t) = 0; \end{aligned} \quad (\text{A1-55})$$

$$\begin{aligned} \frac{\partial n}{\partial v} \\ akv \frac{\partial^2}{\partial u^2} (\delta t) + akv \frac{\partial^2}{\partial v^2} (\delta t) + akv \frac{\partial^2}{\partial w^2} (\delta t) + \\ + 6akn \frac{\partial^2}{\partial n \partial v} (\delta t) - auv \frac{\partial}{\partial x} (\delta t) + au \frac{\partial}{\partial u} (\delta v) - avw \frac{\partial}{\partial z} (\delta t) + \\ + av \frac{\partial}{\partial v} (\delta v) - av \frac{\partial}{\partial t} (\delta t) - av^2 \frac{\partial}{\partial y} (\delta t) + aw \frac{\partial}{\partial w} (\delta v) - \\ - 3an \frac{\partial}{\partial n} (\delta v) - a\delta v + a^2 uv \frac{\partial}{\partial u} (\delta t) + a^2 vw \frac{\partial}{\partial w} (\delta t) - 3a^2 vn \frac{\partial}{\partial n} (\delta t) + \\ + a^2 v^2 \frac{\partial}{\partial v} (\delta t) + k \frac{\partial^2 n}{\partial v \partial z} \frac{\partial}{\partial n} (\delta z) + k \frac{\partial^2}{\partial u^2} (\delta v) - 2k \frac{\partial^2}{\partial n \partial v} (\delta n) + \\ + k \frac{\partial^2}{\partial v^2} (\delta v) + k \frac{\partial^2}{\partial w^2} (\delta v) - u \frac{\partial}{\partial x} (\delta v) - v \frac{\partial}{\partial y} (\delta v) - w \frac{\partial}{\partial z} (\delta v) - \frac{\partial}{\partial t} (\delta v) = 0; \end{aligned} \quad (\text{A1-56})$$

$$\begin{aligned} \frac{\partial n}{\partial v^2} \frac{\partial n}{\partial w} \\ akw \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta w) = 0; \end{aligned} \quad (\text{A1-57})$$

$$\begin{aligned} \frac{\partial n}{\partial v^2} \frac{\partial^2 n}{\partial u^2} \\ k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \end{aligned} \quad (\text{A1-58})$$

$$\frac{\partial n}{\partial v^2} \frac{\partial^2 n}{\partial v^2}$$

$$k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \quad (\text{A1-59})$$

$$\begin{aligned} \frac{\partial n}{\partial v^2} \frac{\partial^2 n}{\partial w^2} \\ k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \end{aligned} \quad (\text{A1-60})$$

$$\begin{aligned} \frac{\partial n}{\partial v^2} \\ 2akv \frac{\partial^2}{\partial n \partial v} (\delta t) + 3akn \frac{\partial^2}{\partial n^2} (\delta t) - k \frac{\partial^2}{\partial n^2} (\delta n) + 2k \frac{\partial^2}{\partial n \partial v} (\delta v) = 0; \end{aligned} \quad (\text{A1-61})$$

$$\begin{aligned} \frac{\partial n}{\partial v^3} \\ akv \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta v) = 0; \end{aligned} \quad (\text{A1-62})$$

$$\begin{aligned} \frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial u^2} \\ 2k^2 \frac{\partial^2}{\partial n \partial w} (\delta t) = 0; \end{aligned} \quad (\text{A1-63})$$

$$\begin{aligned} \frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial v^2} \\ 2k^2 \frac{\partial^2}{\partial n \partial w} (\delta t) = 0; \end{aligned} \quad (\text{A1-64})$$

$$\begin{aligned} \frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial w^2} \\ 2k \frac{\partial}{\partial n} (\delta w) + 2k^2 \frac{\partial^2}{\partial n \partial w} (\delta t) = 0; \end{aligned} \quad (\text{A1-65})$$

$$\begin{aligned} \frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial u \partial w} \\ 2k \frac{\partial}{\partial n} (\delta u) = 0; \end{aligned} \quad (\text{A1-66})$$

$$\begin{aligned} \frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial v \partial w} \\ 2k \frac{\partial}{\partial n} (\delta v) = 0; \end{aligned} \quad (\text{A1-67})$$

$$\begin{aligned} \frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial w \partial x} \\ 2k \frac{\partial}{\partial n} (\delta x) = 0; \end{aligned} \quad (\text{A1-68})$$

$$\begin{aligned} \frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial w \partial y} \\ 2k \frac{\partial}{\partial n} (\delta y) = 0; \end{aligned} \quad (\text{A1-69})$$

$$\frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial w \partial z} k \frac{\partial}{\partial n} (\delta z) = 0; \quad (\text{A1-70})$$

$$\frac{\partial n}{\partial w} \frac{\partial^2 n}{\partial t \partial w} 2k \frac{\partial}{\partial n} (\delta t) = 0; \quad (\text{A1-71})$$

$$\begin{aligned} & \frac{\partial n}{\partial w} \\ & akw \frac{\partial^2}{\partial u^2} (\delta t) + akw \frac{\partial^2}{\partial v^2} (\delta t) + akw \frac{\partial^2}{\partial w^2} (\delta t) + 6akn \frac{\partial^2}{\partial n \partial w} (\delta t) - \\ & - auw \frac{\partial}{\partial x} (\delta t) + au \frac{\partial}{\partial u} (\delta w) - avw \frac{\partial}{\partial y} (\delta t) + av \frac{\partial}{\partial v} (\delta w) + aw \frac{\partial}{\partial w} (\delta w) - aw \frac{\partial}{\partial t} (\delta t) - \\ & - aw^2 \frac{\partial}{\partial z} (\delta t) - 3an \frac{\partial}{\partial n} (\delta w) - a\delta w + a^2 uw \frac{\partial}{\partial u} (\delta t) + a^2 vw \frac{\partial}{\partial v} (\delta t) - \\ & - 3a^2 wn \frac{\partial}{\partial n} (\delta t) + a^2 w^2 \frac{\partial}{\partial w} (\delta t) + k \frac{\partial^2 n}{\partial w \partial z} \frac{\partial}{\partial n} (\delta z) + k \frac{\partial^2}{\partial u^2} (\delta w) + k \frac{\partial^2}{\partial v^2} (\delta w) - \\ & - 2k \frac{\partial^2}{\partial n \partial w} (\delta n) + k \frac{\partial^2}{\partial w^2} (\delta w) - u \frac{\partial}{\partial x} (\delta w) - v \frac{\partial}{\partial y} (\delta w) - w \frac{\partial}{\partial z} (\delta w) - \frac{\partial}{\partial t} (\delta w) = 0; \end{aligned} \quad (\text{A1-72})$$

$$\begin{aligned} & \frac{\partial n}{\partial w^2} \frac{\partial^2 n}{\partial u^2} k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \quad (\text{A1-73}) \end{aligned}$$

$$\begin{aligned} & \frac{\partial n}{\partial w^2} \frac{\partial^2 n}{\partial v^2} k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \quad (\text{A1-74}) \end{aligned}$$

$$\begin{aligned} & \frac{\partial n}{\partial w^2} \frac{\partial^2 n}{\partial w^2} k^2 \frac{\partial^2}{\partial n^2} (\delta t) = 0; \quad (\text{A1-75}) \end{aligned}$$

$$\begin{aligned} & \frac{\partial n}{\partial w^2} \\ & 2akw \frac{\partial^2}{\partial n \partial w} (\delta t) + 3akn \frac{\partial^2}{\partial n^2} (\delta t) - k \frac{\partial^2}{\partial n^2} (\delta n) + 2k \frac{\partial^2}{\partial n \partial w} (\delta w) = 0; \quad (\text{A1-76}) \end{aligned}$$

$$\begin{aligned} & \frac{\partial n}{\partial w^3} \\ & akw \frac{\partial^2}{\partial n^2} (\delta t) + k \frac{\partial^2}{\partial n^2} (\delta w) = 0; \quad (\text{A1-77}) \end{aligned}$$

$$\frac{\partial^2 n}{\partial u^2}$$

$$\begin{aligned}
 &aku \frac{\partial}{\partial u}(\delta t) + akv \frac{\partial}{\partial v}(\delta t) + akw \frac{\partial}{\partial w}(\delta t) - 3akn \frac{\partial}{\partial n}(\delta t) - \\
 &-ku \frac{\partial}{\partial x}(\delta t) - kv \frac{\partial}{\partial y}(\delta t) - kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial u}(\delta u) - k \frac{\partial}{\partial t}(\delta t) + \\
 &+k^2 \frac{\partial^2}{\partial u^2}(\delta t) + k^2 \frac{\partial^2}{\partial v^2}(\delta t) + k^2 \frac{\partial^2}{\partial w^2}(\delta t) = 0;
 \end{aligned} \tag{A1-78}$$

$$\begin{aligned}
 &\frac{\partial^2 n}{\partial v^2} \\
 &aku \frac{\partial}{\partial u}(\delta t) + akv \frac{\partial}{\partial v}(\delta t) + akw \frac{\partial}{\partial w}(\delta t) - 3akn \frac{\partial}{\partial n}(\delta t) - \\
 &-ku \frac{\partial}{\partial x}(\delta t) - kv \frac{\partial}{\partial y}(\delta t) - kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial v}(\delta v) - k \frac{\partial}{\partial t}(\delta t) + \\
 &+k^2 \frac{\partial^2}{\partial u^2}(\delta t) + k^2 \frac{\partial^2}{\partial v^2}(\delta t) + k^2 \frac{\partial^2}{\partial w^2}(\delta t) = 0;
 \end{aligned} \tag{A1-79}$$

$$\begin{aligned}
 &\frac{\partial^2 n}{\partial w^2} \\
 &aku \frac{\partial}{\partial u}(\delta t) + akv \frac{\partial}{\partial v}(\delta t) + akw \frac{\partial}{\partial w}(\delta t) - 3akn \frac{\partial}{\partial n}(\delta t) - \\
 &-ku \frac{\partial}{\partial x}(\delta t) - kv \frac{\partial}{\partial y}(\delta t) - kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial w}(\delta w) - k \frac{\partial}{\partial t}(\delta t) + \\
 &+k^2 \frac{\partial^2}{\partial u^2}(\delta t) + k^2 \frac{\partial^2}{\partial v^2}(\delta t) + k^2 \frac{\partial^2}{\partial w^2}(\delta t) = 0;
 \end{aligned} \tag{A1-80}$$

$$\begin{aligned}
 &\frac{\partial^2 n}{\partial u \partial v} \\
 &2k \frac{\partial}{\partial v}(\delta u) + 2k \frac{\partial}{\partial u}(\delta v) = 0;
 \end{aligned} \tag{A1-81}$$

$$\begin{aligned}
 &\frac{\partial^2 n}{\partial u \partial w} \\
 &2k \frac{\partial}{\partial w}(\delta u) + 2k \frac{\partial}{\partial u}(\delta w) = 0;
 \end{aligned} \tag{A1-82}$$

$$\begin{aligned}
 &\frac{\partial^2 n}{\partial v \partial w} \\
 &2k \frac{\partial}{\partial w}(\delta v) + 2k \frac{\partial}{\partial v}(\delta w) = 0;
 \end{aligned} \tag{A1-83}$$

$$\begin{aligned}
 &\frac{\partial^2 n}{\partial u \partial x} \\
 &2k \frac{\partial}{\partial u}(\delta x) = 0;
 \end{aligned} \tag{A1-84}$$

$$\begin{aligned}
 &\frac{\partial^2 n}{\partial u \partial y} \\
 &2k \frac{\partial}{\partial u}(\delta y) = 0;
 \end{aligned} \tag{A1-85}$$

$$\frac{\partial^2 n}{\partial u \partial z} k \frac{\partial}{\partial u} (\delta z) = 0; \quad (\text{A1-86})$$

$$\frac{\partial^2 n}{\partial v \partial x} 2k \frac{\partial}{\partial v} (\delta x) = 0; \quad (\text{A1-87})$$

$$\frac{\partial^2 n}{\partial v \partial y} 2k \frac{\partial}{\partial v} (\delta y) = 0; \quad (\text{A1-88})$$

$$\frac{\partial^2 n}{\partial v \partial z} k \frac{\partial}{\partial v} (\delta z) = 0; \quad (\text{A1-89})$$

$$\frac{\partial^2 n}{\partial w \partial x} 2k \frac{\partial}{\partial w} (\delta x) = 0; \quad (\text{A1-90})$$

$$\frac{\partial^2 n}{\partial w \partial y} 2k \frac{\partial}{\partial w} (\delta y) = 0; \quad (\text{A1-91})$$

$$\frac{\partial^2 n}{\partial w \partial z} k \frac{\partial}{\partial w} (\delta z) = 0; \quad (\text{A1-92})$$

$$\frac{\partial^2 n}{\partial t \partial u} 2k \frac{\partial}{\partial u} (\delta t) = 0; \quad (\text{A1-93})$$

$$\frac{\partial^2 n}{\partial t \partial v} 2k \frac{\partial}{\partial v} (\delta t) = 0; \quad (\text{A1-94})$$

$$\frac{\partial^2 n}{\partial t \partial w} 2k \frac{\partial}{\partial w} (\delta t) = 0; \quad (\text{A1-95})$$

1

$$3akn \frac{\partial^2}{\partial u^2} (\delta t) + 3akn \frac{\partial^2}{\partial v^2} (\delta t) + 3akn \frac{\partial^2}{\partial w^2} (\delta t) - \quad (\text{A1-96})$$

$$\begin{aligned}
& -3aun \frac{\partial}{\partial x} (\delta t) - au \frac{\partial}{\partial u} (\delta n) - 3avn \frac{\partial}{\partial y} (\delta t) - av \frac{\partial}{\partial v} (\delta n) - 3awn \frac{\partial}{\partial z} (\delta t) - aw \frac{\partial}{\partial w} (\delta n) + \\
& + 3an \frac{\partial}{\partial n} (\delta n) - 3an \frac{\partial}{\partial t} (\delta t) - 3a\delta n + 3a^2 un \frac{\partial}{\partial u} (\delta t) + 3a^2 vn \frac{\partial}{\partial v} (\delta t) + 3a^2 wn \frac{\partial}{\partial w} (\delta t) - 9a^2 n^2 \frac{\partial}{\partial n} (\delta t) + \\
& + k \frac{\partial^2 n}{\partial u \partial z} \frac{\partial}{\partial u} (\delta z) + k \frac{\partial^2 n}{\partial v \partial z} \frac{\partial}{\partial v} (\delta z) + k \frac{\partial^2 n}{\partial w \partial z} \frac{\partial}{\partial w} (\delta z) - \\
& - k \frac{\partial^2}{\partial u^2} (\delta n) - k \frac{\partial^2}{\partial v^2} (\delta n) - k \frac{\partial^2}{\partial w^2} (\delta n) + \\
& + u \frac{\partial}{\partial x} (\delta n) + v \frac{\partial}{\partial y} (\delta n) + w \frac{\partial}{\partial z} (\delta n) + \frac{\partial}{\partial t} (\delta n) = 0.
\end{aligned}$$

From (A1-31 - A1-36), (A1-50 - A1-55), (A1-66 - A1-71), (A1-84 - A1-95) we see, that $\delta x = \delta x(x, y, z, t)$; $\delta y = \delta y(x, y, z, t)$; $\delta t = \delta t(x, y, z, t)$. We use these expressions to simplify the rest of equations (A1-3 - A1-96).

$$uv \frac{\partial}{\partial y} (\delta t) + uw \frac{\partial}{\partial z} (\delta t) - u \frac{\partial}{\partial x} (\delta x) + u \frac{\partial}{\partial t} (\delta t) + \quad (\text{A1-97})$$

$$+u^2 \frac{\partial}{\partial x} (\delta t) - v \frac{\partial}{\partial y} (\delta x) - w \frac{\partial}{\partial z} (\delta x) + \delta u - \frac{\partial}{\partial t} (\delta x) = 0;$$

$$uv \frac{\partial}{\partial x} (\delta t) - u \frac{\partial}{\partial x} (\delta y) + vw \frac{\partial}{\partial z} (\delta t) - v \frac{\partial}{\partial y} (\delta y) + \quad (\text{A1-98})$$

$$+v \frac{\partial}{\partial t} (\delta t) + v^2 \frac{\partial}{\partial y} (\delta t) - w \frac{\partial}{\partial z} (\delta y) + \delta v - \frac{\partial}{\partial t} (\delta y) = 0;$$

$$uw \frac{\partial}{\partial x} (\delta t) - u \frac{\partial}{\partial x} (\delta z) + vw \frac{\partial}{\partial y} (\delta t) - v \frac{\partial}{\partial y} (\delta z) - \quad (\text{A1-99})$$

$$-w \frac{\partial}{\partial z} (\delta z) + w \frac{\partial}{\partial t} (\delta t) + w^2 \frac{\partial}{\partial z} (\delta t) + \delta w - \frac{\partial}{\partial t} (\delta z) = 0;$$

$$-auv \frac{\partial}{\partial y} (\delta t) - auw \frac{\partial}{\partial z} (\delta t) + au \frac{\partial}{\partial u} (\delta u) - au \frac{\partial}{\partial t} (\delta t) - au^2 \frac{\partial}{\partial x} (\delta t) + \quad (\text{A1-100})$$

$$+av \frac{\partial}{\partial v} (\delta u) + aw \frac{\partial}{\partial w} (\delta u) - a\delta u - 2k \frac{\partial^2}{\partial n \partial u} (\delta n) +$$

$$+k \frac{\partial^2}{\partial u^2} (\delta u) + k \frac{\partial^2}{\partial v^2} (\delta u) + k \frac{\partial^2}{\partial w^2} (\delta u) - u \frac{\partial}{\partial x} (\delta u) - v \frac{\partial}{\partial y} (\delta u) - w \frac{\partial}{\partial z} (\delta u) - \frac{\partial}{\partial t} (\delta u) = 0;$$

$$-k \frac{\partial^2}{\partial n^2} (\delta n) = 0; \quad (\text{A1-101})$$

$$-auv \frac{\partial}{\partial x} (\delta t) + au \frac{\partial}{\partial u} (\delta v) - avw \frac{\partial}{\partial z} (\delta t) + av \frac{\partial}{\partial v} (\delta v) - av \frac{\partial}{\partial t} (\delta t) - \quad (\text{A1-102})$$

$$-av^2 \frac{\partial}{\partial y} (\delta t) + aw \frac{\partial}{\partial w} (\delta v) - a\delta v + k \frac{\partial^2}{\partial u^2} (\delta v) - 2k \frac{\partial^2}{\partial n \partial v} (\delta n) +$$

$$+k \frac{\partial^2}{\partial v^2} (\delta v) + k \frac{\partial^2}{\partial w^2} (\delta v) - u \frac{\partial}{\partial x} (\delta v) - v \frac{\partial}{\partial y} (\delta v) - w \frac{\partial}{\partial z} (\delta v) - \frac{\partial}{\partial t} (\delta v) = 0; \\ -k \frac{\partial^2}{\partial n^2} (\delta n) = 0; \quad (\text{A1-103})$$

$$-auw \frac{\partial}{\partial x} (\delta t) + au \frac{\partial}{\partial u} (\delta w) - avw \frac{\partial}{\partial y} (\delta t) + av \frac{\partial}{\partial v} (\delta w) + aw \frac{\partial}{\partial w} (\delta w) - \quad (\text{A1-104})$$

$$-aw \frac{\partial}{\partial t} (\delta t) - aw^2 \frac{\partial}{\partial z} (\delta t) - a\delta w + k \frac{\partial^2}{\partial u^2} (\delta w) + k \frac{\partial^2}{\partial v^2} (\delta w) - 2k \frac{\partial^2}{\partial n \partial w} (\delta n) + \\ +k \frac{\partial^2}{\partial w^2} (\delta w) - u \frac{\partial}{\partial x} (\delta w) - v \frac{\partial}{\partial y} (\delta w) - w \frac{\partial}{\partial z} (\delta w) - \frac{\partial}{\partial t} (\delta w) = 0; \\ -k \frac{\partial^2}{\partial n^2} (\delta n) = 0; \quad (\text{A1-105})$$

$$-ku \frac{\partial}{\partial x} (\delta t) - kv \frac{\partial}{\partial y} (\delta t) - kw \frac{\partial}{\partial z} (\delta t) + 2k \frac{\partial}{\partial u} (\delta u) - k \frac{\partial}{\partial t} (\delta t) = 0; \quad (\text{A1-106})$$

$$-ku \frac{\partial}{\partial x} (\delta t) - kv \frac{\partial}{\partial y} (\delta t) - kw \frac{\partial}{\partial z} (\delta t) + 2k \frac{\partial}{\partial v} (\delta v) - k \frac{\partial}{\partial t} (\delta t) = 0; \quad (\text{A1-107})$$

$$-ku \frac{\partial}{\partial x} (\delta t) - kv \frac{\partial}{\partial y} (\delta t) - kw \frac{\partial}{\partial z} (\delta t) + 2k \frac{\partial}{\partial w} (\delta w) - k \frac{\partial}{\partial t} (\delta t) = 0; \quad (\text{A1-108})$$

$$2k \frac{\partial}{\partial v} (\delta u) + 2k \frac{\partial}{\partial u} (\delta v) = 0; \quad (\text{A1-109})$$

$$2k \frac{\partial}{\partial w} (\delta u) + 2k \frac{\partial}{\partial u} (\delta w) = 0; \quad (\text{A1-110})$$

$$2k \frac{\partial}{\partial w} (\delta v) + 2k \frac{\partial}{\partial v} (\delta w) = 0; \quad (\text{A1-111})$$

$$-3aun \frac{\partial}{\partial x} (\delta t) - au \frac{\partial}{\partial u} (\delta n) - 3avn \frac{\partial}{\partial y} (\delta t) - av \frac{\partial}{\partial v} (\delta n) - 3awn \frac{\partial}{\partial z} (\delta t) - \quad (\text{A1-112}) \\ -aw \frac{\partial}{\partial w} (\delta n) + 3an \frac{\partial}{\partial n} (\delta n) - 3an \frac{\partial}{\partial t} (\delta t) - 3a\delta n - k \frac{\partial^2}{\partial u^2} (\delta n) - \\ -k \frac{\partial^2}{\partial v^2} (\delta n) - k \frac{\partial^2}{\partial w^2} (\delta n) + u \frac{\partial}{\partial x} (\delta n) + v \frac{\partial}{\partial y} (\delta n) + w \frac{\partial}{\partial z} (\delta n) + \frac{\partial}{\partial t} (\delta n) = 0.$$

From (A1-101), (A1-103) and (A1-105) we conclude, that

$$\delta n = A + nB; \quad (\text{A1-113})$$

where $A = A(x, y, z, u, v, w, t)$, $B = B(x, y, z, u, v, w, t)$. Using these expressions, we simplify the rest of equations (A1-97 - A1-112).

$$uv \frac{\partial}{\partial y} (\delta t) + uw \frac{\partial}{\partial z} (\delta t) - u \frac{\partial}{\partial x} (\delta x) + u \frac{\partial}{\partial t} (\delta t) + \\ +u^2 \frac{\partial}{\partial x} (\delta t) - v \frac{\partial}{\partial y} (\delta x) - w \frac{\partial}{\partial z} (\delta x) + \delta u - \frac{\partial}{\partial t} (\delta x) = 0; \quad (\text{A1-114})$$

$$uv \frac{\partial}{\partial x}(\delta t) - u \frac{\partial}{\partial x}(\delta y) + vw \frac{\partial}{\partial z}(\delta t) - v \frac{\partial}{\partial y}(\delta y) + \quad (\text{A1-115})$$

$$+v \frac{\partial}{\partial t}(\delta t) + v^2 \frac{\partial}{\partial y}(\delta t) - w \frac{\partial}{\partial z}(\delta y) + \delta v - \frac{\partial}{\partial t}(\delta y) = 0;$$

$$uw \frac{\partial}{\partial x}(\delta t) - u \frac{\partial}{\partial x}(\delta z) + vw \frac{\partial}{\partial y}(\delta t) - v \frac{\partial}{\partial y}(\delta z) - \quad (\text{A1-116})$$

$$-w \frac{\partial}{\partial z}(\delta z) + w \frac{\partial}{\partial t}(\delta t) + w^2 \frac{\partial}{\partial z}(\delta t) + \delta w - \frac{\partial}{\partial t}(\delta z) = 0;$$

$$-auv \frac{\partial}{\partial y}(\delta t) - auw \frac{\partial}{\partial z}(\delta t) + au \frac{\partial}{\partial u}(\delta u) - au \frac{\partial}{\partial t}(\delta t) - au^2 \frac{\partial}{\partial x}(\delta t) + \quad (\text{A1-117})$$

$$+av \frac{\partial}{\partial v}(\delta u) + aw \frac{\partial}{\partial w}(\delta u) - a\delta u - 2k \frac{\partial B}{\partial u} +$$

$$+k \frac{\partial^2}{\partial u^2}(\delta u) + k \frac{\partial^2}{\partial v^2}(\delta u) + k \frac{\partial^2}{\partial w^2}(\delta u) -$$

$$-u \frac{\partial}{\partial x}(\delta u) - v \frac{\partial}{\partial y}(\delta u) - w \frac{\partial}{\partial z}(\delta u) - \frac{\partial}{\partial t}(\delta u) = 0;$$

$$-auv \frac{\partial}{\partial x}(\delta t) + au \frac{\partial}{\partial u}(\delta v) - avw \frac{\partial}{\partial z}(\delta t) + av \frac{\partial}{\partial v}(\delta v) - av \frac{\partial}{\partial t}(\delta t) - \quad (\text{A1-118})$$

$$-av^2 \frac{\partial}{\partial y}(\delta t) + aw \frac{\partial}{\partial w}(\delta v) - a\delta v - 2k \frac{\partial B}{\partial v} +$$

$$+k \frac{\partial^2}{\partial u^2}(\delta v) + k \frac{\partial^2}{\partial v^2}(\delta v) + k \frac{\partial^2}{\partial w^2}(\delta v) -$$

$$-u \frac{\partial}{\partial x}(\delta v) - v \frac{\partial}{\partial y}(\delta v) - w \frac{\partial}{\partial z}(\delta v) - \frac{\partial}{\partial t}(\delta v) = 0;$$

$$-auw \frac{\partial}{\partial x}(\delta t) + au \frac{\partial}{\partial u}(\delta w) - avw \frac{\partial}{\partial y}(\delta t) + av \frac{\partial}{\partial v}(\delta w) + aw \frac{\partial}{\partial w}(\delta w) - \quad (\text{A1-119})$$

$$-aw \frac{\partial}{\partial t}(\delta t) - aw^2 \frac{\partial}{\partial z}(\delta t) - a\delta w - 2k \frac{\partial B}{\partial w} +$$

$$+k \frac{\partial^2}{\partial u^2}(\delta w) + k \frac{\partial^2}{\partial v^2}(\delta w) + k \frac{\partial^2}{\partial w^2}(\delta w) -$$

$$-u \frac{\partial}{\partial x}(\delta w) - v \frac{\partial}{\partial y}(\delta w) - w \frac{\partial}{\partial z}(\delta w) - \frac{\partial}{\partial t}(\delta w) = 0;$$

$$-ku \frac{\partial}{\partial x}(\delta t) - kv \frac{\partial}{\partial y}(\delta t) - kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial u}(\delta u) - k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-120})$$

$$-ku \frac{\partial}{\partial x}(\delta t) - kv \frac{\partial}{\partial y}(\delta t) - kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial v}(\delta v) - k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-121})$$

$$-ku \frac{\partial}{\partial x}(\delta t) - kv \frac{\partial}{\partial y}(\delta t) - kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial w}(\delta w) - k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-122})$$

$$2k \frac{\partial}{\partial v} (\delta u) + 2k \frac{\partial}{\partial u} (\delta v) = 0; \quad (\text{A1-123})$$

$$2k \frac{\partial}{\partial w} (\delta u) + 2k \frac{\partial}{\partial u} (\delta w) = 0; \quad (\text{A1-124})$$

$$2k \frac{\partial}{\partial w} (\delta v) + 2k \frac{\partial}{\partial v} (\delta w) = 0; \quad (\text{A1-125})$$

$$-au \frac{\partial B}{\partial u} - 3au \frac{\partial}{\partial x} (\delta t) - av \frac{\partial B}{\partial v} - 3av \frac{\partial}{\partial y} (\delta t) - aw \frac{\partial B}{\partial w} - 3aw \frac{\partial}{\partial z} (\delta t) - 3a \frac{\partial}{\partial t} (\delta t) - \quad (\text{A1-126})$$

$$\begin{aligned} & -k \frac{\partial^2 B}{\partial u^2} - k \frac{\partial^2 B}{\partial v^2} - k \frac{\partial^2 B}{\partial w^2} + u \frac{\partial B}{\partial x} + v \frac{\partial B}{\partial y} + w \frac{\partial B}{\partial z} + \frac{\partial B}{\partial t} = 0; \\ & -au \frac{\partial A}{\partial u} - av \frac{\partial A}{\partial v} - aw \frac{\partial A}{\partial w} - 3aA - \\ & -k \frac{\partial^2 A}{\partial u^2} - k \frac{\partial^2 A}{\partial v^2} - k \frac{\partial^2 A}{\partial w^2} + u \frac{\partial A}{\partial x} + v \frac{\partial A}{\partial y} + w \frac{\partial A}{\partial z} + \frac{\partial A}{\partial t} = 0. \end{aligned} \quad (\text{A1-127})$$

Equation (A1-127) is simply Fokker - Planck equation for A .

We solve (A1-114 - A1-116) and find $\delta u, \delta v, \delta w$

$$\begin{aligned} \delta u = & - \left(uv \frac{\partial}{\partial y} (\delta t) + uw \frac{\partial}{\partial z} (\delta t) - u \frac{\partial}{\partial x} (\delta x) + u \frac{\partial}{\partial t} (\delta t) + \right. \\ & \left. + u^2 \frac{\partial}{\partial x} (\delta t) - v \frac{\partial}{\partial y} (\delta x) - w \frac{\partial}{\partial z} (\delta x) - \frac{\partial}{\partial t} (\delta x) \right); \end{aligned} \quad (\text{A1-128})$$

$$\begin{aligned} \delta v = & - \left(uv \frac{\partial}{\partial x} (\delta t) - u \frac{\partial}{\partial x} (\delta y) + vw \frac{\partial}{\partial z} (\delta t) - v \frac{\partial}{\partial y} (\delta y) + \right. \\ & \left. + v \frac{\partial}{\partial t} (\delta t) + v^2 \frac{\partial}{\partial y} (\delta t) - w \frac{\partial}{\partial z} (\delta y) - \frac{\partial}{\partial t} (\delta y) \right); \end{aligned} \quad (\text{A1-129})$$

$$\begin{aligned} \delta w = & - \left(uw \frac{\partial}{\partial x} (\delta t) - u \frac{\partial}{\partial x} (\delta z) + vw \frac{\partial}{\partial y} (\delta t) - v \frac{\partial}{\partial y} (\delta z) - \right. \\ & \left. - w \frac{\partial}{\partial z} (\delta z) + w \frac{\partial}{\partial t} (\delta t) + w^2 \frac{\partial}{\partial z} (\delta t) - \frac{\partial}{\partial t} (\delta z) \right). \end{aligned} \quad (\text{A1-130})$$

We use these expressions to simplify (A1-117 - A1-126)

$$\begin{aligned} & -2auv \frac{\partial}{\partial y} (\delta t) - 2auw \frac{\partial}{\partial z} (\delta t) - au \frac{\partial}{\partial t} (\delta t) - 2au^2 \frac{\partial}{\partial x} (\delta t) - a \frac{\partial}{\partial t} (\delta x) - 2k \frac{\partial B}{\partial u} - \\ & - 2k \frac{\partial}{\partial x} (\delta t) + 2uvw \frac{\partial^2}{\partial y \partial z} (\delta t) + 2uv \frac{\partial^2}{\partial t \partial y} (\delta t) - 2uv \frac{\partial^2}{\partial x \partial y} (\delta x) + uv^2 \frac{\partial^2}{\partial y^2} (\delta t) + 2uw \frac{\partial^2}{\partial t \partial z} (\delta t) - \\ & - 2uw \frac{\partial^2}{\partial x \partial z} (\delta x) + uw^2 \frac{\partial^2}{\partial z^2} (\delta t) + u \frac{\partial^2}{\partial t^2} (\delta t) - 2u \frac{\partial^2}{\partial t \partial x} (\delta x) + 2u^2 v \frac{\partial^2}{\partial x \partial y} (\delta t) \end{aligned} \quad (\text{A1-131})$$

$$\begin{aligned}
& +2u^2w \frac{\partial^2}{\partial x \partial z}(\delta t) + 2u^2 \frac{\partial^2}{\partial t \partial x}(\delta t) - u^2 \frac{\partial^2}{\partial x^2}(\delta x) + u^3 \frac{\partial^2}{\partial x^2}(\delta t) - 2vw \frac{\partial^2}{\partial y \partial z}(\delta x) - \\
& - 2v \frac{\partial^2}{\partial t \partial y}(\delta x) - v^2 \frac{\partial^2}{\partial y^2}(\delta x) - 2w \frac{\partial^2}{\partial t \partial z}(\delta x) - w^2 \frac{\partial^2}{\partial z^2}(\delta x) - \frac{\partial^2}{\partial t^2}(\delta x) = 0; \\
& -2auv \frac{\partial}{\partial x}(\delta t) - 2avw \frac{\partial}{\partial z}(\delta t) - av \frac{\partial}{\partial t}(\delta t) - 2av^2 \frac{\partial}{\partial y}(\delta t) - a \frac{\partial}{\partial t}(\delta y) - \\
& - 2k \frac{\partial B}{\partial v} - 2k \frac{\partial}{\partial y}(\delta t) + 2uvw \frac{\partial^2}{\partial x \partial z}(\delta t) + 2uv \frac{\partial^2}{\partial t \partial x}(\delta t) - 2uv \frac{\partial^2}{\partial x \partial y}(\delta y) + \\
& + uv^2 \frac{\partial^2}{\partial x \partial y}(\delta t) + uv^2 \frac{\partial^2}{\partial x \partial y}(\delta t) - uw \frac{\partial^2}{\partial x \partial z}(\delta y) - uw \frac{\partial^2}{\partial x \partial z}(\delta y) - u \frac{\partial^2}{\partial t \partial x}(\delta y) - u \frac{\partial^2}{\partial t \partial x}(\delta y) + \\
& + u^2v \frac{\partial^2}{\partial x^2}(\delta t) - u^2 \frac{\partial^2}{\partial x^2}(\delta y) + vw \frac{\partial^2}{\partial t \partial z}(\delta t) + vw \frac{\partial^2}{\partial t \partial z}(\delta t) - vw \frac{\partial^2}{\partial y \partial z}(\delta y) - vw \frac{\partial^2}{\partial y \partial z}(\delta y) + \\
& + vw^2 \frac{\partial^2}{\partial z^2}(\delta t) + v \frac{\partial^2}{\partial t^2}(\delta t) - v \frac{\partial^2}{\partial t \partial y}(\delta y) - v \frac{\partial^2}{\partial t \partial y}(\delta y) + v^2w \frac{\partial^2}{\partial y \partial z}(\delta t) + v^2w \frac{\partial^2}{\partial y \partial z}(\delta t) + \\
& + v^2 \frac{\partial^2}{\partial t \partial y}(\delta t) + v^2 \frac{\partial^2}{\partial t \partial y}(\delta t) - v^2 \frac{\partial^2}{\partial y^2}(\delta y) + v^3 \frac{\partial^2}{\partial y^2}(\delta t) - w \frac{\partial^2}{\partial t \partial z}(\delta y) - w \frac{\partial^2}{\partial t \partial z}(\delta y) - w^2 \frac{\partial^2}{\partial z^2}(\delta y) - \frac{\partial^2}{\partial t^2}(\delta y) = 0; \\
& -2auw \frac{\partial}{\partial x}(\delta t) - 2avw \frac{\partial}{\partial y}(\delta t) - aw \frac{\partial}{\partial t}(\delta t) - 2aw^2 \frac{\partial}{\partial z}(\delta t) - a \frac{\partial}{\partial t}(\delta z) - 2k \frac{\partial B}{\partial w} - \quad (\text{A1-133})
\end{aligned}$$

$$\begin{aligned}
& -2k \frac{\partial}{\partial z}(\delta t) + 2uvw \frac{\partial^2}{\partial x \partial y}(\delta t) - 2uv \frac{\partial^2}{\partial x \partial y}(\delta z) + 2uw \frac{\partial^2}{\partial t \partial x}(\delta t) - 2uw \frac{\partial^2}{\partial x \partial z}(\delta z) + 2uw^2 \frac{\partial^2}{\partial x \partial z}(\delta t) - \\
& - 2u \frac{\partial^2}{\partial t \partial x}(\delta z) + u^2w \frac{\partial^2}{\partial x^2}(\delta t) - u^2 \frac{\partial^2}{\partial x^2}(\delta z) + 2vw \frac{\partial^2}{\partial t \partial y}(\delta t) - 2vw \frac{\partial^2}{\partial y \partial z}(\delta z) + 2vw^2 \frac{\partial^2}{\partial y \partial z}(\delta t) - \\
& - 2v \frac{\partial^2}{\partial t \partial y}(\delta z) + v^2w \frac{\partial^2}{\partial y^2}(\delta t) - v^2 \frac{\partial^2}{\partial y^2}(\delta z) + w \frac{\partial^2}{\partial t^2}(\delta t) - 2w \frac{\partial^2}{\partial t \partial z}(\delta z) + \\
& + 2w^2 \frac{\partial^2}{\partial t \partial z}(\delta t) - w^2 \frac{\partial^2}{\partial z^2}(\delta z) + w^3 \frac{\partial^2}{\partial z^2}(\delta t) - \frac{\partial^2}{\partial t^2}(\delta z) = 0;
\end{aligned}$$

$$-5ku \frac{\partial}{\partial x}(\delta t) - 3kv \frac{\partial}{\partial y}(\delta t) - 3kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial x}(\delta x) - 3k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-134})$$

$$-3ku \frac{\partial}{\partial x}(\delta t) - 5kv \frac{\partial}{\partial y}(\delta t) - 3kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial y}(\delta y) - 3k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-135})$$

$$-3ku \frac{\partial}{\partial x}(\delta t) - 3kv \frac{\partial}{\partial y}(\delta t) - 5kw \frac{\partial}{\partial z}(\delta t) + 2k \frac{\partial}{\partial z}(\delta z) - 3k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-136})$$

$$-2ku \frac{\partial}{\partial y}(\delta t) - 2kv \frac{\partial}{\partial x}(\delta t) + 2k \frac{\partial}{\partial y}(\delta x) + 2k \frac{\partial}{\partial x}(\delta y) = 0; \quad (\text{A1-137})$$

$$-2ku \frac{\partial}{\partial z}(\delta t) - 2kw \frac{\partial}{\partial x}(\delta t) + 2k \frac{\partial}{\partial z}(\delta x) + 2k \frac{\partial}{\partial x}(\delta z) = 0; \quad (\text{A1-138})$$

$$-2kv \frac{\partial}{\partial z}(\delta t) - 2kw \frac{\partial}{\partial y}(\delta t) + 2k \frac{\partial}{\partial z}(\delta y) + 2k \frac{\partial}{\partial y}(\delta z) = 0; \quad (\text{A1-139})$$

$$\begin{aligned} -au \frac{\partial B}{\partial u} - 3au \frac{\partial}{\partial x}(\delta t) - av \frac{\partial B}{\partial v} - 3av \frac{\partial}{\partial y}(\delta t) - aw \frac{\partial B}{\partial w} - 3aw \frac{\partial}{\partial z}(\delta t) - \\ -3a \frac{\partial}{\partial t}(\delta t) - k \frac{\partial^2 B}{\partial u^2} - k \frac{\partial^2 B}{\partial v^2} - k \frac{\partial^2 B}{\partial w^2} + u \frac{\partial B}{\partial x} + v \frac{\partial B}{\partial y} + w \frac{\partial B}{\partial z} + \frac{\partial B}{\partial t} = 0. \end{aligned} \quad (\text{A1-140})$$

We collect similar terms in (A1-134 - A1-139) by u, v, w , equate these terms to zero and so split (A1-134 - A1-139) into twenty equations:

$$-5k \frac{\partial}{\partial x}(\delta t) = 0; \quad (\text{A1-141})$$

$$-3k \frac{\partial}{\partial y}(\delta t) = 0; \quad (\text{A1-142})$$

$$-3k \frac{\partial}{\partial z}(\delta t) = 0; \quad (\text{A1-143})$$

$$2k \frac{\partial}{\partial x}(\delta x) - 3k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-144})$$

$$-3k \frac{\partial}{\partial x}(\delta t) = 0; \quad (\text{A1-145})$$

$$-5k \frac{\partial}{\partial y}(\delta t) = 0; \quad (\text{A1-146})$$

$$-3k \frac{\partial}{\partial z}(\delta t) = 0; \quad (\text{A1-147})$$

$$2k \frac{\partial}{\partial y}(\delta y) - 3k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-148})$$

$$-3k \frac{\partial}{\partial x}(\delta t) = 0; \quad (\text{A1-149})$$

$$-3k \frac{\partial}{\partial y}(\delta t) = 0; \quad (\text{A1-150})$$

$$-5k \frac{\partial}{\partial z}(\delta t) = 0; \quad (\text{A1-151})$$

$$2k \frac{\partial}{\partial z}(\delta z) - 3k \frac{\partial}{\partial t}(\delta t) = 0; \quad (\text{A1-152})$$

$$-2k \frac{\partial}{\partial y}(\delta t) = 0; \quad (\text{A1-153})$$

$$-2k \frac{\partial}{\partial x}(\delta t) = 0; \quad (\text{A1-154})$$

$$2k \frac{\partial}{\partial y}(\delta x) + 2k \frac{\partial}{\partial x}(\delta y) = 0; \quad (\text{A1-155})$$

$$-2k \frac{\partial}{\partial z} (\delta t) = 0; \quad (\text{A1-156})$$

$$-2k \frac{\partial}{\partial x} (\delta t) = 0; \quad (\text{A1-157})$$

$$2k \frac{\partial}{\partial z} (\delta x) + 2k \frac{\partial}{\partial x} (\delta z) = 0; \quad (\text{A1-158})$$

$$-2k \frac{\partial}{\partial z} (\delta t) = 0; \quad (\text{A1-159})$$

$$-2k \frac{\partial}{\partial y} (\delta t) = 0; \quad (\text{A1-160})$$

$$2k \frac{\partial}{\partial z} (\delta y) + 2k \frac{\partial}{\partial y} (\delta z) = 0. \quad (\text{A1-161})$$

From (A1-141 - A1-143), (A1-145 - A1-147), (A1-149 - A1-151), (A1-153 - A1-154), (A1-156 - A1-157), (A1-159 - A1-160) we see, that $\delta t = \delta t(t)$. These expressions result in further simplifications

$$-au \frac{\partial}{\partial t} (\delta t) - a \frac{\partial}{\partial t} (\delta x) - 2k \frac{\partial B}{\partial u} - 2uv \frac{\partial^2}{\partial x \partial y} (\delta x) - 2uw \frac{\partial^2}{\partial x \partial z} (\delta x) + \quad (\text{A1-162})$$

$$+u \frac{\partial^2}{\partial t^2} (\delta t) - 2u \frac{\partial^2}{\partial t \partial x} (\delta x) - u^2 \frac{\partial^2}{\partial x^2} (\delta x) - 2vw \frac{\partial^2}{\partial y \partial z} (\delta x) - 2v \frac{\partial^2}{\partial t \partial y} (\delta x) -$$

$$-v^2 \frac{\partial^2}{\partial y^2} (\delta x) - 2w \frac{\partial^2}{\partial t \partial z} (\delta x) - w^2 \frac{\partial^2}{\partial z^2} (\delta x) - \frac{\partial^2}{\partial t^2} (\delta x) = 0;$$

$$-av \frac{\partial}{\partial t} (\delta t) - a \frac{\partial}{\partial t} (\delta y) - 2k \frac{\partial B}{\partial v} - 2uv \frac{\partial^2}{\partial x \partial y} (\delta y) - 2uw \frac{\partial^2}{\partial x \partial z} (\delta y) - 2u \frac{\partial^2}{\partial t \partial x} (\delta y) - \quad (\text{A1-163})$$

$$-u^2 \frac{\partial^2}{\partial x^2} (\delta y) - 2vw \frac{\partial^2}{\partial y \partial z} (\delta y) + v \frac{\partial^2}{\partial t^2} (\delta t) - 2v \frac{\partial^2}{\partial t \partial y} (\delta y) - v^2 \frac{\partial^2}{\partial y^2} (\delta y) -$$

$$-2w \frac{\partial^2}{\partial t \partial z} (\delta y) - w^2 \frac{\partial^2}{\partial z^2} (\delta y) - \frac{\partial^2}{\partial t^2} (\delta y) = 0;$$

$$-aw \frac{\partial}{\partial t} (\delta t) - a \frac{\partial}{\partial t} (\delta z) - 2k \frac{\partial B}{\partial w} - 2uv \frac{\partial^2}{\partial x \partial y} (\delta z) - 2uw \frac{\partial^2}{\partial x \partial z} (\delta z) - \quad (\text{A1-164})$$

$$-2u \frac{\partial^2}{\partial t \partial x} (\delta z) - u^2 \frac{\partial^2}{\partial x^2} (\delta z) - 2vw \frac{\partial^2}{\partial y \partial z} (\delta z) - 2v \frac{\partial^2}{\partial t \partial y} (\delta z) - v^2 \frac{\partial^2}{\partial y^2} (\delta z) +$$

$$+w \frac{\partial^2}{\partial t^2} (\delta t) - 2w \frac{\partial^2}{\partial t \partial z} (\delta z) - w^2 \frac{\partial^2}{\partial z^2} (\delta z) - \frac{\partial^2}{\partial t^2} (\delta z) = 0;$$

$$2k \frac{\partial}{\partial x} (\delta x) - 3k \frac{\partial}{\partial t} (\delta t) = 0; \quad (\text{A1-165})$$

$$2k \frac{\partial}{\partial y} (\delta y) - 3k \frac{\partial}{\partial t} (\delta t) = 0; \quad (\text{A1-166})$$

$$2k \frac{\partial}{\partial z} (\delta z) - 3k \frac{\partial}{\partial t} (\delta t) = 0; \quad (\text{A1-167})$$

$$2k \frac{\partial}{\partial y} (\delta x) + 2k \frac{\partial}{\partial x} (\delta y) = 0; \quad (\text{A1-168})$$

$$2k \frac{\partial}{\partial z} (\delta x) + 2k \frac{\partial}{\partial x} (\delta z) = 0; \quad (\text{A1-169})$$

$$2k \frac{\partial}{\partial z} (\delta y) + 2k \frac{\partial}{\partial y} (\delta z) = 0; \quad (\text{A1-170})$$

$$\begin{aligned} -au \frac{\partial B}{\partial u} - av \frac{\partial B}{\partial v} - aw \frac{\partial B}{\partial w} - 3a \frac{\partial}{\partial t} (\delta t) - k \frac{\partial^2 B}{\partial u^2} - \\ -k \frac{\partial^2 B}{\partial v^2} - k \frac{\partial^2 B}{\partial w^2} + u \frac{\partial B}{\partial x} + v \frac{\partial B}{\partial y} + w \frac{\partial B}{\partial z} + \frac{\partial B}{\partial t} = 0. \end{aligned} \quad (\text{A1-171})$$

We integrate (A1-164 - A1-167) and obtain

$$\delta x = C + 3/2x \frac{\partial}{\partial t} (\delta t); \quad (\text{A1-172})$$

$$\delta y = D + 3/2y \frac{\partial}{\partial t} (\delta t); \quad (\text{A1-173})$$

$$\delta z = E + 3/2z \frac{\partial}{\partial t} (\delta t); \quad (\text{A1-174})$$

where $C = C(y, z, t)$, $D = D(x, z, t)$, $E = E(x, y, t)$. We substitute this expression in (A1-162 - A1-164), (A1-168 - A1-171) and obtain

$$-3/2ax \frac{\partial^2}{\partial t^2} (\delta t) - au \frac{\partial}{\partial t} (\delta t) - a \frac{\partial C}{\partial t} - 2k \frac{\partial B}{\partial u} - 3/2x \frac{\partial^3}{\partial t^3} (\delta t) - \quad (\text{A1-175})$$

$$-2u \frac{\partial^2}{\partial t^2} (\delta t) - 2vw \frac{\partial^2}{\partial y \partial z} (\delta x) - 2v \frac{\partial^2 C}{\partial t \partial y} -$$

$$-v^2 \frac{\partial^2 C}{\partial y^2} - 2w \frac{\partial^2 C}{\partial t \partial z} - w^2 \frac{\partial^2 C}{\partial z^2} - \frac{\partial^2 C}{\partial t^2} = 0;$$

$$-3/2ay \frac{\partial^2}{\partial t^2} (\delta t) - av \frac{\partial}{\partial t} (\delta t) - a \frac{\partial D}{\partial t} - 2k \frac{\partial B}{\partial v} - 3/2y \frac{\partial^3}{\partial t^3} (\delta t) - \quad (\text{A1-176})$$

$$-2uw \frac{\partial^2}{\partial x \partial z} (\delta y) - 2u \frac{\partial^2 D}{\partial t \partial x} - u^2 \frac{\partial^2 D}{\partial x^2} -$$

$$-2v \frac{\partial^2}{\partial t^2} (\delta t) - 2w \frac{\partial^2 D}{\partial t \partial z} - w^2 \frac{\partial^2 D}{\partial z^2} - \frac{\partial^2 D}{\partial t^2} = 0;$$

$$-3/2az \frac{\partial^2}{\partial t^2} (\delta t) - aw \frac{\partial}{\partial t} (\delta t) - a \frac{\partial E}{\partial t} - 2k \frac{\partial B}{\partial w} - 3/2z \frac{\partial^3}{\partial t^3} (\delta t) - \quad (\text{A1-177})$$

$$-2uv \frac{\partial^2}{\partial x \partial y} (\delta z) - 2u \frac{\partial^2 E}{\partial t \partial x} - u^2 \frac{\partial^2 E}{\partial x^2} -$$

$$-2v \frac{\partial^2 E}{\partial t \partial y} - v^2 \frac{\partial^2 E}{\partial y^2} - 2w \frac{\partial^2}{\partial t^2} (\delta t) - \frac{\partial^2 E}{\partial t^2} = 0;$$

$$2k \frac{\partial C}{\partial y} + 2k \frac{\partial D}{\partial x} = 0; \quad (\text{A1-178})$$

$$2k \frac{\partial C}{\partial z} + 2k \frac{\partial E}{\partial x} = 0; \quad (\text{A1-179})$$

$$2k \frac{\partial D}{\partial z} + 2k \frac{\partial E}{\partial y} = 0; \quad (\text{A1-180})$$

$$-au \frac{\partial B}{\partial u} - av \frac{\partial B}{\partial v} - aw \frac{\partial B}{\partial w} - 3a \frac{\partial}{\partial t} (\delta t) - k \frac{\partial^2 B}{\partial u^2} - \quad (\text{A1-181})$$

$$-k \frac{\partial^2 B}{\partial v^2} - k \frac{\partial^2 B}{\partial w^2} + u \frac{\partial B}{\partial x} + v \frac{\partial B}{\partial y} + w \frac{\partial B}{\partial z} + \frac{\partial B}{\partial t} = 0.$$

We have

$$\frac{\partial C}{\partial x} = \frac{\partial D}{\partial y} = \frac{\partial E}{\partial z} = 0 \quad (\text{A1-182})$$

and according to (A1-178 - A1-180)

$$\frac{\partial C}{\partial y} + \frac{\partial D}{\partial x} = \frac{\partial C}{\partial z} + \frac{\partial E}{\partial x} = \frac{\partial D}{\partial z} + \frac{\partial E}{\partial y} = 0. \quad (\text{A1-183})$$

Let us think, that C, D, E are components of some displacement vector. According to (A1-182 - A1-183) all components of corresponding deformations tensor are equal to zero. Therefore displacement vector is time-dependent rotation-translation, which preserves Euclidean metric.

$$C = S + Qz - Ry; \quad (\text{A1-184})$$

$$D = T + Rx - Pz; \quad (\text{A1-185})$$

$$E = U + Py - Qx; \quad (\text{A1-186})$$

where $P = P(t), Q = Q(t), R = R(t), S = S(t), T = T(t), U = U(t)$.

We substitute C, D, E to (A1-175 - A1-177) and (A1-181) and obtain

$$-3/2ax \frac{\partial^2}{\partial t^2} (\delta t) + ay \frac{\partial R}{\partial t} - az \frac{\partial Q}{\partial t} - au \frac{\partial}{\partial t} (\delta t) - -a \frac{\partial S}{\partial t} - \quad (\text{A1-187})$$

$$\begin{aligned} & -2k \frac{\partial B}{\partial u} - 3/2x \frac{\partial^3}{\partial t^3} (\delta t) + y \frac{\partial^2 R}{\partial t^2} - z \frac{\partial^2 Q}{\partial t^2} - 2u \frac{\partial^2}{\partial t^2} (\delta t) - \\ & -2vw \frac{\partial^2}{\partial y \partial z} (\delta x) + 2v \frac{\partial R}{\partial t} - 2w \frac{\partial Q}{\partial t} - \frac{\partial^2 S}{\partial t^2} = 0; \end{aligned}$$

$$-ax \frac{\partial R}{\partial t} - 3/2ay \frac{\partial^2}{\partial t^2} (\delta t) + az \frac{\partial P}{\partial t} - av \frac{\partial}{\partial t} (\delta t) - -a \frac{\partial T}{\partial t} - \quad (\text{A1-188})$$

$$\begin{aligned} & -2k \frac{\partial B}{\partial v} - x \frac{\partial^2 R}{\partial t^2} - 3/2y \frac{\partial^3}{\partial t^3} (\delta t) + z \frac{\partial^2 P}{\partial t^2} - 2uw \frac{\partial^2}{\partial x \partial z} (\delta y) - \\ & -2u \frac{\partial R}{\partial t} - 2v \frac{\partial^2}{\partial t^2} (\delta t) + 2w \frac{\partial P}{\partial t} - \frac{\partial^2 T}{\partial t^2} = 0; \end{aligned}$$

$$ax \frac{\partial Q}{\partial t} - ay \frac{\partial P}{\partial t} - 3/2az \frac{\partial^2}{\partial t^2} (\delta t) - aw \frac{\partial}{\partial t} (\delta t) - a \frac{\partial U}{\partial t} - \quad (\text{A1-189})$$

$$\begin{aligned}
 & -2k \frac{\partial B}{\partial w} + x \frac{\partial^2 Q}{\partial t^2} - y \frac{\partial^2 P}{\partial t^2} - 3/2z \frac{\partial^3}{\partial t^3} (\delta t) - 2uv \frac{\partial^2}{\partial x \partial y} (\delta z) - \\
 & + 2u \frac{\partial Q}{\partial t} - 2v \frac{\partial P}{\partial t} - 2w \frac{\partial^2}{\partial t^2} (\delta t) - \frac{\partial^2 U}{\partial t^2} = 0; \\
 & -au \frac{\partial B}{\partial u} - av \frac{\partial B}{\partial v} - aw \frac{\partial B}{\partial w} - 3a \frac{\partial}{\partial t} (\delta t) - \\
 & -k \frac{\partial^2 B}{\partial u^2} - k \frac{\partial^2 B}{\partial v^2} - k \frac{\partial^2 B}{\partial w^2} + \\
 & + u \frac{\partial B}{\partial x} + v \frac{\partial B}{\partial y} + w \frac{\partial B}{\partial z} + \frac{\partial B}{\partial t} = 0.
 \end{aligned} \tag{A1-190}$$

We find $\frac{\partial B}{\partial u}, \frac{\partial B}{\partial v}, \frac{\partial B}{\partial w}$ from (187-189):

$$\begin{aligned}
 \frac{\partial B}{\partial u} = & -3/2ax \frac{\partial^2}{\partial t^2} (\delta t) + ay \frac{\partial R}{\partial t} - az \frac{\partial Q}{\partial t} - au \frac{\partial}{\partial t} (\delta t) - \\
 & -a \frac{\partial S}{\partial t} - 2k \frac{\partial B}{\partial u} - 3/2x \frac{\partial^3}{\partial t^3} (\delta t) + y \frac{\partial^2 R}{\partial t^2} - z \frac{\partial^2 Q}{\partial t^2} - \\
 & -2u \frac{\partial^2}{\partial t^2} (\delta t) - 2vw \frac{\partial^2}{\partial y \partial z} (\delta x) + 2v \frac{\partial R}{\partial t} - 2w \frac{\partial Q}{\partial t} - \frac{\partial^2 S}{\partial t^2};
 \end{aligned} \tag{A1-191}$$

$$\begin{aligned}
 \frac{\partial B}{\partial v} = & -ax \frac{\partial R}{\partial t} - 3/2ay \frac{\partial^2}{\partial t^2} (\delta t) + az \frac{\partial P}{\partial t} - av \frac{\partial}{\partial t} (\delta t) - \\
 & -a \frac{\partial T}{\partial t} - 2k \frac{\partial B}{\partial v} - x \frac{\partial^2 R}{\partial t^2} - 3/2y \frac{\partial^3}{\partial t^3} (\delta t) + z \frac{\partial^2 P}{\partial t^2} - \\
 & -2uw \frac{\partial^2}{\partial x \partial z} (\delta y) - 2u \frac{\partial R}{\partial t} - 2v \frac{\partial^2}{\partial t^2} (\delta t) + 2w \frac{\partial P}{\partial t} - \frac{\partial^2 T}{\partial t^2};
 \end{aligned} \tag{A1-192}$$

$$\begin{aligned}
 \frac{\partial B}{\partial w} = & ax \frac{\partial Q}{\partial t} - ay \frac{\partial P}{\partial t} - 3/2az \frac{\partial^2}{\partial t^2} (\delta t) - aw \frac{\partial}{\partial t} (\delta t) - a \frac{\partial U}{\partial t} - \\
 & -2k \frac{\partial B}{\partial w} + x \frac{\partial^2 Q}{\partial t^2} - y \frac{\partial^2 P}{\partial t^2} - 3/2z \frac{\partial^3}{\partial t^3} (\delta t) - 2uv \frac{\partial^2}{\partial x \partial y} (\delta z) - \\
 & + 2u \frac{\partial Q}{\partial t} - 2v \frac{\partial P}{\partial t} - 2w \frac{\partial^2}{\partial t^2} (\delta t) - \frac{\partial^2 U}{\partial t^2};
 \end{aligned} \tag{A1-193}$$

Differentiating (A1-191 - A1-193) by u we have

$$\frac{\partial^2 B}{\partial u^2} = -a \frac{\partial}{\partial t} (\delta t) - 2 \frac{\partial^2}{\partial t^2} (\delta t); \tag{A1-194}$$

$$\frac{\partial^2 B}{\partial v \partial u} = -2w \frac{\partial^2}{\partial x \partial z} (\delta y) - 2 \frac{\partial R}{\partial t}; \tag{A1-195}$$

$$\frac{\partial^2 B}{\partial w \partial u} = -2v \frac{\partial^2}{\partial x \partial y} (\delta z) + 2 \frac{\partial Q}{\partial t}. \tag{A1-196}$$

Differentiating (A1-191 - A1-193) by v we have

$$\frac{\partial^2 B}{\partial u \partial v} = -2w \frac{\partial^2}{\partial y \partial z} (\delta x) + 2 \frac{\partial R}{\partial t}; \quad (\text{A1-197})$$

$$\frac{\partial^2 B}{\partial v^2} = -a \frac{\partial}{\partial t} (\delta t) - 2 \frac{\partial^2}{\partial t^2} (\delta t); \quad (\text{A1-198})$$

$$\frac{\partial^2 B}{\partial w \partial v} = -2u \frac{\partial^2}{\partial x \partial y} (\delta z) - 2 \frac{\partial P}{\partial t}. \quad (\text{A1-199})$$

Differentiating (A1-191 - A1-193) by w we have

$$\frac{\partial^2 B}{\partial u \partial w} = -2v \frac{\partial^2}{\partial y \partial z} (\delta x) - 2 \frac{\partial Q}{\partial t}; \quad (\text{A1-200})$$

$$\frac{\partial^2 B}{\partial v \partial w} = -2u \frac{\partial^2}{\partial x \partial z} (\delta y) + 2 \frac{\partial P}{\partial t}; \quad (\text{A1-201})$$

$$\frac{\partial^2 B}{\partial w^2} = -a \frac{\partial}{\partial t} (\delta t) - 2 \frac{\partial^2}{\partial t^2} (\delta t). \quad (\text{A1-202})$$

We conclude from (194 - 202), that

$$\frac{\partial P}{\partial t} = \frac{\partial Q}{\partial t} = \frac{\partial R}{\partial t} = 0; \quad (\text{A1-203})$$

$$\frac{\partial^2}{\partial y \partial z} (\delta x) = \frac{\partial^2}{\partial x \partial y} (\delta z) = \frac{\partial^2}{\partial x \partial z} (\delta y) = F. \quad (\text{A1-204})$$

where $F = F(x, y, z, t)$.

Under these conditions we can integrate (A1-191 - A1-193) and obtain

$$\begin{aligned} B = & \frac{1}{2k} \left(\frac{1}{2} (-a \frac{\partial}{\partial t} (\delta t) - 2 \frac{\partial^2}{\partial t^2} (\delta t)) (u^2 + v^2 + w^2) - 2Fuvw + \right. \\ & + u(-3/2ax \frac{\partial^2}{\partial t^2} (\delta t) - a \frac{\partial S}{\partial t} - 3/2x \frac{\partial^3}{\partial t^3} (\delta t) - \frac{\partial^2 S}{\partial t^2}) + \\ & + v(-3/2ay \frac{\partial^2}{\partial t^2} (\delta t) - a \frac{\partial T}{\partial t} - 3/2y \frac{\partial^3}{\partial t^3} (\delta t) - \frac{\partial^2 T}{\partial t^2}) + \\ & \left. + w(-3/2az \frac{\partial^2}{\partial t^2} (\delta t) - a \frac{\partial U}{\partial t} - 3/2z \frac{\partial^3}{\partial t^3} (\delta t) - \frac{\partial^2 U}{\partial t^2}) \right) + G; \end{aligned} \quad (\text{A1-205})$$

where $G = G(x, y, z, t)$.

Substitution of (A1-205) to (A1-171), collecting and equating to zero similar terms by u, v gives

$$3ak^{-1}F - k^{-1} \frac{\partial F}{\partial t} = 0; \quad (\text{A1-206})$$

$$-k^{-1} \frac{\partial F}{\partial z} = 0; \quad (\text{A1-207})$$

$$-k^{-1} \frac{\partial F}{\partial y} = 0; \quad (\text{A1-208})$$

$$\frac{3}{4}a^2k^{-1}x\frac{\partial^2}{\partial t^2}(\delta t) + \frac{1}{2}a^2k^{-1}\frac{\partial S}{\partial t} - \frac{3}{4}k^{-1}x\frac{\partial^4}{\partial t^4}(\delta t) - \frac{1}{2}k^{-1}\frac{\partial^4 T}{\partial t^3 \partial x} + \frac{\partial G}{\partial x} = 0; \quad (\text{A1-209})$$

$$-k^{-1}\frac{\partial F}{\partial x} = 0; \quad (\text{A1-210})$$

$$\frac{1}{2}a^2k^{-1}\frac{\partial}{\partial t}(\delta t) - \frac{5}{4}k^{-1}\frac{\partial^3}{\partial t^3}(\delta t) = 0; \quad (\text{A1-211})$$

$$\frac{3}{4}a^2k^{-1}y\frac{\partial^2}{\partial t^2}(\delta t) + \frac{1}{2}a^2k^{-1}\frac{\partial T}{\partial t} - \frac{3}{4}k^{-1}y\frac{\partial^4}{\partial t^4}(\delta t) - \frac{1}{2}k^{-1}\frac{\partial^4 T}{\partial t^3 \partial y} + \frac{\partial G}{\partial y} = 0; \quad (\text{A1-212})$$

$$\frac{1}{2}a^2k^{-1}\frac{\partial}{\partial t}(\delta t) - \frac{5}{4}k^{-1}\frac{\partial^3}{\partial t^3}(\delta t) = 0; \quad (\text{A1-213})$$

$$\frac{3}{4}a^2k^{-1}z\frac{\partial^2}{\partial t^2}(\delta t) + \frac{1}{2}a^2k^{-1}\frac{\partial U}{\partial t} - \frac{3}{4}k^{-1}z\frac{\partial^4}{\partial t^4}(\delta t) - \frac{1}{2}k^{-1}\frac{\partial^4 T}{\partial t^3 \partial z} + \frac{\partial G}{\partial z} = 0; \quad (\text{A1-214})$$

$$\frac{1}{2}a^2k^{-1}\frac{\partial}{\partial t}(\delta t) - \frac{5}{4}k^{-1}\frac{\partial^3}{\partial t^3}(\delta t) = 0; \quad (\text{A1-215})$$

$$-3/2a\frac{\partial}{\partial t}(\delta t) + 3\frac{\partial^2}{\partial t^2}(\delta t) + \frac{\partial G}{\partial t} = 0; \quad (\text{A1-216})$$

It follows from (A1-203, A1-207, A1-208, A1-210), that P, Q, R, F are constant

$$P = C_1; \quad Q = C_2; \quad R = C_3; \quad F = C_4 e^{3at}. \quad (\text{A1-217})$$

Substitution of (A1-217) to (A1-206 - A1-216) gives

$$3ak^{-1}C_4 = 0; \quad (\text{A1-218})$$

$$\frac{3}{4}a^2k^{-1}x\frac{\partial^2}{\partial t^2}(\delta t) + \frac{1}{2}a^2k^{-1}\frac{\partial S}{\partial t} - \frac{3}{4}k^{-1}x\frac{\partial^4}{\partial t^4}(\delta t) - \frac{1}{2}k^{-1}\frac{\partial^3 S}{\partial t^3} + \frac{\partial G}{\partial x} = 0; \quad (\text{A1-219})$$

$$\frac{1}{2}a^2k^{-1}\frac{\partial}{\partial t}(\delta t) - \frac{5}{4}k^{-1}\frac{\partial^3}{\partial t^3}(\delta t) = 0; \quad (\text{A1-220})$$

$$\frac{3}{4}a^2k^{-1}y\frac{\partial^2}{\partial t^2}(\delta t) + \frac{1}{2}a^2k^{-1}\frac{\partial T}{\partial t} - \frac{3}{4}k^{-1}y\frac{\partial^4}{\partial t^4}(\delta t) - \frac{1}{2}k^{-1}\frac{\partial^3 T}{\partial t^3} + \frac{\partial G}{\partial y} = 0; \quad (\text{A1-221})$$

$$\frac{1}{2}a^2k^{-1}\frac{\partial}{\partial t}(\delta t) - \frac{5}{4}k^{-1}\frac{\partial^3}{\partial t^3}(\delta t) = 0; \quad (\text{A1-222})$$

$$\frac{3}{4}a^2k^{-1}z\frac{\partial^2}{\partial t^2}(\delta t) + \frac{1}{2}a^2k^{-1}\frac{\partial U}{\partial t} - \frac{3}{4}k^{-1}z\frac{\partial^4}{\partial t^4}(\delta t) - \frac{1}{2}k^{-1}\frac{\partial^3 U}{\partial t^3} + \frac{\partial G}{\partial z} = 0; \quad (\text{A1-223})$$

$$\frac{1}{2}a^2k^{-1}\frac{\partial}{\partial t}(\delta t) - \frac{5}{4}k^{-1}\frac{\partial^3}{\partial t^3}(\delta t) = 0; \quad (\text{A1-224})$$

$$-3/2a\frac{\partial}{\partial t}(\delta t) + 3\frac{\partial^2}{\partial t^2}(\delta t) + \frac{\partial G}{\partial t} = 0; \quad (\text{A1-225})$$

We find derivatives of G from (A1-218), (A1-220), (A1-222), (A1-224)

$$\frac{\partial G}{\partial x} = -(3/4a^2k^{-1}x\frac{\partial^2}{\partial t^2}(\delta t) + \frac{1}{2}a^2k^{-1}\frac{\partial S}{\partial t} - \frac{3}{4}k^{-1}x\frac{\partial^4}{\partial t^4}(\delta t) - \frac{1}{2}k^{-1}\frac{\partial^3 S}{\partial t^3}); \quad (\text{A1-226})$$

$$\frac{\partial G}{\partial y} = -(3/4a^2k^{-1}y \frac{\partial^2}{\partial t^2}(\delta t) + 1/2a^2k^{-1} \frac{\partial T}{\partial t} - 3/4k^{-1}y \frac{\partial^4}{\partial t^4}(\delta t) - 1/2k^{-1} \frac{\partial^3 T}{\partial t^3}); \quad (\text{A1-227})$$

$$\frac{\partial G}{\partial z} = -(3/4a^2k^{-1}z \frac{\partial^2}{\partial t^2}(\delta t) + 1/2a^2k^{-1} \frac{\partial U}{\partial t} - 3/4k^{-1}z \frac{\partial^4}{\partial t^4}(\delta t) - 1/2k^{-1} \frac{\partial^3 U}{\partial t^3}); \quad (\text{A1-228})$$

$$\frac{\partial G}{\partial t} = -(-3/2a \frac{\partial}{\partial t}(\delta t) + 3 \frac{\partial^2}{\partial t^2}(\delta t)); \quad (\text{A1-229})$$

Cross differentiation of G by t and x, y, z gives

$$\frac{\partial^2 G}{\partial t \partial x} = -(3/4a^2k^{-1}x \frac{\partial^3}{\partial t^3}(\delta t) + 1/2a^2k^{-1} \frac{\partial^2 S}{\partial t^2} - 3/4k^{-1}x \frac{\partial^5}{\partial t^5}(\delta t) - 1/2k^{-1} \frac{\partial^4 S}{\partial t^4}) = \frac{\partial^2 G}{\partial t \partial x} = 0; \quad (\text{A1-230})$$

$$\frac{\partial^2 G}{\partial t \partial y} = -(3/4a^2k^{-1}y \frac{\partial^3}{\partial t^3}(\delta t) + 1/2a^2k^{-1} \frac{\partial^2 T}{\partial t^2} - 3/4k^{-1}y \frac{\partial^5}{\partial t^5}(\delta t) - 1/2k^{-1} \frac{\partial^4 T}{\partial t^4}) = \frac{\partial^2 G}{\partial t \partial y} = 0; \quad (\text{A1-231})$$

$$\frac{\partial^2 G}{\partial t \partial z} = -(3/4a^2k^{-1}z \frac{\partial^3}{\partial t^3}(\delta t) + 1/2a^2k^{-1} \frac{\partial^2 U}{\partial t^2} - 3/4k^{-1}z \frac{\partial^5}{\partial t^5}(\delta t) - 1/2k^{-1} \frac{\partial^4 U}{\partial t^4}) = \frac{\partial^2 G}{\partial t \partial z} = 0; \quad (\text{A1-232})$$

Collecting and equating to zero terms by x, y, z in (A1-230 - A1-232) gives

$$+1/2a^2k^{-1} \frac{\partial^2 S}{\partial t^2} - 1/2k^{-1} \frac{\partial^4 S}{\partial t^4} = 0; \quad (\text{A1-233})$$

$$+1/2a^2k^{-1} \frac{\partial^2 T}{\partial t^2} - 1/2k^{-1} \frac{\partial^4 T}{\partial t^4} = 0; \quad (\text{A1-234})$$

$$+1/2a^2k^{-1} \frac{\partial^2 U}{\partial t^2} - 1/2k^{-1} \frac{\partial^4 U}{\partial t^4} = 0; \quad (\text{A1-235})$$

$$3/4a^2k^{-1} \frac{\partial^3}{\partial t^3}(\delta t) - 3/4k^{-1} \frac{\partial^5}{\partial t^5}(\delta t) = 0. \quad (\text{A1-236})$$

From (A1-236), (A1-220), (A1-222), (A1-224) we conclude, that

$$\delta t = \text{const} = C_5. \quad (\text{A1-237})$$

Integrating (A1-233 - A1-235) we have

$$S = C_6 + C_7t + C_8e^{-at} + C_9e^{at}; \quad (\text{A1-238})$$

$$T = C_{10} + C_{11}t + C_{12}e^{-at} + C_{13}e^{at}; \quad (\text{A1-239})$$

$$U = C_{14} + C_{15}t + C_{16}e^{-at} + C_{17}e^{at}. \quad (\text{A1-240})$$

It follows, that

$$G = C_{18} - \frac{a^2}{2k} x C_{07} - \frac{a^2}{2k} y C_{11} - \frac{a^2}{2k} z C_{15}. \quad (\text{A1-241})$$

From (A1-184 - A1-186) we have

$$C = -yC_3 + zC_2 + tC_7 + C_6 + C_8e^{-at} + C_9e^{at}; \quad (\text{A1-242})$$

$$D = xC_3 - zC_1 + tC_{11} + C_{10} + C_{12}e^{-at} + C_{13}e^{at}; \quad (\text{A1-243})$$

$$E = -xC_2 + yC_1 + tC_{15} + C_{14} + C_{16}e^{-at} + C_{17}e^{at}. \quad (\text{A1-244})$$

From (A1-172 - A1-174) we find variations of independent variables

$$\delta x = -yC_3 + zC_2 + tC_7 + C_6 + C_8e^{-at} + C_9e^{at}; \quad (\text{A1-245})$$

$$\delta y = xC_3 - zC_1 + tC_{11} + C_{10} + C_{12}e^{-at} + C_{13}e^{at}; \quad (\text{A1-246})$$

$$\delta z = -xC_2 + yC_1 + tC_{15} + C_{14} + C_{16}e^{-at} + C_{17}e^{at}; \quad (\text{A1-247})$$

Cross-differentiating (A1-245 - A1-247), we have (see (A1-204))

$$F = 0.$$

Variations of velocities are equal (see A1-128 - A1-130)

$$\delta u = -aC_8e^{-at} + aC_9e^{at} - vC_3 + wC_2 + C_7; \quad (\text{A1-248})$$

$$\delta v = -aC_{12}e^{-at} + aC_{13}e^{at} + uC_3 - wC_1 + C_{11}; \quad (\text{A1-249})$$

$$\delta w = -aC_{16}e^{-at} + aC_{17}e^{at} -uC_2 + vC_1 + C_{15}. \quad (\text{A1-250})$$

Variation of n according to (A1-113) is equal to

$$\begin{aligned} \delta n = & -\frac{an}{2k} (uC_7 + vC_{11} + wC_{15}) - \frac{a^2n}{2k} (xC_7 + yC_{11} + zC_{15}) - \\ & - e^{at} \frac{a^2n}{k} (+uC_9 + vC_{13} + wC_{17}) + nC_{18} + A. \end{aligned} \quad (\text{A1-251})$$

This is the desired result.

$$\begin{aligned}
 & -\frac{\partial n}{\partial t} \frac{\partial n}{\partial w} \left(\frac{\partial^2}{\partial n \partial w} (\delta t) + \frac{\partial^2}{\partial n^2} (\delta t) \frac{\partial n}{\partial w} \right) - \frac{\partial^2 n}{\partial w \partial x} \left(\frac{\partial}{\partial w} (\delta x) + \frac{\partial}{\partial n} (\delta x) \frac{\partial n}{\partial w} \right) - \frac{\partial^2 n}{\partial w \partial y} \left(\frac{\partial}{\partial w} (\delta y) + \frac{\partial}{\partial n} (\delta y) \frac{\partial n}{\partial w} \right) - \\
 & - \frac{\partial^2 n}{\partial w \partial z} \left(\frac{\partial}{\partial w} (\delta z) + \frac{\partial}{\partial n} (\delta z) \frac{\partial n}{\partial w} \right) - \frac{\partial^2 n}{\partial u \partial w} \left(\frac{\partial}{\partial w} (\delta u) + \frac{\partial}{\partial n} (\delta u) \frac{\partial n}{\partial w} \right) - \frac{\partial^2 n}{\partial v \partial w} \left(\frac{\partial}{\partial w} (\delta v) + \frac{\partial}{\partial n} (\delta v) \frac{\partial n}{\partial w} \right) - \\
 & - \frac{\partial^2 n}{\partial w^2} \left(\frac{\partial}{\partial w} (\delta w) + \frac{\partial}{\partial n} (\delta w) \frac{\partial n}{\partial w} \right) - \frac{\partial^2 n}{\partial t \partial w} \left(\frac{\partial}{\partial w} (\delta t) + \frac{\partial}{\partial n} (\delta t) \frac{\partial n}{\partial w} \right);
 \end{aligned}$$