Exploring the Limits of Stability¹

M. Thoennessen

National Superconducting Cyclotron Laboratory and Department of Physics & Astronomy, Michigan State University East Lansing, MI 48824, USA

Abstract. The discovery of the currently known most neutron- and proton-rich nuclei is compiled. The compilation includes the year and method of discovery of the last known bound and the first unbound nuclei along the neutron and proton driplines.

Keywords: neutron dripline, proton dripline, rare isotopes **PACS:** 21.10-k

THE NEUTRON DRIPLINE

The neutron dripline should not be discussed in terms of isotopes as the proton dripline but rather in terms of isotones [1, 2, 3] in order to avoid the odd-even staggering due to pairing. Table 1 shows the lightest stable (with respect to neutron emission) isotones and the isotones beyond the dripline. For the unbound isotones the first observation of the ground-state resonance is listed. Several different experimental methods were used for the discovery of these isotones: spallation (SP), projectile fragmentation (PF), transfer

TABLE 1. Last bound (Bou.) and first unbound (Unb.) isotones along the neutron dripline for 3 < N < 12. The methods of discovery (Me.) are explained in the text.

Ν	Bou.	Year	Me.	Author	Ref.	Unb.	Year	Me.	Author	Ref.
4	⁶ He	1936	TR	Bjerge	[4]	⁵ H	2001	RB	Korsheninnikov	[5]
5	⁸ Li	1935	TR	Crane	[6]	⁷ He	1967	TR	Stokes	[7]
						⁶ H	2003	PI	Gurov	[8]
6	⁸ He	1965	SP	Poskanzer	[9]	^{7}H	2003	RB	Korsheninnikov	[10]
7	¹¹ Be	1958	TR	Nurmia	[11]	¹⁰ Li	1993	PF	Kryger	[12]
						⁹ He	2001	RB	Chen	[13]
8	11 Li	1966	SP	Poskanzer	[14]	¹⁰ He	1994	RB	Korsheninnikov	[15]
9	^{14}B	1966	SP	Poskanzer	[14]	¹³ Be	2001	PF	Thoennessen	[16]
10	¹⁴ Be	1973	SP	Bowman	[17]					
11	¹⁷ C	1968	SP	Poskanzer	[18]	^{16}B	2000	TR	Kalpakchieva	[19]

¹ Copyright (2005) American Institute of Physics. This article may be downloaded for personal use only. Any other use requires prior permission of the author and the American Institute of Physics along with the following message: The following article appeared in (AIP Conference Proceedings Volume 802) and may be found at http://proceedings.aip.org/proceedings/confproceed/802.jsp

N	Bou.	Year	Me.	Author	Ref.	Unb.	Year	Me.	Author	Ref.
12	^{17}B	1973	SP	Bowman	[17]	¹⁶ Be	2003	PF	Baumann	[20]
13	¹⁹ C	1974	SP	Bowman	[21]	^{18}B	1984	PF	Musser	[22]
14	¹⁹ B	1984	PF	Musser	[22]					
15	^{22}N	1979	PF	Westfall	[23]	²¹ C	1985	PF	Langevin	[24]
16	²² C	1986	PF	Pougheon	[25]	^{21}B	2003	PF	Ozawa	[26]
17	²⁶ F	1979	PF	Westfall	[23]	²⁵ O	1985	PF	Langevin	[24]
18	²⁷ F	1981	PF	Stevenson	[27]	^{26}O	1990	PF	Guillemaud-M.	[28]
19	²⁹ Ne	1985	PF	Langevin	[24]	²⁸ F	1999	PF	Sakurai	[29]
20	²⁹ F	1989	PF	Guillemaud-M.	[30]	^{28}O	1997	PF	Tarasov	[31]
21	³¹ Ne	1996	PF	Sakurai	[32]	³⁰ F	1999	PF	Sakurai	[29]
22	³¹ F	1999	PF	Sakurai	[29]					
23	³⁴ Na	1983	SP	Langevin	[33]	³³ Ne	2002	PF	Notani	[34]
24	³⁴ Ne	2002	PF	Notani	[34]					
25	³⁷ Mg	1996	PF	Sakurai	[32]	³⁶ Na	2002	PF	Notani	[34]
26	³⁷ Na	2002	PF	Notani	[34]					
27	^{40}Al	1997	PF	Sakurai	[35]	³⁹ Mg	2002	PF	Notani	[34]
28	^{41}Al	1997	PF	Sakurai	[35]					
29	⁴³ Si	2002	PF	Notani	[34]					
30	⁴⁵ P	1990	PF	Lewitowicz	[36]					
31	⁴⁶ P	1990	PF	Lewitowicz	[36]					
32	^{48}S	1990	PF	Lewitowicz	[36]					
33	⁵¹ Ar	1989	PF	Guillemaud-M.	[30]					
34	⁵¹ Cl	1990	PF	Lewitowicz	[36]					

TABLE 3. Last bound (Bou.) and first unbound (Unb.) isotopes along the proton dripline for 3 < Z < 12. The methods of discovery (Me.) are explained in the text.

Z	Bou.	Year	Me.	Author	Ref.	Unb.	Year	Me.	Author	Ref.
4	⁷ Be	1938	TR	Rumbaugh	[37]	⁶ Be	1958	TR	Bogdanov	[38]
5	^{8}B	1950	TR	Alvarez	[39]	^{7}B	1967	TR	McGrath	[40]
6	⁹ C	1964	TR	Cerny	[41]	⁸ C	1974	TR	Robertson	[42]
7	^{12}N	1949	TR	Alvarez	[43]	^{11}N	1974	TR	Benenson	[44]
						^{10}N	2002	TR	Lepine-Szily	[45]
8	¹³ O	1963	TR	Barton	[46]	¹² O	1978	TR	KeKelis	[47]
9	17 F	1934	TR	Wertenstein	[48]	^{16}F	1964	TR	Bryant	[49]
						¹⁵ F	1978	TR	KeKelis	[47]
10	¹⁷ Ne	1963	TR	Barton	[46]	¹⁶ Ne	1978	TR	KeKelis	[47]
11	²⁰ Na	1950	TR	Alvarez	[39]	¹⁹ Na	1969	TR	Cerny	[50]
						¹⁸ Na	2004	RB	Zerguerras	[51]

(TR), pion induced (PI) and break-up reactions of radioactive beams (RB). Strictly speaking, the dripline is only known up to N = 9 (or lithium) because no search for ¹³Li has been reported.

Table 2 continues along the neutron dripline towards heavier nuclei but the unbound nuclei listed have not been observed. Searches for the existence of these isotones were

performed using projectile fragmentation reactions. In this mass region projectile fragmentation (PF) has clearly been the dominant method to explore the neutron dripline. A few isotones were observed by spallation reactions (SP). The listing for the neutron dripline is limited to chlorine or N = 34 because for heavier nuclei the last observed isotones are not approaching the predicted location of the neutron dripline.

It should be noted that the observation of ³⁴Ne and ³⁷Na as well as the non-observation of ³³Ne and ³⁶Na was reported by Lukyanov *et al.* [52] shortly after Notani *et al.* [34]. Notani *et al.* submitted their paper on May 28^{th} , 2002 and accepted for publication on July 15^{th} , 2002, while the Lukyanov paper was submitted on July 9^{th} , 2002.

THE PROTON DRIPLINE

The proton dripline is much better known than the neutron dripline. Table 3 shows the lightest stable (with respect to protron emission) isotopes and the isotopes beyond the dripline. For the unbound isotopes the first observation of the ground-state resonance is listed. All isotopes were discovered by traditional transfer reactions (TR) with the exception of ¹⁹Na which has been observed by the break-up of a radioactive beam (RB) of ²⁰Mg [51]. In this mass region, the proton dripline agrees with the line separating bound and unbound nuclei.

¹⁵F was observed simultaneously by KeKelis *et al.* [47] and Benenson *et al.* [53]. The KeKelis paper was submitted on October 20^{th} , 1997 while the Benenson *et al.* paper was submitted on November 28^{th} , 1997. They were published next to each other in the same issue of Phys. Rev. C.

Table 4 continues along the proton dripline towards heavier nuclei up to Z = 51. Due to the Coulomb barrier the simple relation between the dripline (as defined as $S_p = 0$) and unbound nuclei does not hold anymore. Nuclei beyond the dripline can have significant lifetimes. The exact location of the dripline is experimentally known for only a few isotopes [2]. The isotopes listed as unbound Table 4 have not been observed in projectile fragmentation reactions and lifetime limits were deduced from the flight-paths through the fragment separator which is typically less than a microsecond. Thus these nuclei are certainly beyond the dripline. The only unbound isotope where the resonance was observed directly by a transfer reaction is ³⁹Sc [54].

Transfer reactions (TR) for the lighter mass region and projectile fragmentation (PF) for the heavier masses were used to discovers most of the isotopes around the proton dripline. A few nuclei were first observed by fusion evaporation (FE) and spallation (SP) reactions.

Table 5 shows the lightest presently known isotope for 52 < Z < 74. In this mass region all isotopes along the proton dripline were observed by fusion evaporation and no lifetime limits for any of the isotopes have been determined. Thus the limit of observable nuclei has not been reached [2] although the $S_p = 0$ dripline has clearly been crossed as can be seen from the decay modes (D.) listed.

Z	Bou.	Year	Me.	Author	Ref.	Unb.	Year	Me.	Author	Ref.
12	²⁰ Mg	1974	TR	Robertson	[42]	¹⁹ Mg	2003	PF	Frank	[55]
13	^{22}Al	1982	TR	Cable	[56]	21 Al	1987	PF	Cerny	[57]
14	²² Si	1987	PF	Saint-Laurent	[57]				-	
15	²⁶ P	1983	TR	Cable	[58]	²⁵ P	1986	PF	Langevin	[59]
16	27 S	1986	TR	Langevin	[59]				-	
17	³¹ Cl	1977	TR	Benenson	[60]	³⁰ Cl	1986	PF	Langevin	[59]
						²⁹ Cl	1986	PF	Langevin	[59]
18	³¹ Ar	1986	PF	Langevin	[59]					
19	³⁵ K	1976	TR	Benenson	[61]	³⁴ K	1986	PF	Langevin	[59]
						³³ K	1986	PF	Langevin	[59]
20	³⁵ Ca	1985	TR	Äystö	[62]					
21	⁴⁰ Sc	1955	TR	Glass	[63]	³⁹ Sc	1988	TR	Mohar	[54]
22	³⁹ Ti	1990	PF	Detraz	[64]	³⁸ Ti	1996	PF	Blank	[65]
23	⁴³ V	1987	PF	Pougheon	[66]	^{42}V	1992	PF	Borrel	[67]
24	⁴² Cr	1996	PF	Blank	[65]					
25	⁴⁶ Mn	1987	PF	Pougheon	[66]	⁴⁵ Mn	1992	PF	Borrel	[67]
	45					⁴⁴ Mn	1992	PF	Borrel	[67]
26	⁴⁵ Fe	1996	PF	Blank	[65]	40				
27	⁵⁰ Co	1987	PF	Pougheon	[66]	⁴⁹ Co	1994	PF	Blank	[68]
28	4°Ni	2000	PF	Blank	[69]	54				
29	⁵⁵ Cu	1987	PF	Pougheon	[66]	^{J4} Cu	1994	PF	Blank	[68]
30	^{54}Zn	2005	PF	Blank	[70]	50 ~			~ .	
31	⁶⁰ Ga	1995	PF	Blank	[71]	³⁹ Ga	2005	PF	Stolz	[72]
32	⁶⁰ Ge	2005	PF	Stolz	[72]	63			~ .	
33	⁰⁴ As	1995	PF	Blank	[71]	⁰³ As	2005	PF	Stolz	[72]
34	⁰⁴ Se	2005	PF	Stolz	[72]		1005	DE	51.1	
35	⁷⁰ Br	1978	FE	Alburger	[73]	⁰⁹ Br	1995	PF	Blank	[71]
	69.77	100 -	DE	D1		⁰⁰ Br	1995	PF	Blank	[71]
36	⁰⁹ Kr 74D1	1995	PF	Blank	[/1]	73	1001	DE		[7] [7]
37	/*Rb	1977	SP	D'Auria	[/4]	⁷³ Rb	1991	PF	Mohar	[75]
20	73 c	1002	FF	D (1 11		⁷² Rb	1995	PF	Blank	[71]
38	⁷⁵ Sr 76x	1993	FE DE	Batchelder	[/6]					
39	78 Y	2001	PF	Kienle	[//]					
40	⁷⁰ Zr 82 NH	2001	PF	Kienie	[//]	81 NIL	1000	DE	Tanaa	[70]
41	83Ma	1992	РГ	Inner	[/8]	ND	1999	РГ	Janas	[/9]
42	⁸⁶ To	1999	РГ	Janas Vanalla	[79]	85Ta	1000	DE	Inner	[70]
45	87 D.u	1992	РГ	Pulso azorualzi	[/8]	1c	1999	РГ	Janas	[/9]
44	89 D L	1995	РГ	Rykaczewski	[00]	_				
43 16	91 D.4	1995		Rykaczewski Dykaczewski	[00]					
40 17	94 A a	1993	ГГ DE	Kykaczewski Uonoboolz	[00] [91]					
4/ 19	97 C 4	1994	ГГ СD	Flmroth	[01]					
40 70	98 ₁ n	19/8	or DE	Emnoun Rykaczowski	[02] [80]					
49 50	100 C n	1993	ГГ DE	Kykaczewski Schneider	[00] [82]					
50	103 Sh	1994	ГГ РГ	Rykaczowski	[80]	_				
51	¹⁰³ Sb	1995	PF	Rykaczewski	[80]					

TABLE 4. Last bound (Bou.) and first unbound (Unb.) isotopes along the proton dripline for 11 < Z < 52. The methods of discovery (Me.) are explained in the text.

Z	Iso.	Year	D.	Author	Ref.	Ζ	Iso.	Year	D.	Author	Ref.
52	¹⁰⁶ Te	1981	α	Schardt	[84]	73	¹⁵⁵ Ta	1999	р	Uusitalo	[100]
53	108I	1991	α	Page	[85]	74	^{158}W	1981	α	Hofmann	[99]
54	¹¹⁰ Xe	1981	α	Schardt	[84]	75	¹⁶⁰ Re	1992	р	Page	[101]
55	¹¹² Cs	1994	р	Page	[86]	76	¹⁶² Os	1989	α	Hofmann	[102]
56	¹¹⁴ Ba	1997	β	Janas	[87]	77	¹⁶⁵ Ir	1997	р	Davids	[103]
57	¹¹⁷ La	2001	р	Soramel	[88]	78	¹⁶⁶ Pt	1996	α	Bingham	[104]
58	¹²¹ Ce	1997	β	Zhankui	[89]	79	¹⁷⁰ Au	2004	p,α	Kettunen	[105]
59	¹²¹ Pr	1990	β	Bogdanov	[90]	80	¹⁷¹ Hg	2004	α	Kettunen	[105]
60	¹²⁵ Nd	1999	β	Xu	[91]	81	¹⁷⁶ Tl	2004	р	Kettunen	[105]
61	¹²⁸ Pm	1999	β	Xu	[91]	82	¹⁸⁰ Pb	1996	α	Toth	[106]
62	¹²⁹ Sm	1999	β	Xu	[91]	83	¹⁸⁴ Bi	2003	α	Andreyev	[107]
63	¹³⁰ Eu	2004	р	Davids	[92]	84	¹⁸⁸ Po	1999	α	Andreyev	[108]
64	¹³⁴ Gd	2004	-	Woods	[93]	85	¹⁹¹ At	2003	α	Kettunen	[109]
65	¹³⁵ Tb	2004	р	Woods	[93]	86	¹⁹⁵ Rn	2001	α	Kettunen	[110]
66	¹³⁹ Dy	1999	β	Xu	[91]	87	¹⁹⁹ Fr	1999	α	Tagaya	[111]
67	¹⁴⁰ Ho	1999	р	Rykaczewski	[94]	88	²⁰¹ Ra	2005	α	Uusitalo	[112]
68	¹⁴⁴ Er	2003	-	Karny	[95]	89	²⁰⁶ Ac	1998	α	Eskola	[113]
69	¹⁴⁵ Tm	1998	р	Batchelder	[96]	90	²⁰⁹ Th	1996	α	Ikezoe	[114]
70	¹⁴⁹ Yb	2001	β	Xu	[97]	91	²¹² Pa	1997	α	Mitsuoka	[115]
71	¹⁵⁰ Lu	1993	р	Sellin	[98]	92	²¹⁷ U	2000	α	Malyshev	[116]
72	¹⁵⁴ Hf	1981	α	Hofmann	[99]						

TABLE 5. Last observed isotopes (Iso.) along the proton dripline for 51 < Z < 73 and the decay mode (D.) of the first observation.

REMARKS

The present compilation contains only refereed publications. Publications in conference proceedings are not included. Sometimes this separation is not obvious. For example, ¹⁶⁴Ir has been reported in Eur. Phys. J. A. [117] in 2002, and although apparently a contribution to a conference it was not identified as such. This nucleus has not been reported in a regular refereed publication since, so it was omitted from the present compilation and ¹⁶⁵Ir first observed in 1997 is still the lightest iridium isotope [103].

A compilation based on a literature search as the present one is probably not perfect. Corrections and feedback are very welcome and should be communicated to the author (thoennessen@nscl.msu.edu). The most recent entry included is dated from June 17th, 2005 [70].

ACKNOWLEDGMENTS

This work was supported by the National Science Foundation grant number PHY01-10253.

REFERENCES

- 1. P. G. Hansen and J. A. Tostevin, Ann. Rev. Nucl. Part. Sci., 53, 219 (2003).
- 2. M. Thoennessen, Rep. Prog. Phys. 67, 1187 (2004).
- 3. M. Thoennessen, Eur. Phys. J. A direct, DOI:10.1140/epjad/i2005-06-001-9 (2005).
- 4. T. Bjerge, *Nature* **147**, 865 (1936).
- 5. A. A. Korsheninnikov et al., Phys. Rev. Lett. 87, 092501 (2001).
- 6. H. R. Crane et al., Phys. Rev. 47, 971 (1935).
- 7. R. H. Stokes and P. G. Young, Phys. Rev. Lett. 18, 611 (1967).
- 8. Y. B. Gurov *et al.*, *JETP Lett.* **78**, 183 (2003).
- 9. A. Poskanzer et al., Phys. Rev. Lett. 15, 1030 (1965).
- 10. A. A. Korsheninnikov et al., Phys. Rev. Lett. 90, 082501 (2003).
- 11. M. J. Nurmia and R. W. Fink, Phys. Rev. Lett. 1, 23 (1958).
- 12. R. A. Kryger et al., Phys. Rev. C 47, R2439 (1993).
- 13. L. Chen et al., Phys. Lett. B 505, 21 (2001).
- 14. A. Poskanzer et al., Phys. Rev. Lett. 17, 1271 (1966).
- 15. A. A. Korsheninnikov et al., Phys. Lett. B 326, 31 (1994).
- 16. M. Thoennessen et al., Phys. Rev. C 63, 014308 (2001).
- 17. J. D. Bowman et al., Phys. Rev. Lett. **31**, 614 (1973).
- 18. A. Poskanzer et al., Phys. Lett. 27B, 414 (1968).
- 19. R. Kalpakchieva et al., Eur. Phys. J. A 7, 451 (2000).
- 20. T. Baumann et al., Phys. Rev. C 67, 061303(R) (2003).
- 21. J. D. Bowman et al., Phys. Rev. C 9, 836 (1974).
- 22. J. A. Musser and J. D. Stevenson, Phys. Rev. Lett. 53, 2544 (1984).
- 23. G. D. Westfall et al., Phys. Rev. Lett. 43, 1859 (1979).
- 24. M. Langevin et al., Phys. Lett. 150B, 71 (1985).
- 25. F. Pougheon et al., Europhys. Lett. 2, 505 (1986).
- 26. A. Ozawa et al., Phys. Rev. C 67, 014610 (2003).
- 27. J. D. Stevenson and P. B. Price, *Phys. Rev. C* 24, 2102 (1981).
- 28. D. Guillemaud-Mueller et al., Phys. Rev. C 41, 937 (1990).
- 29. H. Sakurai et al., Phys. Lett. B 448, 180 (1999).
- 30. D. Guillemaud-Mueller et al., Z. Phys. A 332, 189 (1989).
- 31. O. Tarasov et al., Phys. Lett. B 409, 64 (1997).
- 32. H. Sakurai et al., Phys. Rev. C 54, R2802 (1996).
- 33. M. Langevin et al., Phys. Lett. 125B, 116 (1983).
- 34. M. Notani et al., Phys. Lett. B 542, 49 (2002).
- 35. H. Sakurai et al., Nucl. Phys. A 616, 311c (1997).
- 36. M. Lewitowicz et al., Z. Phys. A 335, 117 (1990).
- 37. L. H. Rumbaugh et al., Phys. Rev. 54, 657 (1938).
- 38. G. F. Bogdanov et al., J. Nuclear Energy II 8, 148 (1958).
- 39. L. W. Alvarez et al., Phys. Rev. 80, 519 (1950).
- 40. R. L. McGrath et al., Phys. Rev. Lett. 19, 1442 (1967).
- 41. J. Cerny et al., Phys. Rev. Lett. 13, 726 (1964).
- 42. R. G. H. Robertson et al., Phys. Rev. Lett. 32, 1207 (1974).
- 43. L. W. Alvarez et al., Phys. Rev. 75, 1815 (1949).
- 44. W. Benenson et al., Phys. Rev. C 9, 2130 (1974).
- 45. A. Lepine-Szily et al., Phys. Rev. C 65, 054318 (2002).
- 46. R. Barton et al., Can. J. Phys. 41, 12 (1963).
- 47. G. J. KeKelis et al., Phys. Rev. C 17, 1929 (1978).
- 48. L. Wertenstein *et al.*, *Nature* **133**, 564 (1934).
- 49. H. C. Bryant et al., Nucl. Phys. 53, 97 (1964).
- 50. J. Cerny et al., Phys. Rev. Lett. 22, 612 (1969).
- 51. T. Zerguerras et al., Eur. Phys. J. A 20, 389 (2004).
- 52. S. Lukyanov et al., J. Phys. G 28, L41 (2002).
- 53. W. Benenson et al., Phys. Rev. C 17, 1939 (1978).
- 54. M. Mohar et al., Phys. Rev. C 38, 737 (1988).

- 55. N. Frank et al., Phys. Rev. C 68, 054309 (2003).
- 56. M. D. Cable et al., Phys. Rev. C 26, 1778 (1982).
- 57. M. G. Saint-Laurent et al., Phys. Rev. Lett. 59, 33 (1987).
- 58. M. D. Cable et al., Phys. Lett. 123B, 25 (1983).
- 59. M. Langevin et al., Nucl. Phys. A 455, 149 (1986).
- 60. W. Benenson et al., Phys. Rev. C 15, 1187 (1977).
- 61. W. Benenson et al., Phys. Rev. C 13, 1479 (1976).
- 62. J. Aysto et al., Phys. Rev. Lett. 55, 1384 (1985).
- 63. N. W. Glass and J. R. Richardson, Phys. Rev. 98, 1251 (1955).
- 64. C. Detraz et al., Nucl Phys. A 519, 529 (1990).
- 65. B. Blank et al., Phys. Rev. Lett. 77, 2893 (1996).
- 66. F. Pougheon et al., Z. Phys. A 327, 17 (1987).
- 67. V. Borrel et al., Z. Phys. A 344, 135 (1992).
- 68. B. Blank et al., Phys. Rev. C 50, 2398 (1994).
- 69. B. Blank et al., Phys. Rev. Lett. 84, 1116 (2000).
- 70. B. Blank et al., Phys. Rev. Lett. 94, 232501 (2005).
- 71. B. Blank et al., Phys. Rev. Lett. 74, 4611 (1995).
- 72. A. Stolz *et al., Eur. Phys. J. A direct*, DOI:10.1140/epjad/i2005–06–192–y, accept. for publ. Phys. Lett. B (2005).
- 73. D. E. Alburger, Phys. Rev. C 18, 1875 (1978).
- 74. J. D'Auria et al., Phys. Lett. 66B, 233 (1977).
- 75. M. F. Mohar et al., Phys. Rev. Lett. 66, 1571 (1991).
- 76. J. C. Batchelder et al., Phys. Rev. C 48, 2593 (1993).
- 77. P. Kienle et al., Prog. Part. Nucl. Phys. 46, 73 (2001).
- 78. S. Yennello et al., Phys. Rev. C 46, 2620 (1992).
- 79. Z. Janas et al., Phys. Rev. Lett. 82, 295 (1999).
- 80. K. Rykaczewski et al., Phys. Rev. C 52, R2310 (1995).
- 81. M. Hencheck et al., Phys. Rev. C 50, 2219 (1994).
- 82. T. Elmroth et al., Nucl. Phys. A 304, 493 (1978).
- 83. R. Schneider et al., Z. Phys. A 348, 241 (1994).
- 84. D. Schardt et al., Nucl. Phys. A 368, 153 (1981).
- 85. R. Page et al., Z. Phys. A 338, 295 (1991).
- 86. R. Page et al., Phys. Rev. Lett. 72, 1798 (1994).
- 87. Z. Janas et al., Nucl Phys. A 627, 119 (1997).
- 88. F. Soramel et al., Phys. Rev. C 63, 031304 (2001).
- 89. L. Zhankui et al., Phys. Rev. C 56, 1157 (1997).
- 90. D. D. Bogdanov et al., Sov. J. Nucl. Phys. 52, 229 (1990).
- 91. S-W. Xu et al., Phys. Rev. C 60, 061302 (1999).
- 92. C. N. Davids et al., Phys. Rev. C 69, 011302(R) (2004).
- 93. P. J. Woods et al., Phys. Rev. C 69, 051302 (2004).
- 94. K. Rykaczewski et al., Phys. Rev. C 60, 011301 (1999).
- 95. M. Karny et al., Phys. Rev. Lett. 90, 012502 (2003).
- 96. J. C. Batchelder et al., Phys. Rev. C 57, R1042 (1998).
- 97. S. Xu et al., Eur. Phys. J. A 12, 1 (2001).
- 98. P. Sellin et al., Phys. Rev. C 47, 1933 (1993).
- 99. S. Hofmann et al., Z. Phys. A 299, 281 (1981).
- 100. J. Uusitalo et al., Phys. Rev. C 59, R2975 (1999).
- 101. R. Page et al., Phys. Rev. Lett. 68, 1287 (1992).
- 102. S. Hofmann et al., Z. Phys. A 333, 107 (1989).
- 103. C. N. Davids et al., Phys. Rev. C 55, 2255 (1997).
- 104. C. R. Bingham et al., Phys. Rev. C 54, R20 (1996).
- 105. H. Kettunen et al., Phys. Rev. C 69, 054323 (2004).
- 106. K. Toth et al., Z. Phys. A 355, 225 (1996).
- 107. A. N. Andreyev et al., Eur. Phys. J. A 18, 55 (2003).
- 108. A. N. Andreyev et al., Eur. Phys. J. A 6, 381 (1999).
- 109. H. Kettunen et al., Eur. Phys. J. A 17, 537 (2003).

- 110. H. Kettunen et al., Phys. Rev. C 63, 044315 (2001).
- 111. Y. Tagaya et al., Eur. Phys. J. A 5, 123 (1999).
- 112. J. Uusitalo et al., Phys. Rev. C 71, 024306 (2005).
- 113. K. Eskola et al., Phys. Rev. C 57, 417 (1998).
- 114. H. Ikezoe et al., Phys. Rev. C 54, 2043 (1996).
- 115. S. Mitsuoka et al., Phys. Rev. C 55, 1555 (1997).
- 116. O. Malyshev et al., Eur. Phys. J. A 8, 295 (2000).
- 117. H. Mahmud et al., Eur. Phys. J. A 15, 85 (2002).