

String theory, the crisis in particle physics and the ascent of metaphoric arguments

Dedicated to the memory of Juergen Ehlers

IJMPD **17**, (2008) 2373-2431

Bert Schroer

CBPF, Rua Dr. Xavier Sigaud 150

22290-180 Rio de Janeiro, Brazil

and Institut fuer Theoretische Physik der FU Berlin, Germany

September 2008

Contents

1	Symptoms of a crisis in the foundations of particle theory	2
2	QFT versus a pure S-matrix approach from a historical perspective	7
3	Unitarity and macro-causality in relativistic particle theories	13
4	On-shell crossing and thermal properties from causal localization	19
5	A turn with grave consequences	28
6	The ascent of the metaphoric approach to particle physics: string theory	32
7	TOE, or particle theory in times of crisis	43
8	An epilog, reminiscences about Juergen Ehlers	57

Abstract

This essay presents a critical evaluation of the concepts of string theory and its impact on particle physics. The point of departure is a historical review of four decades of string theory within the broader context of six decades of failed attempts at an autonomous S-matrix approach to particle theory.

The central message, contained in sections 5 and 6, is that string theory is not what its name suggests, namely a theory of objects in spacetime whose localization is string- instead of point-like. Contrary to popular opinion the oscillators corresponding to the Fourier models of a quantum mechanical string do not cause a stringlike spatial extension of the object under discussion and neither does the "range space" of a chiral conformal QFT acquire the interpretation of string-like localized quantum matter.

Rather string theory represents a solution of a problem which enjoyed some popularity in the 60s: find a principle which, similar to the SO(4,2) group in the case of the hydrogen spectrum, determines an infinite component wave function with a (realistic) mass/spin spectrum. Instead of the group theory used in the old failed attempts, it creates this mass/spin spectrum by combining an *internal oscillator quantum mechanics* with a pointlike localized quantum field theoretic object, i.e. the mass/spin tower "sits" over one point and does not arise from a wiggling string in spacetime.

The widespread acceptance of a theory whose interpretation has been based on metaphoric reasoning had a corroding influence on particle theory, a point which will be illustrated in the last section with some remarks of a more sociological nature. These remarks also lend additional support about observations on connections between the discourse in particle physics and the present Zeitgeist of the post cold war period made in the introduction.

1 Symptoms of a crisis in the foundations of particle theory

There can be no doubt that after almost a century of impressive success, fundamental physics is in the midst of a deep crisis. Its epicenter is in particle theory, but its repercussions may even influence the direction of experimental particle physics and affect adjacent areas of fundamental research which traditionally used innovative ideas of quantum field theory (QFT). They also led to quite bizarre ideas about the philosophy underlying fundamental sciences, which partially explains why they attracted considerable attention beyond the community of specialists in particle physics.

One does not have to be a physicist in order to be amazed when reputable members of the particle physics community [1] recommend a paradigmatic change away from the observation based setting of physics which, since the time of Galileo, Newton, Einstein and the protagonists of quantum theory has been the de-mystification of nature by mathematically formulated concepts with experimentally verifiable consequences. The new message, which has been formed under the strong influence of string theory, is that it is scientifically acceptable to use ones own existence in reasonings about matters of theoretical physics, even if this leads to a vast collection of in principle unobservable concepts such as *multiverses* and *parallel worlds*. This new physics excepts metaphors but calls them principles, as e.g. the *anthropic principle*; its underlying philosophy re-

sembles a religious faith with its unobservable regions of heaven and hell rather than physics, as we know it since the times of Galileo. It certainly amounts to a rupture with traditional natural sciences and the philosophy of enlightenment. Despite assurances to the contrary, it looks like an avatar of *intelligent design*.

Instead of “cogito ergo sum” of the rationalists, the new *anthropic* maxim coming from this new doctrine attaches explanatory power to its inversion: “I exist and therefore things are the way they are”, since otherwise I would not exist. Its main purpose is to uphold the uniqueness of the string theorists dream of a theory of everything (TOE). Even with an enormous number of string solutions with different fundamental laws and fundamental constants, the use of the anthropic principle permits to uphold uniqueness by claiming that we are living in a multiverse consisting of as many universes as it needs to account for all string solutions; in this way one is able to claim that these describe actually existing but inaccessible and invisible parallel worlds or multiverses of a unique TOE. In this context anthropic reasoning is not meant as a temporary auxiliary selective device, pending better understanding and further refinements of the theory, but rather as a way to uphold the TOE status of string theory. To physicists outside the string community, the logic behind this doctrine resembles the “if you cannot solve a problem then enlarge it” motto of some politicians.

To demonstrate the physical relevance of string theory in this anthropic setting it would suffice to show that there is one solution which looks like our universe; but whereas the number of solutions has been estimated, nobody has an idea how to arrange such a search. How can one find something in a haystack if one does not even know how to characterize our universe in terms of moduli and other string-theoretic notions which distinguish a reference state (the string theory vacuum)?

To be fair, the anthropic dogma of a *multiverse* instead of a universe i.e. the belief that all these different solutions with quantum matter obeying different laws (including different values of fundamental constants) exist and form “the landscape” [1], is not shared by all string theorists.

Such a picture is still confined to a vocal and influential minority in particle theory, but it is not difficult to notice a general trend of moving away from the traditional scientific setting based on autonomous physical principles, towards more free-wheeling metaphoric consistency arguments. Ironically some of the new aggressive science-based atheists are strong defenders of the metaphors about the string-inspired multiverses.

The ascent of this metaphoric approach is fueled by the increasing popularity of string theory and the marketing skill of its proponents to secure its funding. This, and certainly not the extremely meager physical results, is what at least partially accounts for its present dominant status in particle theory. Whereas the attraction it exerts on newcomers in physics is often related to career-building, the attention it receives from the media and a broader scientifically interested public is the result of the entertaining fictional qualities of its “revolutionary” achievements.

This developments take place against the background of frustration within the particle physics community as a result of inconclusive or failed attempts

to make further progress with the standard model (SM). The latter has remained particle physics finest achievement ever since its discovery more than three decades ago. It continued the line of gradual unification which started already with Faraday, Maxwell, Einstein Heisenberg and others. This kind of unification has been the result of a natural process of the development of ideas, i.e. the protagonists did not set out with the proclaimed aim to construct a TOE, rather the coming together was the result of a natural unfolding of ideas following the intrinsic theoretical logic of principles, but always with observations and experiments having the ultimate say.

Particle physics is a conceptually and mathematically quite demanding science and its progress sometimes requires an adventurous "into the blue yonder" spirit. But precisely because of this it needs a critical balance whose intellectual depth at least matches that of its target. To some extent this is part of an inner theoretical process in which the main issue is that of conceptual consistency. Particle theory is very rich in established fundamental principles, and a good part of theoretical research consists in unfolding their strong intrinsic logic in the concrete context of models. Experiments cannot decide whether a theoretical proposal is conceptually consistent, but they can support or reject a theory or select between several consistent theories and last not least lead to a limitation of the validity of principles and hints how to amend them.

A theoretician should carry his criticism, if possible, right into the conceptual-mathematical core of a theory. The most basic property in the formulation and interpretation of models in particle physics has been and still is the *localization of objects in spacetime*. With respect to string theory this amounts to the question whether it really represents, as its name indicates, a theory of string-like localized objects in spacetime. This will be the main theme in section 6. It is not easy to criticise something which is conceptually and mathematically as opaque as string theory. Fortunately this question allows a rigorous answer in the case of the "founding" model of string theory: the canonically quantized Nambu-Goto model [38][39].

The answer will be that the quantum string is described by a generalized free field whose infinite mass/spin tower spectrum is such that the relative weights of irreducible components in the Kallen-Lehmann function depend on the chosen classical string configuration. In other words the possible configurations associated with the classical N-G functional integrand become encoded into a mass/spin tower of a point-like infinite component field but have no bearing on spacetime localization i.e. on "wiggling strings" in spacetime. This calls for a more general understanding of the relation between classical and quantum localization beyond the point-like case (where both coalesce) based on an autonomous notion quantum localization.

String theory was conceived as an S-matrix theory. An S-matrix theory has no direct relation to localization, the indirect link goes only through the inverse scattering problem. Two previous attempts at a pure S-matrix theory, that of Heisenberg's 1943 and the Chew-Mandelstam-Stapp bootstrap idea of the 60s failed, because contrary to naive expectation of uniqueness, at the end of the day there were too many solutions (the infinite family of 2-dim. factorizing

models). The dual resonance model on the other hand, which resulted from replacing the general crossing property by the Veneziano–Virasoro–Dolen–Horn–Schmid duality, led to a very explicit formulae which represented some (only at that time desirable) properties of an S-matrix describing strong interactions, but had serious conceptual problems.

A critical presentation of string theory would not be comprehensive if it ignores the history which led to it. The best way to try to understand a theory which derives its computational recipes from unclear physical concepts is to critically follow the path of its history. This is precisely what we will do in the following four sections.

The present view of string theorists at their own history is reflected in the several recent 40 year anniversary contributions, some from experienced veterans of the dual model days with first hand insider knowledge. They make quite interesting historical reading and some of their points will be mentioned in later sections. But they were written in the certainty of ideas which at the end led to a theory of great impact and world wide dominance which is certainly not supported by the point of view in this essay.

The criticism of the scientific aspects of superstring theory and its sociological manifestation in this essay is not directed against its protagonists and individual contributors. Rather its main target is the lack of balance caused by the uncritical reception of its central claim to represent a quantum theory in which string-like objects replace the standard point-like fields of QFT. It will be argued that its unreal dreamlike almost surreal physical appearance which it has outside the string community, is the result of a mismatch between what it claims to be and what it really is. More specifically, the geometric aspects which led to its name are not identical with its intrinsic physical localization property.

For a mathematician this is irrelevant, the geometric properties should be present somewhere, but he could not care less about where it is encoded, whether the mathematics of string configurations describes matter localized in spacetime or whether it becomes encoded into an infinite component field which "sits over one point". A physicist however is required to follow the logic of quantum localization; if he would base his interpretation solely on the geometric logic and overlook that localization has an intrinsic quantum physical meaning, he would go astray or, in the terminology of this article he would take the path of wrong metaphors and not that of autonomous physical interpretation. The historical context shows that the erosion of the intrinsic by the metaphoric, of which string theory is the most visible illustration, did not come out of the blue.

Even at the risk of sounding cynical there is also some positive aspect, namely the construction of the free Nambu-Goto string or the superstring solves a problem which a whole previous generation (Barut, Kleinert, Fongsdal, Ruegg, Budini,..) found a hard nut to crack namely to find natural quantum constructions of infinite component wave functions or (which is the same) infinite component free fields. The quantum mechanics archetype was the hydrogen atom which can be fully understood in terms of a representation of the noncompact group $SO(4,2)$. Attempts to get a relativistic mass/spin spectrum along

these line failed. If one is not prudish about spacetime dimensions, then the N-G or superstring is indeed a solution. The secret is to replace group theory with vector-valued (or dotted/undotted spinorial) quantum mechanical oscillators on which the Lorentz group acts. String theory uses oscillators as they arise from the Fourier decomposition of multicomponent currents of a chiral QFT. But beware, this does not mean that one embeds a conformal field theory as a stringy one-dimensional subalgebra in higher dimensional spacetime. All these problems will be addressed in detail in later sections.

It is an interesting question whether the problems caused by confusing geometric properties with the intrinsic meaning of localization have a higher dimensional analog beyond the one-dimensional strings. The lack of a pure quantum (non quasiclassical) brane solution in analogy to the N-G model prevents presently a direct answer to this question but the negative experience with string theory would go against describing branes by embedding in terms of quantized coordinates which depend on more parameters as for strings.

This intention to go to the *conceptual* roots separates the content of the present essay from several other books and articles which have appeared [3][4][5]. We want to go beyond the mere assertion that string theory has surreal aspects; it is our intentions to expose the cause of its misleading metaphor. We do however agree with all the authors who have written string-critical articles that even if superstring theory would be consistent on the conceptual-mathematical level, the lack of tangible results despite of more than four decades of hard work by hundreds of brilliant minds, the futile consummation of valuable resources and last not least its bizarre philosophical implications should be matters of great concern.

The crisis in particle physics on the eve of the LHC experiments has strong relations to a ongoing crisis of post cold war socioeconomic system and its ideology. The idea of a final theory of everything is too close to the way globalized capitalism views itself in order to resist the temptation of looking in more detail on some surprising parallels. As will be argued in the last section both developments are characteristic manifestations of the same *Zeitgeist*. It remains to be seen whether the turbulent 2008 crash of the post cold war economic system and its ideological of "end of history" setting finds its analog in a loss of support for project of a TOE and the superstring metaphors.

The content is structured as follows.

The next section reviews Heisenberg's S-matrix proposal and its profound criticism by Stueckelberg on the basis of macro-causality problems. The third section recalls the S-matrix bootstrap program whose lasting merit consists in having added the important on-shell crossing symmetry to the requirements of an S-matrix program. The fourth section analyses the relation of on-shell crossing property with off-shell localization concepts and comments on its proximity to the Kubo-Martin-Schwinger (KMS) thermal aspect of localization. Section 5 reviews the implementation of duality of the Dolen-Horn-Schmidt (DHS) dual resonance model in the setting of a multi-charge chiral current mode. In this way the differences between duality resulting from the generalized (anyonice) commutation relations of charge-carrying chiral fields and the particle-based

notion of crossing becomes highlighted. The prior results on quantum localization obtained in the fourth section are then used in section 6 to show that string theory of the canonical quantized Nambu-Goto model, contrary to terminology, does not deal with string-localized objects in spacetime. Rather the classical string configurations associated with the functional integrand become encoded into the structure of an infinite component local field whose decomposition leads to free fields corresponding to a discrete mass/spin tower.

The last section is an attempt to shed some light on how a theory with so many conceptual shortcomings as well as lack of predictive power was able to represent the spirit of particle physics at the turn of the millennium. In that section we leave the ivory tower of particle theory and turn to some observations on parallels between superstring physics and the millennium Zeitgeist.

Since the mathematical-conceptual content is quite demanding and we want to keep this essay accessible to readers with more modest mathematical knowledge, some statements and arguments will appear more than once in a different formulation and context.

2 QFT versus a pure S-matrix approach from a historical perspective

Particle physics was, apart from a period of doubts and confusion around the ultraviolet catastrophe which started in the late 30s and did not last longer than one decade, a continuous success story all the way from its inception [6] by Pascual Jordan (quantization of wave fields for light waves and matter) and Paul Dirac (relativistic particles and anti-particles via hole theory) up to the discovery of the SM at the end of the 60s. For about 40 years the original setting of Lagrangian quantization, in terms of which QFT was discovered, gave an ever increasing wealth of results *without requiring any change of the underlying principles*. After the laws of QT had been adapted to the changed conceptual and mathematical requirements resulting from the causal propagation in theories with a background-independent maximal velocity (the velocity of light), the new principles were in place and the subsequent significant progress, including the elaboration of renormalized QED, consisted basically in finding new conceptual-mathematical realizations of those principles underlying QFT. The ultraviolet divergencies posed some temporary obstacle on this path, since they led to the proposal of an elementary length which would have required a modification of the principles¹. After the clouds of doubts about the ultraviolet catastrophe dispersed, thanks to the new setting of covariantly formulated perturbative renormalization theory, the conceptual and mathematical improvements reinforced the original principles.

¹Despite of numerous attempts, some of them even ongoing, it has not been possible to find a conceptual framework for nonlocal theories. The notion of a cutoff has remained a metaphor. None of the solvable two-dimensional local factorizable models permits the introduction of a cutoff, without wrecking its physical content and losing the mathematical control.

It is interesting to observe that, already at the beginning of QFT, its protagonist Pascual Jordan worried about the range of validity of quantization. His doubts originated from his conviction that, although classical analogies allow in many cases rapid access to the new quantum theory of fields in form of important perturbative model illustrations, in the long run a more fundamental quantum theory should not need the quantization parallelism to the less fundamental *classical* Lagrangian formalism. Rather it should develop its own autonomous tools for the classification and construction of QFTs, or in his words "without classical crutches" [7]. To turn the argument around: to the extent to which one has to still rely on quantization crutches, one has not really reached the conceptual core of the new theory. Jordan's doubts about the range of validity of that umbilical cord to classical field theory did not originate from any perceived concrete shortcoming of his "quantum theory of wave fields". Rather the state of affairs in which he discovered this new theory did not comply with his philosophical conception; in his opinion a classical parallelism can only be tolerated as a temporary device for a quick exploration of those parts of the new theory which are in the range of this quantization recipe.

But things did not develop in the direction of his plea. The ultraviolet divergence crisis of the 30s ended in the late 40s in the discovery of renormalized QED, a fact which certainly revitalized the Lagrangian approach and pushed the search for an intrinsic formulation into the sideline.

Unfortunately the renormalized perturbation series of quantum field theoretical models diverges, so the hope to settle also the existence problem of QFTs in the Lagrangian quantization setting did not materialize; the success of the renormalized perturbative setting did not lead to a conceptual closure of QFT. However at least it became clear that the old problem of ultraviolet infinities, which almost derailed the development of QFT, was in part a pseudo-problem caused by the unreflective use of quantum mechanical operator techniques for pointlike quantum fields which are too singular to qualify as operators.

The main difference of the status of QFT to any other physical theory (statistical mechanics, quantum mechanics,...) is that as a result of many interesting nontrivial models with solid mathematical control, one knows that the "axioms" which characterize them admit nontrivial solutions. It is often forgotten or pushed aside as a nuisance, that *QFT has not yet reached this state*, it still has a long way to go.

Using more adequate mathematical tools in conjunction with a minimality principle which limits the short distance singularity in every perturbative order [8], one finds that there are local couplings between pointlike fields for which the perturbative iteration either does not require more parameters than there were in the beginning, or adds only a finite number of new couplings which one could have already included in the starting interaction expressed in terms of Wick-product of free fields². The renormalized theory forms a finite parameter space

²I am referring here to the Epstein Glaser [8] formulation which produces the renormalized finite result directly by treating the fields in every order according correctly according to their singular nature. The avoidance of intermediate cutoffs or regularizations maintains the connection with the quantum theoretical Hilbert space structure of QFT.

on which the (Petermann-Stueckelberg) renormalization group acts ergodically. These finite parametric families are conveniently pictured as "islands" in an infinite parameter setting (the Bogoliubov spacetime dependent operator-valued S-functional, or the Wilson universal renormalization group setting) within a universal master S-functional³ depending on infinitely many coupling functions (which by itself has no predictive power). Since the renormalization group leads from any point on the island in coupling space to any other point on the same island, a QFT cannot provide a method to distinguish special numerical values as that e.g. of the fine-structure constant..

The phenomenon of interaction-caused infinite vacuum polarization clouds (finite in every order perturbation theory) gives rise to a conceptual rupture with QM [9] and leads to a change of parameters in every order. But since these parameters remain undetermined anyhow, this causes no harm. The inexorable presence of interaction-induced vacuum polarization prevents one to think of an initial numerical (Lagrangian) value for these parameters which is then changed by a computable finite amount. With other words unlike in QM there is no separate "bare" and "induced" part. This is why the Epstein-Glaser renormalization, which avoids such quantum mechanical concepts, is conceptually preferable [8]. It not only addresses the singular nature of fields but it also exposes the limits of QFT concerning the predictive power about the numerical value of certain parameters in a more honest way.

So when string theorists say that their theory is ultraviolet finite and contrast this with QFT, what they really mean in intrinsic terms is that their theory is more economical (and hence more fundamental) in that it has only the parameters which describe string interactions i.e. the string tension. But beware, they say that without being able to give a proof!

This implies that in particular that *string theory has no vacuum polarization* which is of course completely consistent with its on-shell S-matrix character. An S-matrix is free of vacuum polarization par excellence, in fact in QFT the S-matrix and formfactors are the only objects of this kind. Heisenberg's plea for basing particle physics on the S-matrix was proposed precisely because of this absence of vacuum polarization and the ensuing ultraviolet problems. But can one really do particle physics without such a central concept as vacuum polarization? can one formulate physically motivated autonomous S-matrix properties without the intervention of fields ? These are clearly the kind of problems one faces in a pure S-matrix approach. We will return to them in the historical context of Stueckelberg and Heisenberg.

Before taking a critical look at pure S-matrix attempts, it is quite instructive to glance at some unfinished problems of QFT.

The well-known power counting restriction to interactions $\dim \mathcal{L}_{int} = d$ (spacetime dimension)⁴ is quite severe; in $d = 4$ it only allows pointlike fields Φ

³The S-functional is a formally unitary off-shell operator which contains the on-shell S-matrix. The existence of the latter does however not depend on that of the former.

⁴The causal perturbative approach (in contrast to the functional integral setting) does not use the Lagrangian formalism; \mathcal{L}_{int} is only a notational device for the Wick-ordered polynomial which represents the pointlike interaction between fields.

with short distance dimension $sdd\Phi = 1$. In addition massless vectorpotentials (and more generally the potentials associated with the Wigner massless finite helicity representations) *cannot be pointlike covariant objects within a (ghost-free) Wigner Fock representation*; the best one can do is to permit a spatial semiinfinite extension. In the case of $(m=0, s=1)$ this leads to semiinfinite stringlike-localized covariant vector potentials $A_\mu(x, e)$ [10] with $sdd = 1$ which act in the same physical Wigner-Fock space as the associated pointlike field strength; in fact their only unphysical aspect is that they are not *local* observables. As expected their stringlike localization shows up in the commutator between two potentials whenever the semiinfinite string of one $x + \mathbb{R}_+ e$ gets into the influence region of the other. Such string-localized potentials with $sdd = 1$ independent of helicity exists for all $(m = 0, s \geq 1)$ ⁵.

For massive fields there is no such representation theoretic reason to introduce string-localized fields since pointlike covariant fields exist for all admissible covariant spinorial objects $\Phi^{(A, \dot{B})}$ with $|A - \dot{B}| \leq s \leq A + \dot{B}$. But it is well-known that the short distance dimension increases with the spin s ; for $s = 1$ it is at least $sdd = 2$. They violate the power counting theorem and therefore the lowering of the dimension to $sdd = 1$ for semiinfinite stringlike localized fields [10] is of potentially great interest for extending the realm of renormalizable interactions. The crucial question is whether there exists a perturbation theory for stringlike localization, more specifically whether the Epstein-Glaser iteration step, which is build around pointlike locality, admits an extension to semiinfinite stringlike localization. This is presently under investigation and we refer to work in progress [27].

Another way to lower short distance dimensions but without sacrificing the pointlike formalism is to allow *indefinite metric* with the help of a pointlike (BRST) ghost formalism. The use of such a formalism is suggested by the quantization of classical gauge theories. The requirement of gauge invariance is the key which permits to return to a Hilbert space. The formalism is quite efficient but it is primarily directed to the perturbative construction of local observables which are identified with the gauge invariant objects. Nonlocal physical operators as charged fields have to be defined "by hand" [32] which up to now has only been possible in abelian gauge theories. In an approach based on string-localized fields the nonlocality would be there from the beginning and all objects local and nonlocal would be part of the same formalism.

In the massive case the stringlike formulation would permit to start already with $sdd = 1$ massive vectormeson and one would have the chance to understand better if and why the requirement that the string localization should only be a dimension-lowering technical trick (i.e. the theory continues to be pointlike generated) requires the presence of another scalar scalar field (naturally with a vanishing one-point function).

⁵For $s+2$ the field strength is the (linearized) Riemann tensor and the potential is a string-localized linearized metric tensor $g_{\mu\nu}(x, e)$ localized along the line $x + \mathbb{R}_+ e$ (see section 4). The string localization comes from quantum requirements and has no counterpart in the classical theory.

This short account of the history of QFT and particle physics contains most of the ideas which are needed for the formulation of the SM which places QED, the weak interaction and the QCD setting of strong interactions under one common gauge theoretic roof. But it also was meant to expose some important unfinished areas of QFT. Once one goes beyond textbook presentations of QFT and returns to the principles, QFT is to a large extent virgin territory. The claim that QFT is a closed subject and that its innovative role has passed to string theory may be is not really an argument against QFT but rather against the caricature picture which string theorists created about QFT.

One of the marvelous achievements of the post QED renormalization theory is a clear understanding of the particle-field relation (not to be confused with the particle-wave dualism in QM) in the presence of interactions. Whereas in free field theories Heisenberg had already observed the presence of vacuum fluctuations due to particle-anti-particle pairs in states obtained by the application of (Wick) composites to the vacuum, the real surprise came when Furry and Oppenheimer discovered that in interacting theories even the Lagrangian "elementary" field generates vacuum polarization upon application to the vacuum state. Different from the case studied by Heisenberg, the interaction-induced polarization pairs increase in number with the perturbative order and form a *vacuum polarization cloud* containing an infinite number of virtual particles. This observation challenges the naive identification of particles and fields which is the result of a simple-minded conceptual identification of QFT as a kind of relativistic QM. Although one-particle states exist in the Hilbert space and the global operator algebra certainly contains particle creation/annihilation operators, *compactly localized subalgebras* in interacting QFTs contain no vacuum-polarization-free generator (PFGs)⁶. In other words in the presence of interactions (independent of what kind of interaction) there are no operators localized in subwedge regions which creates a one-particle state from the vacuum without being accompanied by an infinite vacuum polarization cloud.

The at that time mysterious particle/field relation was partially unveiled when in the post QED renormalization period it became clear that interacting *QFT is not capable to describe particles at a finite time*; as a result of the ubiquitous presence of vacuum polarization clouds it is only possible to have an asymptotic particle description when, barring long range forces and infrared problems, the localization centers of particle are far removed from each other, so that the interaction is effectively switched off. In fact the elaboration of scattering theory as a structural consequence of causal locality, energy-momentum positivity and the presence of a mass gap, as carried out in the late 50s and early 60s, was one of the finest achievements of relativistic particle theory. No comparable conceptual enrichment has been added after the discovery of the SM.

As mentioned in the previous section, the idea of a pure S-matrix theory as a remedy against the ultraviolet catastrophe of the old (pre-renormalization)

⁶The only localization which allows PFGs is the non-compact wedge-like localization [11].

QFT was first proposed by Heisenberg⁷ [12]. The S-matrix models with which he illustrates his ideas resulted from a naive unitarization of the interaction Lagrangian (see next section). Heisenberg's proposal was immediately criticized by Stueckelberg who pointed out that, although it was Poincaré-invariant and unitary, it did not meet the requirements of macro-causality.

In the next section we will comment on Heisenberg's construction and isolate the problem on which all pure S-matrix theory failed: fitting together unitarity and Poincaré covariance with macrocausality (notably the cluster factorization property). Clustering is the spacelike aspect of macro-causality which is indispensable for any S-matrix, whether it comes from QFT or any other theory of interacting particles. In QFT and other off-shell implementations of particle interactions, the clustering property is implemented on correlation functions or (similar to nonrelativistic QM) through asymptotic additivity of the interaction-dependent generators of the Poincaré group. Its validity for the asymptotic configurations is then a side result of the proof of asymptotic convergence. With other words, the highly nonlinear on-shell unitarity requirement is trivialized by showing that it results from the large time limiting of more easily implementable linear additive clustering properties for correlation functions.

A long time after the Heisenberg S-matrix proposal was abandoned and QFT experienced a strong return in the form of renormalized quantum electrodynamic, ideas about an S-matrix-based approach returned, this time as the result of the failure of perturbative arguments in strong interactions between mesons and nucleons. This led to the *S-matrix bootstrap* by Chew and Mandelstam. The ideological fallout of the bootstrap approach interspersed with ideas from eastern mysticism entered the popular writing of the physicist F. Capra and others. The bootstrap ideas never led to any tangible remaining results in particle physics, but their influence on the popular "new age" culture and the Zeitgeist of the 60s and 70s has been considerable.

The analytic aspects of QFT correlations, which follow from locality and spectral properties, imply a kind of crossing relation which was first seen in Feynman diagrams within a fixed perturbative order. Restricting the external legs of these graphs to the mass-shell in order to obtain perturbative contribution to the S-matrix, one was able to show that the different S-matrix elements belonging to different distributions of n -particles into k incoming and l outgoing particles are connected by an analytic continuation. The surprising aspect (which was not trivial even with Feynman graphs) was that this was possible without leaving the complexified mass shell. With other words crossing is not a symmetry but rather an analytic on-shell mark left by the spacelike commutativity of QFT. Although there is presently no general proof of crossing for generic particle configuration beyond some special cases, most particle physicists would agree that highlighting this important property will remain as one of the few legacies of that S-matrix bootstrap period.

⁷The concept of a unitary scattering operator as a mapping incoming multiparticle configurations into outgoing in the limit of infinite timelike separations was introduced independently by Wheeler and Heisenberg. however the idea of a pure S-matrix theory as an antidote against the pre-renormalization pretended ultraviolet catastrophe is attributed to Heisenberg.

The S-matrix bootstrap community did not succeed to come up with a model in which this new property is nonperturbatively realized. Strictly speaking a TOE has no model representation which is different from itself; it leads to an "everything or nothing" alternative. Whereas crossing and unitarity were the two main postulates in the S-matrix bootstrap setting, other important properties as Stueckelberg's macrocausality (in particular the cluster factorization) were missing from the bootstrap postulates.

There exists an exceptional situation in $d=1+1$ ⁸. This has the effect that the cluster property cannot separate the genuine 2-particle interacting contribution from the identity term of S. In this case it is possible to fulfill unitarity and crossing with purely elastic two-particle S-matrices. In fact one can classify such two-particle S-matrices and show that all higher elastic processes are given by a combinatorial formula in terms of the two-particle S-matrix [13] Purely elastic relativistic scattering in higher spacetime dimension, as it occurs in the relativistic quantum mechanics of *direct particle interactions* [17] (see next section), is not possible in QFT.

3 Unitarity and macro-causality in relativistic particle theories

There are three fundamental requirements which an S-matrix of relativistic particle physics in must obey, namely Poincaré invariance, unitarity and macrocausality. None of these concepts requires to introduce fields; macrocausality is a very weak version of causality which can be formulated and understood in terms of only particle concepts. To avoid misunderstandings, there are analytic properties of scattering amplitudes as, e.g. the crossing property which requires analytic continuation inside the complex mass shell. Such analytic on-shell properties cannot be traced back to principles referring to particles only; rather they must be understood as being an on-shell imprint of the causal locality principles of an underlying local quantum physics. i.e. they are consequences of the existence of local fields which interpolate between the incoming/outgoing particles.

As a pedagogical exercise, which leads right into the problematic aspects of pure S-matrix theories, let us revisit the situation at the time when Stueckelberg [15] criticized Heisenberg's S-matrix proposal.

As already mentioned, Heisenberg suggested that avoiding the vacuum polarization in interacting QFTs by abandoning fields in favor of directly constructing S-matrices could lead to a solution of the ultraviolet problem. His rather concrete proposals consisted in expressing the unitary S-matrix in terms of a Hermitian "phase operator" η and imposing physically motivated restrictions on this operator. In modern notation his proposal reads

⁸This is related to the kinematical equality of the energy-momentum delta function with the product of two one-particle delta functions which only holds in $d=1+1$.

$$\begin{aligned}
S &= \exp i\eta & (1) \\
\eta &= \sum \frac{1}{n!} \int \dots \int \eta(x_1, \dots, x_n) : A_{in}(x_1) \dots A_{in}(x_n) : dx_1 \dots dx_n \\
\eta_{Hei} &= g \int : A_{in}^A(x) : d^4x
\end{aligned}$$

where the on-shell coefficient functions of η are chosen to be Poincaré invariant and subject to further physically motivated restrictions. In fact one such restriction which he suggested was that the on-shell η should be close to a Lagrangian interaction i.e. have local coefficient functions as illustrated in the third line. It is customary to split off the identity operator from S and formulate unitarity in terms of a quadratic relation for the T-operator

$$\begin{aligned}
S &= 1 + iT & (2) \\
iT - iT^* &= TT^*
\end{aligned}$$

In this form the unitarity is close to the optical theorem and convenient for perturbative checks.

Unitarity and Poincaré invariance are evidently satisfied if the (possibly singular) functions $\eta(x_1 \dots x_n)$ are Poincaré invariant, but what about macro-causality? For spacelike separation one must require the so called *cluster factorization property*. If there are $n+m$ particles involved in the scattering (the sum of incoming and outgoing particles) and one forms k clusters (again containing in and out) and then separates these clusters by large spacelike translations, the S-matrix must factorize into the product of k smaller cluster S-matrices referring each describing the scattering associated with a cluster. For the simplest case of two clusters

$$\lim_{a \rightarrow \infty} \langle g_1^a, \dots, g_m | S | f_1^a, \dots, f_n \rangle = \langle g_1, \dots | S | f_1, \dots \rangle \cdot \langle \dots g_m | S | \dots f_n \rangle \quad (3)$$

where the first factor contains all the a -translated wave packets i.e. the particles in the first cluster and the second factor contains the remaining wave packets. In massive theories the cluster factorization is rapidly attained. This asymptotic factorization property is usually written in momentum space as

$$\langle q_1, \dots, q_m | S | p_1, \dots, p_n \rangle = \delta - \text{contrib.} + \text{products of lower delta contrib.} \quad (4)$$

i.e. the S-matrix contains besides the *connected* contribution the disconnected parts which consists of products of connected amplitudes referring to processes with a lesser number of particles. The connected parts have the correct smoothness properties as to make the formulas meaningful.

For timelike separated clusters the fall-off properties for large cluster separations are much weaker. In fact there are inverse power law corrections in the asymptotic timelike cluster distance. With the correct $i\epsilon$ prescription in momentum space they define what is referred to as *causal* re-scattering or *the*

causal one-particle structure; the presence of this singularity structure prevents the presence of time-like precursors⁹.

For an explanation imagine a kinematical situation of elastic 3-particle scattering in which the third particle enters the future cone of an interaction region of particle 1 and 2 a long time after the 1-2 interaction happened, and then scatters with the outgoing first particle leaving particle 2 undisturbed. In the limit of *infinite timelike separation* the connecting trajectory which describes the path of particle 1 between the 1-2 interaction region and the later 1-3 interaction region must coalesce in the limit with a causal propagator. i.e. asymptotically this 3-particle scattering must contain a singular Feynman propagator connecting two 2-particle scattering processes.

Whereas the cluster factorization of a Heisenberg S-matrix Ansatz is a trivial consequence of imposing the connectedness property on the coefficient functions of the phase operator η , it is not possible to satisfy the causal one-particle structure with a finite number of terms in η ; in fact no pure S-matrix scheme has ever been devised which secures the validity of the causal one-particle structure in the presence of unitarity.

At this point the weakness of a pure S-matrix approach as advocated by Heisenberg becomes exposed; although one can formulate all three requirements solely within a particle setting, one lacks an implementing formalism. The phase matrix η which linearises unitarity unfortunately complicates those properties which were linear in terms of S . To construct solutions by "tinkering" for objects which besides linear properties also obey unitarity, has throughout the history of pure S-matrix attempts never led anywhere .

It is off-shell QFT and its asymptotic timelike convergence properties, better known as scattering theory, which saves us for spending the rest of our days with S-matrix tinkering. The QFT correlation functions are the natural arena for implementing causality properties; the observables are Hermitian and not unitary and the building up of S-matrix unitarity is part of the asymptotic convergence whose existence is guaranteed by the properties of the correlations.

This problem of causal re-scattering in a Heisenberg S-matrix setting, and more generally in any pure S-matrix formulation, was what finally convinced Stueckelberg [15] that a pure S-matrix approach is not feasible.

The S-matrix is without doubt the most important observable concept in particle physics, but it should remain the "crown" of the theory and not its foundation nor its principal computational tool. This was at least the gist of Stueckelberg's critique on Heisenberg's program when he pointed out that to reconcile macro-causality with unitarity "by hand" (i.e. without an off-shell setting which naturally unites these seemingly ill-fitting on-shell concepts) one runs into insoluble problems.

Interestingly enough, Stueckelberg then combined his idea of the causal one particle structure with postulating pointlike interaction vertices leaving out unitarity and in this way came to Feynman rules several years before Feynman, but

⁹An example for a model which was shown [14] to lead to such timelike precursors (as the result of the presence of complex poles) was the Lee-Wick model.

without knowing that he arrived at the perturbative rules of a QFT. For showing that this prescription leads to on-shell unitarity, at least on a perturbative level, he lacked the elegance of the formalism of QFT in which the on-shell unitarity (and all the other properties of S) is derived from simpler properties of correlation functions.

A systematic step for step derivation from a covariant Tomonaga setting of QFT, including the Schwinger or Feynman formalism of renormalization, and with particular care concerning the perturbative connection between QFT and the S-matrix, was finally given by Dyson. It was also Dyson who raised the first doubts about the convergence of the renormalized perturbative series.

The conceptually opaque status of perturbation theory lends importance to a purely structural derivations of particles properties and scattering data directly from the quantum field theoretic principles. Without having mathematically controlled models at one's disposal, structural arguments became increasingly important. Despite all the difficulties to construct interacting models there was no problem to define the requirements which are characteristic for QFT in mathematical clear terms. This "axiomatic setting" in terms of correlation functions of products of fields (Wightman functions) was a major achievement. Under the assumption of a mass-gap in the energy momentum spectrum it led to the validity of (LSZ) scattering theory; in this way it became a framework which combined particles with fields. It led to systems of nonlinear equations for time-ordered or retarded functions whose perturbative solutions contained those obtained from the Lagrangian quantization formalism. One of its nonperturbative results was the derivation of Kramers-Kronig type of dispersion relation and their experimental verification. It was later referred to as "axiomatic QFT", but at least its original motivation was driven by the pragmatic desire to go beyond divergent perturbative series.

The derivation of the Kramers-Kronig dispersion relations for the scattering amplitudes in particle physics and its subsequent experimental verification is an example of particle theory at its best, it secured the localization properties of QFT up to present energies and it did so in a clear direct and yet modest way without relying on metaphors or importing geometric-mathematical ideas beyond those which are autonomous to QFT. In comparison to ST it was one of particle physics finest achievements.

All this was achieved less than a decade after Stueckelberg's criticism of a *pure* S-matrix approach and the discovery of renormalized perturbation theory by Tomonaga, Schwinger, Feynman and Dyson and forms the backbone of the LSZ and Haag-Ruelle scattering theory.

As indicated above, the basic simplification of the problem of macro-causality for the S-matrix consisted in the realization that its representation as the large time scattering limit *defuses the rather intractable nonlinear problem of implementing macro-causality in the presence of unitarity* by delegating it to simpler linear (off-shell) properties for correlation functions. The path from local observables to the S-matrix is generally not invertible. In a QFT in which all formfactors (matrix elements between bra in- and ket out-states) including the S-matrix (the formfactor of the identity operator) fulfill the crossing property,

the inversion turns out to be unique¹⁰ [16]. Within the family of two-dim. factorizing S-matrices the existence of the associated QFT can actually be proven [31]. Whether the general framework of QFT can also lead to a nonperturbative classification and construction of higher dimensional QFT remains to be seen.

There is another quantum mechanical particle physics setting in which a Poincaré invariant unitary macro-causal S-matrix arises through scattering theory in the large time asymptotic limit: *Direct Particle Interaction* (DPI). It forgoes micro-causality and fields and only retains Poincaré covariance and macro-causality. It is certainly more phenomenological than QFT since it contains interaction potentials instead of coupling strength.

The reason why it is mentioned here (even though we are not advocating its use outside medium energy pion-nucleon physics) is because *its very existence* not only *removes some prejudices and incorrect folklore* (including the belief that relativistic particle interactions are necessarily QFTs or that a clustering S-matrix can only arise from a QFT setting), but it also indicates what has to be added/changed in order to arrive from particle interactions to a full QFT setting.

Relativistic QM of particles is based on the Born-Newton-Wigner localization¹¹, whereas the causal localization of QFT, which incorporated the finiteness of the propagation speed, is related to the Poincaré representation theory via modular theory (next section). The B-N-W localization of wave packets is sufficient for recovering the forward lightcone restriction for 4-momenta associated with events which are separated by large time-like distances. Although this suffices to obtain a Poincaré invariant macro-causal S-matrix, it fails on securing the existence of local observables and vacuum polarization. For a presentation of the differences and their profound consequences see [9].

This DPI scheme introduces interactions between particles within a multi-particle Wigner representation-theoretical setting by generalizing the Bakamijan-Thomas (B-T) two-particle interacting Poincaré generators [17]. But whereas in the nonrelativistic QM the additivity of the interaction potentials trivializes the problem of cluster factorization, there is now no such easy connection between the modification of the n-particle Poincaré generators and the cluster properties of the interactions. Nevertheless, by using the notion of *scattering equivalences* one can arrive at a cluster factorization formula for the interacting Poincaré generators and the S-matrix [17][9]. A scattering equivalence consists in a unitary transformation which changes the representation of the Poincaré generators but maintains the S-matrix. In the Coester-Polyzou DPI scheme the iteratively defined (according to particle number n) Poincaré generators lack the large distance additivity associated with clustering, but a scattering equivalence

¹⁰Such inverse scattering problems show very clearly the conceptual advantage of formulating QFT in terms of spacetime-indexed nets of algebras rather than in terms of pointlike field coordinatizations of the Lagrangian quantization. The crossing symmetric S-matrix is not capable to highlight individual field coordinatizations, it only fixes the local net.

¹¹This terminology refers to the Born probability of the associated with relativistic wave function. As pointed out by Newton and Wigner, the relativistic normalization leads to a change as compared to the nonrelativistic Schroedinger QM.

transformation rectifies this situation.

One starts with a B-T two-particle interaction and computes the 2-particle Moeller operator and the associated S-matrix as a large time limit of propagation operators. As in the nonrelativistic case the two-particle cluster property is satisfied for short range two particle interactions. For 3 and more particles the construction of cluster factorizing Poincaré generators and S-matrices require the iterative application of scattering equivalences. The so constructed 3-particle S-matrix clusters with respect to the 2 particle S-matrix in the previous step. But in contrast with the nonrelativistic situation it also contains a 3-particle connected part which vanishes if any one of the particles is removed to spacelike infinity and there is no natural restriction to only two-particle interactions: in other words the occurrence of direct higher particle induced interactions cannot be prevented in any natural way.

As a result of the use of scattering equivalences in order to achieve clustering, there is no natural way to encode such multiparticle theories into a second quantization Fock formalism. They are basically relativistic S-matrix theories because their only truly covariant object is the Poincaré invariant S-matrix. In particular the DPI setting does not lead to covariant formfactors. In the original formulation of DPI the scattering was purely elastic, but later it was shown that an extension with particle creation channels is possible. Hence the characteristic difference of DPI to QFT is not the presence of creation/annihilation channels in scattering theory (since those can be incorporated "by hand") but rather the inexorable presence of interaction-induced infinite vacuum polarization clouds in QFT.

Needless to add such a scheme is purely phenomenological since the interactions are not given in terms of coupling constants but rather coupling functions (interaction potentials) [17]. An S-matrix with all the above properties fulfills the requirements of a conjecture by Weinberg [18] although it does not lead to a QFT. If one adds the crossing property (which has however no implementation in a DPI setting), one can prove the uniqueness of the inverse scattering problem, but the existence of a QFT remains open [16].

QFT and DPI are the only known settings in which a unitary, Poincaré invariant and macro-causal can be derived and which also have been reasonably well understood from a conceptual/mathematical viewpoint. For DPI the mathematical existence of models and their construction is handled in terms of well-known functional analysis concepts as in ordinary QM. In case of QFT this is much more difficult in view of the fact that the perturbative series is divergent and the sometimes provable Borel resummability does not by itself establish the existence. Therefore it is encouraging that its most intrinsic (field coordinatization-independent) formulation in terms of spacetime localized operator algebras has led to a nonperturbative existence proof for a special family of interacting two-dimensional factorizable models. Hopefully this will be the beginning of a new nonperturbative understanding which at the end could be a realization of the old dream of an intrinsic construction of models of QFT without the quantization "crutches".

The main aim of this article is to put forward arguments showing that string

theory is not what most people think it is, namely a theory of an infinite collection of particles whose mass/spin spectrum originates from a string which vibrates in spacetime. The idea that it generalizes the pointlike localized fields of QFT is a metaphor based on the analogy with QM where such a spectrum is associated with a vibrating string. But the intrinsic localization concept in QFT which is different from the non-covariant Born-Newton-Wigner localization forbids such an interpretation. Since localization is a notorious difficult issue which led to many misunderstandings, the discussion of localization of the objects of string theory requires careful preparation. This will be the main theme of the next section.

4 On-shell crossing and thermal properties from causal localization

In order to attain a solid vantage point for a critique of string theory, it is helpful to recall the issue of localization which constitutes the basis for the formulation and *interpretation* of local quantum physics. The easiest access with the least amount of previous knowledge is through the Wigner one-particle theory. Wigner discovered [19] that irreducible positive energy ray representations of the Poincaré group come in three families: massive particles with half-integer spin, zero mass halfinteger helicity representations and zero mass "infinite spin" representations. For brevity we will sometimes refer to these families using numbers 1,2,3. Whereas the first and the third family are rather large because their Casimir invariants have a continuous range¹², the finite helicity family has a countable cardinality labeled by the halfinteger helicities. All up to present observed particles are in the first two families. The fact that no objects have been observed which fit into the third family should not mislead us into prematurely dismissing these positive energy representations. Their physical properties are somewhat unusual and the presence of apparently strange astrophysical dark matter of largely unknown properties [21] advise caution against prematurely dismissing such representations. In the present context these objects mainly serve the purpose to explain what *indecomposable string-like localization* means.

The three families have quite different causal localization properties. Let us first look at the one with the best (sharpest) localization which is the representation family of massive particles. For pedagogical simplicity take the Wigner representation of a scalar particle with the representation space

$$H_{Wig} = \left\{ \psi(p) \mid \int |\psi(p)|^2 \frac{d^3p}{2p^0} < \infty \right\} \quad (5)$$

$$(u_{Wig}(a, \Lambda)\psi)(p) = e^{ipa} \psi(\Lambda^{-1}p)$$

¹²Whereas for the massive family this is the value of the mass operator, the continuous value in case of the infinite spin family is the Casimir eigenvalue of the faithfully represented Euclidean group $E(2)$ (the little group of a lightlike vector).

Now define a subspace which, as we will see later on, consists of wave function localized in a wedge. Take the standard $t - x$ wedge $W_0 = (x > |t|, x, y$ arbitrary) and use the $t - x$ Lorentz boost $\Lambda_{x-t}(\chi) \equiv \Lambda_{W_0}(\chi)$

$$\Lambda_{W_0}(\chi) : \begin{pmatrix} t \\ z \end{pmatrix} \rightarrow \begin{pmatrix} \cosh \chi & -\sinh \chi \\ -\sinh \chi & \cosh \chi \end{pmatrix} \begin{pmatrix} t \\ z \end{pmatrix} \quad (6)$$

which acts on H_{Wig} as a unitary group of operators $\mathbf{u}(\chi) \equiv \mathbf{u}(0, \Lambda_{z-t}(\chi))$ and the $x-t$ reflection $j : (x, t) \rightarrow (-x, -t)$ which, since it involves time reflection, is implemented on Wigner wave functions by an anti-unitary operator $\mathbf{u}(j)$. One then forms the unbounded¹³ “analytic continuation” in the rapidity $U_{Wig}(\chi \rightarrow -i\pi\chi)$ which leads to unbounded positive operators. Using a notation which harmonizes with that of the modular theory in mathematics [20], we define the following operators in H_{Wig}

$$\begin{aligned} \delta^{it} &= U_{Wig}(\chi = -2\pi t) \equiv e^{-2\pi iK} & (7) \\ \mathfrak{s} &= j\delta^{\frac{1}{2}}, j = U_{Wig}(j), \delta = \delta^{it}|_{t=-i} \\ (\mathfrak{s}\psi)(p) &= \psi(-p)^* \end{aligned}$$

Since the anti-unitary operator j is bounded, the domain of \mathfrak{s} consists of all vectors which are in the domain of $\delta^{\frac{1}{2}}$. With other words the domain is completely determined in terms of Wigner representation theory of the connected part of the Poincaré group. In order to highlight the relation between the geometry of the Poincaré group and the causal notion of localization, it is helpful to introduce the real subspace of H_{Wig} (the closure refers to closure with real scalar coefficients).

$$\begin{aligned} \mathfrak{R} &= \overline{\{\psi \mid \mathfrak{s}\psi = \psi\}} & (8) \\ \text{dom}\mathfrak{s} &= \mathfrak{R} + i\mathfrak{R}, \overline{\mathfrak{R} + i\mathfrak{R}} = H_{Wig}, \mathfrak{R} \cap i\mathfrak{R} = 0 \end{aligned}$$

The reader who is not familiar with modular theory will notice that these modular concepts are somewhat unusual and very specific for the important physical concept of causal localization; despite their physical significance they have not entered the particle physics literature. One usually thinks that an *unbounded* anti-linear involutive ($\mathfrak{s}^2 = 1$ on $\text{dom}\mathfrak{s}$) operator which has two real eigenspace associated to the eigenvalues ± 1 is an impossibility, but its ample existence is the essence of causal localization in QFT. Their conspicuous absence in the mathematical physics literature is in a surprising contrast with their pivotal importance for an intrinsic understanding of localization in local quantum physics (LQP).

The second line (8) defines a property of an abstract real subspace which is called *standardness* and the existence of such a subspace is synonymous with the existence of an abstract \mathfrak{s} operator. This property is the one-particle version

¹³The unboundedness of the \mathfrak{s} involution is of crucial importance in the encoding of geometry into domain properties.

of the Reeh-Schlieder property of QFT [37] which is also sometimes referred to (not entirely correct) as the "state-field relation".

The important analytic characterization of modular wedge localization in the sense of pertaining to the dense subspace $dom\mathfrak{s}$ is the strip analyticity of the wave function in the momentum space rapidity $p = m(ch\chi, p_\perp, sh\chi)$. The requirement that such a wave function must be in the domain of the positive operator $\delta^{\frac{1}{2}}$ is equivalent to its analyticity in the strip $0 < \chi < i\pi$, and the action of \mathfrak{s} (7) relates the particle wave function on the lower boundary of the strip which is associated to the antiparticle wave function on the negative mass shell.

This relation of particle to antiparticle wave functions is the conceptual germ from which the most fundamental properties of QFT, as crossing, existence of antiparticles, TCP theorem, spin-statistics connection and the thermal manifestation of localization originate. Apart from special cases this fully quantum localization concept cannot be reduced to support properties of classical test functions.

More precisely the modular localization structure of the Wigner representation theory "magically" preempts these properties of a full QFT already within the one-particle sector; to be more specific: these one-particle properties imply the corresponding QFT properties via time-dependent scattering theory [25].

Hence a modification of those fundamental properties, as the replacement of crossing by Veneziano duality, is changing the principles of local quantum physics (i.e. the result of more than half a century of successful particle physics research) in a conceptually unsecured way. It was the first step into the 40 year reign of metaphors in particle physics which culminated in the wastful TOE.

The mentioned one-particle thermal aspects follows directly from (7) by converting the dense set $dom\mathfrak{s}$ via the graph norm of \mathfrak{s} into an Hilbert space in its own right $H_G \subset H_{Wig}$

$$\begin{aligned} \langle \psi | 1 + \delta | \psi \rangle &= \langle \psi | \psi \rangle_G & (9) \\ \langle \psi | \psi \rangle |_{dom\mathfrak{s}} &= \int \frac{d^3p}{2p_0} \frac{1}{1 + e^{2\pi K}} |\psi_G(p)|^2, \quad \psi_G \in H_G \end{aligned}$$

This formula represent the restriction of the norm to the strip analytic function in terms of Hilbert space vectors ψ_G which are free of analytic restrictions. The result is the formula for a one point expectation value in a thermal KMS state with respect to the Lorentz boost Hamiltonian K at temperature 2π . As we will see in a moment, the modular relation (7) in the Wigner one-particle setting is the pre-stage for the crossing relation as well as an associated KMS property in an interacting QFT¹⁴.

Before we get to that point, we first need to generalize the above derivation to all positive energy representations and then explain how to get to the sub-wedge (spacelike cones, double cones) modular localization spaces. For the generalization to all positive energy representations we refer the reader to [22][10]; but

¹⁴The thermal manifestation of localization is the strongest separation between QM and QFT [9].

since the sharpening of localization is very important for our critique of string theory in the next section, it is helpful to recall some of the points in those papers.

In the first step one constructs the "net" of wedge-localized real subspaces $\{\mathfrak{K}_W\}_{W \in \mathcal{W}}$. This follows from covariance applied to the reference space \mathfrak{K}_{W_0} . In the second step one aims at the definition of nets associated with tighter localization regions via the formation of spatial intersections

$$\mathfrak{K}(\mathcal{O}) \equiv \bigcap_{W \supset \mathcal{O}} \mathfrak{K}_W \quad (10)$$

Note that the causally complete nature of the region is preserved under these intersections in accordance with the causal propagation principle which attributes physical significance to the causal closures of regions (this is the reason for the appearance of noncompact or compact conic regions in local quantum physics). In this way localization properties have been defined in an intrinsic way i.e. separate from support properties of classical test functions.

The crucial question is how "tight" can one localize without running into the triviality property $\mathfrak{K}(\mathcal{O}) = 0$. The answer is quite surprising: For all positive energy representations one can go down from wedges to spacelike cones $\mathcal{O} = \mathcal{C}$ of arbitrary narrow size [22]

$$\begin{aligned} \mathfrak{K}(\mathcal{C}) \text{ is standard} & \quad (11) \\ \mathcal{C} = \{x + \lambda \mathcal{D}\}_{\lambda > 0} \end{aligned}$$

i.e. the non-compact spacelike cones result by adding a family of compact double cones with apex x which arise from a spacelike double cone \mathcal{D} which touches the origin. Since there are three families of positive energy Wigner representation¹⁵ one can ask this question individually for each family.

The family with the most perfect localizability property is the massive one, because in that case each $\mathfrak{K}(\mathcal{D})$ for arbitrary small double cones is standard. On the opposite side is the third (massless infinite spin) family for which the localization in arbitrarily thin spacelike cones (in the limit semiinfinite strings) cannot be improved [23]. The second family (massless finite helicity) is in the middle in the sense that the $\mathfrak{K}(\mathcal{D})$ spaces are standard but that the useful "potentials" (vector potential in case of $s=1$, symmetric tensors for $s=2$) are only objects in Wigner representation space if one permits spacelike cone localized objects i.e. they covariant vectorpotentials cannot be associated with compact spacetime regions.

In fact there exists a completely intrinsic argument on the level of subspaces associated with field strengths which attributes a representation theoretical property to these "stringlike" potentials. It turns out that "duality" relation (Haag duality)

$$\mathfrak{K}(\mathcal{O}) = \mathfrak{K}(\mathcal{O}') \quad (12)$$

in massive representations holds for all spacetime regions including non-simply connected regions. Here the dash on \mathcal{O} denotes the causal disjoint, whereas

¹⁵In $d=1+2$ there are also plektonic/anyonic representations which will not be considered here.

$\mathfrak{K}(\mathcal{O})'$ is the symplectic complement of $\mathfrak{K}(\mathcal{O})$ in the sense of the symplectic form defined by the imaginary part¹⁶ of the inner product in H_{Wig} . This ceases to be the case for zero mass finite helicity representation where there is a *duality defect* when \mathcal{O} is multiply connected (example: the causal completion of the inside of a torus at $t=0$). In that case one finds

$$\mathfrak{K}(\mathcal{O}) \subsetneq \mathfrak{K}(\mathcal{O})' \quad (13)$$

which can be shown to be related to the string-like localization of potentials [10] i.e. this "defect" is the intrinsic indicator of the presence of stringlike potentials.

These properties of localized Wigner subspaces can easily be converted to the corresponding properties of a system (net) of spacetime indexed subalgebras of the Weyl algebra or (for halfinteger spin) the CAR algebra. Since the reaction between subspaces and subalgebras is functorial, all spatial properties have their operator algebraic counterpart and one obtains (for simplicity we restrict to the bosonic case)

$$\begin{aligned} \mathcal{A}(\mathcal{O}) &\equiv alg \left\{ e^{i(a^*(\psi)+h.c.)} \mid \psi \in \mathfrak{K}(\mathcal{O}) \subset H_{Wig} \right\} \quad (14) \\ SA|0\rangle &= A^*|0\rangle, \quad A \in \mathcal{A}(\mathcal{O}), \quad S = J\Delta^{\frac{1}{2}} \\ \Delta^{it} \mathcal{A}(\mathcal{O}) \Delta^{-it} &= \mathcal{A}(\mathcal{O}), \quad J\mathcal{A}(\mathcal{O})J = \mathcal{A}(\mathcal{O})' = \mathcal{A}(\mathcal{O}') \end{aligned}$$

where the operator-algebraic modular objects are the functorial images of the spatial ones $S = \Gamma(\mathfrak{s})$, $\Delta = \Gamma(\delta)$, $J = \Gamma(\mathfrak{j})$. It is important to not to misread the Weyl algebra generator in the first line as an exponential of a smeared field; it is rather an exponential of a (momentum space) Wigner creation/annihilation operator integrated with Wigner wave functions from $\mathfrak{K}(\mathcal{O})$ i.e. the functor uses directly the modular localization in Wigner space and does not rely on the knowledge of pointlike quantum fields. Rather it represents an intrinsic functorial construction of local algebras whereas the infinite family of singular covariant fields result from the "coordinatization" of this local net of algebras. The antiunitary involution J not only maps the algebra in its commutant (a general property of the T-T modular theory) but, as a result of Haag duality, also brings the causal commutativity into the game. Modular theory in the general operator algebra setting leads to the action of the modular group $Ad\Delta^{it}$ which leaves the algebra invariant and the action of the antiunitary involution AdJ which transforms the algebra into its Hilbert space commutant; both operators result from the polar decomposition of the so-called (unbounded) Tomita involution S . The field generators of this net of algebras are of course the well-known singular covariant free fields whose systematic group theoretical construction directly from the Wigner representation theory (except the massless infinite spin representations) can be looked up in the first volume of [24]. Far from being a property which can be easily generalized or disposed of causal localization is an inexorable aspect of a profound mathematical theory whose consequential application leads to the recognition that inner- and spacetime-symmetries are consequences of modular positioning of algebras [37][9].

¹⁶For halfinteger spin there is a slight change.

For a bona fide string-localization which contrasts the string theory metaphor, the third Wigner representation family is particularly useful. The history of its unravelling is an interesting illustration of the intricacies of localization [9]. This class of representations have *no pointlike generators*; in fact their compactly localized subspaces are trivial $\mathfrak{K}(\mathcal{O}) = 0$ whereas the spacelike cone localized subspaces $\mathfrak{K}(\mathcal{C})$ are standard i.e. $\overline{\mathfrak{K}(\mathcal{C}) + i\mathfrak{K}(\mathcal{C})} = H_{Wig}$. the finite helicity representation for which only certain tensor fields (for s=1 the vectorpotentials) are stringlike localized, the QFT of the infinite spin representation have no pointlike generators at all and there are strong indication that there are also no compactly localized subobjects.

To make contact with the standard field formalism one looks at the (necessarily singular) generators of these algebras. For the first two families these are pointlike covariant fields $\Psi(x)$ apart from the finite helicity potentials which, similar to the generators of the infinite spin class, are described by string-localized field generators $\Psi(x, e)$ (leaving off the tensor/spinorial indices) which depend in addition to a point x in d-dimensional Minkowski spacetime also on a point in a d-1 dimensional de Sitter space (the spacelike string direction) e . The stringlike localization nature shows up in the support properties of the commutator for whose vanishing it is not sufficient that the starting point x and x' are spacelike but rather

$$[\Psi(x, e), \Psi(x', e')] = 0 \text{ only for } x + \mathbb{R}_+e \gg x' + \mathbb{R}e' \quad (15)$$

This string-localization is real, unlike that in string theory which is stringlike in a metaphoric but not in material spacetime sense (section 6).

The basic difference between the second (finite helicity) and third kind Wigner representation type is that the string localization is only required in relations in which the vectorpotentials play an important role whereas in case of the third kind one does not expect the presence of pointlike localized composite.

The theory also says that there is no need to introduce generators which have a higher dimensional localization beyond point- or semiinfinite string-like. Note that it is of course not forbidden to introduce decomposable string (and higher) localized operators as e.g.

$$\int \Psi(x) f(x) d^4x, \text{ supp } f \subset \text{tube} \quad (16)$$

in the limit when the thickness of the tube approaches zero. When we talk about semiinfinite string localization without further specification we mean indecomposable strings. These are strings which in contrast to decomposable strings cannot be observed in a counter since any registration device would inevitably partition the string into the part inside and outside the counter which contradicts its indecomposable nature (this is of course a metaphorical argument which is in urgent need of a more explicit and intrinsic presentation). The string-localized generators of the Wigner infinite spin representation do not even admit pointlike localized composites i.e. net of spacelike cone localized algebras

has no compactly localized nontrivial subalgebras. A milder form of string-like generation of representations occurs for the zero mass finite helicity representation family which in some way behaves localization-wise as standing in the middle between massive representation (which are purely point-localized) and the third kind. These representations are fully described in terms of pointlike localized field strength but already before using these representations in interactions it turns out that the additional introduction of "potentials" is helpful. Whereas in the interaction-free case there is a linear relation between the observable field strength and its potential whose inversion permits to rewrite the latter as one or more line integral over the former, this feature is lost under suitable interactions i.e. the string localized potential may become an indecomposable string localized generator which cannot be approximated by compactly observables. In this case the "visibility" of such objects in counters with finite localizability becomes an issue.

In the presence of interactions there is no *direct* algebraic access to problems of localization from the Wigner one-particle theory. In the Wightman setting based on correlation functions of pointlike covariant fields, the modular theory for the wedge region has been derived a long time ago by Bisognano and Wichmann [52] and more recently within the more general algebraic setting by Mund¹⁷ [25]. The resulting modular S-operator has the same property as in (14) i.e. the "radial" part of the polar decomposition of the modular involution S is determined solely by the representation theory of the Poincaré group i.e. the particle content whereas the J turns out to depend on the interaction [26] since it is related to the scattering operator S_{scat}

$$J = J_0 S_{scat} \tag{17}$$

which in this way becomes a relative modular invariant between the interacting and the free wedge algebra¹⁸. There is no change in the construction of the $\mathcal{A}(\mathcal{O})$ by intersecting $\mathcal{A}(W)$ s. However in the presence of interactions the functorial relation between the Wigner theory gets lost. In fact no subwedge-localized algebra contains any associated PFG (polarization-free-generator) i.e. an operator which creates a pure one particle state from the vacuum (without an additional vacuum polarization cloud consisting of infinitely many particle-antiparticle pairs).

Since the crossing property played a crucial role in S-matrix approaches to particle physics, it is instructive to spend some time for its appropriate formulation and on its conceptual content. Its most general formulation is given in terms of formfactors which are products of W-localized operators $A_i \in \mathcal{A}(W)$ ¹⁹

¹⁷That derivation actually uses the modular properties of the Wigner setting which is connected via scattering theory to the interacting wedge-localized algebras and then as explained above (via intersection) to the modular structure of all local algebras $\mathcal{A}(\mathcal{O})$.

¹⁸ J_0 is (apart from a π -rotation around the z-axis of the t-z wedge) the TCP operator of a free theory and J is the same object in the presence of an interaction.

¹⁹Since all compactly localized operators can be translated into a common W and since the spacetime translation acts on in and out states in a completely known way this is hardly any genuine restriction.

between incoming ket and outgoing bra states

$$\begin{aligned} &{}^{out} \langle p_{k+1}, p_{k+2}, \dots, p_n | A | p_1, p_2, \dots, p_k \rangle^{in} = \\ &{}^{out} \langle -\bar{p}_k, p_{k+1}, p_{k+2}, \dots, p_n | A | p_1, p_2, \dots, p_{k-1} \rangle^{in}, \quad A = \Pi_l A_l \end{aligned} \quad (18)$$

where the crossed particle is an outgoing anti particle relative to the original incoming particle Hence all formfactors of A with the same total particle number n are related to one "masterfunction" by analytic continuation through the complex mass shell from the physical forward shell to the unphysical backward part. Hence the predictive power of crossing is inexorably connected with the concept of analytic continuation i.e. it is primarily of a structural-conceptual kind. It is convenient to take as the master reference formfactor the vacuum polarization components of $A\Omega$ i.e. the infinite system of components of the infinite vacuum polarization cloud of $A\Omega$. Needless to add that the crossing relation may be empty in case that the operator A cannot absorb the energy momentum difference between the original value and its continued negative backward mass shell value. In this setting the S-matrix arises as a special case for $A = \mathbf{1}$ i.e. an operator which cannot absorb any nontrivial energy momentum. In this case it is not possible to use the vacuum polarization as a reference and neither leads the crossing of one momentum in the 2-particle elastic amplitude to a meaningful relation (but the simultaneous crossing of two particles in the in and out configuration is meaningful).

This is also the right place to correct the picture of the QFT vacuum as a bubbling soup which for short times, thanks to the Heisenberg uncertainty relation between time and energy, can violate the energy momentum conservation²⁰. The correct picture is that (modular) localization in QFT costs energy-momentum i.e. in order to split the vacuum into a product vacuum

$$\begin{aligned} \omega(A_1 A_2) &\rightarrow \omega(A_1) \omega(A_2), \quad A_i \in \mathcal{A}(\mathcal{O}_i) \\ \Omega &\rightarrow \Omega \otimes \Omega, \quad A_1 A_2 \rightarrow A_1 \otimes A_2 \end{aligned} \quad (19)$$

where the index 1 refers to a spacetime region \mathcal{O}_1 and 2 labels a region \mathcal{O}_2 in the causal complement i.e. $\mathcal{O}_2 \subset \mathcal{O}'_1$. Whereas the tensor factorization in QM for disjoint regions at a fixed time is automatic, the tensor product vacuum in QFT is a highly energetic thermal state whose energy diverges in the limit when the closure of \mathcal{O}_2 touches \mathcal{O}'_1 . The difference with respect to tensor factorization can be traced back to the conceptual difference between Born- and modular-localization. The tensor factorization in QM leads to an information theoretical entanglement whereas the entanglement for the QFT tensor factorization is related to thermal properties [9]. Confusing the two is the main cause for the "information paradox".

The image of the bubbling vacuum shows that metaphors are not limited to string theory. But those used in QFT do usually not lead to serious misunderstandings.

²⁰The origin of these metaphors seems to be the too literal interpretation of the momentum space Feynman rules.

The origin of the formfactor crossing property (18) lies in the strip analyticity of wedge localized states and correlation function. For wedge localized wave functions this was explained above (7, 9). For simplicity let us limit the interacting situation to the simplest case

$$\begin{aligned}\langle 0|A|p\rangle &= \langle -\bar{p}|A|0\rangle \\ \langle 0|AB|0\rangle &= \langle 0|B\Delta A|0\rangle\end{aligned}\tag{20}$$

where in the second line we have written the KMS property for the wedge algebra which is a general consequence of modular operator theory and for the special case of wedge localization agrees with Unruh's observations about thermal aspects of Rindler localization ($\Delta^{it} = U_W^{boost}(\chi = -2\pi t)$). But how to view the first relation as a consequence of the second? The secret is that although the intersection of the space of one-particle states with that obtained from applying compact localized algebras to the vacuum (and closing in the modular graph norm) is trivial, that with the noncompact wedge-localized algebra is not; it is even dense in the one particle Hilbert space. Once it is understood that there exists a wedge affiliated operator B which, if applied to the vacuum, generates the one-particle state, one can apply the KMS relation in the second line. The rest follows from transporting the left side B as B^* to the bra vacuum. The rest follows by rewriting the $B^*|0\rangle$ as $SB|0\rangle$ using modular operator theory and using (17). The resulting $\Delta^{\frac{1}{2}}JB|0\rangle = \Delta^{\frac{1}{2}}J_0B|0\rangle$ (since the S_{scat} matrix acts trivially on one-particle states) leads to the desired result²¹ $\Delta^{\frac{1}{2}}J_0|p\rangle = |-p\rangle$. The general form (18) would follow if we could generalize the KMS relation to include operators from the wedge localized in and out free field algebras. They share with $\mathcal{A}(W)$ the same unitary Lorentz boost as the modular group but their modular inversions J are not equal and hence additional arguments are required. We will leave the completion of the derivation of crossing to a future publication [27].

To criticize the string theory interpretation of the canonically quantized Nambu-Goto mode we do not have to go into subtle details. For such bilinear Lagrangians (leading to linear Euler-Lagrange equations) the connection between localization of states and locality of operators is that in free field theory. In this case it is possible to pass from the "first quantized" version directly to its "second quantization" i.e. to the N-G "string field theory". Since the physical content consists of an infinite tower of massive particles (with one layer of finite helicity massless representations), the only question is does the original classical parametrization lead to fields which are decomposable strings or are they point localized? In the first case one could resolve the composite string in terms of a "stringy spread" of underlying pointlike fields²² whereas in the second case the string terminology would only refer to the classical origin and lack any intrinsic quantum meaning. The suspense will be left to the next section.

²¹The plane wave relation should be understood in the sense of wave packets from the dense set of strip-analytic wave functions.

²²A (composite) string from a Lagrangian setting would be surprising.

5 A turn with grave consequences

Although the partisans of the S-matrix bootstrap program placed the new and important crossing property into the center of their S-matrix setting, they failed to come up with a constructive proposal which could implement this new requirement. Other older requirements, as Stueckelberg's macro causality, were not mentioned in the bootstrap program, they were probably forgotten in the maelstrom of time. The important question in what way (on-shell) crossing is related to the causality principles of QFT did not receive the attention it merits; it has no place in an ideology which set out to cleanse particle physics from the dominance of QFT. In fact most of the efforts were focussed on the elastic scattering amplitude on which Mandelstam's conjecture (concerning the validity of a certain double spectrum representation) was the central object in terms of which the crossing had a simple natural formulation.

The crossing property was verified in the Feynman perturbation theory where a certain analytic continuation from momenta on the forward to the backward shell changes the in/out association of the external legs of Feynman graphs within the same perturbative order. As a result all physical channels with the same total number of external lines are just different boundary values of one analytic master function. Since the analytic properties of Feynman graphs are established without much efforts, it appears at first sight that the perturbative version of crossing is an easy matter. However the condition to perform this analytic continuation inside the complex mass shell adds some nontrivial aspects. By looking at the S-matrix of 2-dimensional factorizing models one can see that crossing involves a delicate interplay between one-particle poles and the multi-particle scattering continuum [13].

From the motivation in the original papers it is quite evident that Veneziano [28] had this kind of crossing in mind when he set out to construct an explicit implementation within the Mandelstam setting for 2-2 elastic scattering amplitudes. But being guided by the properties of Γ -functions he arrived at a crossing in terms of an infinite set of particles forming a mass/spin tower. This formal version of crossing in which the higher particle scattering states (multiparticle "cuts") is not consistent with the principles underlying QFT. The "Veneziano duality" marked the beginning of a new setting in particle physics which was defined in terms of metaphoric recipes but for which one lacked an understanding about the intrinsic physical meaning²³. This point will be elaborated in the context of its string theoretic formulation in the next section.

At the time of its discovery the difference between duality and crossing did not cause much headache since the idea of an infinite mass/spin spectrum needed in order to implement duality was favored from a phenomenological point of view. There is of course nothing unusual to explore all phenomenolog-

²³The realization of duality with the help of identities between Gamma functions is the only successful "by hand" construction within a pure S-matrix scheme. Ironically it did not lead to a model for the crossing property, but it created a new concept of "duality" which is not supported by any established principle in particle physics and marks the beginning of the metaphoric ascent into string theory.

ical consequences and leave the more conceptual problems to times after the phenomenological success has been secured beyond any doubt. The Regge-pole dominance gained a lot of popularity before it was ruled out by experiments which favored the quantum field theory of QCD as the appropriate description of strong interactions.

Veneziano's remarkable observation about the existence of a rather simple mathematically attractive idea, which is capable to generate an interesting mass/spin spectrum from a suitably formulated duality requirement, continued to attract attention even after the Regge pole idea lost its attraction. Although not noticed at the time, the quest for a field equation for an infinite component wave function²⁴ with an infinite mass/spin content, which remained an unfulfilled dream in previous attempts at infinite component relativistic field equations, found a successful implementation in Veneziano's dual model and in the subsequent string theory. The Veneziano Ansatz did not only create a mass/spin tower. It also led to explicit analytic expressions for amplitudes which, leaving aside problems of unitarity, had the formal appearance of an approximation to the elastic part of a "could be" S-matrix.

Extending the search for an implementation of duality-based on properties of Gamma function, Virasoro [29] arrived at a model with a different and somewhat more realistic looking particle content. The duality setting became more complete and acquired some additional mathematical charm after it was extended to n particles [30]. The resulting "dual resonance model" was the missing link from the phenomenological use of Gamma function properties to a conceptually and mathematically attractive formulation in terms of known concepts in chiral conformal QFT, the new idea being that Minkowski spacetime should be envisaged as the "target space"²⁵ of a suitably defined chiral model.

It is worthwhile to look at the mathematical formulation and the associated concepts in some detail. The conformal model which fits the dual resonance model are the charge creating fields of a multi-component abelian chiral current which are customarily described in the setting of bosonization

$$\Psi(z, p) =: e^{ip\phi(z)} : \quad (21)$$

where the d -component $\phi(z)$ is the formal potential of a d -component chiral current $j(z) = \frac{d}{dz}\phi(z)$, and p is a d -component numerical vector whose components describe (up to a shared factor) the value of the charge which the Ψ transfers. The fact that the Hilbert space for Ψ is larger than that of the current j is the place where the language of bosonization becomes somewhat metaphoric; this point is taken care of by a proper quantum mechanical treatment of zero modes which appear in the Fourier decomposition of $\phi(z)$. The n -point functions of the Ψ define the integrands of the scattering amplitudes of the dual resonance

²⁴The motivation originated from the successful algebraization of the hydrogen spectrum in terms of representation of the noncompact $O(4, 2)$ group. In the relativistic case the group theoretical Ansatz did not lead to interesting results. String theory replaces group theory by an infinite collection of oscillators which maintain the pointlike localization (section 6)..

²⁵Note that the notion of target space is well defined only in classical field theories (where fields have numerical values) whereas in QFT its meaning is metaphorical.

model; the latter result from the former by z -integration after multiplication with z_i dependent factors [36]. Hence the energy-momentum conservation of the target theory results from the charge conservation of the conformal source theory. Even the cluster property is preempted on the level of the conformal current model. The verification of the causal one-particle structure is more tricky, but it also can be traced back to a property of the charge composition structure, but it is a very special property which has no direct relevance within the logic of a current algebra.

The crucial additional step which secured the survival of the mathematical formalism was the streamlining it received by connecting it to the *Lagrangian of a Nambu-Goto string*. It is this step which facilitated the formulation of prescriptions for higher order interactions; but these recipes are, unlike in the Lagrangian setting of QFT, not consequences of a Lagrangian formulation. Since the prescription for interactions is on-shell i.e. directly formulated in terms of the particle/spin tower and therefore should be interpreted as a contribution to the S-matrix, it is difficult to judge whether it is physically acceptable since physical properties for the S-matrix are hard to formulate and even harder to check. One could of course try to verify the macrocausality properties. This has not been done; but assuming that it works, one can ask furthergoing question about unitarity. There are conjectures how to unitarize amplitudes with the help of geometric concepts involving Riemann surfaces of higher genus, but again there is no tangible result which comes close to unitarity checks in the Feynman setting. The same holds for the question whether the duality on the one-particle level persists to higher orders.

One of its most curious aspects is that string theory only exists in the positive energy setting in $d=10$ in the presence of supersymmetry. The origin of this severe restriction is the identification of the physical spacetime with the target dimension of a multicomponent chiral current model. It turns out that this is only possible with 10 target dimensions. However even this weird looking possibility represents a pyrrhic victory for the conformal embedding construction: instead of a stringlike object one obtains an infinite component pointlike generated wave functions. This wave function is not string-localized since all the degrees of freedom of the chiral theory have become "inner" i.e. live over one localization point.

Truely spacetime localized strings exist in any dimension ≥ 3 , so what does this distinction of 10 dimensions mean in physical terms? The resolution of this paradoxical situation is that that the objects associated with the embedding of chiral theories or from the quantization of the Nambu-Goto Lagrangian are not strings in the spacetime sense as their protagonists imagine and present them, rather they describe nontrivial solution of a slightly older problem of constructing infinite component wave functions/fields which requires that special spacetime dimension in order to exist at all. The oscillators from the Fourier decomposition of a string indeed play an important role in setting the mass/spin spectrum, but they have nothing to do with a stringlike localization in spacetime but "live" in a Hilbert space which is attached to a point in an analogous sense as the spin components are attached to a pointlike localized field or wave

function.

To the extent that one calls degrees of freedom which do not affect the localization of objects of local quantum physics "inner", the harmonic oscillator variables are indeed inner, in contrast to the variable e which characterises the string direction. It is however interesting to note that these kind of infinite degree of freedom inner oscillator variables accomplish the construction of a nontrivial 10-dimensional infinite component wave function where previous attempts based on noncompact groups (in analogy to the dynamical $O(4, 2)$ group which describes the hydrogen spectrum) failed (in any dimension). This raises the curious question why the infinite component program fell out of favor, but not the metaphoric string theory program, or to phrase it in a more specific way: why is the formulation of interactions in a metaphoric setting more acceptable than in an intrinsic formulation? A somewhat ironies answer may be that it is only in the metaphoric setting the graphical tube rules for the transition amplitudes have some intuitive appeal. The proofs of the infinite component wave function content of the Nambu-Goto model will be presented in the next section.

In the aforementioned conformal field theoretic description based on the use of abelian currents the reason why most spacetime dimensions are excluded have some plausibility. In that setting the spacetime symmetry is connected to the inner symmetry of abelian charges. Inner symmetries are from experience related to compact groups; for QFT of at least 3 spacetime dimensions this can be rigorously established [37]. On this basis one would conclude that there is no possibility of having vector-valued conformal fields on which a Lorentz transformation can act. This argument is for several reasons too naive²⁶. But as the existence of the N-G model shows, it is only possible under extremely special circumstances.

The dual resonance model and its extension to string theory²⁷ was, for the same reasons as the Regge pole model, soon contradicted by experiments; despite all its curious and in some cases surprising properties nature, as far as it is known, had no use for the scattering amplitudes coming from string S-matrix prescriptions. Like the Regge pole-model it could have ended in that dustbin of history reserved for curious but not useful observations.

The sociological situation changed drastically when, as a result of containing all possible spins, some physicists had the audacity to propose superstring theory as a theory of everything (TOE). By identifying the quantum aspects of gravity with the zero mass $s=2$ component in the mass/spin tower and emphasizing that it promises to lead to a totally convergent S-matrix essentially without free parameter (this is apparently true in lowest nontrivial order) it acquired a hegemonic status above QFT.

By its very nature an S-matrix cannot have ultraviolet divergencies, but

²⁶One reason being that there is no such theorem in low dimensional theories.

²⁷Modern string theory has moved a far distance beyond the N-G model. In textbooks and reviews this model only serves to illustrate the underlying idea as well as its historical origin. Since our critical view is not directed towards concrete calculations but aims at its metaphoric interpretation, it suffices to exemplify our point in this model. The crucial question do results mean which are derived on the incorrect metaphor of a string in spacetime.

the claim that it is free of any additional parameters beyond the string tension would be remarkable, always assuming that the tube geometry (which constitutes the graphical visualization of interacting strings) admits an interpretation which avoids the metaphoric reading of a string in spacetime (see next section). What is surprising about this proposal is not that it was made; the speculative dispositions of theoretical physicists lead to many fantastic suggestions, some of them even enter journals. The surprising aspect is rather that the string idea was embraced quite uncritically by leading theoreticians so that the formation of a superstring community around this idea became inevitable. The resulting sociological setting was very different from previous situations in which the established members of the particle physics community provided the crucial balancing criticism. In this way the march into a theory which has a highly technical mathematical formalism and a totally metaphoric physical interpretation took its course.

Modern string theory has moved a far distance beyond the N-G model. In textbooks and reviews this model only serves to illustrate the underlying idea as well as its historical origin. Since our critical view is not directed towards concrete calculations but aims at their metaphoric interpretation, it suffices to exemplify our point in this model. All post N-G advancements of string theory, as sophisticated as they may be, are afflicted with one original sin: *the incorrect metaphor of strings in spacetime*. The crucial question, namely what do results real mean which are derived on the incorrect metaphor of a string in spacetime remained unanswered. The only way in which one can rescue the string theoretic calculations is to find out what remains if this metaphor is replaced by its true meaning. This is a problem which will be analyzed in the concrete context of the N-G model in the next section.

6 The ascent of the metaphoric approach to particle physics: string theory

When it became clear that QCD was the more appropriate theory for the description of strong interactions, a completely new and physically more relevant playground offered new challenges for particle theorists and phenomenologists. As a result the era of string theory which started with the dual model came to an abrupt but only temporary end. In this way string theory became an "orphan" of particle physics; its modest mathematical charm, which consisted in Euler type of identities between gamma functions, lost its physical attraction.

If it were not for a small community of string theorists who remained unshaken in their belief that hidden behind the many unexpected properties there ought to exist a deep new kind of quantum physics, string theory, as we presently know it, would not be around today. Although those few years when string theory was out of the limelight would have been the right time to look at its conceptual foundations, this is not what actually happened. Rather than a foundational critical review, the main attraction was the idea that a theory, which

by its "stringy" nature contains a mass/spin tower in which all possible spin values occur (including that of a spin=2 graviton), could lay claim to represent a TOE i.e. a unique theory of all quantum matter in the universe. Its apparent uniqueness in form of a superstring supported such a belief, at least in the beginning. In this way the chance to remove from string theory the metaphoric casing of its birth was lost and the delicate critical distinction between the autonomous conceptual content of a theory and the metaphoric presentation of its computational rules became increasingly blurred. It is our aim in this section to elaborate on this point.

In the previous section it was pointed out that the duality property, which led to string theory, came into being by mathematical expediency; as a result its content has little in common with the crossing property in QFT which is a consequence of physical principles. It is not uncommon in particle theory to substitute a problem which one cannot solve by a similar looking one which is more susceptible to solution. One gets into very unsafe waters if the construction has a high degree of mathematical consistency within a fundamentally flawed physical concept.

As will be seen in the sequel the idea that string theory has to do with string-like extended objects in spacetime is fundamentally flawed even though no geometric-mathematical property of strings is violated. Geometry does not care about its physical realization²⁸. By not noticing that the real autonomous content contradicts the metaphor, the problem becomes compounded. The problem arises from confusing geometric properties of string theory which are correct in their own geometric-mathematical right, with physical-material localization in spacetime. For precisely this reason the Atiyah-Witten geometrization of particle physics which started at the end of the 70s was a double-edged sword. Since the Lorentz-Einstein episode we know that the physical interpretation is not an automatic consequence of mathematics.

In fact it was an uneasy feeling that string theory was constructed with an excess of sophisticated "tinkering" and a lack of guiding principles which in many theoreticians, especially those with a rich experience with conceptual problems of QFT, nourished the suspicion that, even leaving aside the problem of predictive power, there is something deeply surreal about this theory.

Instead of entering a point for point critique of the extensive and technically laborious content of string theory, I will focus my critical remarks to what I consider the Achilles heel of string theory, namely its metaphoric relation with those localization concepts which are central for the formulation and interpretation of particle physics.

We know from Wigner's representation theoretical classification (section 4) that the indecomposable constituents of positive energy matter are coming in

²⁸A similar but less extreme situation is met with the mathematics of Riemann surfaces which occurs at different places which have nothing to do with surfaces in a physical sense e.g. Fuchsian groups. In chiral conformal theory one often finds the expression "chiral theory on Riemann surfaces" when the analytic continuation of the correlation functions yields a Riemann surface, but this should not be confused with the physical living (localization) space which remains always one-dimensional.

three families: the massive family which is labeled by a continuous mass parameter and a discrete spin, a discrete massless family with discrete helicity, and finally a continuous zero mass family of with an infinite spin (helicity) tower. Whereas theories involving the first two families have generating pointlike localized fields or field strengths (with possibly stringlike potentials), there are no pointlike covariant generators within the last family; rather the sharpest localized generators in that case are semiinfinite strings localized along the spacelike half-line $x + \mathbb{R}_+ e$, where x is the starting point of the string and e is the spacelike direction in which it extends to spacelike infinity. Their localization shows up in their commutation relation (15).

Stringlike localized objects can of course also be constructed in pointlike QFTs; one only has to spread a physical pointlike field along a string where the spreading has to be done in the sense of distribution theory since the resulting stringlike objects is still singular. Such a string will be referred to as composite or *decomposable*; it plays no role in structural investigations. Neither these strings nor their indecomposable counterpart arise directly from Lagrangians, but their presence is important for the understanding of the physical content of a theory. A excellent illustration for an indecomposable string²⁹ is provided by the nonlocal aspects of electrical charge-carrying fields in QED [32] whose sharpest localization is that of a Dirac-Jordan-Mandelstam (DJM) semiinfinite spacelike string. There are also situations in which only stringlike semiclassical solutions (whose quantum status remained unknown) play a role.

Even in cases where the full physical content can be expressed in terms of pointlike localized fields, there may be important physical reasons for their introduction which are related to *improvements in the short distance behavior*, thus permitting an extension of the family of renormalizable interactions. It turns out that covariant string-like generating free fields exist for each all spins. Whereas the short distance dimension of point-like fields increases with their spin, the short distance dimension (ssd) of their string-like counterpart $\Phi(x, e)$ remains at $sdd\Phi = 1$ [10]. Hence the formal power-counting criterion is fulfilled within the setting of maximally quartic interaction, and the remaining hard problem consists in generalizing the rules of the perturbative Epstein-Glaser iteration from point-like to string-like fields. This problem, which has obvious implication for a radical reformulation of gauge theory³⁰ is presently being studied [27].

As explained in section 4 (15), the representations of the third kind of positive energy matter (Wigner's famous infinite spin representations) are *indecomposable strings* [10]; in fact these free string fields, unlike those charge-carrying QED strings, do not even lead to pointlike composites [21]. These representations are therefore excellent illustrations for the meaning of *indecomposable stringlike localized fields*.

The important lesson from section 4 is that *localization is an autonomous*

²⁹Only by using unphysical fields the DJM formula has the appearance of a decomposable string.

³⁰The present formulation only contains locally gauge invariant observables within its formalism, nonlocal gauge invariant objects have to be introduced "by hand" [32].

quantum theoretical concept i.e. there is no general correspondence to classical localization, although for pointlike localized fields the Lagrangian quantization shows that a classical field at a point remains also pointlike in the autonomous notion of quantum causal localization. The latter comes with its own *modular localization formalism* which is of a representation theoretic kind and bears no trace of any quantization parallelism (section 4). There is no negation of the fact that the coincidence of the two was one of the luckiest moments in the history of particle physics; QFT could and did start with Jordan and Dirac and did not have to wait for the arrival of Wigner's representation theory.

The conceptual autonomy of quantum localization is underlined by the rather involved arguments which are necessary to show the equivalence of the quantization- with the representation-method [24]. The representation theoretic setting together with modular localization is more flexible, since it immediately leads to infinitely many covariant field realizations for the unique (m, s) representation; from the quantization viewpoint this would be hard to see. In fact the confusing situation during the 30s (when there were a large number of proposals for field equation which looked different but nevertheless were physically equivalent) was Wigner's motivation for taking the unique representation theoretical route.

The correspondence breaks down in two cases which both turn out to be string-localized. The more spectacular of the two is the mentioned infinite spin representation where there is no relation at all to the classical spinor formalism. The zero mass finite helicity case on the other hand is pointlike, but not all spinorial objects which relate the physical spin with the formal dotted/undotted spinorial; spin are admissible in the sense of (22); it is well-known that the physical photon representation leads to field strength but not to a vectorpotential. Allowing string localized fields one recovers all undotted/dotted spinorial possibilities which were admissible in the massive case.

The long time it took to find a covariant field description for the infinite spin representations finds its explanation in the nonexistence of any pointlike generating field. More recently, with a better understanding of modular localization (section 4), it became clear that the generating fields with the best localization are covariant string-like fields [10] which generate indecomposable string states. It serves as an excellent illustration of what string-localization in a non-metaphoric intrinsic sense really means.

This intrinsicness stands in an ironic contrast to the fact that the classical relativistic Nambu-Goto Lagrangian does not lead to quantum object which are string localized; its full content is rather described by a point-like localized *infinite component field*, a special case of a generalized free field. The main topic for the rest of this section will be to demonstrate that the meaning of "string" in connection of "string theory" is purely metaphoric.

Metaphors in particle theory are often helpful as intermediate crutches because they facilitate to find the correct concepts and their appropriate geometric-mathematical implementation. It is not important that they contain already the correct physical interpretations of the object which has been constructed, it suffices that they helped to get there. After the object has been constructed it

unfolds its own intrinsic interpretation. QFT is an excellent illustration; no matter if one gets to it either by quantization or representation theory, it always unfolds its intrinsic logic which rejects any outside metaphoric interpretation that does not agree with its autonomous meaning. This internal strength it owes to its *quantum causal localization* (which only theories with a maximal velocity but not QM are able to possess). If one gets into a situation where metaphors contradict the intrinsic properties and one fails to notice this lack of balance, one runs into a very serious problem.

A good starting point for the problem of localization in string theory is to remind oneself of the form of the most general pointlike field which is free in the sense of leading to a c-number (graded) commutator. In case of a discrete mass spectrum, a "masterfield" which contains all spins as well as all possibilities to intertwine a given physical spin s with all admissible covariant representations looks as follows

$$\Psi(x) = \sum_{(A\dot{B},s),i} \Psi^{(A\dot{B},s)}(x, m_{(A\dot{B},s),i}) \quad (22)$$

$$\begin{aligned} \Psi^{(A\dot{B},s)}(x, m_{(A\dot{B},s),i}) &= \frac{1}{(2\pi)^{\frac{3}{2}}} \int e^{-ipx} \sum_{s_3=-s}^s u^{(A\dot{B},s),i}(s; p, s_3) \times \\ &\times a(s; p; s_3) \frac{d^{n-1}p}{2\sqrt{\vec{p}^2 + m_{(A\dot{B},s),i}^2}} + c.c. \end{aligned} \quad (23)$$

$$[\Psi(x), \Psi^*(y)]_{grad} = \sum_s \sum_{A,\dot{B} \in (A\dot{B},s)} \int \Delta^{(A\dot{B},s)}(x-y; m_{(A\dot{B},s),i}, s) \quad (24)$$

The meaning of the notation is as follows:

The $\Psi_{(A\dot{B},s)}^{(A\dot{B})}(x, m_{(A\dot{B},s),i})$ are free fields of mass $m_{(A\dot{B},s),i}$ and spin s which transform according to a $(2A+1)(2\dot{B}+1)$ dimensional irreducible representation of the two-fold covering $O(1,3)$ of the Lorentz group which are characterized by the $SL(2,C)$ -spin³¹ A and its conjugate \dot{B} . For a given spin s there exists an infinite set of pairs (A, \dot{B}) . The only restriction which characterizes admissible triples $(A\dot{B}, s)$ is $|A - \dot{B}| \leq s \leq A + \dot{B}$ for $m_i > 0$ and $A = \dot{B}$ for $m_i = 0$.

For each mass and admissible triple $(A\dot{B}, s)$ and each mass $m_{(A\dot{B},s),i}$ there exist one intertwiner namely $u^{(A\dot{B},s)}(s; p, s_3)$ i.e. a rectangular matrix of width $2s+1$ and height $(2A+1)(2\dot{B}+1)$ (with suppressed column indices) which convert the unitary p -dependent $(2s+1) \times (2s+1)$ Wigner representation matrix (which appears in Wigner's unitary transformation

³¹These are the famous undotted-dotted spinorial representations in van der Waerden's notation.

law of the irreducible (m_i, s) representation of the little group) into the $(2A + 1)(2\dot{B} + 1) \times (2A + 1)(2\dot{B} + 1)$ matrix of the spinorial (A, \dot{B}) representation of $O(1, 3)$. One Wigner representation is associated with infinitely admissible covariant representations. The *c.c.* denotes the contribution from the antiparticle creation contribution whose v -intertwiner converts the unitary equivalent conjugate Wigner representation matrix into the (A, \dot{B}) Lorentz group. In all formulas the p is to be taken on the appropriate $m_{(A\dot{B},s),i}$ mass shell.

The two-point function of two spinorial field is only nonvanishing if they are mutually charge conjugate (with selfconjugate Bosons as a special case) and hence the c -number graded commutator has the form in the third line with $\Delta^{(A\dot{B},s)}(x - y; m_{(A\dot{B},s),i}, s)$ being a matrix-valued covariant polynomial acting on the scalar two-point commutator function $\Delta(x - y, m_{(A\dot{B},s),i})$. Since the all u and v intertwiners for all admissible triples $(A\dot{B}, s)$ have been computed [24], one also knows all covariant graded commutator functions. The latter can also be computed directly, thus avoiding the rather complicated interwiners [35].

The field (22) is the most general covariant free field with a discrete mass spectrum; if the mass spectrum would be continuous the field is called a generalized free field; the shared property is that the (graded) commutator is a c -number commutator function. Guided by the $SO(4,2)$ spectrum of the hydrogen atom people in the 60s tried to find a distinguished infinite component covariant wave function, or equivalently a "natural" infinite component free field. We will see in a moment that string theory produces a nontrivial model solution.

The irreducible components have an analog in any spacetime dimension $n > 4$, but the analog of the undotted/dotted formalism is more involved since the Wigner rotations now refer to the rotation group $O(\widetilde{n - 1})$ which has more than one Casimir invariant.

Leaving the physical interpretation aside, one may ask the mathematical question whether there exist quantum mechanical models which can be used in the construction of such an infinite component local field with a mass/spin tower which is fixed by the rules of quantum mechanics. The infinite component one-particle Hilbert space of such a model must be a subspace $H_{sub} \subset L^2(\mathbb{R}^n) \otimes H_{QM}$. For simplicity we restrict to a bosonic situation in which the auxiliary QM is generated by a system of vector-valued bosonic operators. The Nambu-Goto model offers a solution. One starts with the oscillators of a quantum mechanical string and defines as H_{QM} the Hilbert space generated by the oscillator Fourier components leaving out the zero mode.

There is no unitary representation of the Lorentz group in this Hilbert space in which each oscillator transforms according to its vector index. In fact there is no quantum mechanical space which can support a unitary covariant representation of the Poincaré group generating.

To see the way out it suffices to remember how one handles the finite dimensional case with say $H_{QM} = V^{(n)}$ an n-dimensional vector space. To obtain the correct spin one unitary representation, one passes to a subspace in which the Lorentz group representation is isomorphic to the homogenous part of the unitary Wigner representation. The following two relations indicate this procedure for operators in the present case

$$U(a, \Lambda) |p; \varphi\rangle = e^{ipa} |\Lambda p; u(\Lambda)\varphi\rangle, \quad \varphi \in H_{QM} \quad (25)$$

$$U(a, \Lambda) |p; \varphi\rangle_{H_{sub}} = e^{ipa} |\Lambda p; u(\Lambda)\varphi\rangle_{H_{sub}} + nullvector \quad (26)$$

where $u(\Lambda)$ denotes the natural action on the multivector indices of the quantum mechanical states. Since the natural L-invariant inner product in the full tensor product space is indefinite one looks (as in case of finitely many vector indices) for a subspace H_{sub} on which it becomes at least positive semidefinite i.e. the passing to the subspace the Poincaré transformation commutes with the condition which defines this subspace up to a vector in H of vanishing norm. The more general transformation up to a nullvector is necessary as evidenced by the Gupta-Bleuler formalism. The last step of passing to a positive definite inner product is canonical; one identifies equivalence classes with respect to nullvectors.

The remaining problem is to characterize such a subspace. But this is precisely what the u -intertwiner accomplish.

In the case of the infinite dimensional setting of the N-G model there two conditions which these oscillators have to obey: the string boundary conditions and the reparametrization invariance condition. The corresponding quantum requirements are well-known. In the present tensor product setting they mix the momentum of the sought object with its "internal" quantum mechanical degrees of freedom and in this way one gets to the physical states. The two conditions provide the additional knowledge for a master-intertwiner which intertwines between the original covariant transformation law and a positive metric subspace H_{sub} on which the representation is semi-unitary. As mentioned the formation of a factor space \hat{H}_{sub} leads to a bona fide unitary representation.

Since all unitary representations are completely reducible and a free field in a positive energy representation is fully determined by its two-point function, it is clear that the resulting object is an infinite components pointlike field and not a string in physical spacetime. The string has not disappeared, it is encoded in the mass/spin spectrum as well as in the irreducible component $u^{(A\dot{B},s)}$ intertwiner. Those transformations in the oscillator space H_{QM} which leave the subspace invariant and do not implement Poincaré transformation, mix the irreducible components of the infinite component field. This corresponds to the "wiggling" of the string but are totally unphysical since they flip the masses and spins between different multiplets. It is not the string in spacetime which wiggles but rather tower over one spacetime point.

There is no reason to go into explicit computations, they can be found in [34]; similar calculations are also known to string theorists [33]. The $u^{(A\dot{B},s)}$ -content of the N-G intertwiner is not contained in those papers but it can be

computed if needed. One should also add the remark that in order to show the pointlike nature of the localization³² of the N-G wave functions one needs the validity of the positive energy condition. This requires the removal of a tachyonic component. Passing to the 10 dimensional superstring, this step becomes unnecessary.

The metaphoric problem starts with declaring the localization point of the infinite component field as the c.m. point of a string. With other words in order to account for the quantum mechanical string one invents a string in spacetime of which only the c. m. point is "visible". It is clear that this is not a simple slip of the pen or a coincidental multi-slip of multi-pens; *here we are confronted with a deep misunderstanding of concepts of local quantum physics*. Localization in quantum theories based on causal locality, the quantum counterpart of a finite propagation speed, as opposed to the Born probability localization in QM have a completely intrinsic localization (the modular localization of section 4), and any attempt to impose an interpretation from the outside (as that of a string of which only the c. m. is visible) will sooner or later lead to the creation of a surreal parallel world.

The only explanation I have for the present situation is that the admittedly very subtle localization concepts, which underlie local quantum physics, have not been mentally digested; in view of the fact that popular textbooks on QFT are limited to commented computational recipes and obviously consider any conceptual discussion as a waste of paper, this is lamentable but hardly surprising. The most subtle of all structural properties of QFT is localization which finds its most intrinsic formulation in the concept of modular localization which is intimately connected to unitary positive energy representations of the Poincaré group.. Perhaps at this point it is a bit clearer becomes why a section on localization (section 4) was added in a paper which has string theory in its sight.

The next step, namely to formulate a string theoretic interaction, did not contribute anything in the direction of a conceptual reassessment of string theory; to the contrary, it reinforced the metaphoric tendencies. What are those splitting and recombining tube pictures worth, if there are no material strings in spacetime to start with? In order to view this situation in a historical perspective, let us briefly look back at previous struggles for conceptual clarity in fundamental physics.

A famous episode of conceptual reassessment which immediately comes to one's mind is the ether-relativity transition. A closer look, at how this dispute at the turn of the 19th century evolved, shows that the problem of the ether and the Fitzgerald-Lorentz contractions was quite innocuous as compared to that of the conceptual status of string theory. Even if Einstein had not discovered special relativity in 1905, sooner or later somebody would have been able to do it. The theory had a solid observational basis, and to go beyond Lorentz it was only necessary, permitting a philosophical simplification, to apply Ockham's

³²This means that there exists a N-G wave function-valued distribution $u(x, \dots)$ which generates via test function smearing a dense set of normalizable N-G states.

razor.

None of the preconditions for applying Ockham's razor to string theory are met. There are no observational facts to refer to, and on the theoretical side there is not even a consistent concept which could serve as an ether analog, i.e. a temporary conceptual vessel free of contradiction, which could serve as an intermediate storage for an obviously valuable observation.

But what is there to be stored from string theory? Could it be that behind the metaphoric camouflage there is a new idea about consistently interacting infinite component field? The most realistic expectation after 40 years of research without any tangible physical result is that Ockham's razor will leave nothing; more specifically it will convert what was considered to be a setting of particle physics into a tool in mathematics. For mathematicians the metaphoric content is no obstacle, as long as the geometrical data are correctly processed. The sensation to have access to a miraculous gift from physicists discharges their imagination so that the future of string theory as an extremely efficient factory for mathematical conjectures would be secured. Mathematicians do not have to be concerned with the subtle relation between geometry and material localization in local quantum physics. Apart from a very few individuals (<5), they do not know the intrinsic nature of modular localization nor does it play any role in the pursuit of their problems.

In physics the consequences are much more serious. For the first time in the history of particle theory a whole community has entered a region in which the capacity to distinguish between the real and the surreal has been lost. On the one hand the idea of a string in spacetime is totally metaphoric, but on the other hand one needs precisely this picture in order to make sense out of interactions. This is a perfect catch 22 situation.

By having taken the old N-G model to illustrate our point of the metaphoric versus the intrinsic, we do not want to give the impression that superstring theory has remained on such a simple-minded old-fashioned level. Modern string theory is a complex subject and requires a large amount of mathematical sophistication. The use of the N-G model in this essay is only for illustrative purposes; this is pretty much the role it plays in the first sections in books on superstring theory. But the localization problem under discussion is not affected by these kind of extensions to more sophisticated implementations of the string idea. The situation is a bit like the biblical story about Adam and Eve and the original sin which is inherited despite all cultural enrichments.

The acceptance of the metaphoric interpretation of string theory and the kind of thinking resulting from it has spread into parts of particle theory and taken its toll. An example is the Klein-Kaluza idea of extra spacetime dimensions which underwent its quantum renaissance in the entourage of string theory. Again the metaphoric trap which blinds people to recognize the deep link between spacetime and the localization of local quantum physics took its toll. As a result of the very nature of inner symmetries in local quantum physics as coming from the classification of possibilities of realizing a local net of observable algebras, there is no way in which a spacetime dimension can "roll up" and become an inner symmetry index. Even without knowing the theory of

how inner symmetries evolve from local nets [37], the horse-sense of somebody who knows about the ubiquitous presence of vacuum polarization through localization should alert him that there is something fishy with transporting this idea into QFT without an in-depth study how to reconcile it with structural properties of local quantum physics..

Many physicists, especially those which have been around before string theory took the headlines, have noticed its almost surreal appearance even if not all of them have been able to exactly express their uneasy feeling as forcefully as Phil Anderson, Robert Laughlin or Burt Richter. But the point of departure into the surreal is subtle, as this essay attempts to demonstrate. What weights even more is that the metaphors have been sanctioned by several generations of particle theorists of the highest intellectual caliber, a very bad precondition, certainly much worse than that at the time of ether.

Research in particle physics is not taking place in an ivory tower; it remains under the influence of the Zeitgeist. Can one think of a better analog to the reign of a rampant post cold war capitalism, who for decades with its false promises managed to suffocate all ambitions for a more rational and equitable world, and the reign of a TOE build around a metaphor?

It is no longer necessary to speculate about possible connections between metaphors in physics and their philosophical manifestations. String theorists not only do not deny this relation, they even take pride in spreading its surreal content. More recently several string theorists or physicists influenced by string theory had there outcoming in several articles and books in which they presented their string theory supported Weltanschauung.

These articles re-enforce the take on the metaphoric surreal consequences of string theory in this essay and they also justify the uneasy feelings which the particle physics community outside of string theory has about what is going on in the midst of their science. There is Susskind's world of anthropic reasoning leading to world of multiverses[1] as a kind of last ditch attempt to rescue the uniqueness of superstring theory in its role as a TOE. An even more fantastic view about the physical world can be found in articles by Tegmark[2] in which every mathematical theorem finds its physical incarnation in some corner of the multiverse. It is inconceivable that articles as [56] would have been written without prior preparation of a metaphor friendly area in particle theory.

It would be totally incorrect to dismiss these articles as outings of individual oddballs of the kind previous TOEs have attracted. The philosophy contained in those article is the logical bottom line of four decades under the reign of an apparently mathematically consistent theory whose illusionary aspect is not the result of an affectation of the authors with science fiction. Rather it is an unfortunate consequence of a misunderstanding of the most central issue of local quantum physics: the autonomous meaning of localization. A string in QM does not know anything about placement in spacetime, only causal theories with a maximal velocity come with this notion, and string theory belongs to this category of theories.

In this context one should not outright dismiss the suggestion that the immense popularity of geometry, especially differential geometry in the 70s and

80s may have contributed to the somewhat frivolous handling of the issue of localization. Whereas in quasiclassical approximations e.g. soliton or monopole solution this has no effect, there is a potential danger of metaphoric trespassing if it comes to interpretations of exact solutions.

An illustration of this point is provided by the interpretation of a chiral observable algebra on the circle in a temperature state with respect to the conformal Hamiltonian L_0 . The thermal correlation of such a theory fulfill a highly nontrivial duality relation in which the upper boundary circle of KMS of the analyticity region becomes the localizing circle of the dual temperature chiral theory. Both the original theory and its dual "live" (are localized) on a circle To say that this theory lives on the torus is a metaphoric statement. The torus is an analyticity domain which relates two models on a circle. In order to convert the upper boundary of the torus into the living space of a chiral theory, the boundary value has to be taken in a particular way in order to obtain the expectations of products of fields. These (modular³³) dual temperature relation are the analogs of the Nelson-Symanzik duality relation for the correlation functions of massive two-dimensional QFT on a finite interval. In these relations the spatial variable in correlation functions is interchanged with in the euclidean time. Whereas the proof of these relation depends on the validity of a strong form of the Osterwalder Schrader theorems, the chiral case is much more complicated since space and time have been combined to a lightray and the duality becomes a selfduality.

Evidence suggests that behind this more complicated chiral temperature duality relation there is a noncommutative euclideanization which is related to the modular localization structures of chiral theories on a circle, but the mathematics which converts this evidence into a solid proof is still missing [57]. Also in this case it is important to distinguish between geometric pictures and physical localization in spacetime. Obviously there is a Riemann surface in form of a torus associated with such a thermal chiral theory. But this torus is not the localization region of quantum matter; the latter only exists on the circular physical boundary. String theorists tend to view conformal theories as worldsheet embedding of the this torus. Geometrically this is of course correct, but from the viewpoint of physical localization in spacetime it is a disaster.

String theorists want both, on the one hand one should think in terms of spacetime strings. On the other hand, especially if they feel hard pressed on this point by their critical opponents they take recourse to the excuse that what they really had in mind is a pure S-matrix theory. In any theory which admits objects in spacetime one needs the interceding of time-dependent scattering theory in order to get to an S-matrix; this is the only rational way in which "on- and off-shell" can be connected. Working on this issue with cooking recipes would offer metaphors another breeding ground. A geometric picture which only serves as a cooking recipe for something which one calls an S-matrix, without having even checked those general properties with which Stueckelberg challenged

³³Here the word modular represents stands for identities between modular forms in complex function theory.

Heisenberg's S-matrix, would make both Feynman and Stueckelberg rotate in their graves.

Having to face the surreal physical world of string theory, it interesting to remember that at the beginning of quantum mechanics Heisenberg introduced the concept of quantum mechanical observables (from which important restriction on measurability and a new notion of physical reality emerged) as a precaution against metaphoric classical traps. Let us think for a moment that QM would have been discovered in Feynman's path integral setting. In such a situation Heisenberg's notion of observables would have been essential for preventing a journey into a world paved with metaphors. But once the problems of interpretation of QM became clarified, Feynman's path integral was an important enrichment with no danger of evocating misleading metaphors. Unfortunately an operator version similar to the one in QM exists presently in QFT only in a fragmentary form. Hence possible misleading interpretations extracted from the functional integral representation are not yet banned.

It may happen that string theory will disappear through the exhaustion of its proponents or as a result of significant changes from experiments and observations. A move away from the Zeitgeist of the post cold war cultural dominance of global capitalism and a change of directions away from confrontation and exploitation may also lead to a loss of interest in grand designs as TOEs and deplete the chances of their protagonists to obtain high social status within the particle physics community. But considering the enormous amount of manpower and material resources which has gone into that project during four decades there should be a detailed account of what precisely kept a large community of highly skilled people working on on this project. It is hard to imagine that particle theory can have a post string future without accounting for the problem whether string theory was more than a collection of recipes with a misleading spacetime interpretation. A closure only as a result of difficulties to reconcile string theory with observations without a critical theoretical appraisal about its conceptual content would be unsatisfactory.

Apart from the introduction, the presentation has been kept on the track of a scientifically oriented critical review. But the history as well as the present status of string theory raises many questions whose answer has to be looked for outside particle physics in the realm of sociology of the string community and its coupling to the to the Zeitgeist. The following last section attempts to address such questions.

7 TOE, or particle theory in times of crisis

Although there is general agreement among experts that particle physics is in the midst of a crisis, there are diverging opinions about the underlying causes.

An often heard opinion is that the ascent of metaphoric ideas and the increasing popularity of theories of everything (TOE)³⁴ is the result of stagnation

³⁴As far as I know the first TOE came with the German name, it was the Heisenberg Weltformal (a nonlinear spinor theory). Pauli supported it at the beginning but later (after

of the research on the SM caused by a lack of experimental data. If this would be the only explanation, one could expect that forthcoming experimental data from LHC would change directions in fundamental particle theory research away from the TOE project towards a better understanding of QFT.

However there is no guaranty that a mere change of subject will automatically alter the conceptual framework in which research is conducted. Whatever will be revealed by the LHC experiments, the metaphoric style of discourse which has been supported by string theory will not disappear only because it lost another round against nature.

Experiments can add new facts, but as long as physical principles and conceptual clarity do not regain the importance they had in the first four decades of quantum theory particle physics and the sociological preferences of theoretical research do not favor new conceptual investments in the hugely successful, but still incomplete QFT³⁵, the present situation will continue.

It is not an coincidence that the new less physical-conceptual and more geometric-mathematical oriented way of doing particle theory is a post SM phenomenon. Looking at the SM discovery, one cannot help to be impressed by the fact that a relative modest conceptual investment which, different from the discovery of QED two decades before did not add much to the principles of QFT, has led to a an impressive extension of our description of nature which has withstood the test of time for four decades.

Instead of accepting this as a result of unmerited luck, particle theorists became intellectually arrogant and forgot that the great theoretical conquests of the past were followed by a long struggle about problems of interpretation which often led to heated disputes between different schools of thought as the famous Einstein-Bohr controversy. Nothing of this kind happened in the post SM era, even though laying claim to a TOE would require a deep conceptual analysis more than at any previous situation. The strange proximity of detailed and occasionally sophisticated computations and crude metaphoric interpretations has become the hallmark of string theory and related ideas.

Most of the of the ongoing foundational work is concerned with interpretational problems of QM. This led to an imbalance with the more fundamental QFT. Whereas the foundational discussion in QM arrived a nit-picking issues as the "many world interpretation" and other forms of intellectual masturbation, a conceptual penetration of the fundamental localization concept in QFT, which rules all issues of of physical interpretation, has not even started. It is not easy to dismiss the thesis that with better understanding of foundational aspects of local quantum physics, particle theory would have shown more resistance against metaphoric arguments and temptations to succumb to a siren's call of a TOE.

Feynman's criticism) turned against it. My later Brazilian collaborator visited Munich at the end of the 50s and got so depressed about the circus around this Weltformel that he had doubts about his decision to go into particle physics. Fortunately that TOE remained a local event.

³⁵The level of knowledge in present publications on such central matters as the particle-field relation [32] has fallen below what it was decades ago.

One cannot realistically expect that new experiment will change the style of research of particle theorists whose thinking has been formed in the shadow of a TOE. Too many careers have been built around ideas of a final theory and too many prominent people have supported it in order to expect any rapid change. A person who dedicated a good part of his/her scientific life to the pursuit of a TOE, and in this became a renown member of the large and influential superstring community, will find it difficult to muster the intellectual modesty it takes to leave the limelight and start a different path.

In this respect science is not different from what happens in the eco-political realm of society; a change of direction towards more modesty without going through a substantial crash is not very probable.

A theory whose intrinsic properties are unknown and in which concrete calculations, metaphoric physical arguments and subtle mathematics form an entangled mix, presents a fertile ground for ill-defined conjectures leading to inconclusive publications. Perhaps the most impressive illustration of how the principal message of an interesting theoretical discovery gets lost in the conceptual labyrinth of a TOE is the fate of the AdS-CFT correspondence. It is quite instructive to look at this still ongoing discourse in some detail.

Already in the 60s the observation that the 15-parametric conformal symmetry which is shared between the conformal of 3+1-dimensional compactified Minkowski spacetime and the 4+1-dimensional Anti-de-Sitter (the opposite constant curvature as compared to the cosmologically important de Sitter spacetime) brought a possible field theoretic relation between these theories into the foreground; in fact already Fronsdal [42] suspected that a 5-dim QFTs on AdS and a 4-dim. conformal QFT share more than the spacetime symmetry groups. But an intrinsic localization concept detached from the chosen point-like field generators, which could have helped to convert the shared group symmetry into a relation between two *different spacetime ordering devices* for the *same abstract quantum matter substrate*, was not yet in place. Therefore a verification of the suggestion that not only the symmetry groups, but even the local structure of QFTs in different spacetimes (even in the extreme case that one spacetime is a boundary of the other) may be related, remained out of reach.

For several decades the unphysical aspect of closed timelike world lines in the AdS³⁶ solution of the Einstein-Hilbert equations was used as an argument that these equations require the imposition of additional restrictions.

The AdS spacetime began to play an important role in particle physics when the string theory community placed it into the center of a conjecture about a correspondence between a particular maximally supersymmetric massless conformally covariant Yang-Mills model in $d=1+3$ and a supersymmetric gravitational model on ADS. The first paper was by J. Maldacena [43], who started from a particular compactification of 10-dim. superstring theory, with 5 uncompactified coordinates forming the AdS spacetime. Since the conceptual structure as well as the mathematics of string theory is poorly understood, the string side was tentatively identified with one of the supersymmetric gravity models which, in

³⁶Its universal covering is however globally causal.

spite of its being non-renormalizable, admitted a more manageable Lagrangian formulation and is believed to have the same particle content. On the side of CFT string theorists placed a maximally supersymmetric gauge theory of which calculations which verify the vanishing of the low order beta function already existed. The vanishing of the beta-function is a *necessary* prerequisite for conformal invariance. As in all Yang-Mills theories, the perturbative approach for the correlation functions is seriously impeded by severe infrared divergencies.

The more than 5.000 follow-up papers to Maldacena's work left the conceptual and mathematical status of the conjecture essentially unchanged. But it elevated the Maldacena conjecture to the most important result of string theory and its claimed connection with the still elusive quantum gravity.

The conceptual situation became somewhat more palatable after Witten [44] and Polyakov et al. [45] exemplified the ideas using a d-dimensional Euclidean functional integral setting and paying particular attention to the ϕ^4 interaction for the scalar component of the quite involved supersymmetric Lagrangian. In this way the Maldacena conjecture became converted into Feynman like graphical rules in terms of vertices and propagators for both the AdS bulk to bulk as well as its conformal boundary to bulk.

The model-independent *structural properties of the AdS-CFT correspondence* came out very clearly in Rehren's [46] *algebraic holography*. The setting of local quantum physics (LQP) is particularly suited for questions concerning "holography" i.e. in which a theory is assumed as given and one wants to construct its corresponding model on a lower spacetime associated with a boundary. Using methods of local quantum physics one can solve such problems of isomorphisms between models in a purely structural way i.e. without being forced to explicitly construct the models on either side of the correspondence. QFT in its present imperfect state of development is not capable to address detailed properties of concrete models but it is very efficient on structural properties for classes of models as correspondences or holographic projections.

Since generating pointlike fields are coordinatizations of spacetime-indexed operator algebras and as such (as numerical valued coordinates in geometry) are highly nonunique and certainly not preserved under holographic changes, an algebraic formulation which replaces fields by the net of local algebras which they generate, is more appropriate.

One interesting property which came out in Rehren's proof was a statement concerning the degrees of freedom on both sides of the correspondence. Intuitively one expects that if one starts from a Lagrangian QFT on AdS side and the holography to the lower dimensional QFT is really a correspondence (i.e. not a holographic *projection* as in case the lightfront holography), the resulting conformal theory should *not* be of the kind "as one knows it". A similar situation should arise in the opposite situation; this time because there are too few degrees of freedom.

This mismatch of degrees of freedom was indeed a corollary of Rehren's correspondence theorem. It permits the following simple computational illustration (which does not require the more demanding mathematical setting in [46]). A

standard pointlike free quantum field on AdS³⁷ passes under the correspondence to a conformal generalized free field with a continuous distribution of masses whose anomalous dimension varies with the AdS mass parameter [47]. Generalized free fields with unbounded mass distributions (in particular this conformal generalized field as well as the N-G generalized free field of the previous section) have a number of undesirable properties.

Since such fields already appeared in the previous section in connection with the N-G model (section 6), some informative historical remarks about generalized free fields may be helpful. Such fields were introduced in the late 50s by W. Greenberg [41]. Their main purpose at the time was to *test the physical soundness of axioms of QFT* in the sense that if a system of axioms allowed unphysical solutions, it needed to be further restricted. In [40] it was shown that generalized free fields with too many degrees of freedom (as they arise in the mentioned illustration) lead to a breakdown of the causal shadow (also called time-slice) property [49] which is the QFT analog of the classical Cauchy propagation. A related phenomenon is the occurrence of problems in defining thermal states (a maximal "Hagedorn" temperature or worse).

Rehren's structural argument was later adapted [51][48] to the more intuitive functional integral setting (sacrificing rigor in favor of easier communicability within the particle theory community) in order to allow a comparison with the work of Witten [44], with the result that the perturbation theory in terms of vertices and propagators agree³⁸. The trick which did it was a functional identity which was very specific for AdS models; it showed that fixing functional sources on a boundary on the one hand, and forcing the field to take a boundary value via delta function in the functional field space on the other hand, leads to the same result. But this clear indication in favour of *one* kind of correspondence did not make any impression on the string community. They continued in insisting that the correspondence in Rehren's theorem is not what they had in mind; occasionally they referred to it as the "German AdS-CFT correspondence" thus dismissing the content of the AdS-CFT correspondence as something which depends on geography.

The question of how such a strange situation could arise in the midst of particle physics, the beacon of rationality, has presently no definite answer. In lack of any other hint one guess would be that it must have been the mismatch of degrees of freedom on both sides of the correspondence which contravened what string theorists expected which led to the conceptual blackout. The subordination of a theorem to the metaphoric setting of a TOE, i.e. that mathematical rigor and conceptual cohesion are only accepted as long as they do not get into the way of a TOE, is a unique event which has not happened before at any other time in the history of particle physics.

³⁷Here "standard" means originating from a Lagrangian or, in more intrinsic terms, fulfilling the time-slice property of causal propagation. A free field is standard in this sense, a generalized free field with an increasing Kallen-Lehmann spectral function fails to have this property.

³⁸In yet another implementation of the correspondence called "projective holography" Rehren considers a formulation which uses pointlike generating fields instead of algebras [48].

This development should be deeply worrisome to the particle physics community. Never before have there been so many (far beyond 5.000) publications with inconclusive results on what appears an interesting, but in the broader context of particle physics also somewhat narrow subject. In fact even nowadays, more than one decade after the gold-digger's rush to the gold mine of the AdS-CFT correspondence started, there is still a sizable number of papers every month, by people looking for nuggets at the same place, but without bringing the gravity-gauge conjecture any closer to a resolution.

Since commentaries like this run the risk of being misunderstood, let me make perfectly clear that particle physics always was a speculative subject and it is important that it remains this way. Therefore there is no problem whatsoever with Maldacena's paper; it is in the best tradition of particle physics which was always a delicate blend of a highly imaginative and innovative contribution from one author followed by a critical analysis of others. One should however be worried about the almost complete loss of balance in thousands of papers trying to support a conjecture at a place which is already occupied by a theorem without its authors even being aware of the situation they are in.

Many of the young high energy theorists have gone into string theory in good faith, believing that they are working at an epoch-forming paradigmatic problem because their advisers made them think this way. Joining a globalized community dedicated to unravel the answers to the ultimate problems of matter and the universe with the help of a TOE is simply not a good prerequisite for starting critical reflections.

String theory is the first theory which succeeded to dominate particle theory without observational credentials and conceptual coherence, solely on the claim of being a TOE. The question is how this was possible in a science, which is considered to be the bastion of rationality and experimental verifiability, is not easy to be answered.

Human activities even in the exact sciences were never completely independent of the *Zeitgeist*. In fact if there is any sociological phenomenon to which the frantic chase for a TOE finds it analog, it is the post-cold war reign of globalized capitalism with its "end of history" frame of mind [60] and its ideological support for insatiable greed and exploration of natural resources. It is hard to imagine any other project in physics which would fit the post cold war millennium spirit of power and glory and its hegemonic claims in the pursuit of a these goals better than superstring theory: shock and awe of a TOE against the soft conceptual power of critical thinking.

Whereas the post cold war social order has, contrary to its promises of a better life for everybody, accentuated social differences and caused avoidable wars and deep political divisions, the three decades long reign of the project of a TOE in particle physics has eradicated valuable knowledge about QFT and considerably weakened chances of finding one's way out of the present crisis.

In a science, in which the discourse at the frontier of research is as speculative as in particle theory, one needs a solid conceptual platform from which one can start and to which one can return if, as it is often the case, the foray into the unknown gets stuck in the blue yonder. QFT, with its step by step way of

accumulating knowledge and its extremely strong inherent physical principles, was able to create such a platform. The present status of the SM does almost certainly not reflect the last word on how to formulate renormalizable interactions in the presence of spin ≥ 1 which rather remains one of the great future challenges of QFT.

String theory in its almost 40 year history was not able to create such a platform; in case of failure there is nothing to fall back on. Physicists who got directly into the string theory fray without having had the chance to get a solid background in QFT will not be able to get out of the blue yonder since their is no conceptually secured region from which one could look for other directions.

Many physicists entered the monoculture of string theory with only having had a brush with a string-theoretical caricature of QFT through some computational recipes. Hence the failure of their string theory project will not necessarily strengthen particle theory since the greatest burden of string theory its metaphoric style of discourse and the ability of string theorists (in Feynman's word) to "replace arguments by excuses" will be carried on for some time to come. Even a decisive message from the forthcoming LHC experiments will not be able to change this situation in the short run.

String theory is the first proposal which, as the result of its Planck scale interpretation, was effectively exempt from observational requirements. It reached this unique status of observational invulnerability qua birth as the result of a gigantic jump in scales of more than 15 orders of magnitude applied to a its previous setting as a phenomenological description of certain aspects of strong interactions. In this situation of absence of direct observability, a fundamental theoretical discussion about its conceptual basis would have been of the highest importance and priority. Whereas at the time of its existence as a phenomenological dual model for strong interaction there was yet no compelling reason to do this, when it laid claims to be the first TOE which incorporates gravity, time was ripe for such a foundational discussion.

This chance was missed. Unlike in a similar situation around the S-matrix bootstrap during the 60s, when renown physicists [50] criticized some of the more outrageous claims and later results showed that the S-matrix principles of Poincaré invariance, unitarity, and the crossing analyticity property admitted infinitely many "factorizing model" solutions in two dimensions, there was no critical discussion when string theory acquired a Planck scale interpretation. So neither the change from crossing to DHS duality, nor the string theoretic implementation of duality and its later claim at incorporating all known interaction (including gravity) received the necessary critical attention.

The later geometrical enrichment rendered certain aspects of string theory attractive to mathematicians, but did not improve observational aspects nor its conceptual setting within relativistic QT; it mainly added a mathematical cordon of "shock and awe" which made it more difficult even for experienced particle theorists to get to its physical conceptual roots. This explains perhaps why recent criticism against its hegemonic pretensions was almost never directly aimed at the conceptual basis but instead focussed attention to sociological and philosophical implications. A common point of attention in all critical articles

is the gross disparity between theoretical pretenses and the total absence of observational support. Indeed superstring theory and its claim to be a TOE created for the first time a situation in which string theorists could acquire a high social status and have easy access to funds without delivering tangible physical results.

Our main criticism of string theory (sections 5 and 6) was directed toward its somewhat frivolous manner in ignoring intrinsically defined quantum concepts as localization and the propagandistic style through which it replaces them by metaphoric interpretations. Normally the terminology in particle physics is set by the intrinsic property of the construct and not by metaphors which may have been helpful in the construction. The origin of the name is inextricably related with the first model of a relativistic string, the Nambu-Goto model. But as was demonstrated in those two sections the quantum one-string states and their second quantization lifting are in fact point-localized generalized free fields. The (classical) string localization is a property of the integrand of the N-G action does not lead to quantum strings rather the "stringy" looking spectrum is encoded into an infinite particle/spin tower which "sits" over one point, not a bad achievement after the futile attempts to find interesting infinite component fields one decade before. Contrary to statements in the string literature, the localization point is not the c. m. of a string in spacetime, but as we have seen, the only role the classical string configuration plays on the quantum level is that it sets the relative normalization of the infinitely many particle components in the Kallen-Lehmann spectral function.

Unfortunately the geometrization of recipes to implement string interactions had a two-edged effect, it helped to organize the mathematics but was counterproductive on problems of interpretations. As we have emphasized, the historically important parallelism between classical and quantum localization theory is limited to points. Without this unique stroke of luck, QFT could not have been accessed by Lagrangian quantization and the many differential geometric applications would not have been possible. It breaks down for stringlike localization. To avoid confusion on this point, it is of course possible to smear a pointlike physical field into a string like configuration. But such "composite strings" are not Euler-Lagrange objects.

The lack of understanding of the intrinsic meaning³⁹ of "quantum localization" was the reason why it took such a long time to realize that the third kind of Wigner's irreducible positive energy representations (the zero mass "infinite spin" representations) are localized along semiinfinite spacelike strings [10]. These indecomposable representations are also not associated to a Lagrangian. On the other side of the coin we know from sections 5 and 6 that classical N-G string Lagrangians describe upon quantization an infinite component field, the mass/spin tower "sits" over one point; and the picture of interacting strings in spacetime is a metaphor whose true meaning in terms of the pointlike object has remained mysterious (probably only for the reason that it has not been

³⁹What is at issue here is Heisenberg's insistence on "intrinsicness" by introducing the notion of quantum *observables*.

investigated).

The geometric setting of string theory which in the hands of Ed Witten led to many mathematical insights, unfortunately takes one away from an intrinsic quantum physical understanding. It permits the creation of a mathematically consistent, but physically metaphoric world.

Even the insistence in a pure S-matrix interpretation, which is strongly suggested by the dual model origin of string theory, does not help to get it out of a conceptual "catch 22" situation. The infinite component pointlike quantum physical nature of the string wave function remains incompatible with the tube picture for calculating transition amplitudes even if the latter are "on-shell" recipes. No wonder that outside the community of TOE followers, string theory has a profound surreal appearance; even without the more detailed critical analysis in this essay, a particle physicist who has lived through more healthy times senses that there is something fishy.

A pure S-matrix theory cannot be the end of theoretical research since it contains no information about vacuum polarization; the latter is one of the most characteristic observationally confirmed properties of QFT. Instead of the lucid picture of a theory in spacetime in which particles and the S-matrix arise only at asymptotically large times, string theory as an S-matrix setting would denigrate particle physics to the result of a cooking recipe and advance the metaphorization of particle theory.

With such a big pot of conceptual hodge podge at hand, the forcible retrieval of uniqueness by interpreting superstring theory as a theory of a multiverse, in which each 4-dimensional universe represents one superstring solution with differently compactified extra dimensions seems to be only a small additional extension into the surreal..

Apart from particle physics, the idea of a TOE also brings additional problems of a logical-philosophical nature. Something which is unique cannot be characterized by its properties, as shown by the futility of medieval attempts to characterize God. Characterizations of properties of objects in QT emerge from relations (quantum correlations) between different objects or different parts of the same object. We have a good understanding of a theory when these relations lead to invariants which characterize what all the members of a set have in common, whereas the their concrete values distinguish the different members. This viewpoint is the basis of Mermin's relational interpretation of QM [55] as well as the presentation of QFT as arising from the relative positioning of a finite number of "monads" in a joint Hilbert space.[9].

This characterization was achieved in QFT; the result is best characterized by an allegory: *something which looks, moves, smells and sounds like an elephant is really an elephant*; or in QFT: an object which fulfills a certain list of well-known properties is really a QFT and there is no place for a metaphor which permits a different identification. A TOE would not fit into the Alice and Bob world of exchange of information.

But when metaphors keep hanging on for decades and the saga about the little wiggling strings and their big cosmic counterparts even enter videos [54], particle physics starts to have serious problems. Almost four decades after its in-

ception and a subsequent confusing history, and in spite of worldwide attention and an enormous number of publications, the conceptual status of string theory has remained as obscure as it was at the beginning. This conceptual opaqueness and in particular the misleading information on the intrinsic properties of localization and the lack of interest of string theory to critically confront its own past coupled with its ability to seduce a new generation of physicists, may well derail particle physics for some time to come.

It would be naive to believe that an essay like this or any other kind of critique can change the course of events. Its only value may be that it facilitates the task of future historians and philosophers of science to understand what really happened to particle physics at the end of the millennium. One can be sure that there will be a lot of public interest in work dedicated to explanations about what really happened during this strange episode in the midst of the exact sciences.

If string theory comes to an end, the reason is most probably its inability of making predictions or/and the exhaustion of its proponents resulting from frantic efforts to keep the theory in the headlines. It would be regrettable if it fades away without a final resumé because having had a project running for almost 4 decades with an enormous expenditure of mental and material resources one at least would like to know the precise reason why it was abandoned and what quantum physical concepts, if any, were behind its rich metaphoric constructions.

In the previous section we have alluded to a parallelism between the post cold war Zeitgeist of global capitalism and its claim at ideological hegemony with the increasing receptivity of the idea of a TOE in form of string theory. As in all previous chapters of human history, the spirit of the times finds its vocal presenters in a few individuals who on the one hand appear to be in command of events but at the same are impelled by them.

Let us take notice of some of the statements coming from leading figures in string theory.

The following statement (which is attributed to Ed Witten) underlines this point: string theory is "*the gift to the 21 century which fell by luck already into the 20th century*". It is representative for several other similar statements whose purpose is to lift the spirit in times of theoretical doubts and absence of any help from the observations. Such statements have a seductive effect on newcomers and play an important role in community building.

To see the dependence on the Zeitgeist in sharper focus compare this with important statements from a previous epoch as the following one: "*Henceforth space by itself and time by itself shall become degraded to mere shadows and only some kind of union of them shall remain independent*". Everybody will immediately notice that this is a famous quotation from Hermann Minkowski at a time when special relativity had already acquired the status of a theory. This was a illuminative aphorism in a poetic form which condensed the most important message of relativity. The idea of rallying support behind a totally ill-defined incomplete project would have been incompatible with the spirit in the first half of the previous century.

The uncritical reception can be seen from an Wikipedia excerpt which again is representative for many other similar statement, some even to be found in scientific publications:

In the 1990s, Edward Witten and others found strong evidence that the different superstring theories were different limits of an unknown 11-dimensional theory called M-theory. These discoveries sparked the second superstring revolution. When Witten named M-theory, he didn't specify what the "M" stood for, presumably because he didn't feel he had the right to name a theory which he hadn't been able to fully describe. Guessing what the "M" stands for has become a kind of game among theoretical physicists. The "M" sometimes is said to stand for Mystery, or Magic, or Mother. More serious suggestions include Matrix or Membrane. Sheldon Glashow has noted that the "M" might be an upside down "W", standing for Witten. Others have suggested that the "M" in M-theory should stand for Missing, Monstrous or even Murky. According to Witten himself, as quoted in the PBS documentary based on Brian Greene's "The Elegant Universe", the "M" in M-theory stands for "magic, mystery, or matrix according to taste."

In this case the hegemonic pretense is veiled in the form of a playful name-coquetry.

In contrast, the opening mantra for most introductory talks/articles on string theory usually starts with an apparent matter of fact statement as:

String theory is a model of fundamental physics whose building blocks are one-dimensional extended (strings) rather than the zero-dimensional objects (point particles).

But what is the meaning of this statement and where is its proof? A speaker who makes such introductory remarks would probably be surprised if somebody from the audience would question this; or worse, the questioner would perhaps be exposed to the mocking laughter of the audience.

String theorists, being not less intelligent than other particle physicists, know about the weakness of some of their points. But they have invested too many years in their project in order to be able to abandon it. This created a very different situation from earlier times when the important role of a critical balance was considered to be paramount to keep such a highly speculative science as particle physics in a healthy state.

Erroneous research directions are not uncommon in a speculative science as particle theory. Even some famous physicists got lost for some time in their life in high-flying, but at the end worthless, projects. The criticism of their colleagues and their own strong awareness that without a critical balance particle physics would go astray brought them back to earth. It is well known that Pauli engaged himself for more than a year in a project which started with Heisenberg: the (now forgotten)⁴⁰ *Weltformel* in the veil of a "nonlinear spinor theory". When he went onto a lecture tour through the US in order to spread the new idea, he was severely criticized by Feynman to the effect that he recognized the flaw and abandoned the project; losing time with finding excuses was not Pauli's style.

⁴⁰One useful relic of this otherwise forgotten attempt is the two-dimensional Thirring model.

It is certainly true that Pauli was often abrasive with his colleagues and even wrong (however never "not even wrong") on several occasions, albeit mostly in an interesting and for particle physics profiting way. Certainly neither he nor his contemporaries would have used Winston Churchill's endurance-rallying speech⁴¹ in the defense of a questionable theory.

The strongest illustration for the loss of this corrective critical balance is the manner in which David Gross, representing the thinking of a large part of the string community, has kept critics at bay by stating that superstring theory is "the only game in town".

There is a certain grain of (perverse) truth in string theorists self-defense in hard pressed situations at panel discussions or interviews, when they take recourse to the argument of David Gross that, notwithstanding all criticism, superstring theory is the only worthwhile project. Similar to the words of a character in a short story by the late Kurt Vonnegut's (which Peter Woit [3] used in a similar context):

A guy with the gambling sickness loses his shirt every night in a poker game. Somebody tells him that the game is crooked, rigged to send him to the poorhouse. And he says, haggardly, I know, I know. But its the only game in town.

(Kurt Vonnegut, The Only Game in Town [53])

the situation in string theory is at least partially self-inflicted, although its defenders make it appear as the result of an inevitable development in particle physics. Self-fulfilling prophesies are not uncommon in the political realm; a long-term derailment of particle physics as a result of the uncritical pursuit of a TOE is however unprecedented.

For more than three decades considerable intellectual and material resources in the form of funding research laboratories and university institutions have been going into the advancement of string theory and this has led to a marginalization of other promising areas. So to extend that the "no other game in town" is an assessment of the present sociological state of particle physics, it describes, probably unintentionally, a factually true but unhealthy situation in particle theory.

At no time before has a proposal, which for more than four decades did not contribute any conceptual enrichment or observable prediction to particle physics, received that much uncritical and propagandistic support by a world-wide. As a result superstrings and extra dimensions became part of the popular culture [54][58]. Their increasing importance for the entertainment industry contrasts their ill-defined scientific status.

A successful seduction does not only require a skilled seducer, but also a sufficient number of people who, despite all their knowledge and intellectual capacities, permit themselves to be seduced by a TOE's glamour. Individuals can only successfully direct tendencies which have been already latently present. The image of a TOE has always fascinated people and there were attempts as the S-matrix bootstrap which preceded superstring theory. But they had a

⁴¹"Never, never,give up".

lower degree of complexity and the critical stabilizing power was strong enough to contain them and finally send them to the dustbin of history. Perhaps this time a gigantic failure is necessary in order to recover to the lost critical balance and return to it the same important status which it had in the past.

A return to the project of the SM caused by new data from LHC may remind particle physicists that a conceptual unification cannot succeed without starting from a solid platform of experimental data and theoretical principles. As in successful times in the past unification should come as a conceptual gratification at the end, but not enter as a *modus operandi* in the construction of a theory.

If the last section I tried to connect the existence of the superstring community and its claim for domination of particle physics with the help of the ideology of a TOE to the *Zeitgeist* of the rule of globalized capitalism and its ideological subordination of all areas of human life to the maximization of profit. Globalized capitalism has passed its apogee and is presently in the midst of a terrifying downward spiral. The message proclaimed by its ideological defenders about the end of history [60] were proven incorrect by events and the promise for a beginning of a new epoch free of wars and social conflicts and the universal reign of democracy with a happy life for everybody is beginning to turn sour. Less than two decades after the doom of communism, it is the victorious capitalism which is throwing the world into its deepest crisis.

Science has been is a very important part for the presentation of the power and glory of the social system of globalized capitalism. A theory of everything with promise of a glorious closure of fundamental physics at the turn of the millennium fell on extremely fertile ground. Superstring theory does not only enjoy strong support in the US; the European Union together with other states is spending billions of dollars on the LHC accelerator and its five detectors which among other things are designed for the task of finding traces for two of string theories "predictions" namely supersymmetry and extra dimensions. TV series on string theory such as [54] would be unthinkable without the embedding into the millennium's power and glory *Zeitgeist*.

It is inconceivable, that metaphoric ideas without experimental support and with no clear conceptual position with respect to QFT could be supported by another *Zeitgeist*. Nevertheless the cause for the loss of critical judgement in a central part of what is considered to represent the most rational science remains somewhat of a mystery and the present attempt to link it to the spirit of time is more descriptive than explanatory.

For a few philosophers and sociologists regressive development in the social history of mankind do not come unexpected. Especially those of the *Frankfurt school of critical theory* anticipated dialectic changes from enlightenment into irrationality. According to a dictum of Horkheimer⁴² and Adorno: *enlightenment must convert into mythology*.

⁴²In Horkheimer's words: "If by enlightenment and intellectual progress we mean the freeing of man from superstitious belief in evil forces, in demons and fairies, in blind fate – in short, the from fear – then denunciation of what is currently called reason is the greatest service reason can render." cited in M. Jay, *The Dialectical Imagination. A History of the Frankfurt School and the Institute of Social Research, 1923-1950*, Univ. of California Pr., 1996, p. 253.

Indeed the metaphoric nature of the scientific discourse, which gained acceptability through string theory, has presented the ideal projection screen of mystical beliefs. No other idea coming from science had such a profound impact on the media and on popular culture. Physics departments at renown universities have become the home for a new type of scientist who spends most of her/his time moving around spreading the message extra dimensions, landscapes of multiverses etc. This had the effect that people outside of science think of intergalactic journeys, star wars, UFOs, poltergeists from extra dimensions etc. whenever they hear the word "superstring" [61].

For a long time physicists were critical of suggestions that there may be a link between the content of their science and the prevalent Zeitgeist. Indeed the interpretation of Einstein's relativity theory in connection with the "relativism of values" at the turn of the 19th century is a misunderstanding caused by terminology; relativity is the theory of the absolute i.e. of the observer-independent invariants.

A book by P. Foreman [59] proposes the daring thesis that a theory in which the *classical certainty* is replaced by *quantum probability* could only have been discovered in war-ridden Germany where Spengler's book *the decline of the west*, which represented the post world war I Zeitgeist, had its strongest impact. There are reasons to be sceptical of Foreman's arguments; I think the more palatable explanation is that the high level of German science especially on theoretical subjects was not at all affected by the destruction of the war and the subsequent social upheavals.

Certainly there is no *direct* way in which the scientific content of fundamental research can be influenced by processes within a society. The probability interpretation of QT had no direct relation to the post world war I doom and gloom inasmuch as Einstein's special relativity was not influenced by discussion about relativism of values which had been a fashionable topic at the beginning of the 20th century.

The relation between science and society takes on a slightly different perspective if one looks at the way protagonists communicated among themselves and with the public. It is mainly in this indirect way that the Zeitgeist can have some influence on the direction and the conceptual level of the scientific discourse.

In particle theory the feedback is more subtle. Whereas in earlier times leading particle physicists who were the protagonists of speculative new ideas were also their fiercest critics, it would be difficult to imagine the protagonists of superstrings playing this double role. Of course even things which one cannot imagine do happen once in a while. Who would have thought a couple of years ago that one day Alan Greenspan could come forward and declared the post cold war kind of deregulated capitalism a failed system? Who might be the Alan Greenspan for a failed TOE in particle physics?

Acknowledgement 1 *I thank Fritz Coester for sharing with me his recollection about the Stueckelberg-Heisenberg S-matrix dispute. I also recollect with pleasure several encounters I had with a young string theorist named Oswaldo*

Zapata whose growing critical attitude and disenchantment with this area of research led him to the previous version of this article and away from string theory into the philosophy, sociology and history of science.

8 An epilog, reminiscences about Juergen Ehlers

My visit to Berlin at the end of May 2008 was overshadowed by the sad news about Juergen Ehlers's sudden death. As every year, I was looking forward to continue the interesting discussions from my previous encounter with Juergen at the AEI in Golm.

I met Juergen for the first time at the University of Hamburg in 1956 when, initially out of curiosity while still an undergraduate, I started to frequent Pascual Jordan's seminar on General Relativity. Juergen's philosophical background and his deep grasp of conceptual points left a remaining impression.

This was the time when DESY was founded and the University of Hamburg became the center of experimental particle physics in Germany. With Harry Lehmann succeeding Wilhelm Lenz and Kurt Symanzik representing the DESY theory this was matched on the side of particle theory. These significant events and the fact that General Relativity at that time did not enjoy much support⁴³ finally changed my mind in favor of doing my graduate work under Harry Lehmann's guidance. After I graduated and took a position in the US I lost contact with Juergen. Several of the relativists from the Jordan Seminar, including Juergen Ehlers and Engelbert Schuecking had gone to the University of Texas in order to work with others in a scientific program on General Relativity initiated by Alfred Schild.

Juergen's return to Germany at the beginning of the 70s and the formation of a research group at the MPI in Munich secured the survival of General Relativity after Pascual Jordan's retirement. The group he formed at the MPI Muenchen was an important link between the beginnings of post war General Relativity in Hamburg and the present AEI in Golm, which the Max Planck society founded in 1995 as part of its extension after the German unification. Juergen Ehlers was its founding director up to his retirement in 1998. Under his leadership the AEI became Germany's most impressive post unification Max Planck institutes. Since my own area of research QFT in an act of extreme shortsightedness has been closed down in all universities of Berlin, the AEI is the only nearby place where one can meet people with similar interests.

From that time on I met Juergen on each of my yearly visits of the FU-Berlin from where I retired in 1998. It was easy to find topics of joint interests because after his retirement Juergen became increasingly attracted to foundational aspects of QM and QFT. Only after his death I learned that he also developed quite intense personal contacts with many of the algebraic field theorists in Germany.

⁴³This situation only changed many decades later (at least outside of German universities) when Juergen was able to take an active role in the formation of a MPI-supported Relativity group in Munich which, under his leadership, became the nucleus for the AEI in Golm.

Part of his interest originated certainly from his desire to understand Jordan's role as the protagonist of QFT in more detail. When Juergen worked under Jordan in Hamburg, quantum theory and quantum field theory were side issues, Jordan focussed all his activities on General Relativity, in particular he was looking for geophysical manifestation of a 5-dimensional extension of Einstein's theory in which the gravitational constant became a field variable. For this reason most participants in Jordan's seminar had little knowledge about quantum field theory and Jordan never talked about his pathbreaking contributions, it almost was as if he did not want to be reminded of his glorious scientific beginnings. This was a somewhat odd situation because in Sam Schwebers' words "Jordan is the unsung hero of QFT" whereas on the other hand he never contributed something of comparable significance to General Relativity.

Juergen probably saw the post retirement years (as the acting director of the AEI) as a chance to finally understand the conceptual content of QFT by following its history. I shared the interest in the history; although I am a quantum field theorist, I never took the time to look at its early history either. Juergen gave me a list of Jordan's important publications and I began to read some. We both learned to appreciate the subtle distinction between Jordan's and Dirac's viewpoint about relativistic Quantum Theory.

In 2004 there was a conference with international participation in Mainz [62] about Jordan's contributions to the foundations of quantum physics which was supported by the Academy of Mainz, in the organization of which Juergen played a leading role. The talks added a lot of unknown or lost details about the beginnings of quantum field theory.

Some time afterwards Juergen asked me about my opinion on Jordan's algebraic construction of magnetic monopoles. I was somewhat surprised because I did not know that Jordan had published a paper on monopole quantization in the same year as Dirac. Shortly before, I had seen a purely algebraic derivation by Roman Jackiw. When I wrote to Roman Jackiw he was probably as surprised as I to find his full argument with all details in Jordan's three-page paper; even the tetrahedral drawing depicting the (in modern parlance) cohomological aspect of the argument was there.

Another matter of common interest was to understand the fine points in Jordan's and Dirac's work on "transformation theory". This was the name for the formalism by which the structural equivalence between the Heisenberg and Schrodinger formulation of quantum mechanics was established. At the beginning of Jordan's paper which we both read, he thanks Fritz London for sending his results on this issue before publication and strongly praises London's work for the clarity of his presentation. I viewed this as a condescending remark in accordance with the social etiquette of the times, but Juergen went to the library and read London's article. He convinced me that, apart from any politeness, Jordan really had profound scientific reasons to be impressed by Fritz London's article; it is the first article which connects the new quantum theory with the appropriate mathematical tools as the concept of Hilbert space and "rotations" therein (unitary operators). Usually one attributes the first connection of operators in Hilbert space with QT to John von Neumann.

When Fritz London wrote this impressive article he was an assistant at the Technische Hochschule in Stuttgart; unlike Jordan he was not part of the great quantum dialog between Goettingen, Copenhagen and Hamburg.

After the Mainz conference [62] Juergen was engaged in what I think was a book project about Jordan since he was compiling a selected publication list. In this context he asked me for some advice about whether Jordan's series of papers on what he called the *neutrino theory of light* have the same quality as his other work and hence should also enter the selected list. Since Jordan's contemporaries made fun of this project⁴⁴ (in [63] one even finds a very funny mocking song), Juergen had doubts about its content and was in favor of ignoring all articles which had this title.

I looked at several of these articles and was quite surprised about their actual content behind their metaphoric title. I finally convinced Juergen to keep at least two of them. For somebody with a knowledge of modern concepts of QFT these articles had nothing to do with real neutrinos or light, rather Jordan discovered what is nowadays called the *bosonization of Fermions* (or fermionization of Bosons) which is a typical structural property of 2-dimensional conformal field theories. Obviously Jordan saw the potential relevance of this property, but unlike Luttinger almost 3 decades later, he found no physical application in the context of solid state physics where the formalism of low dimensional QFTs in certain circumstances turns out to have useful applications. In order to "sell" his nice field theoretic result, he used the very metaphoric "neutrino theory of light" title.

An attention-attracting title which only has a metaphoric relation with the content would have gone well in present times, but in those days it only led to taunts by his contemporaries. Unfortunately the ability to distinguish between intrinsic aspects and metaphoric presentations has suffered serious setbacks in contemporary particle physics.

An interesting episode (in which Juergen really impressed me with his astute critical awareness about ongoing discussions on rather complex matters) developed, when Juergen asked me about Maldacena's conjecture on the AdS-CFT correspondence. He wanted to understand how there can be a conjecture about a property which is already covered by a theorem (Rehren's theorem). I told him something similar to what I commented on this problem in section 5 of this essay.

With some differences in the interpretation of Jordan's legacy having been removed in previous visits, I was looking forward to return to previous unfinished discussions on the fundamental conceptual differences between QFT and relativistic QM which result from differences in localization and entanglement. This time I was much better prepared than last year [9]. I also wanted to explain the rather simple argument why states of string theory are pointlike generated and the name "string" is a metaphor and lacks any intrinsic meaning i.e.the arguments contained in section 6 of this essay.

⁴⁴The critical reaction against the metaphoric "neutrino theory of light" title of Jordan's papers caused his contemporaries to overlook their very interesting bosonization/fermionization content.

With Juergen Ehlers, the theoretical physics community in Germany loses one of its most knowledgeable and internationally renowned members. It is hard to think of anybody else who was able to combine the traditional virtues of an analytic critical mind with a still very present curiosity about fundamental aspects of contemporary problems.

References

- [1] L. Susskind, *The Cosmic Landscape: String Theory and the Illusion of Intelligent Design*, Little, Brown (2005)
- [2] M. Tegmark, arXiv:0709.4024
- [3] P. Woit, *Not Even Wrong, the failure of string theory and the continuing challenge to unify the laws of physics*, Jonathan Cape London 2006
- [4] L. Smolin, *The Trouble With Physics: The Rise of String Theory, the Fall of a Science, and What Comes Next*, MA: Houghton Mifflin Company, 2006
- [5] R. Hedrich J. for gen. philos. of science **38**, (2007) 261, physics/0610168
- [6] O. Darrigol, *The origin of quantized matter fields*, Hist. Stud. Phys. Sci. 16/2, 198, (1986)
- [7] P. Jordan, *The Present State of Quantum Electrodynamics*, in *Talks and Discussions of the Theoretical-Physical Conference in Kharkov* (May 19.-25., 1929) Physik.Zeitschr.XXX, (1929) 700
- [8] H. Epstein and V. Glaser, Ann. Inst. Henry Poincaré A **19**, (1973) 211
- [9] B. Schroer, *Localization and the interface between quantum mechanics, quantum field theory and quantum gravity*, arXiv: 07114600
- [10] J. Mund, B. Schroer and J. Yngvason, Commun. Math. Phys. **268**, (2006) 621
- [11] H. J. Borchers, D. Buchholz and B. Schroer, Commun. Math. Phys. **219**, (2001) 125, hep-th/0003243
- [12] W. Heisenberg, Z. Physik **123**, (1944) 93
- [13] H. Babujian and M. Karowski, Int. J. Mod. Phys. **A1952**, (2004) 34, and references therein to the beginnings of the bootstrap-formfactor program
- [14] G. C. Marques and J. A. Swieca, Nucl. Phys. **B43**, (1972) 205
- [15] C.G. Stueckelberg, Helv. Physica Acta **14**, (1941) 51
- [16] B. Schroer, Ann. Phys. **307**, (2003) 421

- [17] F. Coester and W. N. Polyzou, Phys. Rev. D **26**, (1982) 1348 and references therein
- [18] S. Weinberg, *What is Quantum Field Theory and what did we think it is* ?, hep-th/9702027
- [19] E. P. Wigner, Ann. Math. **40** (1939) 140
- [20] S. J. Summers, *Tomita-Takesaki Modular Theory*, math-ph/0511034
- [21] B. Schroer, Do confinement and darkness have the same conceptual roots? The crucial role of localization, arXiv:0802.3526
- [22] R. Brunetti, D. Guido and R. Longo, *Modular localization and Wigner particles*, Rev.Math.Phys. **14**, (2002) 759
- [23] J. Yngvason, Commun. Math. Phys. **18** (1970) 195
- [24] S. Weinberg, *The Quantum Theory of Fields I*, Cambridge University Press 1995
- [25] J. Mund, Ann. Henry Poincaré **2**, (2001) 907
- [26] B. Schroer, Ann. Phys. **295**, (1999) 190
- [27] J. Mund and B. Schroer, work in progress
- [28] G. Veneziano, Nuovo Cim. A **57**, (1968) 190
- [29] M. A. Virasoro, Phys. Rev. **177**, (1969) 2309
- [30] R. Dolen, D. Horn and C. Schmid, Phys. Rev. **166**, (1968) 1768
- [31] G. Lechner, J.Phys. **A38** (2005) 3045
- [32] B. Schroer, *A note on infraparticles and unparticles*, arXiv:0804.3563
- [33] E. Martinec, Class. Quant. Grav. **10**, (1993) 187
- [34] J. Dimock, *Local String Field Theory*, arXiv:math-ph/0308007
- [35] N.N. Bogolubov, A.A. Logunov, A.I. Oksak and I.T. Todorov, *General Principles of Quantum Field Theory*, Kluwer 1990
- [36] P. Di Vecchia, *The birth of string theory*, arXiv:0704.0101
- [37] R. Haag, *Local Quantum Physics*, Springer 1996
- [38] Y. Nambu, Proc. Int. Conf. on Symmetries and Quark Models, Wayne State University 1969 (Gordon and Breach 1970) p. 269
- [39] T. Goto, Progr. Theor. Phys. **46**, (1971) 1560
- [40] R. Haag and B. Schroer, J. Mat. Phys. **3**, (1962) 248

- [41] O. W. Greenberg, *Ann. Phys.* **16**, (1961) 158
- [42] C. Fronsdal, *Phys. Rev.* **D10**, (1974) 84
- [43] J. A. Maldacena, *Adv. Theor. Math. Phys.* **2**, (1998) 231
- [44] E. Witten, *Adv. Theor. Math. Phys.* **2**, (1968) 253
- [45] S. S. Gubser, I. R. Klebanov and A. M. Polyakov, *Phys. Lett.* **B 428**, (1998) 105
- [46] K.-H. Rehren, *A Proof of the AdS-CFT Correspondence*, In: *Quantum Theory and Symmetries*, H.-D. Doebner et al. (eds.), World Scientific (2000), pp. 278-284, hep-th/9910074
- [47] M. Duetsch, K.-H. Rehren, *A comment on the dual field in the AdS-CFT correspondence*, *Lett.Math.Phys.* **62** (2002) 171
- [48] K.-H. Rehren, *QFT Lectures on AdS-CFT*, hep-th/0411086
- [49] B. Chilian and K. Fredenhagen, *The time slice axiom in perturbative quantum field theories on globally hyperbolic spacetimes*, arXiv:0802.1642
- [50] R. Jost, *Helv. Phys. Acta* **36**, (1963) 77
- [51] M. Dütsch and K-H Rehren, *Ann. Henri Poincaré* **4**, (2003) 613
- [52] J. J. Bisognano and E. H. Wichmann, *J. Math. Phys.* **17**, (1976) 303
- [53] K. Vonnegut, *The only Game in Town, Natural History, Winter 2001*
- [54] <http://www.pbs.org/wgbh/nova/elegant/program.html>
- [55] N. D. Mermin, *What is QM trying to tell us*, arXiv:9801057
- [56] B. Schellekens, *Rep. Prog. Phys.* **71**, (2008) 07220
- [57] B. Schroer, *Positivity and Integrability*, arXiv: hep-th/0603118
- [58] B. Green, *The elegant universe: superstrings, hidden dimensions, and the quest for the ultimate theory*, Vintage London 1999
- [59] P. Foreman, *Weimar culture, causality and quantum theory 1918-1927: Adaptation by German physicists and mathematicians to a hostile intellectual environment*. *Hist. Stud. Sci.* **3**:1-115
- [60] F. Fukuyama, *The end of history and the last man*, Free Press 1992
- [61] <http://www.mkaku.org/articles>
- [62] Mainzer symposium on the occasion of the 100 birthday, page 47, <http://www.mpiwg-berlin.mpg.de/Preprints/P329.PDF>
- [63] A. Pais, *Inward Bound*, Clarendon Pree, Oxford University Press 1986