

F.F. Goryayev, A.M. Urnov and L.A. Vainshtein
Lebedev Physical Institute of RAS, Moscow 119991, Russia

September 15, 2021

Atomic data calculations by Z-expansion method for doubly excited states $2nl'$ and $1s2nl'$ of highly charged ions with $Z = 6 - 36$.

I. Transitions from the states with $n = 2, 3$.

Abstract

The wavelengths and radiative transition probabilities for transitions $2lnl' - 1snl'', 2lnl' - 1s2l'', 1s2lnl' - 1s^2nl'', 1s2lnl' - 1s^22l''$, and the autoionization decay probabilities for doubly excited states $2lnl', 1s2lnl'$ were calculated in ions with atomic numbers $Z = 6 - 36$ for $n = 2 - 10$, $l' = 0 - 3$. The calculations were carried out by means of the MZ code based on the Z-expansion method. Relativistic corrections were taken into account within the framework of the Breit operator. The main difference with previous calculations by MZ code consists in accounting for the first order corrections in powers of $1/Z$, corresponding to the screening effects, in calculations of autoionization rates. New data for comparatively large rates are about 20-50% less as compared to previous ones and are in an agreement within 10% with the results of calculations made by the methods based on multi-configuration wave functions with non-relativistic and relativistic orbitals. Some refinements and corrections concerning the energies and radiative transition probabilities were also introduced in the MZ code. In this paper the main formulas used in a modified MZ-code and the data needed for description of dielectronic satellites with $n = 2, 3$ are given; the data for higher n will be presented in the following publications.

1 Introduction

Dielectronic satellite (DS) spectra in the vicinity of the resonance lines of [H] and [He] ions provide the important information on electron temperature, density, ionization state and other characteristics of hot plasmas and are widely used in spectroscopic diagnostics. For unambiguous analysis and modeling of DS spectra one usually needs to have a large amount of atomic data: wavelengths, radiative transition probabilities and autoionization rates, calculated with high accuracy. The approach of expansion over $1/Z$ (Z is the nuclear

charge), called also "Z-expansion" method, is an effective one for determination of atomic characteristics for highly charged ions. MZ code based on this approach was developed for the calculations of wavelengths and transition probabilities. The input information (coefficients of the Z-expansion) can be used for an entire isoelectronic sequence and total calculation time on the modern PC is less than 1 min. However the coefficients of the Z-expansion must be calculated separately.

The outline of Z-expansion method and the calculations of corresponding data for DS emitted by [He] and [Li] ions are given in the [1, 2, 3, 4, 5] and by [Be] through [Ne] ions in the papers [6, 7]. The description of the MZ code and corresponding formulas are given in the monograph [8]. The systematic calculations of atomic data for doubly excited states $2nl'$ and $1s2nl'$ of ions with $Z = 6 - 33$ by this code have been performed and published in the late seventies for $n = 2$ [4] and $n = 3$ [9].

The comparison of the wavelengths calculated by Z-expansion method with the experimental data obtained from the tokamak and EBIT K-spectra of [Li] argon ions [10, 11] has shown that this approach provides better fit to the measured values than the calculations, employing the MCHF (multi-configuration Hartree-Fock) [12] or MCDF (Dirac-Fock) method [13, 14]. The radiative probabilities obtained up to the second term over $1/Z$ have been found in agreement with the calculations of [12, 13, 14] within 10%, while the autoionization rates, obtained in the first nonvanishing order, differed up to a factor of 2.

The comparison of the satellite lines of [H] and [He] spectra calculated by the MZ and AUTOLSJ methods for Fe, Ca and S ions is given in [15].

In this work the calculations have been carried out by means of a modified version of MZ code, completed with some corrections and refinements. In particular, the second order corrections to the autoionization radial integrals, corresponding to the screening effects, as well as the contribution of cascade transitions (3-2) to the intensity of DS have been included. The wavelengths and radiative transition probabilities for transitions $2nl' - 1sn''$, $2nl' - 1s2l''$, $1s2nl' - 1s^2nl''$, $1s2nl' - 1s^22l''$ and the autoionization decay probabilities for doubly excited states $2nl'$, $1s2nl'$ have been calculated in ions with atomic numbers $Z = 6 - 36$ for $n = 2 - 10$, $l' = 0 - 3$. The present paper contains the main formulas used in a modified MZ-code and the data for dielectronic satellites with $n = 2, 3$; the data for higher n will be given in the following publications.

Hereafter the atomic units and the following notations are used

$$\begin{aligned} [j_1 j_2 \dots] &= (2j_1 + 1)^{1/2} (2j_2 + 1)^{1/2} \dots \\ \delta(j_1 j_2 \dots, j'_1 j'_2 \dots) &= \delta(j_1, j'_1) \delta(j_2, j'_2) \dots \end{aligned} \quad (1)$$

$$\alpha = e^2/\hbar c = 1/137.0362, \quad Ry = e^2/2a_0 = 109737 \text{ cm}^{-1}.$$

An isoelectronic sequence of an atom A is designated as [A]; the number of electrons and the nuclear charge are denoted through N and Z , respectively.

The atomic system is divided into two groups: the group of the outer electrons γ_n (ν electrons with the principal quantum number n) and the core γ_c

with $N_c = N - \nu$ electrons. The ionic states are described by the set of atomic numbers

$$aJ = \gamma_c(S_c L_c) \gamma_n(S_n L_n) SLJ \quad (2)$$

Below in formulas for angular factors we use the $\mathcal{M}$ factors defined as:

$$\mathcal{M}_{r_3 r_2 r_1}(j_3 j_2 j_1) = \mathcal{M}_{r_3 r_2 r_1}(j_3 j_2 j_1, j'_3 j'_2 j'_1) = [j_1 j'_1 r_1] \begin{Bmatrix} j_3 & j'_3 & r_3 \\ j_2 & j'_2 & r_2 \\ j_1 & j'_1 & r_1 \end{Bmatrix}. \quad (3)$$

2 Method of calculation

2.1 Energies

Z-expansion method is based on the perturbation theory expansion over $1/Z$ (Z is the nuclear charge), in other words, on the hydrogen-like basis. The relativistic corrections are included in the framework of the Breit Hamiltonian.

The energy matrix E for a given Layzer complex (states with given J , parity and set of principal quantum numbers of electrons) can be presented in the form

$$E(aJ, a'J) = [E^N + E^R] \delta(SL, S'L') + E^S + \Delta E^x \delta(a, a') \quad (4)$$

Here the matrices E^N , E^R and E^S correspond to the nonrelativistic energy, spin independent part and spin dependent part of the Breit operator, respectively. The term ΔE^x is introduced for additional semi-empirical correction. The matrix E^N includes the terms up to the second order and the matrices E^R and E^S contain the zero and first orders (over electrostatic interaction of electrons):

$$\begin{aligned} E^N &= Z^2 E_0 \delta(a, a') + Z E_1 + E_2 \\ E^R &= \frac{1}{4} \alpha^2 Z^3 [Z \rho_0 \delta(a, a') + \rho_1 + \rho'] \\ E^S &= \frac{1}{4} \alpha^2 Z^3 [(Z \epsilon_0 + \epsilon_1 + \epsilon') Q_1(J) + \epsilon'' Q_2(J)] \end{aligned} \quad (5)$$

The terms containing ρ_0, ϵ_0 and ρ_1, ϵ_1 give the contributions of the zero and first orders from one-particle terms of the Breit operator. The terms including ρ', ϵ' and ϵ'' correspond to the zero order contributions from two-particle terms. The coefficients Q_r reflect the tensor character of the rank r of the interactions in E^S :

$$Q_r(J) \equiv Q_r(SLJ) = (-1)^r \frac{1}{[J]} \mathcal{M}_{rr0}(SLJ) = (-1)^{S+L'+J} \begin{Bmatrix} S & L & J \\ L' & S' & r \end{Bmatrix} \quad (6)$$

We found that it is useful to rewrite the formulas for the diagonal matrix elements in the "screening" representation:

$$E^N = (Z - \sigma)^2 E_0 + \tilde{E}_2, \quad \sigma = -\frac{E_1}{2E_0}, \quad \tilde{E}_2 = E_2 - \sigma^2 E_0 \quad (7)$$

$$E^R = \frac{1}{4} \alpha^2 (Z - \sigma^R)^3 (Z \rho_0 + \rho'), \quad \sigma^R = -\frac{\rho_1}{3\rho_0} \quad \text{for } a = a' \quad (8)$$

$$E^N = ZE_1 + E_2, \quad E^R = \frac{1}{4}\alpha^2 Z^3(\rho_1 + \rho') \quad \text{for } a \neq a' \quad (9)$$

For E^N Eq.(7) gives the same result as Eq.(5), however in most cases $|\tilde{E}_2| \ll |E_2|$, meaning that the term $\sigma^2 E_0$ describes a significant part of the second order term E_2 . For E^R the Eqs.(7) and (5) provide different results since the 2'd order initially was not included in E^R . Numerical calculations with a screening representation (7) are in a better agreement with the experimental data.

For E^S , due to its tensor nature, nondiagonal zero order matrix element ϵ_0 does not vanish and the screening representation

$$E^S = \frac{1}{4}\alpha^2 \left[(Z - \sigma^S)^3 (Z\epsilon_0 q_1 + \varepsilon') Q_1(J) + \varepsilon'' Q_2(J) \right] \quad (10)$$

takes place for $a = a'$ and $a \neq a'$. The additional angular factors q are independent on J (for details see [8]).

Note that in the MZ code while employing the screening representation the formulas similar to (7-10) have been used but written separately for the outer electrons γ_n and the core c with

$$E_0(\gamma_n) = -\nu/n^2, \quad E_0(c) = -\sum_i \nu_i/n_i^2, \quad \sum_i \nu_i = N_c \quad (11)$$

Coefficients E , ρ and ε were calculated by the perturbation theory method with the hydrogen-like basis. Eigenvalues $\tilde{E}_J$ and eigenvectors C_J were determined by diagonalization of the energy matrix (4). The corrections $E^L = O(\alpha^3)$ as well as due to nuclear mass were then introduced to the eigenvalue of energy:

$$E_J = [\tilde{E}_J + \Delta E^L] \cdot \left(1 + \frac{1}{1836M}\right), \quad M \approx 2Z. \quad (12)$$

The term ΔE^L can be written as

$$\Delta E^L = \frac{4}{3\pi} \alpha^3 Z_1^4 \Lambda + \alpha^4 Z_1^6 D, \quad Z_1 = Z - \sigma^L \quad (13)$$

The second term gives the correction due to the difference of the Dirac and Pauli formulas and are expressed through the one-electron contributions equal to:

$$\begin{aligned} x^4 D(nlj) &= -\frac{1}{2} \left\{ \frac{1}{NN'} - \frac{1}{n^2} + \frac{x^2}{n^3} \left(\frac{2}{2j+1} - \frac{3}{4n} \right) \right\} \\ N &= [n^2 - 2(n-k)\delta]^{1/2}, \quad N' = \frac{1}{2}(N + n - \delta) \\ \delta &= k - (k^2 - x^2)^{1/2}, \quad x = \alpha Z_1, \quad k = j + \frac{1}{2} \end{aligned} \quad (14)$$

The first term in (13) gives the correction for the Lamb-shift including vacuum polarization. It is described by the rather complicated semi-empirical formula (see [8]).

2.2 Transition probabilities

The radiative transition probability $A(aJ, a'J')$ is given by

$$A(aJ, a'J') = \frac{A_\kappa}{2J+1} [E_J(a) - E_{J'}(a')]^3 \left| \sum_{a_1 a_2} C_J(a, a_1) T_{12} C_{J'}(a_2, a') \right|^2 \quad (15)$$

where C_J are the eigenvectors obtained by the diagonalization of the energy matrix. For the dipole transition $\kappa = 1$ and $A_1 = 4c\alpha^4/3a_0$. The transition matrix T_{12} is calculated up to terms $1/Z$:

$$\begin{aligned} T_{12} &= T_{12}(a_1 J_1, a_2 J_2) = T^{(0)} + \frac{1}{Z} T^{(1)} \\ T^{(0)} &= B_\kappa(a_1 J_1, a_2 J_2) R_\kappa(n_1 l_1, n_2 l_2) \\ R_\kappa(n_1 l_1, n_2 l_2) &= [l_1 l_2] \begin{pmatrix} l_1 & l_2 & \kappa \\ 0 & 0 & 0 \end{pmatrix} \int_0^\infty P_1(r) P_2(r) r^\kappa dr \end{aligned} \quad (16)$$

where B_κ and R_κ are the angular and radial parts of the κ -pole matrix element, respectively (see [8]); $P_i(r)$ are the hydrogen-like (Coulomb) radial functions.

The probability of autoionization decay of the ion $X_N(aJ)$ to $X_{N-1}(\alpha_0 J_0)$ with emission of the electron kl is described by a more complicated expression. This is due to the fact that the initial and final N-electron states are described in different coupling schemes: $a = \alpha_p n l S L$, $a_0 = \alpha_0 J_0 . k s l j$. However, assuming the absence of a configuration mixing for $X_{N-1}(\alpha_0 J_0)$, one can sum up the probability over $J_0 l j$ to obtain a simpler formula sufficient in most practical cases:

$$\begin{aligned} \Gamma(aJ, \alpha_0) &= \Gamma_0 \sum_{l S_1 L_1} \left| \sum_{a_1} C_J(a, a_1) \gamma(a_1, a_2) \right|^2 \\ \Gamma_0 &= 2Ry/\hbar = 4.1347 \cdot 10^{16} c^{-1}, \quad a_0 = \alpha_0 k_0 l_0, \quad k_0^2/2 = E_J(a) - E(\alpha_0). \end{aligned} \quad (17)$$

Here $a_2 = \alpha_0 k l S_2 L_2$ is a final N-electron state in the "usual coupling scheme", $k_0^2/2$ and l are the energy and the orbital momentum of the ejected electron, respectively, and $\gamma(a_1, a_0)$ is the decay amplitude. In the zero-order the decay amplitudes are equal:

$$\begin{aligned} \gamma(a_1, a_2) &= \sum_{\kappa'} b_{\kappa'} R_{\kappa'}(l_1 l_2, l' l_0) + \sum_{\kappa''} g_{\kappa''} R_{\kappa''}(l_1 l_2, l_0 l') \\ R_\kappa(l_1 l_2, l_4 l_3) &= [l_1 l_2 l_3 l_4] \begin{pmatrix} l_1 & l_3 & \kappa \\ 0 & 0 & 0 \end{pmatrix} \begin{pmatrix} l_2 & l_4 & \kappa \\ 0 & 0 & 0 \end{pmatrix} \\ &\times \int_0^\infty P_1(r) P_2(r') \frac{r^\kappa}{r^{\kappa+1}} P_4(r') P_3(r) dr' dr \end{aligned} \quad (18)$$

where the hydrogen-like radial functions are used for $P_i(r)$. The continuum functions are normalized as

$$P_{kl} \simeq k^{-1/2} \sin(kr - \frac{l\pi}{2} + \frac{1}{k} \ln(2kr) + \delta_l) \quad (19)$$

Some formulas for the angular parts from Eqs.(16, 18) are given in the Appendix.

In the previous papers [4], [9] the zero-order approximation was used for the decay amplitudes. In the present work we added the corrections of the first order for the radial integrals in the decay amplitude:

$$R_\kappa = R_\kappa^{(0)} + \frac{Z_0}{Z} \Delta R_\kappa, \quad \Delta R_\kappa = R_\kappa^{(a)}(Z_0) - R_\kappa^{(0)} \quad (20)$$

where $R_\kappa^{(0)}$ are the radial integrals defined in (18) and $R_\kappa^{(a)}$ are the similar integrals but calculated with the radial functions obtained in the effective central field for the ion with $Z = Z_0$ by the code ATOM [8] ($Z_0 = 18$ was used in the present work). This procedure evidently takes into account only the screening effects in the 1'st order corrections to $\gamma(a_1, a_0)$.

2.3 Intensity of dielectronic satellites

The intensity of the dielectronic satellite line $aJ - a'J'$ is proportional to the factor

$$Q_d(aJ - a'J') = \frac{g_{aJ} A(aJ - a'J') \Gamma(aJ - \alpha_0 J_0)}{A(aJ) + \Gamma(aJ)} = K(aJ - a'J') g_{aJ} \Gamma(aJ - \alpha_0 J_0) \quad (21)$$

where the branching ratio $K(aJ - a'J')$ is given by

$$K(aJ - a'J') = \frac{A(aJ - a'J')}{A(aJ) + \Gamma(aJ)} \quad (22)$$

and

$$A(aJ) = \sum_{a''J''} A(aJ - a''J''), \quad \Gamma(aJ) = \sum_{a''J''} \Gamma(aJ - \alpha_0 J_0'') \quad (23)$$

are total probabilities of the radiative and autoionization decays, $g_{aJ} = 2J + 1$ is the statistical weight, $\alpha_0 J_0$ is the state of the initial ion X_Z for the dielectronic recombination ($1s^2$ for [Li] satellites and $1s$ for [He] satellites). The intensity depends also on electron temperature T through the factor $\exp[-(\Delta E - \delta E)/T]$, where ΔE is the excitation energy of the main transition (resonance or higher member of a spectral sequence) in the ion X_Z , δE is the bound energy of the captured electron. In most cases $\delta E \ll \Delta E$.

Cascade transitions ($n = 3 \rightarrow n = 2$) may increase the total intensity of the $2 - 1$ satellites and decrease the intensity of the $3 - 1$ satellite. The latter effect is accounted for by including the states $n'' = 2$ in the sum (23). The relative contribution of cascades to the intensity of the $2 - 1$ satellites generally depends on T as $\exp[-\delta E_{32}/T]$. In the limit $T \gg \delta E_{32}$ the total intensity is proportional to the factor Q_d^t :

$$\begin{aligned} Q_d^t(aJ - a'J') &= Q_d(aJ - a'J') + K(aJ - a'J') \cdot \sum_{a''J''} Q_d(a''J'' - aJ) \\ &= Q_d(aJ - a'J') \cdot (1 + \Delta_c), \quad \Delta_c = \sum_{a''J''} \frac{g_{a''J''} \Gamma(a''J'' - \alpha_0 J_0)}{g_{aJ} \Gamma(aJ - \alpha_0 J_0)} K(a''J'' - aJ) \end{aligned} \quad (24)$$

where a'' are the levels with $n = 3$.

3 EXPLANATION OF TABLES

In the Tables Ia, IIa, Ib, IIb the results of calculations are given for atomic data connected with the transitions from doubly excited states of He-like (I,IIa) and Li-like (I,IIb) ions with $Z=6-36$. Data for resonance lines of [H] and [He] ions as well as for intercombination, magneto-quadrupole and forbidden lines of [He] ion are also included. The notations as well as the format of these data are similar to those used in the papers [4], [9]. The set of quantum numbers describing the initial state is denoted through $\gamma=(aSLJ)$.

The Tables Ia, IIa, Ib, IIb contain for each transition $\gamma \rightarrow \gamma'$ the following data:

ΔE is transition energy in keV,

λ - wavelength in Angstroms,

$A = A(\gamma, \gamma')$ - probability of radiative decay, Eq.(15), in units $10^{13} s^{-1}$,

$\Gamma(\gamma)$ - probability of autoionization, Eq.(17), in units $10^{13} s^{-1}$,

K - branching ratio, Eq.(22),

Q_d - satellite intensity factor, Eq.(21-23), in units $10^{13} s^{-1}$.

To avoid a confusion, it is worth to give here the correspondence with the notations used in some papers quoted above: $A = A^r$, $\Gamma = A^a$, $Q_d = g_0 F_2$. Here g_0 is the statistical weight of the initial state from which DS is excited ($1s$ or $1s^2$).

In the Tables these data are denoted as follows.

$\Delta E = E$, $\lambda = WL$, $\Gamma = G$.

The set of quantum numbers a (electronic configuration and intermediate quantum numbers specifying the coupling scheme for angular momenta) is denoted through the capital letters:

I. He-like ions

Y=1s	C=2s2p	A'=2p3d
R=2p	E=2s2s	B'=2p3s
R'=3p	F=2p2p	C'=2s3p
	P=1s2p	F'=2p3p
	S=1s2s	G'=2s3d
	S'=1s3s	E'=2s3s
	P'=1s3p	D'=1s3d

II. Li-like ions

Y=1s ²	C=2s2p(¹ P)1s	A'=1s2p(¹ P)3d
R=1s2p	E=2s ² (¹ S)1s	B'=1s2p(¹ P)3s
R'=1s3p	F=2p ² (¹ S)1s	C'=1s2s(¹ S)3p
	F=2p ² (¹ D)1s	F'=1s2p(¹ P)3p
	M=2p ² (³ P)1s	G'=1s2s(¹ S)3d
	K=2s2p(³ P)1s	E'=1s2s(¹ S)3s
	S=1s ² 2s	I'=1s2p(³ P)3d
	P=1s ² 2p	J'=1s2p(³ P)3s
	S'=1s ² 3s	K'=1s2s(³ S)3p
	P'=1s ² 3p	L'=1s2s(³ S)3s
	D'=1s ² 3d	M'=1s2p(³ P)3p
		N'=1s2s(³ S)3d

In the Tables below the numbers following the letters mean the statistical weights (2S+1) (2L+1) (2J+1). For example: R234-Y212 stands for 2p²P_{3/2}-1s²S_{1/2} and A'353-D'155 means 2p3d³D₁-1s3d¹D₂.

In conclusion we would like to note that the atomic data presented in Tables Ia, IIa and Ib, IIb could be provided in another formats (e.g. convinient for Matlab package) due to request by the adress **urnov@sci.lebedev.ru** or **vainsh@sci.lebedev.ru**.

4 Acknowledgments

The work was supported by the Grants of Russian Foundation for Baisic Research 03-02-16053 and 06-02-16298-a.

References

- [1] L.A. Vainstein, U.I. Safronova, Preprint ISAN N 6 (1975).
- [2] L.A. Vainstein, U.I. Safronova, Preprint FIAN N 146 (1976).
- [3] L.A. Vainstein, U.I. Safronova, Preprint FIAN N 188 (1982).
- [4] L.A. Vainshtein and U.I. Safronova, Atomic Data and Nuclear Data Tables 21, 49-68 (1978).
- [5] U.I. Safronova, A.M. Urnov, L.A. Vainstein, Preprint FIAN N 212 (1978).
- [6] Yu.I. Grineva, U.I. Safronova, A.M. Urnov, Preprint FIAN N 58 (1975).
- [7] U.I. Safronova and A.M. Urnov. J.Phys.B.: Atom.& Molec.Phys., v.12, p.3171-3185, (1979); v.13, p.869-880, (1980).
- [8] V.P. Shevelko and L.A. Vainshtein, Atomic Physics for Hot Plasmas. - Institute of Physics Publishing, Bristol, 1993.
- [9] L.A. Vainshtein and U.I. Safronova, Atomic Data and Nuclear Data Tables 25, 311-385 (1980).
- [10] M. Bitter et al., Phys. Rev. Lett. 91, 265001 (2003).
- [11] O. Marchuk, G. Bertschinger, A. Urnov, F. Goryaev, N.R. Badnell, A. Whiteford, J. of Plasma and Fusion Res. of the Japan Soc.
- [12] W. Eissner, M. Jones, and H. Nussbaumer, Comput. Phys. Commun. 8, 270-306 (1974).
- [13] M.H. Chen, Atomic Data and Nuclear Data Tables 34, 301-356 (1986).
- [14] J. Nilsen, Atomic Data and Nuclear Data Tables 38, 339-379 (1988).
- [15] T.Kato, U.I. Safronova, A.S. Shlyaptseva, M. Cornille and J. Dubau, Atomic Data and Nuclear Data Tables 67, 225-329 (1997).

A Some additional formulas

A.1 Zero order energies

The one electron zero order coefficients in Eqs.(7,10) are equal to:

$$\begin{aligned} E_0(nl) &= -\frac{1}{2n^2}, \quad \rho_0(nl) = -\frac{2}{n^3} [2/(2l+1) - 3/4n - \delta(l,0)] \\ \epsilon_0(nl) &= \frac{2}{n^3} \left[\frac{6}{l(l+1)(2l+1)} \right]^{1/2} (l \neq 0), \quad \epsilon_0(nl) = 0 \quad (l = 0) \end{aligned} \quad (25)$$

The Pauly one electron energy is:

$$\varepsilon^P(nlj) = E_0 + Z^2 \frac{\alpha^2}{4} (\rho_0 + \epsilon_0 Q_1) = -\frac{1}{2n^2} - Z^2 \frac{\alpha^2}{2n^3} \left(\frac{2}{2j+1} - \frac{3}{4n} \right) \quad (26)$$

The corresponding Dirac energy can be written as:

$$\begin{aligned} \varepsilon^D = \varepsilon^P + x^4 D &= -\frac{1}{2NN'}, \quad N = [n^2 - 2(n-k)\delta]^{1/2}, \quad N' = (N + n - \delta)/2 \\ \delta &= k - (k^2 - x^2)^{1/2}, \quad k = j + \frac{1}{2}, \quad x = \alpha Z \end{aligned} \quad (27)$$

In the screening representation Z should be replaced by $Z_1 = Z - \sigma^L \approx Z - \sigma^S$.

A.2 Angular parts of transition matrix elements

Radiative transitions Below we use the symmetrical over spin and orbital variables designations. Greek letters are used for pairs of orbital and spin momenta or multipoles:

$$\tau = SL, \quad \lambda = sl, \quad \kappa = qk, \quad s = \frac{1}{2} \quad (28)$$

Functions with Greek arguments in angular parts are in fact the products of the similar orbital and spin factors:

$$F(\tau\lambda\kappa) = F(Ssq) \cdot F(Llk) \quad (29)$$

The angular part of the matrix $T^0 = B_\kappa(a_1 J_1, a_2 J_2) R_\kappa(n_1 l_1, n_2 l_2)$ for the simplest case $a = S_c L_c n l S L$ is equal to:

$$\begin{aligned} S_c L_c n_1 l_1 S_1 L_1 J_1 - S_c L_c n_2 l_2 S_2 L_2 J_2 \\ B_\kappa(a_1 J_1, a_2 J_2) &= B_\kappa(\tau) \mathcal{M}_{0kk}(SLJ) \\ B_\kappa(\tau) &= B_\kappa^0(\tau) \equiv [\tau_c] \mathcal{M}_{0\kappa\kappa}(\tau_c \lambda \tau) = \frac{[S]}{2} \delta(S, S') [L_c] \mathcal{M}_{0kk}(L_c l L) \end{aligned} \quad (30)$$

for transitions from the shell of equivalent electrons λ^m :

$$\lambda^m \tau - \lambda^{m-1}(\tau_p) \lambda' \tau', \quad B_\kappa(\tau) = \sqrt{m} G_{\tau_p}^\tau B_\kappa^0(\tau_p \lambda \tau) \quad (31)$$

and for transitions from the inner shell λ^m without or with the change of the coupling:

$$\begin{aligned}
& \lambda^m(\tau_2)\tau_1\tau - \lambda^{m-1}(\tau_c)\tau_1(\tau_p)\lambda'\tau', \quad B_\kappa(\tau) = \sqrt{m}G_{\tau_c}^{\tau_2}B_\kappa^0(\tau_p\lambda\tau)C_1 \\
& \lambda^m(\tau_2)\tau_1\tau - \lambda^{m-1}(\tau_c), \tau_1\lambda'(\tau_p)\tau', \quad B_\kappa(\tau) = \sqrt{m}G_{\tau_c}^{\tau_2}B_\kappa^0(\tau_p\lambda\tau)C_2 \\
& C_1 = (\tau_c\lambda(\tau_2)\tau_1\tau \mid \tau_c\tau_1(\tau_p)\lambda\tau), \quad C_2 = (\tau_c\lambda(\tau_2)\tau_1\tau \mid \tau_c, \tau_1\lambda(\tau_p)\tau) \quad (32) \\
& m = N = [\lambda]^2 : \tau_2 = 0, \quad C_1 = C_2 = \frac{[\tau_p]}{[\tau\lambda]} \\
& m = 1 : \tau_c = 0, \tau_2 = \lambda, \quad C_1 = C_2 = 1
\end{aligned}$$

Autoionization transitions The angular factors b_κ and g_κ depend on transition $a_1 - a_2$. For autoionizing states l_1l_2 and $1sl_1l_2$ one has:

$$\begin{aligned}
& b_{\kappa'} = C'(-1)^{l_2}[l'l_1]^{-1}\delta(\kappa, l_1), \quad g_{\kappa''} = C''(-1)^{l_1}[l'l_2]^{-1}\delta(\kappa'', l_2): \\
& l_1l_2 - 1skl' : \quad C' = 1, \quad C'' = (-1)^s \cdot 2 \\
& 1sl_1(l_1S_p)l_2 - 1s^2kl' : \quad C' = \delta(S_p, 0), \quad C'' = -1 \\
& l_1l_2(L_1S_p)1s - kl' : \quad C' = (-1)^{S_p-1}\frac{[S_p]}{2}, \quad C'' = -\frac{[S_p]}{2}
\end{aligned} \quad (33)$$

Table Ia. Transitions $2l'2l''$ - $1s2l$ in [He] and $2p$ - $1s$ in [H] ions

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 2; Z = 6;$							
33.569	.36934	9.44(-08)	5.10(-01)	1.53(-07)	7.7859(-08)	F 111-P 333	1
33.569	.36934	0.00(+00)	5.10(-01)	0.00(+00)	0.0000(+00)	F 111-P 331	2
33.734	.36753	8.14(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
33.740	.36748	8.13(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	4
33.805	.36677	8.17(-07)	1.44(+01)	5.66(-08)	2.4394(-06)	C 133-S 313	5
33.890	.36585	1.08(-01)	5.10(-01)	1.75(-01)	8.9330(-02)	F 111-P 133	6
34.312	.36135	7.57(-02)	1.44(+01)	5.24(-03)	2.2582(-01)	C 133-S 111	7
34.376	.36067	1.18(-10)	2.52(+01)	4.65(-12)	5.8616(-10)	F 155-P 333	8
34.378	.36065	1.34(-05)	2.52(+01)	5.28(-07)	6.6466(-05)	F 155-P 335	9
34.528	.35909	7.11(-02)	1.31(+00)	5.15(-02)	3.3705(-01)	C 335-S 313	10
34.531	.35905	7.11(-02)	1.31(+00)	5.15(-02)	2.0217(-01)	C 333-S 313	11
34.533	.35904	7.10(-02)	1.31(+00)	5.15(-02)	6.7382(-02)	C 331-S 313	12
34.589	.35846	3.58(-02)	3.08(-03)	2.45(-01)	3.7723(-03)	F 335-P 333	13
34.590	.35844	1.07(-01)	3.08(-03)	7.34(-01)	1.1313(-02)	F 335-P 335	14
34.591	.35843	3.58(-02)	0.00(+00)	2.50(-01)	0.0000(+00)	F 333-P 333	15
34.592	.35843	4.77(-02)	0.00(+00)	3.33(-01)	0.0000(+00)	F 333-P 331	16
34.593	.35841	5.96(-02)	0.00(+00)	4.17(-01)	0.0000(+00)	F 333-P 335	17
34.593	.35841	1.43(-01)	2.31(-04)	9.98(-01)	2.3090(-04)	F 331-P 333	18
34.593	.35841	0.00(+00)	2.31(-04)	0.00(+00)	0.0000(+00)	F 331-P 331	19
34.712	.35718	1.44(-01)	2.52(+01)	5.70(-03)	7.1774(-01)	F 155-P 133	20
34.929	.35497	9.85(-06)	3.08(-03)	6.74(-05)	1.0386(-06)	F 335-P 133	21
34.932	.35494	1.05(-06)	0.00(+00)	7.35(-06)	0.0000(+00)	F 333-P 133	22
34.933	.35492	2.10(-06)	2.31(-04)	1.46(-05)	3.3857(-09)	F 331-P 133	23
35.061	.35363	7.66(-07)	1.31(+00)	5.55(-07)	2.1783(-06)	C 333-S 111	24
35.062	.35362	0.00(+00)	1.31(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
35.224	.35199	5.00(-06)	2.73(+01)	1.83(-07)	4.9922(-06)	E 111-P 333	26
35.224	.35199	0.00(+00)	2.73(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	27
35.577	.34850	3.01(-02)	2.73(+01)	1.10(-03)	3.0028(-02)	E 111-P 133	28
$n = 2; Z = 7;$							
24.667	.50264	0.00(+00)	6.51(-01)	0.00(+00)	0.0000(+00)	F 111-P 331	1
24.667	.50264	4.12(-07)	6.51(-01)	4.81(-07)	3.1330(-07)	F 111-P 333	2
24.779	.50036	1.51(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
24.785	.50025	1.51(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	4
24.814	.49966	3.69(-06)	1.52(+01)	2.41(-07)	1.0972(-05)	C 133-S 313	5
24.885	.49824	2.05(-01)	6.51(-01)	2.40(-01)	1.5615(-01)	F 111-P 133	6
25.147	.49304	1.42(-01)	1.52(+01)	9.26(-03)	4.2105(-01)	C 133-S 111	7
25.181	.49237	2.77(-08)	2.68(+01)	1.02(-09)	1.3700(-07)	F 155-P 333	8
25.183	.49233	5.70(-05)	2.68(+01)	2.11(-06)	2.8236(-04)	F 155-P 335	9
25.282	.49040	1.34(-01)	1.32(+00)	9.26(-02)	6.0918(-01)	C 335-S 313	10
25.286	.49033	1.34(-01)	1.32(+00)	9.25(-02)	3.6538(-01)	C 333-S 313	11
25.287	.49030	1.34(-01)	1.32(+00)	9.25(-02)	1.2177(-01)	C 331-S 313	12
25.324	.48959	6.75(-02)	7.42(-03)	2.43(-01)	9.0349(-03)	F 335-P 333	13
25.326	.48956	2.02(-01)	7.42(-03)	7.30(-01)	2.7085(-02)	F 335-P 335	14
25.327	.48954	8.99(-02)	0.00(+00)	3.33(-01)	0.0000(+00)	F 333-P 331	15
25.327	.48954	6.74(-02)	0.00(+00)	2.50(-01)	0.0000(+00)	F 333-P 333	16
25.329	.48951	0.00(+00)	6.00(-04)	0.00(+00)	0.0000(+00)	F 331-P 331	17
25.329	.48950	2.70(-01)	6.00(-04)	9.98(-01)	5.9913(-04)	F 331-P 333	18
25.329	.48950	1.12(-01)	0.00(+00)	4.17(-01)	0.0000(+00)	F 333-P 335	19
25.408	.48797	2.72(-01)	2.68(+01)	1.00(-02)	1.3451(+00)	F 155-P 133	20
25.554	.48519	4.11(-05)	7.42(-03)	1.48(-04)	5.4995(-06)	F 335-P 133	21
25.557	.48514	4.82(-06)	0.00(+00)	1.79(-05)	0.0000(+00)	F 333-P 133	22

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
25.558	.48511	9.54(−06)	6.00(−04)	3.53(−05)	2.1197(−08)	F 331-P 133	23
25.632	.48372	3.48(−06)	1.32(+00)	2.40(−06)	9.4663(−06)	C 333-S 111	24
25.633	.48369	0.00(+00)	1.32(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
25.726	.48195	0.00(+00)	2.82(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
25.726	.48194	2.38(−05)	2.82(+01)	8.43(−07)	2.3785(−05)	E 111-P 333	27
25.963	.47755	5.69(−02)	2.82(+01)	2.01(−03)	5.6765(−02)	E 111-P 133	28
$n = 2; Z = 8;$							
18.888	.65644	0.00(+00)	7.74(−01)	0.00(+00)	0.0000(+00)	F 111-P 331	1
18.888	.65643	1.50(−06)	7.74(−01)	1.32(−06)	1.0231(−06)	F 111-P 333	2
18.967	.65368	2.57(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
18.973	.65350	2.57(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	4
18.985	.65305	1.37(−05)	1.57(+01)	8.55(−07)	4.0403(−05)	C 133-S 313	5
19.042	.65111	3.57(−01)	7.74(−01)	3.16(−01)	2.4425(−01)	F 111-P 133	6
19.216	.64523	2.44(−01)	1.57(+01)	1.52(−02)	7.1977(−01)	C 133-S 111	7
19.236	.64456	2.31(−07)	2.80(+01)	8.11(−09)	1.1358(−06)	F 155-P 333	8
19.238	.64449	2.05(−04)	2.80(+01)	7.19(−06)	1.0068(−03)	F 155-P 335	9
19.306	.64221	2.33(−01)	1.32(+00)	1.50(−01)	9.8866(−01)	C 335-S 313	10
19.309	.64210	2.32(−01)	1.32(+00)	1.49(−01)	5.9295(−01)	C 333-S 313	11
19.311	.64205	2.32(−01)	1.32(+00)	1.49(−01)	1.9760(−01)	C 331-S 313	12
19.335	.64124	1.17(−01)	1.61(−02)	2.42(−01)	1.9504(−02)	F 335-P 333	13
19.337	.64117	3.50(−01)	1.61(−02)	7.24(−01)	5.8430(−02)	F 335-P 335	14
19.338	.64114	1.56(−01)	0.00(+00)	3.33(−01)	0.0000(+00)	F 333-P 331	15
19.338	.64114	1.17(−01)	0.00(+00)	2.50(−01)	0.0000(+00)	F 333-P 333	16
19.340	.64109	0.00(+00)	1.36(−03)	0.00(+00)	0.0000(+00)	F 331-P 331	17
19.340	.64108	4.67(−01)	1.36(−03)	9.97(−01)	1.3550(−03)	F 331-P 333	18
19.340	.64107	1.94(−01)	0.00(+00)	4.17(−01)	0.0000(+00)	F 333-P 335	19
19.396	.63924	4.69(−01)	2.80(+01)	1.65(−02)	2.3080(+00)	F 155-P 133	20
19.497	.63592	1.45(−04)	1.61(−02)	3.01(−04)	2.4293(−05)	F 335-P 133	21
19.500	.63582	1.81(−05)	0.00(+00)	3.87(−05)	0.0000(+00)	F 333-P 133	22
19.502	.63576	3.55(−05)	1.36(−03)	7.59(−05)	1.0311(−07)	F 331-P 133	23
19.548	.63428	1.29(−05)	1.32(+00)	8.33(−06)	3.3035(−05)	C 333-S 111	24
19.549	.63422	0.00(+00)	1.32(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
19.606	.63238	0.00(+00)	2.90(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
19.606	.63237	9.18(−05)	2.90(+01)	3.16(−06)	9.1460(−05)	E 111-P 333	27
19.773	.62705	9.85(−02)	2.90(+01)	3.39(−03)	9.8118(−02)	E 111-P 133	28
$n = 2; Z = 9;$							
14.924	.83076	0.00(+00)	8.83(−01)	0.00(+00)	0.0000(+00)	F 111-P 331	1
14.925	.83074	4.68(−06)	8.83(−01)	3.20(−06)	2.8225(−06)	F 111-P 333	2
14.982	.82754	4.13(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
14.988	.82724	4.12(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	4
14.993	.82696	4.35(−05)	1.62(+01)	2.62(−06)	1.2736(−04)	C 133-S 313	5
15.038	.82449	5.81(−01)	8.83(−01)	3.97(−01)	3.5030(−01)	F 111-P 133	6
15.159	.81792	3.93(−01)	1.62(+01)	2.36(−02)	1.1506(+00)	C 133-S 111	7
15.170	.81729	1.02(−06)	2.90(+01)	3.44(−08)	4.9871(−06)	F 155-P 333	8
15.173	.81717	6.41(−04)	2.90(+01)	2.16(−05)	3.1219(−03)	F 155-P 335	9
15.221	.81456	3.77(−01)	1.33(+00)	2.21(−01)	1.4676(+00)	C 335-S 313	10
15.225	.81437	3.77(−01)	1.33(+00)	2.21(−01)	8.8023(−01)	C 333-S 313	11
15.226	.81429	3.77(−01)	1.33(+00)	2.21(−01)	2.9329(−01)	C 331-S 313	12
15.243	.81342	1.89(−01)	3.23(−02)	2.40(−01)	3.8756(−02)	F 335-P 333	13
15.245	.81330	5.66(−01)	3.23(−02)	7.18(−01)	1.1598(−01)	F 335-P 335	14
15.245	.81327	2.52(−01)	0.00(+00)	3.33(−01)	0.0000(+00)	F 333-P 331	15
15.246	.81325	1.89(−01)	0.00(+00)	2.50(−01)	0.0000(+00)	F 333-P 333	16
15.247	.81318	0.00(+00)	2.77(−03)	0.00(+00)	0.0000(+00)	F 331-P 331	17
15.247	.81316	7.55(−01)	2.77(−03)	9.96(−01)	2.7562(−03)	F 331-P 333	18
15.248	.81314	3.15(−01)	0.00(+00)	4.17(−01)	0.0000(+00)	F 333-P 335	19

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
15.287	.81104	7.59(−01)	2.90(+01)	2.55(−02)	3.6989(+00)	F 155-P 133	20
15.361	.80716	4.52(−04)	3.23(−02)	5.73(−04)	9.2542(−05)	F 335-P 133	21
15.364	.80700	5.81(−05)	0.00(+00)	7.68(−05)	0.0000(+00)	F 333-P 133	22
15.365	.80691	1.13(−04)	2.77(−03)	1.49(−04)	4.1159(−07)	F 331-P 133	23
15.396	.80533	4.13(−05)	1.33(+00)	2.43(−05)	9.6621(−05)	C 333-S 111	24
15.397	.80525	0.00(+00)	1.33(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
15.434	.80331	0.00(+00)	2.95(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
15.435	.80330	3.00(−04)	2.95(+01)	1.01(−05)	2.9819(−04)	E 111-P 333	27
15.556	.79704	1.59(−01)	2.95(+01)	5.36(−03)	1.5831(−01)	E 111-P 133	28
$n = 2; Z = 10;$							
12.089	1.0256	0.00(+00)	9.85(−01)	0.00(+00)	0.0000(+00)	F 111-P 331	1
12.089	1.0256	1.30(−05)	9.85(−01)	6.89(−06)	6.7860(−06)	F 111-P 333	2
12.132	1.0220	6.30(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
12.138	1.0215	6.29(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	4
12.139	1.0214	1.22(−04)	1.66(+01)	7.11(−06)	3.5440(−04)	C 133-S 313	5
12.174	1.0184	8.97(−01)	9.85(−01)	4.77(−01)	4.6928(−01)	F 111-P 133	6
12.262	1.0112	6.02(−01)	1.66(+01)	3.50(−02)	1.7427(+00)	C 133-S 111	7
12.269	1.0106	3.23(−06)	2.97(+01)	1.05(−07)	1.5544(−05)	F 155-P 333	8
12.271	1.0104	1.80(−03)	2.97(+01)	5.81(−05)	8.6385(−03)	F 155-P 335	9
12.307	1.0075	5.80(−01)	1.33(+00)	3.04(−01)	2.0198(+00)	C 335-S 313	10
12.310	1.0072	5.80(−01)	1.33(+00)	3.03(−01)	1.2118(+00)	C 333-S 313	11
12.312	1.0070	5.79(−01)	1.33(+00)	3.03(−01)	4.0362(−01)	C 331-S 313	12
12.323	1.0062	2.91(−01)	6.05(−02)	2.38(−01)	7.2030(−02)	F 335-P 333	13
12.325	1.0060	8.71(−01)	6.05(−02)	7.11(−01)	2.1515(−01)	F 335-P 335	14
12.325	1.0060	3.88(−01)	0.00(+00)	3.33(−01)	0.0000(+00)	F 333-P 331	15
12.326	1.0059	2.91(−01)	0.00(+00)	2.50(−01)	0.0000(+00)	F 333-P 333	16
12.327	1.0058	0.00(+00)	5.17(−03)	0.00(+00)	0.0000(+00)	F 331-P 331	17
12.327	1.0058	1.16(+00)	5.17(−03)	9.95(−01)	5.1503(−03)	F 331-P 333	18
12.328	1.0057	4.84(−01)	0.00(+00)	4.17(−01)	0.0000(+00)	F 333-P 335	19
12.357	1.0034	1.17(+00)	2.97(+01)	3.78(−02)	5.6107(+00)	F 155-P 133	20
12.411	.99897	1.26(−03)	6.05(−02)	1.03(−03)	3.1222(−04)	F 335-P 133	21
12.414	.99872	1.65(−04)	0.00(+00)	1.42(−04)	0.0000(+00)	F 333-P 133	22
12.416	.99858	3.16(−04)	5.17(−03)	2.71(−04)	1.4003(−06)	F 331-P 133	23
12.437	.99692	1.17(−04)	1.33(+00)	6.11(−05)	2.4427(−04)	C 333-S 111	24
12.438	.99679	0.00(+00)	1.33(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
12.464	.99477	0.00(+00)	3.00(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
12.464	.99473	8.59(−04)	3.00(+01)	2.85(−05)	8.5249(−04)	E 111-P 333	27
12.555	.98753	2.44(−01)	3.00(+01)	8.07(−03)	2.4175(−01)	E 111-P 133	28
$n = 2; Z = 11;$							
9.9898	1.2411	0.00(+00)	1.08(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
9.9903	1.2411	3.25(−05)	1.08(+00)	1.35(−05)	1.4575(−05)	F 111-P 333	2
10.023	1.2370	9.23(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
10.027	1.2365	3.12(−04)	1.69(+01)	1.75(−05)	8.8976(−04)	C 133-S 313	4
10.029	1.2363	9.21(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
10.056	1.2329	1.33(+00)	1.08(+00)	5.51(−01)	5.9615(−01)	F 111-P 133	6
10.121	1.2250	8.85(−01)	1.69(+01)	4.97(−02)	2.5242(+00)	C 133-S 111	7
10.126	1.2245	7.98(−06)	3.03(+01)	2.49(−07)	3.7778(−05)	F 155-P 333	8
10.128	1.2242	4.60(−03)	3.03(+01)	1.43(−04)	2.1742(−02)	F 155-P 335	9
10.155	1.2210	8.57(−01)	1.33(+00)	3.91(−01)	2.6074(+00)	C 335-S 313	10
10.158	1.2205	8.55(−01)	1.34(+00)	3.90(−01)	1.5654(+00)	C 333-S 313	11
10.160	1.2204	8.55(−01)	1.33(+00)	3.91(−01)	5.2101(−01)	C 331-S 313	12
10.167	1.2195	4.31(−01)	1.07(−01)	2.36(−01)	1.2671(−01)	F 335-P 333	13
10.169	1.2192	1.28(+00)	1.07(−01)	7.03(−01)	3.7736(−01)	F 335-P 335	14
10.169	1.2192	5.72(−01)	0.00(+00)	3.33(−01)	0.0000(+00)	F 333-P 331	15

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
10.170	1.2192	4.29(−01)	0.00(+00)	2.50(−01)	0.0000(+00)	F 333-P 333	16
10.171	1.2190	0.00(+00)	9.02(−03)	0.00(+00)	0.0000(+00)	F 331-P 331	17
10.171	1.2190	1.71(+00)	9.02(−03)	9.94(−01)	8.9734(−03)	F 331-P 333	18
10.172	1.2189	7.15(−01)	0.00(+00)	4.16(−01)	0.0000(+00)	F 333-P 335	19
10.194	1.2163	1.72(+00)	3.03(+01)	5.36(−02)	8.1286(+00)	F 155-P 133	20
10.235	1.2114	3.24(−03)	1.07(−01)	1.77(−03)	9.5220(−04)	F 335-P 133	21
10.238	1.2110	4.23(−04)	0.00(+00)	2.46(−04)	0.0000(+00)	F 333-P 133	22
10.240	1.2108	7.96(−04)	9.02(−03)	4.62(−04)	4.1717(−06)	F 331-P 133	23
10.255	1.2091	2.99(−04)	1.34(+00)	1.36(−04)	5.4687(−04)	C 333-S 111	24
10.256	1.2089	0.00(+00)	1.33(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
10.274	1.2068	0.00(+00)	3.03(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
10.275	1.2067	2.21(−03)	3.03(+01)	7.22(−05)	2.1887(−03)	E 111-P 333	27
10.345	1.1985	3.57(−01)	3.03(+01)	1.16(−02)	3.5280(−01)	E 111-P 133	28
$n = 2; Z = 12;$							
8.3930	1.4772	0.00(+00)	1.18(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
8.3936	1.4771	7.46(−05)	1.18(+00)	2.42(−05)	2.8521(−05)	F 111-P 333	2
8.4192	1.4726	1.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
8.4222	1.4721	7.33(−04)	1.72(+01)	3.97(−05)	2.0480(−03)	C 133-S 313	4
8.4246	1.4717	1.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
8.4460	1.4680	1.90(+00)	1.18(+00)	6.18(−01)	7.2715(−01)	F 111-P 133	6
8.4956	1.4594	1.26(+00)	1.72(+01)	6.83(−02)	3.5192(+00)	C 133-S 111	7
8.4980	1.4590	1.60(−05)	3.08(+01)	4.80(−07)	7.3879(−05)	F 155-P 333	8
8.5006	1.4586	1.09(−02)	3.08(+01)	3.28(−04)	5.0479(−02)	F 155-P 335	9
8.5207	1.4551	1.22(+00)	1.34(+00)	4.78(−01)	3.1906(+00)	C 335-S 313	10
8.5242	1.4545	1.22(+00)	1.34(+00)	4.75(−01)	1.9183(+00)	C 333-S 313	11
8.5258	1.4542	1.22(+00)	1.34(+00)	4.77(−01)	6.3753(−01)	C 331-S 313	12
8.5299	1.4535	6.16(−01)	1.82(−01)	2.34(−01)	2.1287(−01)	F 335-P 333	13
8.5323	1.4531	8.16(−01)	0.00(+00)	3.34(−01)	0.0000(+00)	F 333-P 331	14
8.5325	1.4531	1.83(+00)	1.82(−01)	6.94(−01)	6.3112(−01)	F 335-P 335	15
8.5329	1.4530	6.11(−01)	0.00(+00)	2.50(−01)	0.0000(+00)	F 333-P 333	16
8.5341	1.4528	0.00(+00)	1.48(−02)	0.00(+00)	0.0000(+00)	F 331-P 331	17
8.5347	1.4527	2.44(+00)	1.48(−02)	9.93(−01)	1.4735(−02)	F 331-P 333	18
8.5355	1.4526	1.02(+00)	0.00(+00)	4.16(−01)	0.0000(+00)	F 333-P 335	19
8.5516	1.4498	2.44(+00)	3.08(+01)	7.35(−02)	1.1320(+01)	F 155-P 133	20
8.5839	1.4444	7.71(−03)	1.82(−01)	2.93(−03)	2.6661(−03)	F 335-P 133	21
8.5870	1.4439	9.96(−04)	0.00(+00)	4.07(−04)	0.0000(+00)	F 333-P 133	22
8.5888	1.4436	1.84(−03)	1.48(−02)	7.48(−04)	1.1098(−05)	F 331-P 133	23
8.5995	1.4418	7.03(−04)	1.34(+00)	2.74(−04)	1.1063(−03)	C 333-S 111	24
8.6011	1.4415	0.00(+00)	1.34(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
8.6139	1.4394	0.00(+00)	3.06(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
8.6145	1.4393	5.22(−03)	3.06(+01)	1.68(−04)	5.1354(−03)	E 111-P 333	27
8.6697	1.4301	5.04(−01)	3.06(+01)	1.62(−02)	4.9548(−01)	E 111-P 133	28
$n = 2; Z = 13;$							
7.1500	1.7340	0.00(+00)	1.27(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
7.1507	1.7339	1.59(−04)	1.27(+00)	4.05(−05)	5.1630(−05)	F 111-P 333	2
7.1709	1.7290	1.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
7.1732	1.7285	1.60(−03)	1.74(+01)	8.38(−05)	4.3745(−03)	C 133-S 313	4
7.1763	1.7277	1.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
7.1929	1.7237	2.65(+00)	1.27(+00)	6.75(−01)	8.6018(−01)	F 111-P 133	6
7.2316	1.7145	1.74(+00)	1.74(+01)	9.09(−02)	4.7458(+00)	C 133-S 111	7
7.2327	1.7142	2.56(−05)	3.12(+01)	7.42(−07)	1.1554(−04)	F 155-P 333	8
7.2354	1.7136	2.42(−02)	3.12(+01)	7.01(−04)	1.0925(−01)	F 155-P 335	9
7.2509	1.7099	1.69(+00)	1.34(+00)	5.59(−01)	3.7372(+00)	C 335-S 313	10
7.2544	1.7091	1.69(+00)	1.35(+00)	5.55(−01)	2.2525(+00)	C 333-S 313	11
7.2560	1.7087	1.69(+00)	1.34(+00)	5.58(−01)	7.4674(−01)	C 331-S 313	12

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
7.2580	1.7083	8.56(−01)	2.97(−01)	2.32(−01)	3.4386(−01)	F 335-P 333	13
7.2603	1.7077	1.13(+00)	0.00(+00)	3.34(−01)	0.0000(+00)	F 333-P 331	14
7.2607	1.7076	2.52(+00)	2.97(−01)	6.83(−01)	1.0127(+00)	F 335-P 335	15
7.2610	1.7076	8.46(−01)	0.00(+00)	2.49(−01)	0.0000(+00)	F 333-P 333	16
7.2621	1.7073	0.00(+00)	2.32(−02)	0.00(+00)	0.0000(+00)	F 331-P 331	17
7.2628	1.7071	3.38(+00)	2.32(−02)	9.92(−01)	2.2985(−02)	F 331-P 333	18
7.2637	1.7069	1.41(+00)	0.00(+00)	4.16(−01)	0.0000(+00)	F 333-P 335	19
7.2759	1.7041	3.38(+00)	3.12(+01)	9.77(−02)	1.5224(+01)	F 155-P 133	20
7.3015	1.6981	1.73(−02)	2.97(−01)	4.68(−03)	6.9323(−03)	F 335-P 133	21
7.3045	1.6974	2.19(−03)	0.00(+00)	6.45(−04)	0.0000(+00)	F 333-P 133	22
7.3064	1.6969	3.93(−03)	2.32(−02)	1.15(−03)	2.6755(−05)	F 331-P 133	23
7.3142	1.6951	1.54(−03)	1.35(+00)	5.07(−04)	2.0578(−03)	C 333-S 111	24
7.3158	1.6947	0.00(+00)	1.34(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
7.3253	1.6926	0.00(+00)	3.08(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
7.3259	1.6924	1.14(−02)	3.08(+01)	3.62(−04)	1.1156(−02)	E 111-P 333	27
7.3703	1.6822	6.88(−01)	3.08(+01)	2.18(−02)	6.7305(−01)	E 111-P 133	28
$n = 2; Z = 14;$							
6.1635	2.0116	0.00(+00)	1.37(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
6.1642	2.0114	3.17(−04)	1.37(+00)	6.37(−05)	8.7488(−05)	F 111-P 333	2
6.1804	2.0061	2.43(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
6.1823	2.0055	3.31(−03)	1.76(+01)	1.66(−04)	8.7512(−03)	C 133-S 313	4
6.1858	2.0043	2.42(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
6.1988	2.0001	3.60(+00)	1.37(+00)	7.24(−01)	9.9470(−01)	F 111-P 133	6
6.2296	1.9903	2.35(+00)	1.76(+01)	1.18(−01)	6.2133(+00)	C 133-S 111	7
6.2298	1.9902	3.14(−05)	3.14(+01)	8.72(−07)	1.3689(−04)	F 155-P 333	8
6.2325	1.9893	5.09(−02)	3.14(+01)	1.41(−03)	2.2206(−01)	F 155-P 335	9
6.2446	1.9855	2.29(+00)	1.34(+00)	6.31(−01)	4.2269(+00)	C 335-S 313	10
6.2481	1.9844	2.28(+00)	1.36(+00)	6.26(−01)	2.5580(+00)	C 333-S 313	11
6.2497	1.9839	2.29(+00)	1.34(+00)	6.30(−01)	8.4461(−01)	C 331-S 313	12
6.2501	1.9837	1.16(+00)	4.67(−01)	2.30(−01)	5.3673(−01)	F 335-P 333	13
6.2524	1.9830	1.53(+00)	0.00(+00)	3.34(−01)	0.0000(+00)	F 333-P 331	14
6.2529	1.9828	3.39(+00)	4.67(−01)	6.71(−01)	1.5655(+00)	F 335-P 335	15
6.2531	1.9828	1.14(+00)	0.00(+00)	2.49(−01)	0.0000(+00)	F 333-P 333	16
6.2542	1.9824	0.00(+00)	3.46(−02)	0.00(+00)	0.0000(+00)	F 331-P 331	17
6.2549	1.9822	4.56(+00)	3.46(−02)	9.91(−01)	3.4268(−02)	F 331-P 333	18
6.2559	1.9819	1.91(+00)	0.00(+00)	4.16(−01)	0.0000(+00)	F 333-P 335	19
6.2651	1.9790	4.55(+00)	3.14(+01)	1.26(−01)	1.9835(+01)	F 155-P 133	20
6.2857	1.9725	3.65(−02)	4.67(−01)	7.23(−03)	1.6877(−02)	F 335-P 133	21
6.2887	1.9716	4.50(−03)	0.00(+00)	9.83(−04)	0.0000(+00)	F 333-P 133	22
6.2906	1.9710	7.86(−03)	3.46(−02)	1.71(−03)	5.9104(−05)	F 331-P 133	23
6.2965	1.9691	3.19(−03)	1.36(+00)	8.74(−04)	3.5711(−03)	C 333-S 111	24
6.2981	1.9686	0.00(+00)	1.34(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
6.3051	1.9664	0.00(+00)	3.10(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
6.3058	1.9662	2.34(−02)	3.10(+01)	7.32(−04)	2.2664(−02)	E 111-P 333	27
6.3421	1.9550	9.14(−01)	3.10(+01)	2.87(−02)	8.8762(−01)	E 111-P 133	28
$n = 2; Z = 15;$							
5.3675	2.3099	0.00(+00)	1.48(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
5.3682	2.3096	5.94(−04)	1.48(+00)	9.46(−05)	1.4000(−04)	F 111-P 333	2
5.3814	2.3040	3.21(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
5.3829	2.3033	6.47(−03)	1.78(+01)	3.10(−04)	1.6517(−02)	C 133-S 313	4
5.3868	2.3017	3.20(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
5.3970	2.2973	4.80(+00)	1.48(+00)	7.64(−01)	1.1313(+00)	F 111-P 133	6
5.4213	2.2870	2.46(−05)	3.15(+01)	6.54(−07)	1.0295(−04)	F 155-P 333	7
5.4218	2.2868	3.10(+00)	1.78(+01)	1.49(−01)	7.9198(+00)	C 133-S 111	8
5.4242	2.2858	1.02(−01)	3.15(+01)	2.71(−03)	4.2624(−01)	F 155-P 335	9

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
5.4336	2.2818	3.04(+00)	1.34(+00)	6.94(-01)	4.6510(+00)	C 335-S 313	10
5.4372	2.2803	3.02(+00)	1.38(+00)	6.86(-01)	2.8318(+00)	C 333-S 313	11
5.4379	2.2800	1.55(+00)	7.13(-01)	2.28(-01)	8.1253(-01)	F 335-P 333	12
5.4387	2.2797	3.03(+00)	1.34(+00)	6.93(-01)	9.2940(-01)	C 331-S 313	13
5.4401	2.2791	2.03(+00)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	14
5.4408	2.2788	4.46(+00)	7.13(-01)	6.56(-01)	2.3382(+00)	F 335-P 335	15
5.4409	2.2788	1.51(+00)	0.00(+00)	2.49(-01)	0.0000(+00)	F 333-P 333	16
5.4420	2.2783	0.00(+00)	4.96(-02)	0.00(+00)	0.0000(+00)	F 331-P 331	17
5.4427	2.2780	6.02(+00)	4.96(-02)	9.89(-01)	4.9055(-02)	F 331-P 333	18
5.4438	2.2776	2.53(+00)	0.00(+00)	4.16(-01)	0.0000(+00)	F 333-P 335	19
5.4507	2.2747	5.99(+00)	3.15(+01)	1.59(-01)	2.5089(+01)	F 155-P 133	20
5.4675	2.2677	7.37(-02)	7.13(-01)	1.09(-02)	3.8682(-02)	F 335-P 133	21
5.4705	2.2664	8.79(-03)	0.00(+00)	1.45(-03)	0.0000(+00)	F 333-P 133	22
5.4724	2.2657	1.48(-02)	4.96(-02)	2.43(-03)	1.2066(-04)	F 331-P 133	23
5.4768	2.2638	6.25(-03)	1.38(+00)	1.42(-03)	5.8547(-03)	C 333-S 111	24
5.4784	2.2632	0.00(+00)	1.34(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
5.4837	2.2610	0.00(+00)	3.11(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
5.4845	2.2607	4.51(-02)	3.11(+01)	1.40(-03)	4.3397(-02)	E 111-P 333	27
5.5145	2.2483	1.18(+00)	3.11(+01)	3.66(-02)	1.1397(+00)	E 111-P 133	28
$n = 2; Z = 16;$							
4.7158	2.6292	0.00(+00)	1.59(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
4.7165	2.6288	1.05(-03)	1.59(+00)	1.34(-04)	2.1292(-04)	F 111-P 333	2
4.7274	2.6227	4.16(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
4.7288	2.6219	1.21(-02)	1.79(+01)	5.51(-04)	2.9586(-02)	C 133-S 313	4
4.7328	2.6197	4.14(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
4.7408	2.6153	6.28(+00)	1.59(+00)	7.97(-01)	1.2714(+00)	F 111-P 133	6
4.7601	2.6047	4.98(-06)	3.15(+01)	1.27(-07)	1.9907(-05)	F 155-P 333	7
4.7611	2.6041	4.02(+00)	1.79(+01)	1.84(-01)	9.8515(+00)	C 133-S 111	8
4.7630	2.6031	1.94(-01)	3.15(+01)	4.93(-03)	7.7529(-01)	F 155-P 335	9
4.7704	2.5990	3.95(+00)	1.34(+00)	7.46(-01)	5.0097(+00)	C 335-S 313	10
4.7739	2.5971	2.03(+00)	1.06(+00)	2.26(-01)	1.1959(+00)	F 335-P 333	11
4.7741	2.5971	3.93(+00)	1.39(+00)	7.37(-01)	3.0767(+00)	C 333-S 313	12
4.7756	2.5962	3.94(+00)	1.34(+00)	7.46(-01)	1.0011(+00)	C 331-S 313	13
4.7760	2.5960	2.63(+00)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	14
4.7768	2.5956	1.96(+00)	0.00(+00)	2.48(-01)	0.0000(+00)	F 333-P 333	15
4.7769	2.5955	5.73(+00)	1.06(+00)	6.40(-01)	3.3787(+00)	F 335-P 335	16
4.7779	2.5949	0.00(+00)	6.85(-02)	0.00(+00)	0.0000(+00)	F 331-P 331	17
4.7787	2.5945	7.80(+00)	6.85(-02)	9.88(-01)	6.7674(-02)	F 331-P 333	18
4.7798	2.5940	3.29(+00)	0.00(+00)	4.16(-01)	0.0000(+00)	F 333-P 335	19
4.7849	2.5912	7.72(+00)	3.15(+01)	1.96(-01)	3.0858(+01)	F 155-P 133	20
4.7989	2.5836	1.42(-01)	1.06(+00)	1.59(-02)	8.3722(-02)	F 335-P 133	21
4.8017	2.5821	1.63(-02)	0.00(+00)	2.07(-03)	0.0000(+00)	F 333-P 133	22
4.8037	2.5810	2.64(-02)	6.85(-02)	3.35(-03)	2.2915(-04)	F 331-P 133	23
4.8070	2.5793	1.17(-02)	1.39(+00)	2.19(-03)	9.1614(-03)	C 333-S 111	24
4.8085	2.5784	0.00(+00)	1.34(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
4.8126	2.5763	0.00(+00)	3.12(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
4.8134	2.5759	8.28(-02)	3.12(+01)	2.53(-03)	7.8804(-02)	E 111-P 333	27
4.8387	2.5624	1.50(+00)	3.12(+01)	4.58(-02)	1.4276(+00)	E 111-P 133	28
$n = 2; Z = 17;$							
4.1755	2.9693	0.00(+00)	1.72(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
4.1763	2.9688	1.77(-03)	1.72(+00)	1.80(-04)	3.0918(-04)	F 111-P 333	2
4.1853	2.9624	5.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
4.1867	2.9614	2.17(-02)	1.80(+01)	9.36(-04)	5.0537(-02)	C 133-S 313	4
4.1907	2.9585	5.29(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
4.1971	2.9541	8.10(+00)	1.72(+00)	8.25(-01)	1.4167(+00)	F 111-P 133	6
4.2124	2.9433	1.33(-05)	3.13(+01)	3.22(-07)	5.0381(-05)	F 155-P 333	7
4.2138	2.9423	5.14(+00)	1.80(+01)	2.22(-01)	1.1982(+01)	C 133-S 111	8
4.2155	2.9412	3.55(-01)	3.13(+01)	8.56(-03)	1.3390(+00)	F 155-P 335	9
4.2213	2.9371	5.06(+00)	1.34(+00)	7.90(-01)	5.3082(+00)	C 335-S 313	10
4.2241	2.9352	2.62(+00)	1.52(+00)	2.25(-01)	1.7141(+00)	F 335-P 333	11
4.2249	2.9346	5.02(+00)	1.41(+00)	7.78(-01)	3.2988(+00)	C 333-S 313	12
4.2261	2.9338	3.37(+00)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	13
4.2265	2.9335	5.04(+00)	1.34(+00)	7.89(-01)	1.0608(+00)	C 331-S 313	14
4.2269	2.9333	2.50(+00)	0.00(+00)	2.47(-01)	0.0000(+00)	F 333-P 333	15
4.2271	2.9331	7.23(+00)	1.52(+00)	6.21(-01)	4.7259(+00)	F 335-P 335	16
4.2281	2.9324	0.00(+00)	9.15(-02)	0.00(+00)	0.0000(+00)	F 331-P 331	17
4.2288	2.9319	9.95(+00)	9.15(-02)	9.86(-01)	9.0233(-02)	F 331-P 333	18
4.2299	2.9311	4.20(+00)	0.00(+00)	4.16(-01)	0.0000(+00)	F 333-P 335	19
4.2336	2.9286	9.78(+00)	3.13(+01)	2.36(-01)	3.6934(+01)	F 155-P 133	20
4.2454	2.9205	2.62(-01)	1.52(+00)	2.25(-02)	1.7132(-01)	F 335-P 133	21
4.2482	2.9185	2.91(-02)	0.00(+00)	2.88(-03)	0.0000(+00)	F 333-P 133	22
4.2502	2.9172	4.49(-02)	9.15(-02)	4.45(-03)	4.0694(-04)	F 331-P 133	23
4.2526	2.9155	2.10(-02)	1.41(+00)	3.25(-03)	1.3797(-02)	C 333-S 111	24
4.2541	2.9145	0.00(+00)	1.34(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
4.2573	2.9123	0.00(+00)	3.12(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
4.2580	2.9118	1.45(-01)	3.12(+01)	4.37(-03)	1.3638(-01)	E 111-P 333	27
4.2797	2.8971	1.86(+00)	3.12(+01)	5.60(-02)	1.7473(+00)	E 111-P 133	28
$n = 2; Z = 18;$							
3.7227	3.3305	0.00(+00)	1.85(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
3.7235	3.3298	2.82(-03)	1.85(+00)	2.32(-04)	4.2999(-04)	F 111-P 333	2
3.7311	3.3230	6.68(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
3.7324	3.3219	3.75(-02)	1.81(+01)	1.52(-03)	8.2651(-02)	C 133-S 313	4
3.7365	3.3182	6.65(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
3.7415	3.3138	1.03(+01)	1.85(+00)	8.47(-01)	1.5688(+00)	F 111-P 133	6
3.7537	3.3030	1.92(-04)	3.09(+01)	4.38(-06)	6.7735(-04)	F 155-P 333	7
3.7554	3.3015	6.47(+00)	1.81(+01)	2.63(-01)	1.4272(+01)	C 133-S 111	8
3.7568	3.3003	6.21(-01)	3.09(+01)	1.42(-02)	2.1976(+00)	F 155-P 335	9
3.7614	3.2962	6.38(+00)	1.34(+00)	8.26(-01)	5.5542(+00)	C 335-S 313	10
3.7637	3.2943	3.35(+00)	2.13(+00)	2.25(-01)	2.3943(+00)	F 335-P 333	11
3.7651	3.2930	6.33(+00)	1.44(+00)	8.11(-01)	3.5057(+00)	C 333-S 313	12
3.7656	3.2926	4.26(+00)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	13
3.7664	3.2919	3.14(+00)	0.00(+00)	2.46(-01)	0.0000(+00)	F 333-P 333	14
3.7666	3.2917	6.36(+00)	1.34(+00)	8.25(-01)	1.1100(+00)	C 331-S 313	15
3.7668	3.2915	8.95(+00)	2.13(+00)	6.01(-01)	6.3973(+00)	F 335-P 335	16
3.7676	3.2908	0.00(+00)	1.18(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	17
3.7684	3.2902	1.25(+01)	1.18(-01)	9.85(-01)	1.1656(-01)	F 331-P 333	18
3.7695	3.2891	5.30(+00)	0.00(+00)	4.16(-01)	0.0000(+00)	F 333-P 335	19
3.7720	3.2870	1.22(+01)	3.09(+01)	2.78(-01)	4.3039(+01)	F 155-P 133	20
3.7821	3.2782	4.64(-01)	2.13(+00)	3.11(-02)	3.3134(-01)	F 335-P 133	21
3.7848	3.2758	4.97(-02)	0.00(+00)	3.90(-03)	0.0000(+00)	F 333-P 133	22
3.7869	3.2741	7.27(-02)	1.18(-01)	5.73(-03)	6.7862(-04)	F 331-P 133	23
3.7886	3.2726	3.63(-02)	1.44(+00)	4.66(-03)	2.0135(-02)	C 333-S 111	24
3.7901	3.2713	0.00(+00)	1.34(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
3.7925	3.2692	0.00(+00)	3.12(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
3.7933	3.2686	2.44(-01)	3.12(+01)	7.23(-03)	2.2585(-01)	E 111-P 333	27
3.8120	3.2525	2.26(+00)	3.12(+01)	6.70(-02)	2.0921(+00)	E 111-P 133	28
$n = 2; Z = 19;$							
3.3394	3.7128	0.00(+00)	2.00(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
3.3402	3.7120	4.30(-03)	2.00(+00)	2.87(-04)	5.7389(-04)	F 111-P 333	2

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.3467	3.7047	8.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
3.3480	3.7033	6.26(-02)	1.82(+01)	2.38(-03)	1.2987(-01)	C 133-S 313	4
3.3521	3.6987	8.27(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
3.3560	3.6945	1.30(+01)	2.00(+00)	8.66(-01)	1.7296(+00)	F 111-P 133	6
3.3656	3.6839	8.59(-04)	3.04(+01)	1.86(-05)	2.8178(-03)	F 155-P 333	7
3.3677	3.6816	8.04(+00)	1.82(+01)	3.06(-01)	1.6676(+01)	C 133-S 111	8
3.3688	3.6804	1.05(+00)	3.04(+01)	2.26(-02)	3.4276(+00)	F 155-P 335	9
3.3725	3.6764	7.96(+00)	1.35(+00)	8.55(-01)	5.7558(+00)	C 335-S 313	10
3.3743	3.6744	4.24(+00)	2.89(+00)	2.25(-01)	3.2606(+00)	F 335-P 333	11
3.3762	3.6724	5.31(+00)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	12
3.3762	3.6723	7.87(+00)	1.48(+00)	8.37(-01)	3.7053(+00)	C 333-S 313	13
3.3769	3.6716	3.89(+00)	0.00(+00)	2.45(-01)	0.0000(+00)	F 333-P 333	14
3.3776	3.6708	1.09(+01)	2.89(+00)	5.79(-01)	8.3772(+00)	F 335-P 335	15
3.3777	3.6707	7.92(+00)	1.35(+00)	8.55(-01)	1.1504(+00)	C 331-S 313	16
3.3782	3.6701	0.00(+00)	1.49(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	17
3.3790	3.6693	1.55(+01)	1.49(-01)	9.83(-01)	1.4618(-01)	F 331-P 333	18
3.3802	3.6680	6.61(+00)	0.00(+00)	4.16(-01)	0.0000(+00)	F 333-P 335	19
3.3817	3.6664	1.49(+01)	3.04(+01)	3.22(-01)	4.8841(+01)	F 155-P 133	20
3.3905	3.6569	7.86(-01)	2.89(+00)	4.18(-02)	6.0501(-01)	F 335-P 133	21
3.3931	3.6540	8.20(-02)	0.00(+00)	5.16(-03)	0.0000(+00)	F 333-P 133	22
3.3952	3.6518	1.13(-01)	1.49(-01)	7.17(-03)	1.0663(-03)	F 331-P 133	23
3.3963	3.6506	6.08(-02)	1.48(+00)	6.46(-03)	2.8624(-02)	C 333-S 111	24
3.3978	3.6490	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
3.3997	3.6470	0.00(+00)	3.12(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
3.4004	3.6462	3.95(-01)	3.12(+01)	1.15(-02)	3.5909(-01)	E 111-P 333	27
3.4168	3.6287	2.70(+00)	3.12(+01)	7.86(-02)	2.4527(+00)	E 111-P 133	28
$n = 2; Z = 20;$							
3.0121	4.1162	0.00(+00)	2.16(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
3.0128	4.1153	6.24(-03)	2.16(+00)	3.41(-04)	7.3596(-04)	F 111-P 333	2
3.0185	4.1075	1.02(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
3.0197	4.1059	1.01(-01)	1.82(+01)	3.60(-03)	1.9667(-01)	C 133-S 313	4
3.0239	4.1002	1.02(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
3.0268	4.0962	1.61(+01)	2.16(+00)	8.82(-01)	1.9005(+00)	F 111-P 133	6
3.0344	4.0860	2.57(-03)	2.96(+01)	5.21(-05)	7.7161(-03)	F 155-P 333	7
3.0367	4.0828	9.87(+00)	1.82(+01)	3.50(-01)	1.9139(+01)	C 133-S 111	8
3.0377	4.0816	1.69(+00)	2.96(+01)	3.43(-02)	5.0798(+00)	F 155-P 335	9
3.0406	4.0776	9.81(+00)	1.35(+00)	8.79(-01)	5.9209(+00)	C 335-S 313	10
3.0421	4.0756	5.31(+00)	3.82(+00)	2.27(-01)	4.3302(+00)	F 335-P 333	11
3.0439	4.0733	6.54(+00)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	12
3.0444	4.0726	9.67(+00)	1.52(+00)	8.57(-01)	3.9051(+00)	C 333-S 313	13
3.0446	4.0723	4.77(+00)	0.00(+00)	2.44(-01)	0.0000(+00)	F 333-P 333	14
3.0455	4.0712	1.30(+01)	3.82(+00)	5.56(-01)	1.0609(+01)	F 335-P 335	15
3.0458	4.0706	9.76(+00)	1.35(+00)	8.79(-01)	1.1834(+00)	C 331-S 313	16
3.0460	4.0704	0.00(+00)	1.82(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	17
3.0467	4.0695	1.89(+01)	1.82(-01)	9.82(-01)	1.7828(-01)	F 331-P 333	18
3.0479	4.0679	8.14(+00)	0.00(+00)	4.16(-01)	0.0000(+00)	F 333-P 335	19
3.0486	4.0669	1.80(+01)	2.96(+01)	3.64(-01)	5.3995(+01)	F 155-P 133	20
3.0564	4.0565	1.28(+00)	3.82(+00)	5.46(-02)	1.0416(+00)	F 335-P 133	21
3.0589	4.0532	1.31(-01)	0.00(+00)	6.67(-03)	0.0000(+00)	F 333-P 133	22
3.0611	4.0504	1.68(-01)	1.82(-01)	8.72(-03)	1.5833(-03)	F 331-P 133	23
3.0617	4.0495	9.86(-02)	1.52(+00)	8.73(-03)	3.9811(-02)	C 333-S 111	24
3.0632	4.0476	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
3.0646	4.0457	0.00(+00)	3.12(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
3.0653	4.0447	6.16(-01)	3.12(+01)	1.76(-02)	5.4972(-01)	E 111-P 333	27
3.0799	4.0256	3.16(+00)	3.12(+01)	9.04(-02)	2.8174(+00)	E 111-P 133	28

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 2; Z = 21;$							
2.7303	4.5410	0.00(+00)	2.33(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
2.7310	4.5399	8.65(-03)	2.33(+00)	3.90(-04)	9.0755(-04)	F 111-P 333	2
2.7360	4.5316	1.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
2.7372	4.5296	1.60(-01)	1.83(+01)	5.26(-03)	2.8780(-01)	C 133-S 313	4
2.7414	4.5226	1.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
2.7436	4.5191	1.98(+01)	2.33(+00)	8.95(-01)	2.0828(+00)	F 111-P 133	6
2.7494	4.5095	6.05(-03)	2.88(+01)	1.15(-04)	1.6501(-02)	F 155-P 333	7
2.7520	4.5052	1.20(+01)	1.83(+01)	3.95(-01)	2.1605(+01)	C 133-S 111	8
2.7528	4.5039	2.62(+00)	2.88(+01)	4.98(-02)	7.1548(+00)	F 155-P 335	9
2.7552	4.5001	1.20(+01)	1.35(+00)	8.99(-01)	6.0560(+00)	C 335-S 313	10
2.7564	4.4980	6.61(+00)	4.89(+00)	2.29(-01)	5.6092(+00)	F 335-P 333	11
2.7581	4.4954	7.98(+00)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	12
2.7588	4.4942	5.78(+00)	0.00(+00)	2.42(-01)	0.0000(+00)	F 333-P 333	13
2.7590	4.4939	1.18(+01)	1.57(+00)	8.72(-01)	4.1119(+00)	C 333-S 313	14
2.7598	4.4925	1.53(+01)	4.89(+00)	5.32(-01)	1.2998(+01)	F 335-P 335	15
2.7603	4.4918	0.00(+00)	2.16(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
2.7604	4.4916	1.19(+01)	1.35(+00)	8.98(-01)	1.2105(+00)	C 331-S 313	17
2.7610	4.4907	2.29(+01)	2.16(-01)	9.80(-01)	2.1182(-01)	F 331-P 333	18
2.7622	4.4887	9.93(+00)	0.00(+00)	4.16(-01)	0.0000(+00)	F 333-P 335	19
2.7622	4.4887	2.13(+01)	2.88(+01)	4.05(-01)	5.8199(+01)	F 155-P 133	20
2.7692	4.4772	1.99(+00)	4.89(+00)	6.91(-02)	1.6899(+00)	F 335-P 133	21
2.7716	4.4734	2.02(-01)	0.00(+00)	8.45(-03)	0.0000(+00)	F 333-P 133	22
2.7738	4.4698	2.41(-01)	2.16(-01)	1.03(-02)	2.2276(-03)	F 331-P 133	23
2.7740	4.4695	1.55(-01)	1.57(+00)	1.15(-02)	5.4348(-02)	C 333-S 111	24
2.7755	4.4672	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
2.7766	4.4654	0.00(+00)	3.11(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
2.7773	4.4643	9.32(-01)	3.11(+01)	2.61(-02)	8.1227(-01)	E 111-P 333	27
2.7903	4.4434	3.64(+00)	3.11(+01)	1.02(-01)	3.1728(+00)	E 111-P 133	28
$n = 2; Z = 22;$							
2.4861	4.9872	0.00(+00)	2.51(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
2.4867	4.9859	1.15(-02)	2.51(+00)	4.28(-04)	1.0767(-03)	F 111-P 333	2
2.4912	4.9769	1.50(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
2.4924	4.9746	2.45(-01)	1.83(+01)	7.44(-03)	4.0797(-01)	C 133-S 313	4
2.4966	4.9661	1.49(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
2.4981	4.9632	2.42(+01)	2.51(+00)	9.06(-01)	2.2770(+00)	F 111-P 133	6
2.5025	4.9544	1.21(-02)	2.77(+01)	2.13(-04)	2.9537(-02)	F 155-P 333	7
2.5054	4.9488	1.44(+01)	1.83(+01)	4.38(-01)	2.4019(+01)	C 133-S 111	8
2.5060	4.9476	3.92(+00)	2.77(+01)	6.91(-02)	9.5890(+00)	F 155-P 335	9
2.5079	4.9439	1.45(+01)	1.35(+00)	9.15(-01)	6.1670(+00)	C 335-S 313	10
2.5089	4.9417	8.17(+00)	6.08(+00)	2.33(-01)	7.0920(+00)	F 335-P 333	11
2.5105	4.9387	9.65(+00)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	12
2.5111	4.9374	6.92(+00)	0.00(+00)	2.40(-01)	0.0000(+00)	F 333-P 333	13
2.5117	4.9363	1.42(+01)	1.63(+00)	8.83(-01)	4.3312(+00)	C 333-S 313	14
2.5124	4.9349	1.78(+01)	6.08(+00)	5.08(-01)	1.5427(+01)	F 335-P 335	15
2.5127	4.9343	0.00(+00)	2.51(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
2.5131	4.9335	1.44(+01)	1.35(+00)	9.14(-01)	1.2327(+00)	C 331-S 313	17
2.5134	4.9330	2.74(+01)	2.51(-01)	9.79(-01)	2.4554(-01)	F 331-P 333	18
2.5140	4.9317	2.50(+01)	2.77(+01)	4.42(-01)	6.1247(+01)	F 155-P 133	19
2.5146	4.9305	1.20(+01)	0.00(+00)	4.16(-01)	0.0000(+00)	F 333-P 335	20
2.5205	4.9190	2.98(+00)	6.08(+00)	8.51(-02)	2.5853(+00)	F 335-P 133	21
2.5228	4.9147	3.03(-01)	0.00(+00)	1.05(-02)	0.0000(+00)	F 333-P 133	22
2.5249	4.9105	2.39(-01)	1.63(+00)	1.49(-02)	7.3003(-02)	C 333-S 111	23
2.5250	4.9102	3.32(-01)	2.51(-01)	1.19(-02)	2.9769(-03)	F 331-P 133	24
2.5263	4.9078	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.5271	4.9062	0.00(+00)	3.10(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
2.5278	4.9048	1.37(+00)	3.10(+01)	3.75(-02)	1.1610(+00)	E 111-P 333	27
2.5396	4.8821	4.13(+00)	3.10(+01)	1.13(-01)	3.5047(+00)	E 111-P 133	28
$n = 2; Z = 23;$							
2.2729	5.4549	0.00(+00)	2.71(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
2.2735	5.4534	1.45(-02)	2.71(+00)	4.53(-04)	1.2297(-03)	F 111-P 333	2
2.2776	5.4437	1.80(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
2.2788	5.4409	3.67(-01)	1.83(+01)	1.02(-02)	5.6149(-01)	C 133-S 313	4
2.2830	5.4308	1.79(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
2.2839	5.4286	2.94(+01)	2.71(+00)	9.15(-01)	2.4836(+00)	F 111-P 133	6
2.2871	5.4210	2.12(-02)	2.66(+01)	3.45(-04)	4.5949(-02)	F 155-P 333	7
2.2902	5.4138	1.72(+01)	1.83(+01)	4.80(-01)	2.6330(+01)	C 133-S 111	8
2.2907	5.4126	5.65(+00)	2.66(+01)	9.21(-02)	1.2259(+01)	F 155-P 335	9
2.2922	5.4090	1.74(+01)	1.35(+00)	9.28(-01)	6.2584(+00)	C 335-S 313	10
2.2931	5.4068	1.00(+01)	7.34(+00)	2.39(-01)	8.7613(+00)	F 335-P 333	11
2.2946	5.4035	1.16(+01)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	12
2.2952	5.4019	8.22(+00)	0.00(+00)	2.38(-01)	0.0000(+00)	F 333-P 333	13
2.2961	5.3998	1.69(+01)	1.71(+00)	8.91(-01)	4.5672(+00)	C 333-S 313	14
2.2967	5.3984	2.03(+01)	7.34(+00)	4.85(-01)	1.7779(+01)	F 335-P 335	15
2.2969	5.3979	0.00(+00)	2.84(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
2.2974	5.3966	1.72(+01)	1.35(+00)	9.27(-01)	1.2511(+00)	C 331-S 313	17
2.2975	5.3964	3.25(+01)	2.84(-01)	9.78(-01)	2.7812(-01)	F 331-P 333	18
2.2977	5.3962	2.91(+01)	2.66(+01)	4.74(-01)	6.3074(+01)	F 155-P 133	19
2.2988	5.3935	1.44(+01)	0.00(+00)	4.15(-01)	0.0000(+00)	F 333-P 335	20
2.3037	5.3819	4.28(+00)	7.34(+00)	1.02(-01)	3.7377(+00)	F 335-P 133	21
2.3058	5.3771	4.42(-01)	0.00(+00)	1.28(-02)	0.0000(+00)	F 333-P 133	22
2.3077	5.3727	3.58(-01)	1.71(+00)	1.89(-02)	9.6661(-02)	C 333-S 111	23
2.3082	5.3716	4.43(-01)	2.84(-01)	1.33(-02)	3.7886(-03)	F 331-P 133	24
2.3091	5.3695	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
2.3097	5.3680	0.00(+00)	3.08(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
2.3104	5.3665	1.95(+00)	3.08(+01)	5.22(-02)	1.6084(+00)	E 111-P 333	27
2.3211	5.3416	4.61(+00)	3.08(+01)	1.23(-01)	3.7996(+00)	E 111-P 133	28
$n = 2; Z = 24;$							
2.0858	5.9443	0.00(+00)	2.93(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
2.0864	5.9426	1.77(-02)	2.93(+00)	4.62(-04)	1.3526(-03)	F 111-P 333	2
2.0901	5.9319	2.14(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
2.0913	5.9287	5.38(-01)	1.83(+01)	1.37(-02)	7.5184(-01)	C 133-S 313	4
2.0956	5.9166	2.12(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	5
2.0960	5.9154	3.54(+01)	2.93(+00)	9.23(-01)	2.7023(+00)	F 111-P 133	6
2.0981	5.9094	3.34(-02)	2.55(+01)	5.00(-04)	6.3717(-02)	F 155-P 333	7
2.1014	5.9001	2.04(+01)	1.83(+01)	5.20(-01)	2.8495(+01)	C 133-S 111	8
2.1017	5.8991	7.87(+00)	2.55(+01)	1.18(-01)	1.5006(+01)	F 155-P 335	9
2.1030	5.8957	2.07(+01)	1.35(+00)	9.39(-01)	6.3340(+00)	C 335-S 313	10
2.1038	5.8934	1.22(+01)	8.63(+00)	2.46(-01)	1.0591(+01)	F 335-P 333	11
2.1051	5.8896	1.38(+01)	0.00(+00)	3.34(-01)	0.0000(+00)	F 333-P 331	12
2.1057	5.8879	9.68(+00)	0.00(+00)	2.35(-01)	0.0000(+00)	F 333-P 333	13
2.1069	5.8846	2.00(+01)	1.79(+00)	8.96(-01)	4.8231(+00)	C 333-S 313	14
2.1075	5.8831	2.31(+01)	8.63(+00)	4.63(-01)	1.9955(+01)	F 335-P 335	15
2.1076	5.8829	0.00(+00)	3.15(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
2.1078	5.8821	3.34(+01)	2.55(+01)	5.01(-01)	6.3752(+01)	F 155-P 133	17
2.1082	5.8812	3.83(+01)	3.15(-01)	9.77(-01)	3.0832(-01)	F 331-P 333	18
2.1083	5.8809	2.05(+01)	1.35(+00)	9.38(-01)	1.2662(+00)	C 331-S 313	19
2.1094	5.8777	1.71(+01)	0.00(+00)	4.15(-01)	0.0000(+00)	F 333-P 335	20
2.1136	5.8661	5.92(+00)	8.63(+00)	1.19(-01)	5.1260(+00)	F 335-P 133	21

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.1155	5.8607	6.28(−01)	0.00(+00)	1.53(−02)	0.0000(+00)	F 333-P 133	22
2.1172	5.8561	5.24(−01)	1.79(+00)	2.35(−02)	1.2631(−01)	C 333-S 111	23
2.1180	5.8539	5.72(−01)	3.15(−01)	1.46(−02)	4.6037(−03)	F 331-P 133	24
2.1185	5.8524	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
2.1190	5.8511	0.00(+00)	3.07(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
2.1196	5.8494	2.71(+00)	3.07(+01)	7.05(−02)	2.1638(+00)	E 111-P 333	27
2.1296	5.8221	5.07(+00)	3.07(+01)	1.32(−01)	4.0452(+00)	E 111-P 133	28
$n = 2; Z = 25;$							
1.9206	6.4555	0.00(+00)	3.15(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.9212	6.4536	2.07(−02)	3.15(+00)	4.55(−04)	1.4345(−03)	F 111-P 333	2
1.9247	6.4417	2.52(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.9258	6.4380	7.71(−01)	1.82(+01)	1.80(−02)	9.8135(−01)	C 133-S 313	4
1.9301	6.4237	4.22(+01)	3.15(+00)	9.30(−01)	2.9324(+00)	F 111-P 133	5
1.9301	6.4236	2.50(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	6
1.9314	6.4196	4.83(−02)	2.43(+01)	6.60(−04)	8.0321(−02)	F 155-P 333	7
1.9348	6.4080	2.39(+01)	1.82(+01)	5.58(−01)	3.0478(+01)	C 133-S 111	8
1.9351	6.4073	1.06(+01)	2.43(+01)	1.45(−01)	1.7675(+01)	F 155-P 335	9
1.9361	6.4039	2.44(+01)	1.35(+00)	9.48(−01)	6.3969(+00)	C 335-S 313	10
1.9368	6.4014	1.49(+01)	9.90(+00)	2.53(−01)	1.2550(+01)	F 335-P 333	11
1.9381	6.3974	1.63(+01)	0.00(+00)	3.34(−01)	0.0000(+00)	F 333-P 331	12
1.9386	6.3955	1.13(+01)	0.00(+00)	2.32(−01)	0.0000(+00)	F 333-P 333	13
1.9401	6.3907	2.35(+01)	1.89(+00)	8.99(−01)	5.1003(+00)	C 333-S 313	14
1.9404	6.3897	3.82(+01)	2.43(+01)	5.22(−01)	6.3458(+01)	F 155-P 133	15
1.9406	6.3891	2.59(+01)	9.90(+00)	4.42(−01)	2.1893(+01)	F 335-P 335	16
1.9406	6.3891	0.00(+00)	3.43(−01)	0.00(+00)	0.0000(+00)	F 331-P 331	17
1.9412	6.3872	4.48(+01)	3.43(−01)	9.77(−01)	3.3503(−01)	F 331-P 333	18
1.9414	6.3865	2.42(+01)	1.35(+00)	9.47(−01)	1.2788(+00)	C 331-S 313	19
1.9424	6.3832	2.02(+01)	0.00(+00)	4.15(−01)	0.0000(+00)	F 333-P 335	20
1.9459	6.3715	7.93(+00)	9.90(+00)	1.35(−01)	6.7017(+00)	F 335-P 133	21
1.9477	6.3656	8.72(−01)	0.00(+00)	1.79(−02)	0.0000(+00)	F 333-P 133	22
1.9492	6.3607	7.51(−01)	1.89(+00)	2.87(−02)	1.6301(−01)	C 333-S 111	23
1.9503	6.3573	7.16(−01)	3.43(−01)	1.56(−02)	5.3565(−03)	F 331-P 133	24
1.9505	6.3565	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
1.9509	6.3554	0.00(+00)	3.05(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
1.9515	6.3535	3.68(+00)	3.05(+01)	9.28(−02)	2.8320(+00)	E 111-P 333	27
1.9607	6.3236	5.51(+00)	3.05(+01)	1.39(−01)	4.2321(+00)	E 111-P 133	28
$n = 2; Z = 26;$							
1.7741	6.9886	0.00(+00)	3.39(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.7746	6.9866	2.32(−02)	3.39(+00)	4.33(−04)	1.4687(−03)	F 111-P 333	2
1.7780	6.9733	2.96(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.7791	6.9690	1.08(+00)	1.82(+01)	2.30(−02)	1.2509(+00)	C 133-S 313	4
1.7830	6.9537	5.02(+01)	3.39(+00)	9.36(−01)	3.1726(+00)	F 111-P 133	5
1.7834	6.9521	2.93(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	6
1.7835	6.9518	6.50(−02)	2.32(+01)	8.06(−04)	9.3563(−02)	F 155-P 333	7
1.7872	6.9376	2.79(+01)	1.82(+01)	5.92(−01)	3.2256(+01)	C 133-S 111	8
1.7873	6.9371	1.40(+01)	2.32(+01)	1.73(−01)	2.0141(+01)	F 155-P 335	9
1.7881	6.9338	2.87(+01)	1.35(+00)	9.55(−01)	6.4494(+00)	C 335-S 313	10
1.7888	6.9312	1.79(+01)	1.11(+01)	2.63(−01)	1.4606(+01)	F 335-P 333	11
1.7899	6.9268	1.91(+01)	0.00(+00)	3.35(−01)	0.0000(+00)	F 333-P 331	12
1.7905	6.9247	1.31(+01)	0.00(+00)	2.30(−01)	0.0000(+00)	F 333-P 333	13
1.7920	6.9189	4.33(+01)	2.32(+01)	5.38(−01)	6.2426(+01)	F 155-P 133	14
1.7922	6.9181	2.74(+01)	2.00(+00)	9.00(−01)	5.3993(+00)	C 333-S 313	15
1.7926	6.9167	0.00(+00)	3.66(−01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.7926	6.9164	2.89(+01)	1.11(+01)	4.24(−01)	2.3565(+01)	F 335-P 335	17
1.7931	6.9146	5.19(+01)	3.66(−01)	9.77(−01)	3.5744(−01)	F 331-P 333	18

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.7934	6.9134	2.84(+01)	1.35(+00)	9.55(-01)	1.2894(+00)	C 331-S 313	19
1.7943	6.9100	2.37(+01)	0.00(+00)	4.15(-01)	0.0000(+00)	F 333-P 335	20
1.7973	6.8983	1.03(+01)	1.11(+01)	1.51(-01)	8.3989(+00)	F 335-P 133	21
1.7990	6.8918	1.19(+00)	0.00(+00)	2.08(-02)	0.0000(+00)	F 333-P 133	22
1.8004	6.8867	1.06(+00)	2.00(+00)	3.46(-02)	2.0787(-01)	C 333-S 111	23
1.8016	6.8820	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	24
1.8017	6.8817	8.70(-01)	3.66(-01)	1.64(-02)	5.9858(-03)	F 331-P 133	25
1.8018	6.8810	0.00(+00)	3.03(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	26
1.8024	6.8789	4.90(+00)	3.03(+01)	1.19(-01)	3.6121(+00)	E 111-P 333	27
1.8110	6.8460	5.90(+00)	3.03(+01)	1.44(-01)	4.3543(+00)	E 111-P 133	28
$n = 2; Z = 27;$							
1.6435	7.5439	0.00(+00)	3.63(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.6440	7.5416	2.52(-02)	3.63(+00)	4.00(-04)	1.4544(-03)	F 111-P 333	2
1.6473	7.5266	3.45(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.6484	7.5217	1.49(+00)	1.81(+01)	2.87(-02)	1.5599(+00)	C 133-S 313	4
1.6518	7.5063	8.21(-02)	2.22(+01)	9.21(-04)	1.0213(-01)	F 155-P 333	5
1.6519	7.5054	5.92(+01)	3.63(+00)	9.42(-01)	3.4211(+00)	F 111-P 133	6
1.6527	7.5019	3.42(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	7
1.6556	7.4889	3.23(+01)	1.81(+01)	6.23(-01)	3.3812(+01)	C 133-S 111	8
1.6556	7.4887	1.80(+01)	2.22(+01)	2.01(-01)	2.2324(+01)	F 155-P 335	9
1.6563	7.4855	3.35(+01)	1.35(+00)	9.61(-01)	6.4935(+00)	C 335-S 313	10
1.6570	7.4827	2.15(+01)	1.23(+01)	2.72(-01)	1.6725(+01)	F 335-P 333	11
1.6580	7.4780	2.23(+01)	0.00(+00)	3.35(-01)	0.0000(+00)	F 333-P 331	12
1.6585	7.4758	1.51(+01)	0.00(+00)	2.27(-01)	0.0000(+00)	F 333-P 333	13
1.6598	7.4700	4.90(+01)	2.22(+01)	5.49(-01)	6.0892(+01)	F 155-P 133	14
1.6604	7.4670	3.18(+01)	2.12(+00)	8.99(-01)	5.7190(+00)	C 333-S 313	15
1.6607	7.4657	0.00(+00)	3.84(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.6608	7.4652	3.21(+01)	1.23(+01)	4.07(-01)	2.4970(+01)	F 335-P 335	17
1.6612	7.4635	5.99(+01)	3.84(-01)	9.77(-01)	3.7502(-01)	F 331-P 333	18
1.6616	7.4617	3.31(+01)	1.35(+00)	9.61(-01)	1.2982(+00)	C 331-S 313	19
1.6624	7.4582	2.76(+01)	0.00(+00)	4.15(-01)	0.0000(+00)	F 333-P 335	20
1.6650	7.4465	1.31(+01)	1.23(+01)	1.65(-01)	1.0148(+01)	F 335-P 133	21
1.6666	7.4395	1.58(+00)	0.00(+00)	2.37(-02)	0.0000(+00)	F 333-P 133	22
1.6678	7.4341	1.45(+00)	2.12(+00)	4.12(-02)	2.6196(-01)	C 333-S 111	23
1.6690	7.4288	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	24
1.6692	7.4280	0.00(+00)	3.02(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	25
1.6693	7.4273	1.03(+00)	3.84(-01)	1.68(-02)	6.4452(-03)	F 331-P 133	26
1.6697	7.4258	6.38(+00)	3.02(+01)	1.49(-01)	4.4977(+00)	E 111-P 333	27
1.6778	7.3896	6.26(+00)	3.02(+01)	1.46(-01)	4.4096(+00)	E 111-P 133	28
$n = 2; Z = 28;$							
1.5267	8.1213	0.00(+00)	3.88(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.5271	8.1189	2.64(-02)	3.88(+00)	3.60(-04)	1.3961(-03)	F 111-P 333	2
1.5303	8.1019	4.00(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.5314	8.0964	2.02(+00)	1.80(+01)	3.53(-02)	1.9061(+00)	C 133-S 313	4
1.5339	8.0830	9.86(-02)	2.12(+01)	9.96(-04)	1.0571(-01)	F 155-P 333	5
1.5347	8.0790	6.95(+01)	3.88(+00)	9.47(-01)	3.6759(+00)	F 111-P 133	6
1.5358	8.0732	3.96(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	7
1.5378	8.0623	2.26(+01)	2.12(+01)	2.28(-01)	2.4192(+01)	F 155-P 335	8
1.5379	8.0620	3.72(+01)	1.80(+01)	6.50(-01)	3.5140(+01)	C 133-S 111	9
1.5384	8.0591	3.88(+01)	1.35(+00)	9.66(-01)	6.5307(+00)	C 335-S 313	10
1.5390	8.0561	2.57(+01)	1.33(+01)	2.83(-01)	1.8878(+01)	F 335-P 333	11
1.5400	8.0511	2.59(+01)	0.00(+00)	3.35(-01)	0.0000(+00)	F 333-P 331	12
1.5404	8.0487	1.73(+01)	0.00(+00)	2.24(-01)	0.0000(+00)	F 333-P 333	13
1.5415	8.0431	5.51(+01)	2.12(+01)	5.57(-01)	5.9062(+01)	F 155-P 133	14
1.5426	8.0374	3.66(+01)	2.25(+00)	8.96(-01)	6.0575(+00)	C 333-S 313	15

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.5428	8.0363	0.00(+00)	3.97(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.5430	8.0354	3.55(+01)	1.33(+01)	3.92(-01)	2.6130(+01)	F 335-P 335	17
1.5433	8.0339	6.87(+01)	3.97(-01)	9.77(-01)	3.8759(-01)	F 331-P 333	18
1.5437	8.0315	3.84(+01)	1.35(+00)	9.66(-01)	1.3057(+00)	C 331-S 313	19
1.5444	8.0280	3.21(+01)	0.00(+00)	4.15(-01)	0.0000(+00)	F 333-P 335	20
1.5467	8.0162	1.62(+01)	1.33(+01)	1.78(-01)	1.1885(+01)	F 335-P 133	21
1.5481	8.0087	2.06(+00)	0.00(+00)	2.67(-02)	0.0000(+00)	F 333-P 133	22
1.5492	8.0031	1.97(+00)	2.25(+00)	4.83(-02)	3.2625(-01)	C 333-S 111	23
1.5504	7.9971	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	24
1.5505	7.9966	0.00(+00)	3.00(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	25
1.5509	7.9942	8.17(+00)	3.00(+01)	1.83(-01)	5.4768(+00)	E 111-P 333	26
1.5510	7.9940	1.19(+00)	3.97(-01)	1.69(-02)	6.7093(-03)	F 331-P 133	27
1.5587	7.9542	6.56(+00)	3.00(+01)	1.47(-01)	4.3995(+00)	E 111-P 133	28
$n = 2; Z = 29;$							
1.4216	8.7212	0.00(+00)	4.14(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.4221	8.7187	2.68(-02)	4.14(+00)	3.15(-04)	1.3027(-03)	F 111-P 333	2
1.4252	8.6992	4.62(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.4263	8.6930	2.69(+00)	1.79(+01)	4.25(-02)	2.2858(+00)	C 133-S 313	4
1.4280	8.6822	1.14(-01)	2.03(+01)	1.03(-03)	1.0481(-01)	F 155-P 333	5
1.4293	8.6746	8.11(+01)	4.14(+00)	9.51(-01)	3.9349(+00)	F 111-P 133	6
1.4307	8.6662	4.57(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	7
1.4320	8.6579	2.79(+01)	2.03(+01)	2.53(-01)	2.5746(+01)	F 155-P 335	8
1.4322	8.6572	4.26(+01)	1.79(+01)	6.74(-01)	3.6242(+01)	C 133-S 111	9
1.4326	8.6548	4.49(+01)	1.35(+00)	9.71(-01)	6.5623(+00)	C 335-S 313	10
1.4331	8.6515	3.05(+01)	1.43(+01)	2.94(-01)	2.1036(+01)	F 335-P 333	11
1.4340	8.6462	2.99(+01)	0.00(+00)	3.35(-01)	0.0000(+00)	F 333-P 331	12
1.4344	8.6436	1.97(+01)	0.00(+00)	2.21(-01)	0.0000(+00)	F 333-P 333	13
1.4353	8.6382	6.18(+01)	2.03(+01)	5.61(-01)	5.7097(+01)	F 155-P 133	14
1.4368	8.6295	4.18(+01)	2.39(+00)	8.93(-01)	6.4119(+00)	C 333-S 313	15
1.4369	8.6285	0.00(+00)	4.04(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.4371	8.6272	3.92(+01)	1.43(+01)	3.78(-01)	2.7073(+01)	F 335-P 335	17
1.4373	8.6260	7.85(+01)	4.04(-01)	9.78(-01)	3.9524(-01)	F 331-P 333	18
1.4379	8.6229	4.44(+01)	1.35(+00)	9.70(-01)	1.3120(+00)	C 331-S 313	19
1.4385	8.6193	3.70(+01)	0.00(+00)	4.15(-01)	0.0000(+00)	F 333-P 335	20
1.4404	8.6075	1.97(+01)	1.43(+01)	1.90(-01)	1.3560(+01)	F 335-P 133	21
1.4418	8.5996	2.65(+00)	0.00(+00)	2.97(-02)	0.0000(+00)	F 333-P 133	22
1.4428	8.5936	2.62(+00)	2.39(+00)	5.59(-02)	4.0155(-01)	C 333-S 111	23
1.4439	8.5870	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	24
1.4439	8.5867	0.00(+00)	2.98(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	25
1.4444	8.5841	1.03(+01)	2.98(+01)	2.19(-01)	6.5327(+00)	E 111-P 333	26
1.4447	8.5819	1.35(+00)	4.04(-01)	1.68(-02)	6.7757(-03)	F 331-P 133	27
1.4518	8.5400	6.82(+00)	2.98(+01)	1.45(-01)	4.3289(+00)	E 111-P 133	28
$n = 2; Z = 30;$							
1.3269	9.3437	0.00(+00)	4.39(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.3273	9.3411	2.66(-02)	4.39(+00)	2.70(-04)	1.1853(-03)	F 111-P 333	2
1.3305	9.3187	5.30(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.3315	9.3119	3.52(+00)	1.78(+01)	5.04(-02)	2.6942(+00)	C 133-S 313	4
1.3326	9.3041	1.26(-01)	1.96(+01)	1.03(-03)	1.0035(-01)	F 155-P 333	5
1.3343	9.2924	9.41(+01)	4.39(+00)	9.55(-01)	4.1956(+00)	F 111-P 133	6
1.3359	9.2808	5.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	7
1.3367	9.2758	3.39(+01)	1.96(+01)	2.76(-01)	2.7012(+01)	F 155-P 335	8
1.3368	9.2745	4.86(+01)	1.78(+01)	6.95(-01)	3.7128(+01)	C 133-S 111	9
1.3371	9.2726	5.16(+01)	1.35(+00)	9.74(-01)	6.5892(+00)	C 335-S 313	10
1.3376	9.2691	3.60(+01)	1.52(+01)	3.05(-01)	2.3176(+01)	F 335-P 333	11

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.3384	9.2634	3.44(+01)	0.00(+00)	3.35(-01)	0.0000(+00)	F 333-P 331	12
1.3388	9.2607	2.24(+01)	0.00(+00)	2.18(-01)	0.0000(+00)	F 333-P 333	13
1.3396	9.2555	6.92(+01)	1.96(+01)	5.64(-01)	5.5113(+01)	F 155-P 133	14
1.3414	9.2432	4.77(+01)	2.54(+00)	8.89(-01)	6.7784(+00)	C 333-S 313	15
1.3415	9.2424	0.00(+00)	4.07(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.3417	9.2407	4.32(+01)	1.52(+01)	3.67(-01)	2.7832(+01)	F 335-P 335	17
1.3419	9.2397	8.92(+01)	4.07(-01)	9.79(-01)	3.9832(-01)	F 331-P 333	18
1.3424	9.2359	5.10(+01)	1.35(+00)	9.74(-01)	1.3174(+00)	C 331-S 313	19
1.3429	9.2324	4.25(+01)	0.00(+00)	4.15(-01)	0.0000(+00)	F 333-P 335	20
1.3447	9.2204	2.35(+01)	1.52(+01)	1.99(-01)	1.5136(+01)	F 335-P 133	21
1.3459	9.2121	3.35(+00)	0.00(+00)	3.26(-02)	0.0000(+00)	F 333-P 133	22
1.3468	9.2058	3.43(+00)	2.54(+00)	6.40(-02)	4.8845(-01)	C 333-S 111	23
1.3479	9.1986	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	24
1.3479	9.1984	0.00(+00)	2.96(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	25
1.3483	9.1957	1.28(+01)	2.96(+01)	2.59(-01)	7.6457(+00)	E 111-P 333	26
1.3490	9.1910	1.49(+00)	4.07(-01)	1.64(-02)	6.6617(-03)	F 331-P 133	27
1.3555	9.1471	7.02(+00)	2.96(+01)	1.42(-01)	4.2054(+00)	E 111-P 133	28
$n = 2; Z = 31;$							
1.2412	9.9890	0.00(+00)	4.65(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.2416	9.9862	2.58(-02)	4.65(+00)	2.27(-04)	1.0555(-03)	F 111-P 333	2
1.2448	9.9605	6.07(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.2457	9.9530	4.55(+00)	1.77(+01)	5.89(-02)	3.1256(+00)	C 133-S 313	4
1.2462	9.9488	1.36(-01)	1.89(+01)	9.91(-04)	9.3418(-02)	F 155-P 333	5
1.2483	9.9324	1.09(+02)	4.65(+00)	9.59(-01)	4.4558(+00)	F 111-P 133	6
1.2502	9.9172	5.99(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	7
1.2504	9.9159	4.08(+01)	1.89(+01)	2.97(-01)	2.8025(+01)	F 155-P 335	8
1.2506	9.9140	5.50(+01)	1.77(+01)	7.12(-01)	3.7811(+01)	C 133-S 111	9
1.2508	9.9127	5.91(+01)	1.35(+00)	9.78(-01)	6.6122(+00)	C 335-S 313	10
1.2512	9.9089	4.22(+01)	1.60(+01)	3.17(-01)	2.5278(+01)	F 335-P 333	11
1.2520	9.9029	3.93(+01)	0.00(+00)	3.35(-01)	0.0000(+00)	F 333-P 331	12
1.2524	9.9001	2.52(+01)	0.00(+00)	2.15(-01)	0.0000(+00)	F 333-P 333	13
1.2530	9.8951	7.73(+01)	1.89(+01)	5.64(-01)	5.3187(+01)	F 155-P 133	14
1.2551	9.8787	5.40(+01)	2.70(+00)	8.83(-01)	7.1532(+00)	C 333-S 313	15
1.2552	9.8780	0.00(+00)	4.05(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.2554	9.8760	4.75(+01)	1.60(+01)	3.56(-01)	2.8438(+01)	F 335-P 335	17
1.2555	9.8753	1.01(+02)	4.05(-01)	9.80(-01)	3.9732(-01)	F 331-P 333	18
1.2561	9.8708	5.83(+01)	1.35(+00)	9.77(-01)	1.3221(+00)	C 331-S 313	19
1.2565	9.8672	4.86(+01)	0.00(+00)	4.14(-01)	0.0000(+00)	F 333-P 335	20
1.2581	9.8551	2.77(+01)	1.60(+01)	2.08(-01)	1.6592(+01)	F 335-P 133	21
1.2592	9.8463	4.17(+00)	0.00(+00)	3.55(-02)	0.0000(+00)	F 333-P 133	22
1.2600	9.8398	4.43(+00)	2.70(+00)	7.25(-02)	5.8724(-01)	C 333-S 111	23
1.2610	9.8319	0.00(+00)	2.94(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	24
1.2611	9.8319	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
1.2614	9.8292	1.56(+01)	2.94(+01)	2.99(-01)	8.7944(+00)	E 111-P 333	26
1.2624	9.8215	1.63(+00)	4.05(-01)	1.58(-02)	6.3981(-03)	F 331-P 133	27
1.2683	9.7754	7.17(+00)	2.94(+01)	1.37(-01)	4.0379(+00)	E 111-P 133	28
$n = 2; Z = 32;$							
1.1634	10.657	0.00(+00)	4.90(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.1637	10.654	2.45(-02)	4.90(+00)	1.88(-04)	9.2345(-04)	F 111-P 333	2
1.1669	10.625	6.91(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.1679	10.617	1.43(-01)	1.82(+01)	9.33(-04)	8.5015(-02)	F 155-P 333	4
1.1679	10.617	5.79(+00)	1.76(+01)	6.78(-02)	3.5739(+00)	C 133-S 313	5
1.1702	10.595	1.25(+02)	4.90(+00)	9.62(-01)	4.7133(+00)	F 111-P 133	6
1.1720	10.579	4.84(+01)	1.82(+01)	3.16(-01)	2.8826(+01)	F 155-P 335	7
1.1723	10.576	6.21(+01)	1.76(+01)	7.27(-01)	3.8308(+01)	C 133-S 111	8

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.1724	10.576	6.81(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	9
1.1724	10.575	6.73(+01)	1.35(+00)	9.80(-01)	6.6321(+00)	C 335-S 313	10
1.1729	10.571	4.93(+01)	1.67(+01)	3.28(-01)	2.7323(+01)	F 335-P 333	11
1.1736	10.565	4.48(+01)	0.00(+00)	3.35(-01)	0.0000(+00)	F 333-P 331	12
1.1739	10.562	2.84(+01)	0.00(+00)	2.12(-01)	0.0000(+00)	F 333-P 333	13
1.1744	10.557	8.62(+01)	1.82(+01)	5.64(-01)	5.1363(+01)	F 155-P 133	14
1.1768	10.536	6.09(+01)	2.86(+00)	8.77(-01)	7.5322(+00)	C 333-S 313	15
1.1768	10.536	0.00(+00)	4.00(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.1771	10.533	5.22(+01)	1.67(+01)	3.47(-01)	2.8919(+01)	F 335-P 335	17
1.1771	10.533	1.14(+02)	4.00(-01)	9.82(-01)	3.9285(-01)	F 331-P 333	18
1.1777	10.528	6.64(+01)	1.35(+00)	9.80(-01)	1.3261(+00)	C 331-S 313	19
1.1781	10.524	5.54(+01)	0.00(+00)	4.14(-01)	0.0000(+00)	F 333-P 335	20
1.1795	10.512	3.23(+01)	1.67(+01)	2.15(-01)	1.7917(+01)	F 335-P 133	21
1.1805	10.503	5.13(+00)	0.00(+00)	3.84(-02)	0.0000(+00)	F 333-P 133	22
1.1813	10.496	5.64(+00)	2.86(+00)	8.13(-02)	6.9789(-01)	C 333-S 111	23
1.1822	10.487	0.00(+00)	2.92(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	24
1.1823	10.487	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
1.1826	10.484	1.89(+01)	2.92(+01)	3.41(-01)	9.9574(+00)	E 111-P 333	26
1.1838	10.473	1.75(+00)	4.00(-01)	1.50(-02)	6.0225(-03)	F 331-P 133	27
1.1893	10.425	7.28(+00)	2.92(+01)	1.31(-01)	3.8365(+00)	E 111-P 133	28
$n = 2; Z = 33;$							
1.0925	11.349	0.00(+00)	5.15(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.0928	11.346	2.30(-02)	5.15(+00)	1.55(-04)	7.9710(-04)	F 111-P 333	2
1.0961	11.312	7.84(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	3
1.0965	11.307	1.47(-01)	1.77(+01)	8.60(-04)	7.5963(-02)	F 155-P 333	4
1.0970	11.303	7.28(+00)	1.74(+01)	7.71(-02)	4.0329(+00)	C 133-S 313	5
1.0992	11.280	1.43(+02)	5.15(+00)	9.65(-01)	4.9664(+00)	F 111-P 133	6
1.1007	11.264	5.69(+01)	1.77(+01)	3.33(-01)	2.9451(+01)	F 155-P 335	7
1.1011	11.261	6.98(+01)	1.74(+01)	7.38(-01)	3.8641(+01)	C 133-S 111	8
1.1011	11.260	7.64(+01)	1.35(+00)	9.83(-01)	6.6493(+00)	C 335-S 313	9
1.1015	11.256	5.73(+01)	1.73(+01)	3.38(-01)	2.9301(+01)	F 335-P 333	10
1.1015	11.256	7.73(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	11
1.1022	11.249	5.09(+01)	0.00(+00)	3.35(-01)	0.0000(+00)	F 333-P 331	12
1.1024	11.246	3.18(+01)	0.00(+00)	2.10(-01)	0.0000(+00)	F 333-P 333	13
1.1029	11.242	9.60(+01)	1.77(+01)	5.62(-01)	4.9664(+01)	F 155-P 133	14
1.1055	11.216	6.84(+01)	3.03(+00)	8.71(-01)	7.9112(+00)	C 333-S 313	15
1.1055	11.215	0.00(+00)	3.92(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.1058	11.212	5.73(+01)	1.73(+01)	3.38(-01)	2.9298(+01)	F 335-P 335	17
1.1058	11.212	1.28(+02)	3.92(-01)	9.83(-01)	3.8555(-01)	F 331-P 333	18
1.1064	11.206	7.53(+01)	1.35(+00)	9.82(-01)	1.3295(+00)	C 331-S 313	19
1.1067	11.203	6.29(+01)	0.00(+00)	4.14(-01)	0.0000(+00)	F 333-P 335	20
1.1080	11.190	3.74(+01)	1.73(+01)	2.21(-01)	1.9110(+01)	F 335-P 133	21
1.1089	11.181	6.24(+00)	0.00(+00)	4.11(-02)	0.0000(+00)	F 333-P 133	22
1.1096	11.173	7.09(+00)	3.03(+00)	9.03(-02)	8.2007(-01)	C 333-S 111	23
1.1105	11.165	0.00(+00)	2.90(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	24
1.1106	11.164	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
1.1108	11.162	2.26(+01)	2.90(+01)	3.83(-01)	1.1115(+01)	E 111-P 333	26
1.1123	11.146	1.85(+00)	3.92(-01)	1.42(-02)	5.5730(-03)	F 331-P 133	27
1.1174	11.096	7.34(+00)	2.90(+01)	1.25(-01)	3.6111(+00)	E 111-P 133	28
$n = 2; Z = 34;$							
1.0278	12.063	0.00(+00)	5.39(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
1.0280	12.060	2.13(-02)	5.39(+00)	1.27(-04)	6.8180(-04)	F 111-P 333	2
1.0313	12.022	1.48(-01)	1.72(+01)	7.79(-04)	6.6869(-02)	F 335-P 333	3
1.0314	12.021	8.87(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	4
1.0322	12.011	9.05(+00)	1.73(+01)	8.66(-02)	4.4965(+00)	C 133-S 313	5

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.0343	11.988	1.63(+02)	5.39(+00)	9.68(-01)	5.2133(+00)	F 111-P 133	6
1.0357	11.972	6.64(+01)	1.72(+01)	3.49(-01)	2.9935(+01)	F 335-P 335	7
1.0359	11.968	8.65(+01)	1.35(+00)	9.85(-01)	6.6642(+00)	C 335-S 313	8
1.0360	11.968	7.81(+01)	1.73(+01)	7.48(-01)	3.8829(+01)	C 133-S 111	9
1.0364	11.964	6.62(+01)	1.79(+01)	3.49(-01)	3.1200(+01)	F 155-P 333	10
1.0368	11.958	8.73(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	11
1.0370	11.956	5.76(+01)	0.00(+00)	3.36(-01)	0.0000(+00)	F 333-P 331	12
1.0372	11.953	3.55(+01)	0.00(+00)	2.07(-01)	0.0000(+00)	F 333-P 333	13
1.0376	11.949	1.07(+02)	1.72(+01)	5.60(-01)	4.8101(+01)	F 335-P 133	14
1.0404	11.917	7.66(+01)	3.20(+00)	8.64(-01)	8.2867(+00)	C 333-S 313	15
1.0404	11.917	0.00(+00)	3.82(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
1.0407	11.914	1.44(+02)	3.82(-01)	9.84(-01)	3.7603(-01)	F 331-P 333	17
1.0407	11.914	6.28(+01)	1.79(+01)	3.31(-01)	2.9596(+01)	F 155-P 335	18
1.0413	11.907	8.52(+01)	1.35(+00)	9.84(-01)	1.3325(+00)	C 331-S 313	19
1.0416	11.903	7.11(+01)	0.00(+00)	4.14(-01)	0.0000(+00)	F 333-P 335	20
1.0427	11.891	4.28(+01)	1.79(+01)	2.26(-01)	2.0175(+01)	F 155-P 133	21
1.0436	11.881	7.50(+00)	0.00(+00)	4.37(-02)	0.0000(+00)	F 333-P 133	22
1.0442	11.873	8.81(+00)	3.20(+00)	9.94(-02)	9.5313(-01)	C 333-S 111	23
1.0451	11.864	0.00(+00)	2.88(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	24
1.0451	11.863	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
1.0453	11.861	2.68(+01)	2.88(+01)	4.25(-01)	1.2248(+01)	E 111-P 333	26
1.0471	11.841	1.94(+00)	3.82(-01)	1.33(-02)	5.0842(-03)	F 331-P 133	27
1.0517	11.789	7.36(+00)	2.88(+01)	1.17(-01)	3.3708(+00)	E 111-P 133	28
$n = 2; Z = 35;$							
.96852	12.802	0.00(+00)	5.62(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1
.96874	12.799	1.97(-02)	5.62(+00)	1.03(-04)	5.8051(-04)	F 111-P 333	2
.97171	12.760	1.47(-01)	1.67(+01)	6.95(-04)	5.8151(-02)	F 335-P 333	3
.97215	12.754	9.99(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	4
.97295	12.743	1.11(+01)	1.72(+01)	9.63(-02)	4.9592(+00)	C 133-S 313	5
.97484	12.719	1.85(+02)	5.62(+00)	9.70(-01)	5.4528(+00)	F 111-P 133	6
.97607	12.703	7.68(+01)	1.67(+01)	3.62(-01)	3.0305(+01)	F 335-P 335	7
.97633	12.699	9.75(+01)	1.35(+00)	9.86(-01)	6.6772(+00)	C 335-S 313	8
.97643	12.698	8.72(+01)	1.72(+01)	7.55(-01)	3.8895(+01)	C 133-S 111	9
.97673	12.694	7.62(+01)	1.84(+01)	3.59(-01)	3.3014(+01)	F 155-P 333	10
.97731	12.686	6.50(+01)	0.00(+00)	3.36(-01)	0.0000(+00)	F 333-P 331	11
.97753	12.684	3.96(+01)	0.00(+00)	2.05(-01)	0.0000(+00)	F 333-P 333	12
.97759	12.683	9.82(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	13
.97784	12.679	1.18(+02)	1.67(+01)	5.58(-01)	4.6673(+01)	F 335-P 133	14
.98083	12.641	8.54(+01)	3.36(+00)	8.58(-01)	8.6552(+00)	C 333-S 313	15
.98087	12.640	0.00(+00)	3.70(-01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
.98110	12.637	1.60(+02)	3.70(-01)	9.85(-01)	3.6488(-01)	F 331-P 333	17
.98113	12.637	6.88(+01)	1.84(+01)	3.24(-01)	2.9829(+01)	F 155-P 335	18
.98166	12.630	9.60(+01)	1.35(+00)	9.86(-01)	1.3351(+00)	C 331-S 313	19
.98194	12.627	8.01(+01)	0.00(+00)	4.14(-01)	0.0000(+00)	F 333-P 335	20
.98293	12.614	4.87(+01)	1.84(+01)	2.30(-01)	2.1119(+01)	F 155-P 133	21
.98374	12.603	8.93(+00)	0.00(+00)	4.62(-02)	0.0000(+00)	F 333-P 133	22
.98436	12.595	1.08(+01)	3.36(+00)	1.09(-01)	1.0962(+00)	C 333-S 111	23
.98513	12.586	0.00(+00)	2.86(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	24
.98520	12.585	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
.98536	12.583	3.14(+01)	2.86(+01)	4.66(-01)	1.3343(+01)	E 111-P 333	26
.98736	12.557	2.02(+00)	3.70(-01)	1.24(-02)	4.5843(-03)	F 331-P 133	27
.99167	12.503	7.35(+00)	2.86(+01)	1.09(-01)	3.1238(+00)	E 111-P 133	28
$n = 2; Z = 36;$							
.91411	13.564	0.00(+00)	5.84(+00)	0.00(+00)	0.0000(+00)	F 111-P 331	1

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.91430	13.561	1.82(−02)	5.84(+00)	8.46(−05)	4.9424(−04)	F 111-P 333	2
.91697	13.521	1.45(−01)	1.63(+01)	6.13(−04)	5.0061(−02)	F 335-P 333	3
.91777	13.509	1.12(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	4
.91854	13.498	1.35(+01)	1.70(+01)	1.06(−01)	5.4160(+00)	C 133-S 313	5
.92029	13.472	2.09(+02)	5.84(+00)	9.73(−01)	5.6840(+00)	F 111-P 133	6
.92138	13.456	8.83(+01)	1.63(+01)	3.75(−01)	3.0587(+01)	F 335-P 335	7
.92162	13.453	1.10(+02)	1.35(+00)	9.88(−01)	6.6886(+00)	C 335-S 313	8
.92176	13.451	9.69(+01)	1.70(+01)	7.60(−01)	3.8856(+01)	C 133-S 111	9
.92200	13.447	8.72(+01)	1.88(+01)	3.69(−01)	3.4740(+01)	F 155-P 333	10
.92254	13.439	7.30(+01)	0.00(+00)	3.36(−01)	0.0000(+00)	F 333-P 331	11
.92274	13.437	4.40(+01)	0.00(+00)	2.02(−01)	0.0000(+00)	F 333-P 333	12
.92300	13.433	1.31(+02)	1.63(+01)	5.56(−01)	4.5374(+01)	F 335-P 133	13
.92322	13.430	1.10(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	14
.92616	13.387	9.49(+01)	3.53(+00)	8.51(−01)	9.0139(+00)	C 333-S 313	15
.92621	13.386	0.00(+00)	3.57(−01)	0.00(+00)	0.0000(+00)	F 331-P 331	16
.92641	13.383	1.79(+02)	3.57(−01)	9.87(−01)	3.5257(−01)	F 331-P 333	17
.92646	13.383	7.53(+01)	1.88(+01)	3.19(−01)	3.0009(+01)	F 155-P 335	18
.92696	13.376	1.08(+02)	1.35(+00)	9.88(−01)	1.3374(+00)	C 331-S 313	19
.92720	13.372	8.99(+01)	0.00(+00)	4.13(−01)	0.0000(+00)	F 333-P 335	20
.92810	13.359	5.51(+01)	1.88(+01)	2.33(−01)	2.1953(+01)	F 155-P 133	21
.92885	13.348	1.05(+01)	0.00(+00)	4.85(−02)	0.0000(+00)	F 333-P 133	22
.92943	13.340	1.31(+01)	3.53(+00)	1.18(−01)	1.2480(+00)	C 333-S 111	23
.93016	13.329	0.00(+00)	2.85(+01)	0.00(+00)	0.0000(+00)	E 111-P 331	24
.93023	13.328	0.00(+00)	1.35(+00)	0.00(+00)	0.0000(+00)	C 331-S 111	25
.93036	13.327	3.66(+01)	2.85(+01)	5.06(−01)	1.4388(+01)	E 111-P 333	26
.93256	13.295	2.08(+00)	3.57(−01)	1.15(−02)	4.0948(−03)	F 331-P 133	27
.93657	13.238	7.31(+00)	2.85(+01)	1.01(−01)	2.8769(+00)	E 111-P 133	28

Table Ib. Transitions $1s2l'2l''-1s2.2l$ in [Li] and $1s2p-1s2$ in [He] ions

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 2; Z = 6;$							
40.281	.30780	9.07(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
40.710	.30456	1.13(-02)	4.48(-01)	2.35(-02)	2.1016(-02)	F 212-P 232	2
40.712	.30454	2.31(-02)	4.48(-01)	4.79(-02)	4.2908(-02)	F 212-P 234	3
40.716	.30451	2.99(-06)	0.00(+00)	9.97(-01)	0.0000(+00)	R 333-Y 111	4
40.875	.30333	7.99(-03)	5.76(+00)	1.39(-03)	1.5958(-02)	C 232-S 212	5
40.876	.30332	7.70(-03)	5.78(+00)	1.33(-03)	3.0744(-02)	C 234-S 212	6
41.360	.29977	7.18(-02)	7.26(-01)	9.00(-02)	2.6139(-01)	K 234-S 212	7
41.361	.29976	7.15(-02)	7.51(-01)	8.69(-02)	1.3060(-01)	K 232-S 212	8
41.437	.29921	1.90(-02)	1.28(-03)	1.59(-01)	8.1731(-04)	M 234-P 232	9
41.439	.29920	9.92(-02)	1.28(-03)	8.30(-01)	4.2571(-03)	M 234-P 234	10
41.439	.29920	7.90(-02)	8.38(-07)	6.68(-01)	1.1192(-06)	M 232-P 232	11
41.441	.29918	3.93(-02)	8.38(-07)	3.32(-01)	5.5643(-07)	M 232-P 234	12
41.465	.29901	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	13
41.562	.29832	3.39(-02)	7.56(+00)	4.46(-03)	1.3486(-01)	F 254-P 232	14
41.564	.29830	6.00(-03)	7.56(+00)	7.89(-04)	2.3864(-02)	F 254-P 234	15
41.567	.29828	3.99(-02)	7.56(+00)	5.24(-03)	2.3793(-01)	F 256-P 234	16
41.987	.29529	5.60(-08)	2.64(-06)	1.66(-02)	1.7571(-07)	M 434-P 232	17
41.989	.29528	3.14(-07)	8.28(-09)	9.44(-01)	1.5633(-08)	M 432-P 232	18
41.989	.29528	8.12(-07)	1.59(-04)	5.09(-03)	4.8492(-06)	M 436-P 234	19
41.989	.29528	6.63(-07)	2.64(-06)	1.97(-01)	2.0776(-06)	M 434-P 234	20
41.991	.29527	4.49(-10)	8.28(-09)	1.35(-03)	2.2346(-11)	M 432-P 234	21
42.150	.29415	4.63(-07)	7.30(-07)	3.85(-01)	1.1235(-06)	K 434-S 212	22
42.150	.29415	1.75(-07)	2.29(-07)	4.23(-01)	1.9358(-07)	K 432-S 212	23
43.792	.28312	1.24(-03)	9.82(+00)	1.27(-04)	2.4890(-03)	E 212-P 232	24
43.794	.28311	2.48(-03)	9.82(+00)	2.52(-04)	4.9492(-03)	E 212-P 234	25
$n = 2; Z = 7;$							
28.793	.43060	1.84(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
29.060	.42665	2.33(-02)	6.58(-01)	3.19(-02)	4.2031(-02)	F 212-P 232	2
29.062	.42662	4.83(-02)	6.58(-01)	6.62(-02)	8.7167(-02)	F 212-P 234	3
29.079	.42637	1.42(-05)	0.00(+00)	9.99(-01)	0.0000(+00)	R 333-Y 111	4
29.155	.42526	1.66(-02)	6.46(+00)	2.56(-03)	3.3082(-02)	C 232-S 212	5
29.156	.42525	1.55(-02)	6.51(+00)	2.38(-03)	6.2015(-02)	C 234-S 212	6
29.442	.42112	1.49(-01)	6.82(-01)	1.79(-01)	4.8877(-01)	K 234-S 212	7
29.444	.42109	1.48(-01)	7.27(-01)	1.69(-01)	2.4570(-01)	K 232-S 212	8
29.495	.42035	3.87(-02)	3.40(-03)	1.56(-01)	2.1202(-03)	M 234-P 232	9
29.498	.42032	2.06(-01)	3.40(-03)	8.30(-01)	1.1275(-02)	M 234-P 234	10
29.498	.42032	1.64(-01)	4.99(-06)	6.69(-01)	6.6713(-06)	M 232-P 232	11
29.500	.42028	8.10(-02)	4.99(-06)	3.31(-01)	3.3022(-06)	M 232-P 234	12
29.533	.41982	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	13
29.583	.41911	7.06(-02)	8.85(+00)	7.91(-03)	2.7987(-01)	F 254-P 232	14
29.586	.41907	1.17(-02)	8.85(+00)	1.31(-03)	4.6449(-02)	F 254-P 234	15
29.588	.41904	8.22(-02)	8.85(+00)	9.21(-03)	4.8888(-01)	F 256-P 234	16
29.873	.41504	1.71(-07)	1.29(-05)	1.06(-02)	5.4400(-07)	M 434-P 232	17
29.875	.41502	1.60(-06)	2.09(-09)	9.85(-01)	4.1253(-09)	M 432-P 232	18
29.875	.41502	3.97(-06)	4.40(-04)	8.95(-03)	2.3618(-05)	M 436-P 234	19
29.876	.41500	3.09(-06)	1.29(-05)	1.91(-01)	9.8659(-06)	M 434-P 234	20
29.877	.41498	1.24(-08)	2.09(-09)	7.64(-03)	3.1987(-11)	M 432-P 234	21
29.954	.41392	2.39(-06)	3.97(-06)	3.75(-01)	5.9646(-06)	K 434-S 212	22
29.954	.41391	9.13(-07)	6.18(-08)	9.27(-01)	1.1464(-07)	K 432-S 212	23
30.955	.40054	2.57(-03)	1.05(+01)	2.43(-04)	5.1363(-03)	E 212-P 232	24
30.958	.40050	5.09(-03)	1.05(+01)	4.82(-04)	1.0168(-02)	E 212-P 234	25

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 2; Z = 8;$							
21.605	.57387	3.35(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
21.781	.56923	4.27(−02)	8.44(−01)	4.37(−02)	7.3718(−02)	F 212-P 232	2
21.784	.56916	9.05(−02)	8.44(−01)	9.26(−02)	1.5629(−01)	F 212-P 234	3
21.802	.56870	5.48(−05)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	4
21.842	.56765	2.80(−02)	7.09(+00)	3.93(−03)	1.1136(−01)	C 234-S 212	5
21.842	.56765	3.10(−02)	7.01(+00)	4.40(−03)	6.1724(−02)	C 232-S 212	6
22.025	.56293	2.76(−01)	6.42(−01)	3.01(−01)	7.7243(−01)	K 234-S 212	7
22.027	.56289	2.73(−01)	7.15(−01)	2.76(−01)	3.9530(−01)	K 232-S 212	8
22.062	.56198	7.00(−02)	8.02(−03)	1.52(−01)	4.8740(−03)	M 234-P 232	9
22.065	.56191	3.83(−01)	8.02(−03)	8.31(−01)	2.6665(−02)	M 234-P 234	10
22.065	.56190	3.03(−01)	1.90(−05)	6.70(−01)	2.5456(−05)	M 232-P 232	11
22.068	.56184	1.49(−01)	1.90(−05)	3.30(−01)	1.2522(−05)	M 232-P 234	12
22.097	.56109	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	13
22.125	.56038	1.32(−01)	9.87(+00)	1.32(−02)	5.2072(−01)	F 254-P 232	14
22.128	.56031	2.01(−02)	9.87(+00)	2.00(−03)	7.9029(−02)	F 254-P 234	15
22.130	.56026	1.52(−01)	9.88(+00)	1.51(−02)	8.9761(−01)	F 256-P 234	16
22.329	.55526	4.47(−07)	4.29(−05)	8.08(−03)	1.3866(−06)	M 434-P 232	17
22.331	.55522	6.60(−06)	9.99(−08)	9.70(−01)	1.9378(−07)	M 432-P 232	18
22.331	.55522	1.60(−05)	1.07(−03)	1.47(−02)	9.4397(−05)	M 436-P 234	19
22.332	.55519	1.20(−05)	4.29(−05)	2.16(−01)	3.7080(−05)	M 434-P 234	20
22.333	.55515	9.64(−08)	9.99(−08)	1.42(−02)	2.8301(−09)	M 432-P 234	21
22.374	.55414	9.85(−06)	1.39(−05)	4.15(−01)	2.3018(−05)	K 434-S 212	22
22.375	.55413	3.77(−06)	6.12(−08)	9.81(−01)	1.2005(−07)	K 432-S 212	23
23.029	.53840	4.76(−03)	1.11(+01)	4.28(−04)	9.5050(−03)	E 212-P 232	24
23.032	.53833	9.36(−03)	1.11(+01)	8.42(−04)	1.8701(−02)	E 212-P 234	25
$n = 2; Z = 9;$							
16.809	.73763	5.65(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
16.931	.73231	7.16(−02)	1.01(+00)	5.80(−02)	1.1673(−01)	F 212-P 232	2
16.934	.73218	1.56(−01)	1.01(+00)	1.27(−01)	2.5491(−01)	F 212-P 234	3
16.949	.73151	1.81(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	4
16.972	.73055	4.61(−02)	7.56(+00)	6.06(−03)	1.8314(−01)	C 234-S 212	5
16.972	.73054	5.38(−02)	7.45(+00)	7.17(−03)	1.0680(−01)	C 232-S 212	6
17.096	.72524	4.72(−01)	6.04(−01)	4.39(−01)	1.0598(+00)	K 234-S 212	7
17.097	.72517	4.65(−01)	7.15(−01)	3.94(−01)	5.6308(−01)	K 232-S 212	8
17.122	.72411	1.16(−01)	1.72(−02)	1.46(−01)	1.0059(−02)	M 234-P 232	9
17.125	.72398	6.56(−01)	1.72(−02)	8.32(−01)	5.7114(−02)	M 234-P 234	10
17.125	.72398	5.19(−01)	5.58(−05)	6.72(−01)	7.5067(−05)	M 232-P 232	11
17.128	.72386	2.53(−01)	5.58(−05)	3.28(−01)	3.6619(−05)	M 232-P 234	12
17.153	.72282	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	13
17.169	.72216	2.29(−01)	1.07(+01)	2.09(−02)	8.9402(−01)	F 254-P 232	14
17.172	.72203	3.08(−02)	1.07(+01)	2.81(−03)	1.2033(−01)	F 254-P 234	15
17.173	.72196	2.59(−01)	1.07(+01)	2.36(−02)	1.5155(+00)	F 256-P 234	16
17.317	.71598	1.03(−06)	1.14(−04)	6.67(−03)	3.0481(−06)	M 434-P 232	17
17.318	.71592	2.31(−05)	5.93(−07)	9.55(−01)	1.1340(−06)	M 432-P 232	18
17.318	.71592	5.48(−05)	2.33(−03)	2.30(−02)	3.2129(−04)	M 436-P 234	19
17.320	.71586	3.95(−05)	1.14(−04)	2.55(−01)	1.1665(−04)	M 434-P 234	20
17.321	.71580	4.74(−07)	5.93(−07)	1.96(−02)	2.3261(−08)	M 432-P 234	21
17.344	.71485	3.41(−05)	3.80(−05)	4.73(−01)	7.1823(−05)	K 434-S 212	22
17.345	.71482	1.31(−05)	1.16(−06)	9.18(−01)	2.1255(−06)	K 432-S 212	23
17.796	.69672	8.13(−03)	1.15(+01)	7.03(−04)	1.6224(−02)	E 212-P 232	24
17.799	.69660	1.59(−02)	1.15(+01)	1.37(−03)	3.1661(−02)	E 212-P 234	25
$n = 2; Z = 10;$							
13.449	.92190	8.96(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
13.537	.91592	1.12(−01)	1.15(+00)	7.39(−02)	1.6995(−01)	F 212-P 232	2
13.540	.91571	2.54(−01)	1.15(+00)	1.68(−01)	3.8553(−01)	F 212-P 234	3

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
13.553	.91482	5.24(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	4
13.566	.91396	7.08(−02)	7.96(+00)	8.82(−03)	2.8082(−01)	C 234-S 212	5
13.566	.91394	8.84(−02)	7.80(+00)	1.12(−02)	1.7476(−01)	C 232-S 212	6
13.654	.90807	7.59(−01)	5.64(−01)	5.74(−01)	1.2947(+00)	K 234-S 212	7
13.656	.90795	7.42(−01)	7.24(−01)	5.06(−01)	7.3284(−01)	K 232-S 212	8
13.673	.90678	1.78(−01)	3.38(−02)	1.40(−01)	1.8918(−02)	M 234-P 232	9
13.676	.90658	8.34(−01)	1.38(−04)	6.74(−01)	1.8648(−04)	M 232-P 232	10
13.676	.90657	1.06(+00)	3.38(−02)	8.33(−01)	1.1259(−01)	M 234-P 234	11
13.679	.90637	4.03(−01)	1.38(−04)	3.25(−01)	8.9993(−05)	M 232-P 234	12
13.699	.90505	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	13
13.708	.90448	3.74(−01)	1.14(+01)	3.17(−02)	1.4428(+00)	F 254-P 232	14
13.711	.90427	4.30(−02)	1.14(+01)	3.64(−03)	1.6582(−01)	F 254-P 234	15
13.713	.90417	4.14(−01)	1.14(+01)	3.50(−02)	2.3966(+00)	F 256-P 234	16
13.818	.89724	2.15(−06)	2.61(−04)	5.69(−03)	5.9422(−06)	M 434-P 232	17
13.820	.89714	7.10(−05)	2.16(−06)	9.47(−01)	4.0909(−06)	M 432-P 232	18
13.820	.89713	1.66(−04)	4.68(−03)	3.42(−02)	9.5961(−04)	M 436-P 234	19
13.822	.89703	1.15(−04)	2.61(−04)	3.04(−01)	3.1769(−04)	M 434-P 234	20
13.823	.89693	1.79(−06)	2.16(−06)	2.38(−02)	1.0292(−07)	M 432-P 234	21
13.837	.89606	1.03(−04)	8.91(−05)	5.36(−01)	1.9083(−04)	K 434-S 212	22
13.837	.89601	3.95(−05)	5.29(−06)	8.82(−01)	9.3231(−06)	K 432-S 212	23
14.161	.87553	1.31(−02)	1.19(+01)	1.09(−03)	2.6023(−02)	E 212-P 232	24
14.164	.87533	2.52(−02)	1.19(+01)	2.11(−03)	5.0252(−02)	E 212-P 234	25
$n = 2; Z = 11;$							
11.004	1.1267	1.35(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
11.069	1.1201	1.66(−01)	1.28(+00)	9.03(−02)	2.3043(−01)	F 212-P 232	2
11.072	1.1198	3.94(−01)	1.28(+00)	2.15(−01)	5.4819(−01)	F 212-P 234	3
11.083	1.1187	1.37(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	4
11.091	1.1179	1.03(−01)	8.30(+00)	1.22(−02)	4.0630(−01)	C 234-S 212	5
11.091	1.1179	1.39(−01)	8.08(+00)	1.70(−02)	2.7400(−01)	C 232-S 212	6
11.155	1.1115	1.16(+00)	5.23(−01)	6.89(−01)	1.4432(+00)	K 234-S 212	7
11.157	1.1113	1.13(+00)	7.45(−01)	6.02(−01)	8.9622(−01)	K 232-S 212	8
11.169	1.1100	2.57(−01)	6.19(−02)	1.32(−01)	3.2805(−02)	M 234-P 232	9
11.173	1.1097	1.28(+00)	3.02(−04)	6.77(−01)	4.0932(−04)	M 232-P 232	10
11.173	1.1097	1.62(+00)	6.19(−02)	8.36(−01)	2.0693(−01)	M 234-P 234	11
11.176	1.1094	6.08(−01)	3.02(−04)	3.23(−01)	1.9491(−04)	M 232-P 234	12
11.192	1.1078	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	13
11.196	1.1074	5.83(−01)	1.19(+01)	4.64(−02)	2.2153(+00)	F 254-P 232	14
11.200	1.1070	5.46(−02)	1.19(+01)	4.34(−03)	2.0734(−01)	F 254-P 234	15
11.201	1.1069	6.30(−01)	1.20(+01)	4.99(−02)	3.5938(+00)	F 256-P 234	16
11.281	1.0991	4.12(−06)	5.34(−04)	4.91(−03)	1.0487(−05)	M 434-P 232	17
11.283	1.0989	1.96(−04)	6.19(−06)	9.43(−01)	1.1672(−05)	M 432-P 232	18
11.283	1.0989	4.51(−04)	8.77(−03)	4.89(−02)	2.5734(−03)	M 436-P 234	19
11.284	1.0987	3.02(−04)	5.34(−04)	3.59(−01)	7.6715(−04)	M 434-P 234	20
11.286	1.0986	5.60(−06)	6.19(−06)	2.69(−02)	3.3303(−07)	M 432-P 234	21
11.294	1.0978	2.78(−04)	1.87(−04)	5.98(−01)	4.4666(−04)	K 434-S 212	22
11.295	1.0977	1.06(−04)	1.58(−05)	8.71(−01)	2.7509(−05)	K 432-S 212	23
11.535	1.0749	2.00(−02)	1.22(+01)	1.63(−03)	3.9732(−02)	E 212-P 232	24
11.539	1.0745	3.80(−02)	1.22(+01)	3.11(−03)	7.5729(−02)	E 212-P 234	25
$n = 2; Z = 12;$							
9.1696	1.3521	1.97(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
9.2189	1.3449	2.34(−01)	1.39(+00)	1.06(−01)	2.9376(−01)	F 212-P 232	2
9.2223	1.3444	5.89(−01)	1.39(+00)	2.66(−01)	7.4059(−01)	F 212-P 234	3
9.2314	1.3431	3.28(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	4
9.2355	1.3425	1.42(−01)	8.60(+00)	1.63(−02)	5.5925(−01)	C 234-S 212	5
9.2360	1.3424	2.13(−01)	8.30(+00)	2.50(−02)	4.1540(−01)	C 232-S 212	6

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
9.2844	1.3354	1.71(+00)	4.80(-01)	7.81(-01)	1.4989(+00)	K 234-S 212	7
9.2863	1.3351	1.64(+00)	7.76(-01)	6.79(-01)	1.0534(+00)	K 232-S 212	8
9.2947	1.3339	3.54(-01)	1.07(-01)	1.24(-01)	5.2902(-02)	M 234-P 232	9
9.2980	1.3335	1.88(+00)	6.00(-04)	6.81(-01)	8.1759(-04)	M 232-P 232	10
9.2982	1.3334	2.39(+00)	1.07(-01)	8.39(-01)	3.5814(-01)	M 234-P 234	11
9.3015	1.3330	8.81(-01)	6.00(-04)	3.19(-01)	3.8304(-04)	M 232-P 234	12
9.3147	1.3311	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	13
9.3161	1.3309	8.78(-01)	1.24(+01)	6.58(-02)	3.2629(+00)	F 254-P 232	14
9.3196	1.3304	6.29(-02)	1.24(+01)	4.72(-03)	2.3390(-01)	F 254-P 234	15
9.3206	1.3302	9.23(-01)	1.25(+01)	6.88(-02)	5.1546(+00)	F 256-P 234	16
9.3822	1.3215	7.37(-06)	1.00(-03)	4.26(-03)	1.7032(-05)	M 434-P 232	17
9.3838	1.3213	4.97(-04)	1.53(-05)	9.42(-01)	2.8844(-05)	M 432-P 232	18
9.3840	1.3212	1.13(-03)	1.56(-02)	6.75(-02)	6.3047(-03)	M 436-P 234	19
9.3858	1.3210	7.24(-04)	1.00(-03)	4.18(-01)	1.6728(-03)	M 434-P 234	20
9.3874	1.3208	1.53(-05)	1.53(-05)	2.89(-02)	8.8596(-07)	M 432-P 234	21
9.3919	1.3201	6.86(-04)	3.60(-04)	6.56(-01)	9.4418(-04)	K 434-S 212	22
9.3929	1.3200	2.62(-04)	3.78(-05)	8.74(-01)	6.6126(-05)	K 432-S 212	23
9.5762	1.2947	2.93(-02)	1.24(+01)	2.35(-03)	5.8278(-02)	E 212-P 232	24
9.5799	1.2942	5.50(-02)	1.24(+01)	4.40(-03)	1.0933(-01)	E 212-P 234	25
$n = 2; Z = 13;$							
7.7579	1.5982	2.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
7.7960	1.5904	3.16(-01)	1.50(+00)	1.19(-01)	3.5482(-01)	F 212-P 232	2
7.7996	1.5896	8.55(-01)	1.50(+00)	3.20(-01)	9.5878(-01)	F 212-P 234	3
7.8072	1.5881	7.29(-03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	4
7.8092	1.5877	1.88(-01)	8.87(+00)	2.08(-02)	7.3648(-01)	C 234-S 212	5
7.8099	1.5875	3.18(-01)	8.48(+00)	3.61(-02)	6.1276(-01)	C 232-S 212	6
7.8471	1.5800	2.43(+00)	4.34(-01)	8.49(-01)	1.4737(+00)	K 234-S 212	7
7.8490	1.5796	2.31(+00)	8.20(-01)	7.38(-01)	1.2098(+00)	K 232-S 212	8
7.8547	1.5785	4.64(-01)	1.74(-01)	1.14(-01)	7.9815(-02)	M 234-P 232	9
7.8581	1.5778	2.68(+00)	1.11(-03)	6.85(-01)	1.5152(-03)	M 232-P 232	10
7.8583	1.5778	3.42(+00)	1.74(-01)	8.43(-01)	5.8782(-01)	M 234-P 234	11
7.8617	1.5771	1.23(+00)	1.11(-03)	3.15(-01)	6.9636(-04)	M 232-P 234	12
7.8720	1.5750	1.28(+00)	1.28(+01)	9.08(-02)	4.6348(+00)	F 254-P 232	13
7.8725	1.5749	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	14
7.8756	1.5743	6.47(-02)	1.28(+01)	4.59(-03)	2.3427(-01)	F 254-P 234	15
7.8764	1.5741	1.31(+00)	1.29(+01)	9.18(-02)	7.1159(+00)	F 256-P 234	16
7.9246	1.5646	1.24(-05)	1.75(-03)	3.69(-03)	2.5819(-05)	M 434-P 232	17
7.9262	1.5642	1.17(-03)	3.42(-05)	9.42(-01)	6.4525(-05)	M 432-P 232	18
7.9264	1.5642	2.62(-03)	2.64(-02)	9.03(-02)	1.4300(-02)	M 436-P 234	19
7.9283	1.5638	1.61(-03)	1.75(-03)	4.78(-01)	3.3417(-03)	M 434-P 234	20
7.9299	1.5635	3.72(-05)	3.42(-05)	3.00(-02)	2.0529(-06)	M 432-P 234	21
7.9323	1.5630	1.57(-03)	6.49(-04)	7.07(-01)	1.8370(-03)	K 434-S 212	22
7.9333	1.5628	5.95(-04)	7.88(-05)	8.83(-01)	1.3910(-04)	K 432-S 212	23
8.0764	1.5352	4.17(-02)	1.26(+01)	3.28(-03)	8.2689(-02)	E 212-P 232	24
8.0802	1.5344	7.68(-02)	1.26(+01)	6.03(-03)	1.5223(-01)	E 212-P 234	25
$n = 2; Z = 14;$							
6.6484	1.8649	3.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
6.6783	1.8565	4.12(-01)	1.59(+00)	1.28(-01)	4.0866(-01)	F 212-P 232	2
6.6820	1.8555	1.21(+00)	1.59(+00)	3.76(-01)	1.1981(+00)	F 212-P 234	3
6.6884	1.8537	1.52(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	4
6.6891	1.8535	2.39(-01)	9.10(+00)	2.56(-02)	9.3154(-01)	C 234-S 212	5
6.6898	1.8533	4.65(-01)	8.61(+00)	5.13(-02)	8.8300(-01)	C 232-S 212	6
6.7191	1.8453	3.37(+00)	3.86(-01)	8.97(-01)	1.3857(+00)	K 234-S 212	7
6.7210	1.8447	3.15(+00)	8.78(-01)	7.82(-01)	1.3729(+00)	K 232-S 212	8
6.7245	1.8438	5.83(-01)	2.71(-01)	1.04(-01)	1.1314(-01)	M 234-P 232	9
6.7280	1.8428	3.72(+00)	1.91(-03)	6.90(-01)	2.6405(-03)	M 232-P 232	10

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
6.7282	1.8428	4.74(+00)	2.71(-01)	8.47(-01)	9.1972(-01)	M 234-P 234	11
6.7317	1.8418	1.67(+00)	1.91(-03)	3.10(-01)	1.1867(-03)	M 232-P 234	12
6.7388	1.8399	1.82(+00)	1.30(+01)	1.22(-01)	6.3697(+00)	F 254-P 232	13
6.7406	1.8394	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	14
6.7425	1.8389	5.76(-02)	1.30(+01)	3.86(-03)	2.0148(-01)	F 254-P 234	15
6.7432	1.8387	1.80(+00)	1.33(+01)	1.19(-01)	9.4985(+00)	F 256-P 234	16
6.7813	1.8283	2.01(-05)	2.88(-03)	3.21(-03)	3.6987(-05)	M 434-P 232	17
6.7830	1.8279	2.59(-03)	7.10(-05)	9.44(-01)	1.3400(-04)	M 432-P 232	18
6.7832	1.8278	5.73(-03)	4.31(-02)	1.17(-01)	3.0335(-02)	M 436-P 234	19
6.7851	1.8273	3.36(-03)	2.88(-03)	5.37(-01)	6.1879(-03)	M 434-P 234	20
6.7868	1.8269	8.26(-05)	7.10(-05)	3.02(-02)	4.2805(-06)	M 432-P 234	21
6.7878	1.8266	3.37(-03)	1.11(-03)	7.52(-01)	3.3383(-03)	K 434-S 212	22
6.7888	1.8263	1.27(-03)	1.48(-04)	8.95(-01)	2.6544(-04)	K 432-S 212	23
6.9027	1.7962	5.78(-02)	1.28(+01)	4.46(-03)	1.1409(-01)	E 212-P 232	24
6.9066	1.7952	1.04(-01)	1.28(+01)	8.03(-03)	2.0545(-01)	E 212-P 234	25
$n = 2; Z = 15;$							
5.7606	2.1523	5.09(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
5.7843	2.1435	5.19(-01)	1.68(+00)	1.34(-01)	4.5121(-01)	F 212-P 232	2
5.7881	2.1421	1.67(+00)	1.68(+00)	4.32(-01)	1.4538(+00)	F 212-P 234	3
5.7934	2.1401	2.93(-01)	9.32(+00)	3.04(-02)	1.1346(+00)	C 234-S 212	4
5.7936	2.1400	3.00(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	5
5.7941	2.1398	6.71(-01)	8.71(+00)	7.15(-02)	1.2458(+00)	C 232-S 212	6
5.8175	2.1313	4.57(+00)	3.36(-01)	9.31(-01)	1.2530(+00)	K 234-S 212	7
5.8195	2.1305	4.20(+00)	9.51(-01)	8.15(-01)	1.5503(+00)	K 232-S 212	8
5.8212	2.1299	7.04(-01)	4.04(-01)	9.36(-02)	1.5111(-01)	M 234-P 232	9
5.8249	2.1286	5.04(+00)	3.14(-03)	6.95(-01)	4.3680(-03)	M 232-P 232	10
5.8250	2.1285	6.42(+00)	4.04(-01)	8.53(-01)	1.3768(+00)	M 234-P 234	11
5.8287	2.1272	2.21(+00)	3.14(-03)	3.05(-01)	1.9138(-03)	M 232-P 234	12
5.8333	2.1255	2.53(+00)	1.32(+01)	1.60(-01)	8.4846(+00)	F 254-P 232	13
5.8360	2.1245	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	14
5.8371	2.1241	4.13(-02)	1.32(+01)	2.61(-03)	1.3840(-01)	F 254-P 234	15
5.8376	2.1239	2.42(+00)	1.36(+01)	1.51(-01)	1.2302(+01)	F 256-P 234	16
5.8682	2.1128	3.13(-05)	4.53(-03)	2.80(-03)	5.0640(-05)	M 434-P 232	17
5.8699	2.1122	5.43(-03)	1.39(-04)	9.46(-01)	2.6240(-04)	M 432-P 232	18
5.8701	2.1121	1.19(-02)	6.79(-02)	1.49(-01)	6.0674(-02)	M 436-P 234	19
5.8721	2.1114	6.62(-03)	4.53(-03)	5.92(-01)	1.0726(-02)	M 434-P 234	20
5.8738	2.1108	1.69(-04)	1.39(-04)	2.95(-02)	8.1926(-06)	M 432-P 234	21
5.8738	2.1108	6.84(-03)	1.81(-03)	7.91(-01)	5.7324(-03)	K 434-S 212	22
5.8749	2.1104	2.55(-03)	2.59(-04)	9.08(-01)	4.6947(-04)	K 432-S 212	23
5.9670	2.0778	7.81(-02)	1.29(+01)	5.95(-03)	1.5369(-01)	E 212-P 232	24
5.9710	2.0765	1.37(-01)	1.29(+01)	1.04(-02)	2.6980(-01)	E 212-P 234	25
$n = 2; Z = 16;$							
5.0391	2.4605	6.68(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
5.0581	2.4512	6.34(-01)	1.77(+00)	1.35(-01)	4.7972(-01)	F 212-P 232	2
5.0619	2.4494	2.27(+00)	1.77(+00)	4.86(-01)	1.7217(+00)	F 212-P 234	3
5.0658	2.4475	3.45(-01)	9.52(+00)	3.50(-02)	1.3325(+00)	C 234-S 212	4
5.0666	2.4471	9.55(-01)	8.76(+00)	9.82(-02)	1.7221(+00)	C 232-S 212	5
5.0667	2.4471	5.63(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
5.0855	2.4380	6.06(+00)	2.86(-01)	9.55(-01)	1.0914(+00)	K 234-S 212	7
5.0875	2.4370	5.46(+00)	1.04(+00)	8.40(-01)	1.7489(+00)	K 232-S 212	8
5.0879	2.4368	8.19(-01)	5.76(-01)	8.28(-02)	1.9067(-01)	M 234-P 232	9
5.0917	2.4350	6.69(+00)	4.93(-03)	7.01(-01)	6.9059(-03)	M 232-P 232	10
5.0918	2.4350	8.50(+00)	5.76(-01)	8.59(-01)	1.9776(+00)	M 234-P 234	11
5.0956	2.4332	2.85(+00)	4.93(-03)	2.99(-01)	2.9409(-03)	M 232-P 234	12
5.0983	2.4319	3.45(+00)	1.34(+01)	2.05(-01)	1.0961(+01)	F 254-P 232	13

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
5.1018	2.4302	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	14
5.1022	2.4300	1.97(-02)	1.34(+01)	1.17(-03)	6.2549(-02)	F 254-P 234	15
5.1025	2.4299	3.18(+00)	1.38(+01)	1.87(-01)	1.5504(+01)	F 256-P 234	16
5.1273	2.4182	4.74(-05)	6.81(-03)	2.46(-03)	6.6961(-05)	M 434-P 232	17
5.1290	2.4173	1.09(-02)	2.58(-04)	9.49(-01)	4.8951(-04)	M 432-P 232	18
5.1293	2.4172	2.35(-02)	1.04(-01)	1.84(-01)	1.1516(-01)	M 436-P 234	19
5.1312	2.4163	1.24(-02)	6.81(-03)	6.44(-01)	1.7548(-02)	M 434-P 234	20
5.1324	2.4158	1.32(-02)	2.85(-03)	8.23(-01)	9.3862(-03)	K 434-S 212	21
5.1330	2.4155	3.24(-04)	2.58(-04)	2.83(-02)	1.4575(-05)	M 432-P 234	22
5.1334	2.4153	4.87(-03)	4.24(-04)	9.20(-01)	7.8069(-04)	K 432-S 212	23
5.2090	2.3802	1.04(-01)	1.30(+01)	7.78(-03)	2.0279(-01)	E 212-P 232	24
5.2131	2.3783	1.77(-01)	1.30(+01)	1.33(-02)	3.4581(-01)	E 212-P 234	25
$n = 2; Z = 17;$							
4.4447	2.7895	8.60(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
4.4601	2.7799	7.51(-01)	1.85(+00)	1.33(-01)	4.9289(-01)	F 212-P 232	2
4.4640	2.7775	3.04(+00)	1.85(+00)	5.39(-01)	1.9980(+00)	F 212-P 234	3
4.4668	2.7757	3.93(-01)	9.70(+00)	3.89(-02)	1.5095(+00)	C 234-S 212	4
4.4677	2.7752	1.34(+00)	8.79(+00)	1.33(-01)	2.3310(+00)	C 232-S 212	5
4.4682	2.7748	1.01(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
4.4832	2.7656	7.90(+00)	2.35(-01)	9.71(-01)	9.1414(-01)	K 234-S 212	7
4.4845	2.7648	9.20(-01)	7.89(-01)	7.22(-02)	2.2780(-01)	M 234-P 232	8
4.4852	2.7643	6.97(+00)	1.15(+00)	8.58(-01)	1.9747(+00)	K 232-S 212	9
4.4884	2.7624	8.74(+00)	7.41(-03)	7.07(-01)	1.0486(-02)	M 232-P 232	10
4.4885	2.7623	1.10(+01)	7.89(-01)	8.66(-01)	2.7314(+00)	M 234-P 234	11
4.4924	2.7599	3.61(+00)	7.41(-03)	2.92(-01)	4.3282(-03)	M 232-P 234	12
4.4936	2.7592	4.62(+00)	1.34(+01)	2.56(-01)	1.3734(+01)	F 254-P 232	13
4.4975	2.7567	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	14
4.4976	2.7567	2.35(-03)	1.34(+01)	1.30(-04)	6.9865(-03)	F 254-P 234	15
4.4977	2.7566	4.10(+00)	1.40(+01)	2.26(-01)	1.9051(+01)	F 256-P 234	16
4.5179	2.7443	7.05(-05)	9.87(-03)	2.19(-03)	8.6344(-05)	M 434-P 232	17
4.5197	2.7432	2.10(-02)	4.60(-04)	9.53(-01)	8.7611(-04)	M 432-P 232	18
4.5199	2.7431	4.47(-02)	1.55(-01)	2.24(-01)	2.0844(-01)	M 436-P 234	19
4.5219	2.7419	2.23(-02)	9.87(-03)	6.91(-01)	2.7289(-02)	M 434-P 234	20
4.5226	2.7415	2.45(-02)	4.34(-03)	8.50(-01)	1.4761(-02)	K 434-S 212	21
4.5237	2.7408	8.90(-03)	6.62(-04)	9.31(-01)	1.2331(-03)	K 432-S 212	22
4.5237	2.7408	5.82(-04)	4.60(-04)	2.64(-02)	2.4301(-05)	M 432-P 234	23
4.5865	2.7033	1.35(-01)	1.31(+01)	1.00(-02)	2.6277(-01)	E 212-P 232	24
4.5907	2.7008	2.23(-01)	1.31(+01)	1.65(-02)	4.3369(-01)	E 212-P 234	25
$n = 2; Z = 18;$							
3.9493	3.1394	1.09(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
3.9618	3.1295	8.65(-01)	1.93(+00)	1.27(-01)	4.9085(-01)	F 212-P 232	2
3.9658	3.1264	4.02(+00)	1.93(+00)	5.89(-01)	2.2795(+00)	F 212-P 234	3
3.9678	3.1248	4.30(-01)	9.86(+00)	4.18(-02)	1.6485(+00)	C 234-S 212	4
3.9687	3.1241	1.87(+00)	8.77(+00)	1.76(-01)	3.0849(+00)	C 232-S 212	5
3.9695	3.1234	1.74(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
3.9815	3.1140	1.01(+01)	1.86(-01)	9.82(-01)	7.3237(-01)	K 234-S 212	7
3.9819	3.1137	1.00(+00)	1.04(+00)	6.21(-02)	2.5843(-01)	M 234-P 232	8
3.9836	3.1124	8.73(+00)	1.28(+00)	8.72(-01)	2.2329(+00)	K 232-S 212	9
3.9860	3.1105	1.12(+01)	1.07(-02)	7.14(-01)	1.5348(-02)	M 232-P 232	10
3.9860	3.1105	1.41(+01)	1.04(+00)	8.73(-01)	3.6356(+00)	M 234-P 234	11
3.9900	3.1074	4.48(+00)	1.07(-02)	2.85(-01)	6.1245(-03)	M 232-P 234	12
3.9900	3.1074	6.07(+00)	1.34(+01)	3.12(-01)	1.6691(+01)	F 254-P 232	13
3.9941	3.1042	5.21(+00)	1.42(+01)	2.68(-01)	2.2870(+01)	F 256-P 234	14
3.9941	3.1042	5.46(-03)	1.34(+01)	2.81(-04)	1.5026(-02)	F 254-P 234	15
3.9944	3.1040	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
4.0106	3.0914	1.04(−04)	1.38(−02)	1.98(−03)	1.0953(−04)	M 434-P 232	17
4.0124	3.0900	3.90(−02)	7.90(−04)	9.56(−01)	1.5118(−03)	M 432-P 232	18
4.0128	3.0898	8.20(−02)	2.27(−01)	2.66(−01)	3.6132(−01)	M 436-P 234	19
4.0147	3.0883	3.84(−02)	1.38(−02)	7.34(−01)	4.0579(−02)	M 434-P 234	20
4.0150	3.0880	4.37(−02)	6.43(−03)	8.72(−01)	2.2420(−02)	K 434-S 212	21
4.0162	3.0872	1.56(−02)	9.91(−04)	9.40(−01)	1.8641(−03)	K 432-S 212	22
4.0165	3.0869	9.85(−04)	7.90(−04)	2.41(−02)	3.8166(−05)	M 432-P 234	23
4.0690	3.0471	1.73(−01)	1.32(+01)	1.27(−02)	3.3509(−01)	E 212-P 232	24
4.0732	3.0439	2.76(−01)	1.32(+01)	2.02(−02)	5.3323(−01)	E 212-P 234	25
$n = 2; Z = 19;$							
3.5320	3.5103	1.36(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
3.5422	3.5003	9.69(−01)	2.01(+00)	1.18(−01)	4.7493(−01)	F 212-P 232	2
3.5462	3.4963	5.23(+00)	2.01(+00)	6.37(−01)	2.5632(+00)	F 212-P 234	3
3.5477	3.4948	4.53(−01)	1.00(+01)	4.33(−02)	1.7321(+00)	C 234-S 212	4
3.5485	3.4940	2.58(+00)	8.73(+00)	2.28(−01)	3.9829(+00)	C 232-S 212	5
3.5497	3.4929	2.89(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
3.5590	3.4837	1.05(+00)	1.33(+00)	5.27(−02)	2.7936(−01)	M 234-P 232	7
3.5593	3.4834	1.28(+01)	1.41(−01)	9.89(−01)	5.5593(−01)	K 234-S 212	8
3.5614	3.4813	1.08(+01)	1.43(+00)	8.83(−01)	2.5273(+00)	K 232-S 212	9
3.5631	3.4797	1.76(+01)	1.33(+00)	8.81(−01)	4.6746(+00)	M 234-P 234	10
3.5632	3.4796	1.42(+01)	1.50(−02)	7.21(−01)	2.1707(−02)	M 232-P 232	11
3.5663	3.4766	7.84(+00)	1.33(+01)	3.70(−01)	1.9682(+01)	F 254-P 232	12
3.5673	3.4756	5.48(+00)	1.50(−02)	2.78(−01)	8.3578(−03)	M 232-P 234	13
3.5702	3.4728	6.51(+00)	1.43(+01)	3.13(−01)	2.6862(+01)	F 256-P 234	14
3.5704	3.4725	5.14(−02)	1.33(+01)	2.43(−03)	1.2912(−01)	F 254-P 234	15
3.5709	3.4721	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
3.5839	3.4595	1.51(−04)	1.88(−02)	1.83(−03)	1.3773(−04)	M 434-P 232	17
3.5858	3.4577	7.03(−02)	1.31(−03)	9.60(−01)	2.5238(−03)	M 432-P 232	18
3.5861	3.4574	1.45(−01)	3.24(−01)	3.10(−01)	6.0174(−01)	M 436-P 234	19
3.5881	3.4555	6.37(−02)	1.88(−02)	7.71(−01)	5.7990(−02)	M 434-P 234	20
3.5881	3.4554	7.54(−02)	9.28(−03)	8.90(−01)	3.3041(−02)	K 434-S 212	21
3.5892	3.4544	2.65(−02)	1.43(−03)	9.49(−01)	2.7129(−03)	K 432-S 212	22
3.5899	3.4537	1.58(−03)	1.31(−03)	2.16(−02)	5.6644(−05)	M 432-P 234	23
3.6341	3.4117	2.19(−01)	1.33(+01)	1.59(−02)	4.2126(−01)	E 212-P 232	24
3.6384	3.4077	3.35(−01)	1.33(+01)	2.43(−02)	6.4385(−01)	E 212-P 234	25
$n = 2; Z = 20;$							
3.1773	3.9022	1.68(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
3.1855	3.8921	1.06(+00)	2.09(+00)	1.07(−01)	4.4740(−01)	F 212-P 232	2
3.1897	3.8871	6.73(+00)	2.09(+00)	6.81(−01)	2.8461(+00)	F 212-P 234	3
3.1906	3.8860	4.56(−01)	1.01(+01)	4.30(−02)	1.7446(+00)	C 234-S 212	4
3.1915	3.8849	3.52(+00)	8.65(+00)	2.89(−01)	5.0047(+00)	C 232-S 212	5
3.1928	3.8832	4.63(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
3.1996	3.8750	1.08(+00)	1.64(+00)	4.41(−02)	2.8891(−01)	M 234-P 232	7
3.2006	3.8738	1.60(+01)	9.90(−02)	9.94(−01)	3.9340(−01)	K 234-S 212	8
3.2027	3.8712	1.30(+01)	1.61(+00)	8.90(−01)	2.8603(+00)	K 232-S 212	9
3.2038	3.8700	2.18(+01)	1.64(+00)	8.89(−01)	5.8209(+00)	M 234-P 234	10
3.2039	3.8698	1.78(+01)	2.04(−02)	7.29(−01)	2.9724(−02)	M 232-P 232	11
3.2064	3.8668	9.98(+00)	1.32(+01)	4.28(−01)	2.2546(+01)	F 254-P 232	12
3.2081	3.8647	6.61(+00)	2.04(−02)	2.70(−01)	1.1027(−02)	M 232-P 234	13
3.2102	3.8623	8.03(+00)	1.44(+01)	3.58(−01)	3.0911(+01)	F 256-P 234	14
3.2106	3.8618	1.67(−01)	1.32(+01)	7.18(−03)	3.7798(−01)	F 254-P 234	15
3.2112	3.8610	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
3.2215	3.8486	2.21(−04)	2.49(−02)	1.73(−03)	1.7277(−04)	M 434-P 232	17
3.2234	3.8464	1.23(−01)	2.12(−03)	9.65(−01)	4.0868(−03)	M 432-P 232	18
3.2238	3.8460	2.50(−01)	4.53(−01)	3.55(−01)	9.6530(−01)	M 436-P 234	19
3.2256	3.8438	1.26(−01)	1.31(−02)	9.06(−01)	4.7413(−02)	K 434-S 212	20

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.2257	3.8436	1.02(−01)	2.49(−02)	8.03(−01)	7.9993(−02)	M 434-P 234	21
3.2267	3.8424	4.35(−02)	2.00(−03)	9.56(−01)	3.8184(−03)	K 432-S 212	22
3.2276	3.8414	2.40(−03)	2.12(−03)	1.88(−02)	7.9573(−05)	M 432-P 234	23
3.2651	3.7972	2.75(−01)	1.33(+01)	1.96(−02)	5.2283(−01)	E 212-P 232	24
3.2695	3.7922	4.02(−01)	1.33(+01)	2.87(−02)	7.6454(−01)	E 212-P 234	25
$n = 2; Z = 21;$							
2.8732	4.3152	2.05(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
2.8799	4.3053	1.13(+00)	2.16(+00)	9.50(−02)	4.1109(−01)	F 212-P 232	2
2.8840	4.2990	8.56(+00)	2.16(+00)	7.22(−01)	3.1254(+00)	F 212-P 234	3
2.8846	4.2982	4.36(−01)	1.03(+01)	4.08(−02)	1.6745(+00)	C 234-S 212	4
2.8855	4.2969	4.75(+00)	8.54(+00)	3.58(−01)	6.1080(+00)	C 232-S 212	5
2.8870	4.2945	7.18(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
2.8918	4.2875	1.09(+00)	1.96(+00)	3.66(−02)	2.8718(−01)	M 234-P 232	7
2.8932	4.2853	1.98(+01)	6.33(−02)	9.97(−01)	2.5222(−01)	K 234-S 212	8
2.8955	4.2821	1.56(+01)	1.80(+00)	8.96(−01)	3.2327(+00)	K 232-S 212	9
2.8960	4.2813	2.66(+01)	1.96(+00)	8.97(−01)	7.0400(+00)	M 234-P 234	10
2.8962	4.2810	2.20(+01)	2.68(−02)	7.36(−01)	3.9459(−02)	M 232-P 232	11
2.8981	4.2782	1.25(+01)	1.30(+01)	4.83(−01)	2.5144(+01)	F 254-P 232	12
2.9004	4.2747	7.87(+00)	2.68(−02)	2.63(−01)	1.4095(−02)	M 232-P 234	13
2.9017	4.2728	9.76(+00)	1.44(+01)	4.04(−01)	3.4891(+01)	F 256-P 234	14
2.9023	4.2719	3.82(−01)	1.30(+01)	1.48(−02)	7.6793(−01)	F 254-P 234	15
2.9030	4.2709	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
2.9112	4.2589	3.24(−04)	3.22(−02)	1.69(−03)	2.1722(−04)	M 434-P 232	17
2.9131	4.2561	2.10(−01)	3.32(−03)	9.69(−01)	6.4306(−03)	M 432-P 232	18
2.9135	4.2555	4.16(−01)	6.21(−01)	4.01(−01)	1.4945(+00)	M 436-P 234	19
2.9152	4.2531	2.04(−01)	1.81(−02)	9.19(−01)	6.6435(−02)	K 434-S 212	20
2.9154	4.2527	1.60(−01)	3.22(−02)	8.31(−01)	1.0690(−01)	M 434-P 234	21
2.9163	4.2515	6.93(−02)	2.71(−03)	9.62(−01)	5.2172(−03)	K 432-S 212	22
2.9174	4.2499	3.45(−03)	3.32(−03)	1.59(−02)	1.0586(−04)	M 432-P 234	23
2.9494	4.2037	3.40(−01)	1.34(+01)	2.40(−02)	6.4141(−01)	E 212-P 232	24
2.9538	4.1975	4.74(−01)	1.34(+01)	3.35(−02)	8.9390(−01)	E 212-P 234	25
$n = 2; Z = 22;$							
2.6105	4.7495	2.47(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
2.6159	4.7397	1.17(+00)	2.24(+00)	8.25(−02)	3.6910(−01)	F 212-P 232	2
2.6201	4.7321	1.08(+01)	2.24(+00)	7.60(−01)	3.3985(+00)	F 212-P 234	3
2.6204	4.7316	3.94(−01)	1.04(+01)	3.66(−02)	1.5168(+00)	C 234-S 212	4
2.6212	4.7300	6.35(+00)	8.40(+00)	4.31(−01)	7.2316(+00)	C 232-S 212	5
2.6230	4.7269	1.08(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
2.6260	4.7215	1.07(+00)	2.29(+00)	3.01(−02)	2.7571(−01)	M 234-P 232	7
2.6279	4.7180	2.42(+01)	3.47(−02)	9.99(−01)	1.3856(−01)	K 234-S 212	8
2.6302	4.7140	1.84(+01)	2.02(+00)	9.01(−01)	3.6432(+00)	K 232-S 212	9
2.6302	4.7139	3.21(+01)	2.29(+00)	9.05(−01)	8.2946(+00)	M 234-P 234	10
2.6305	4.7133	2.69(+01)	3.42(−02)	7.43(−01)	5.0836(−02)	M 232-P 232	11
2.6320	4.7107	1.55(+01)	1.28(+01)	5.33(−01)	2.7380(+01)	F 254-P 232	12
2.6348	4.7057	9.26(+00)	3.42(−02)	2.56(−01)	1.7490(−02)	M 232-P 234	13
2.6354	4.7045	1.17(+01)	1.43(+01)	4.50(−01)	3.8674(+01)	F 256-P 234	14
2.6362	4.7031	7.26(−01)	1.28(+01)	2.50(−02)	1.2822(+00)	F 254-P 234	15
2.6370	4.7018	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
2.6433	4.6905	4.79(−04)	4.06(−02)	1.69(−03)	2.7455(−04)	M 434-P 232	17
2.6454	4.6869	3.48(−01)	5.06(−03)	9.73(−01)	9.8456(−03)	M 432-P 232	18
2.6458	4.6862	6.74(−01)	8.34(−01)	4.47(−01)	2.2367(+00)	M 436-P 234	19
2.6473	4.6835	3.23(−01)	2.45(−02)	9.29(−01)	9.1104(−02)	K 434-S 212	20
2.6476	4.6828	2.42(−01)	4.06(−02)	8.55(−01)	1.3885(−01)	M 434-P 234	21
2.6484	4.6815	1.07(−01)	3.59(−03)	9.68(−01)	6.9408(−03)	K 432-S 212	22
2.6497	4.6793	4.72(−03)	5.06(−03)	1.32(−02)	1.3331(−04)	M 432-P 234	23

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.6772	4.6311	4.18(−01)	1.34(+01)	2.91(−02)	7.7861(−01)	E 212-P 232	24
2.6816	4.6235	5.52(−01)	1.34(+01)	3.85(−02)	1.0302(+00)	E 212-P 234	25
$n = 2; Z = 23;$							
2.3820	5.2050	2.94(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
2.3863	5.1957	1.19(+00)	2.31(+00)	7.02(−02)	3.2442(−01)	F 212-P 232	2
2.3906	5.1865	1.34(+01)	2.31(+00)	7.93(−01)	3.6633(+00)	F 212-P 234	3
2.3906	5.1864	3.29(−01)	1.04(+01)	3.05(−02)	1.2763(+00)	C 234-S 212	4
2.3915	5.1844	8.38(+00)	8.23(+00)	5.05(−01)	8.3060(+00)	C 232-S 212	5
2.3934	5.1803	1.59(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
2.3949	5.1770	1.03(+00)	2.61(+00)	2.46(−02)	2.5689(−01)	M 234-P 232	7
2.3973	5.1719	2.92(+01)	1.43(−02)	1.00(+00)	5.7098(−02)	K 234-S 212	8
2.3992	5.1678	3.83(+01)	2.61(+00)	9.13(−01)	9.5499(+00)	M 234-P 234	9
2.3996	5.1669	2.15(+01)	2.26(+00)	9.05(−01)	4.0885(+00)	K 232-S 212	10
2.3996	5.1669	3.26(+01)	4.24(−02)	7.50(−01)	6.3616(−02)	M 232-P 232	11
2.4007	5.1646	1.90(+01)	1.26(+01)	5.78(−01)	2.9213(+01)	F 254-P 232	12
2.4039	5.1576	1.08(+01)	4.24(−02)	2.49(−01)	2.1107(−02)	M 232-P 234	13
2.4040	5.1575	1.39(+01)	1.42(+01)	4.94(−01)	4.2140(+01)	F 256-P 234	14
2.4050	5.1554	1.23(+00)	1.26(+01)	3.73(−02)	1.8879(+00)	F 254-P 234	15
2.4058	5.1537	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
2.4106	5.1433	7.11(−04)	5.02(−02)	1.74(−03)	3.4928(−04)	M 434-P 232	17
2.4127	5.1389	5.65(−01)	7.52(−03)	9.76(−01)	1.4682(−02)	M 432-P 232	18
2.4131	5.1380	1.06(+00)	1.10(+00)	4.91(−01)	3.2392(+00)	M 436-P 234	19
2.4145	5.1350	4.97(−01)	3.26(−02)	9.38(−01)	1.2249(−01)	K 434-S 212	20
2.4150	5.1341	3.58(−01)	5.02(−02)	8.76(−01)	1.7576(−01)	M 434-P 234	21
2.4156	5.1327	1.62(−01)	4.64(−03)	9.72(−01)	9.0137(−03)	K 432-S 212	22
2.4170	5.1296	6.11(−03)	7.52(−03)	1.06(−02)	1.5868(−04)	M 432-P 234	23
2.4409	5.0795	5.08(−01)	1.34(+01)	3.49(−02)	9.3601(−01)	E 212-P 232	24
2.4453	5.0703	6.36(−01)	1.34(+01)	4.37(−02)	1.1714(+00)	E 212-P 234	25
$n = 2; Z = 24;$							
2.1821	5.6819	3.48(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
2.1854	5.6732	1.18(+00)	2.38(+00)	5.87(−02)	2.7965(−01)	F 212-P 232	2
2.1896	5.6625	2.48(−01)	1.05(+01)	2.31(−02)	9.7011(−01)	C 234-S 212	3
2.1897	5.6621	1.65(+01)	2.38(+00)	8.23(−01)	3.9180(+00)	F 212-P 234	4
2.1905	5.6602	1.09(+01)	8.04(+00)	5.76(−01)	9.2673(+00)	C 232-S 212	5
2.1925	5.6549	2.27(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	6
2.1928	5.6541	9.83(−01)	2.93(+00)	1.99(−02)	2.3338(−01)	M 234-P 232	7
2.1955	5.6472	3.49(+01)	2.71(−03)	1.00(+00)	1.0828(−02)	K 234-S 212	8
2.1971	5.6430	4.54(+01)	2.93(+00)	9.21(−01)	1.0776(+01)	M 234-P 234	9
2.1976	5.6418	3.90(+01)	5.12(−02)	7.56(−01)	7.7391(−02)	M 232-P 232	10
2.1979	5.6411	2.47(+01)	2.51(+00)	9.08(−01)	4.5635(+00)	K 232-S 212	11
2.1984	5.6399	2.30(+01)	1.25(+01)	6.15(−01)	3.0648(+01)	F 254-P 232	12
2.2015	5.6318	1.63(+01)	1.40(+01)	5.37(−01)	4.5183(+01)	F 256-P 234	13
2.2020	5.6307	1.25(+01)	5.12(−02)	2.43(−01)	2.4816(−02)	M 232-P 234	14
2.2027	5.6288	1.91(+00)	1.25(+01)	5.11(−02)	2.5455(+00)	F 254-P 234	15
2.2035	5.6267	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
2.2071	5.6175	1.06(−03)	6.08(−02)	1.84(−03)	4.4717(−04)	M 434-P 232	17
2.2093	5.6121	8.95(−01)	1.09(−02)	9.80(−01)	2.1340(−02)	M 432-P 232	18
2.2097	5.6110	1.63(+00)	1.42(+00)	5.34(−01)	4.5434(+00)	M 436-P 234	19
2.2110	5.6077	7.49(−01)	4.27(−02)	9.46(−01)	1.6170(−01)	K 434-S 212	20
2.2115	5.6064	5.17(−01)	6.08(−02)	8.93(−01)	2.1734(−01)	M 434-P 234	21
2.2121	5.6049	2.40(−01)	5.87(−03)	9.76(−01)	1.1451(−02)	K 432-S 212	22
2.2136	5.6010	7.47(−03)	1.09(−02)	8.18(−03)	1.7814(−04)	M 432-P 234	23
2.2343	5.5491	6.13(−01)	1.34(+01)	4.16(−02)	1.1152(+00)	E 212-P 232	24
2.2388	5.5380	7.23(−01)	1.34(+01)	4.90(−02)	1.3151(+00)	E 212-P 234	25
$n = 2; Z = 25;$							

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.0061	6.1803	4.08(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
2.0087	6.1725	1.15(+00)	2.45(+00)	4.83(-02)	2.3690(-01)	F 212-P 232	2
2.0127	6.1601	1.60(-01)	1.06(+01)	1.49(-02)	6.3088(-01)	C 234-S 212	3
2.0130	6.1593	2.01(+01)	2.45(+00)	8.48(-01)	4.1614(+00)	F 212-P 234	4
2.0136	6.1575	1.41(+01)	7.84(+00)	6.42(-01)	1.0069(+01)	C 232-S 212	5
2.0150	6.1530	9.25(-01)	3.22(+00)	1.61(-02)	2.0759(-01)	M 234-P 232	6
2.0158	6.1507	3.16(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	7
2.0180	6.1439	4.14(+01)	2.36(-04)	1.00(+00)	9.4563(-04)	K 234-S 212	8
2.0194	6.1398	5.33(+01)	3.22(+00)	9.28(-01)	1.1950(+01)	M 234-P 234	9
2.0199	6.1381	4.63(+01)	6.01(-02)	7.62(-01)	9.1599(-02)	M 232-P 232	10
2.0204	6.1366	2.75(+01)	1.23(+01)	6.46(-01)	3.1727(+01)	F 254-P 232	11
2.0205	6.1365	2.82(+01)	2.78(+00)	9.10(-01)	5.0615(+00)	K 232-S 212	12
2.0234	6.1275	1.88(+01)	1.38(+01)	5.77(-01)	4.7727(+01)	F 256-P 234	13
2.0243	6.1249	1.44(+01)	6.01(-02)	2.37(-01)	2.8476(-02)	M 232-P 234	14
2.0248	6.1234	2.79(+00)	1.23(+01)	6.55(-02)	3.2180(+00)	F 254-P 234	15
2.0256	6.1209	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
2.0281	6.1132	1.60(-03)	7.24(-02)	1.99(-03)	5.7537(-04)	M 434-P 232	17
2.0304	6.1066	1.39(+00)	1.54(-02)	9.83(-01)	3.0251(-02)	M 432-P 232	18
2.0308	6.1052	2.42(+00)	1.79(+00)	5.75(-01)	6.1774(+00)	M 436-P 234	19
2.0320	6.1016	1.10(+00)	5.51(-02)	9.52(-01)	2.0984(-01)	K 434-S 212	20
2.0325	6.1000	7.30(-01)	7.24(-02)	9.08(-01)	2.6309(-01)	M 434-P 234	21
2.0331	6.0985	3.47(-01)	7.28(-03)	9.79(-01)	1.4258(-02)	K 432-S 212	22
2.0348	6.0933	8.61(-03)	1.54(-02)	6.11(-03)	1.8796(-04)	M 432-P 234	23
2.0528	6.0398	7.35(-01)	1.34(+01)	4.91(-02)	1.3177(+00)	E 212-P 232	24
2.0573	6.0266	8.14(-01)	1.34(+01)	5.44(-02)	1.4592(+00)	E 212-P 234	25
$n = 2; Z = 26;$							
1.8504	6.7003	4.75(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
1.8523	6.6936	1.09(+00)	2.52(+00)	3.92(-02)	1.9761(-01)	F 212-P 232	2
1.8563	6.6793	7.78(-02)	1.06(+01)	7.28(-03)	3.0882(-01)	C 234-S 212	3
1.8566	6.6779	2.43(+01)	2.52(+00)	8.71(-01)	4.3932(+00)	F 212-P 234	4
1.8571	6.6763	1.79(+01)	7.62(+00)	7.01(-01)	1.0690(+01)	C 232-S 212	5
1.8578	6.6738	8.63(-01)	3.49(+00)	1.30(-02)	1.8148(-01)	M 234-P 232	6
1.8595	6.6678	4.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	7
1.8610	6.6622	4.87(+01)	6.71(-03)	1.00(+00)	2.6846(-02)	K 234-S 212	8
1.8622	6.6582	6.21(+01)	3.49(+00)	9.34(-01)	1.3056(+01)	M 234-P 234	9
1.8628	6.6560	5.44(+01)	6.88(-02)	7.67(-01)	1.0557(-01)	M 232-P 232	10
1.8630	6.6550	3.27(+01)	1.21(+01)	6.71(-01)	3.2507(+01)	F 254-P 232	11
1.8635	6.6532	3.19(+01)	3.05(+00)	9.13(-01)	5.5750(+00)	K 232-S 212	12
1.8659	6.6448	2.16(+01)	1.35(+01)	6.16(-01)	4.9727(+01)	F 256-P 234	13
1.8672	6.6403	1.65(+01)	6.88(-02)	2.32(-01)	3.1947(-02)	M 232-P 234	14
1.8674	6.6393	3.90(+00)	1.21(+01)	8.01(-02)	3.8757(+00)	F 254-P 234	15
1.8683	6.6364	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
1.8699	6.6306	2.40(-03)	8.48(-02)	2.19(-03)	7.4249(-04)	M 434-P 232	17
1.8722	6.6225	2.10(+00)	2.12(-02)	9.86(-01)	4.1843(-02)	M 432-P 232	18
1.8727	6.6208	3.51(+00)	2.22(+00)	6.13(-01)	8.1486(+00)	M 436-P 234	19
1.8738	6.6169	1.59(+00)	6.99(-02)	9.58(-01)	2.6794(-01)	K 434-S 212	20
1.8743	6.6149	1.01(+00)	8.48(-02)	9.21(-01)	3.1232(-01)	M 434-P 234	21
1.8748	6.6133	4.92(-01)	8.87(-03)	9.82(-01)	1.7426(-02)	K 432-S 212	22
1.8766	6.6068	9.30(-03)	2.12(-02)	4.37(-03)	1.8547(-04)	M 432-P 234	23
1.8924	6.5518	8.75(-01)	1.34(+01)	5.76(-02)	1.5449(+00)	E 212-P 232	24
1.8969	6.5362	9.07(-01)	1.34(+01)	5.97(-02)	1.6010(+00)	E 212-P 234	25
$n = 2; Z = 27;$							
1.7120	7.2420	5.49(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
1.7133	7.2367	1.03(+00)	2.59(+00)	3.14(-02)	1.6265(-01)	F 212-P 232	2
1.7172	7.2202	1.81(-02)	1.06(+01)	1.70(-03)	7.2106(-02)	C 234-S 212	3
1.7177	7.2183	2.91(+01)	2.59(+00)	8.89(-01)	4.6135(+00)	F 212-P 234	4

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.7180	7.2167	2.25(+01)	7.39(+00)	7.53(-01)	1.1129(+01)	C 232-S 212	5
1.7180	7.2166	7.99(-01)	3.74(+00)	1.04(-02)	1.5641(-01)	M 234-P 232	6
1.7205	7.2063	5.75(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	7
1.7215	7.2021	5.67(+01)	2.16(-02)	1.00(+00)	8.6281(-02)	K 234-S 212	8
1.7224	7.1982	7.19(+01)	3.74(+00)	9.41(-01)	1.4085(+01)	M 234-P 234	9
1.7231	7.1955	6.33(+01)	7.69(-02)	7.71(-01)	1.1861(-01)	M 232-P 232	10
1.7232	7.1950	3.86(+01)	1.19(+01)	6.92(-01)	3.3049(+01)	F 254-P 232	11
1.7241	7.1913	3.58(+01)	3.33(+00)	9.15(-01)	6.0959(+00)	K 232-S 212	12
1.7259	7.1838	2.44(+01)	1.31(+01)	6.51(-01)	5.1176(+01)	F 256-P 234	13
1.7275	7.1771	1.87(+01)	7.69(-02)	2.28(-01)	3.5102(-02)	M 232-P 234	14
1.7276	7.1766	5.25(+00)	1.19(+01)	9.41(-02)	4.4979(+00)	F 254-P 234	15
1.7284	7.1732	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
1.7293	7.1696	3.62(-03)	9.78(-02)	2.45(-03)	9.5861(-04)	M 434-P 232	17
1.7317	7.1598	3.10(+00)	2.86(-02)	9.88(-01)	5.6504(-02)	M 432-P 232	18
1.7322	7.1577	4.95(+00)	2.68(+00)	6.48(-01)	1.0440(+01)	M 436-P 234	19
1.7332	7.1536	2.25(+00)	8.75(-02)	9.63(-01)	3.3689(-01)	K 434-S 212	20
1.7338	7.1512	1.38(+00)	9.78(-02)	9.31(-01)	3.6420(-01)	M 434-P 234	21
1.7342	7.1494	6.84(-01)	1.06(-02)	9.85(-01)	2.0936(-02)	K 432-S 212	22
1.7362	7.1414	9.33(-03)	2.86(-02)	2.97(-03)	1.6991(-04)	M 432-P 234	23
1.7499	7.0851	1.04(+00)	1.34(+01)	6.71(-02)	1.7981(+00)	E 212-P 232	24
1.7545	7.0667	1.00(+00)	1.34(+01)	6.49(-02)	1.7381(+00)	E 212-P 234	25
$n = 2; Z = 28;$							
1.5884	7.8055	6.31(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
1.5892	7.8019	9.50(-01)	2.66(+00)	2.49(-02)	1.3237(-01)	F 212-P 232	2
1.5930	7.7830	1.09(-03)	1.06(+01)	1.03(-04)	4.3779(-03)	C 234-S 212	3
1.5933	7.7816	7.35(-01)	3.97(+00)	8.39(-03)	1.3327(-01)	M 234-P 232	4
1.5936	7.7804	3.46(+01)	2.66(+00)	9.05(-01)	4.8228(+00)	F 212-P 234	5
1.5938	7.7790	2.79(+01)	7.17(+00)	7.96(-01)	1.1404(+01)	C 232-S 212	6
1.5965	7.7662	7.54(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	7
1.5970	7.7638	6.56(+01)	4.39(-02)	9.99(-01)	1.7565(-01)	K 234-S 212	8
1.5977	7.7601	8.29(+01)	3.97(+00)	9.46(-01)	1.5032(+01)	M 234-P 234	9
1.5984	7.7569	4.52(+01)	1.18(+01)	7.08(-01)	3.3412(+01)	F 254-P 232	10
1.5984	7.7567	7.32(+01)	8.40(-02)	7.74(-01)	1.3005(-01)	M 232-P 232	11
1.5996	7.7509	3.99(+01)	3.61(+00)	9.17(-01)	6.6167(+00)	K 232-S 212	12
1.6009	7.7446	2.74(+01)	1.27(+01)	6.84(-01)	5.2100(+01)	F 256-P 234	13
1.6028	7.7354	6.86(+00)	1.18(+01)	1.07(-01)	5.0726(+00)	F 254-P 234	14
1.6029	7.7352	2.13(+01)	8.40(-02)	2.25(-01)	3.7835(-02)	M 232-P 234	15
1.6036	7.7314	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	16
1.6038	7.7305	5.43(-03)	1.11(-01)	2.78(-03)	1.2352(-03)	M 434-P 232	17
1.6063	7.7186	4.49(+00)	3.77(-02)	9.90(-01)	7.4533(-02)	M 432-P 232	18
1.6068	7.7161	6.80(+00)	3.18(+00)	6.81(-01)	1.3010(+01)	M 436-P 234	19
1.6077	7.7118	3.13(+00)	1.08(-01)	9.67(-01)	4.1740(-01)	K 434-S 212	20
1.6083	7.7090	1.84(+00)	1.11(-01)	9.40(-01)	4.1780(-01)	M 434-P 234	21
1.6087	7.7071	9.35(-01)	1.25(-02)	9.87(-01)	2.4757(-02)	K 432-S 212	22
1.6108	7.6971	8.61(-03)	3.77(-02)	1.90(-03)	1.4287(-04)	M 432-P 234	23
1.6229	7.6399	1.22(+00)	1.34(+01)	7.77(-02)	2.0784(+00)	E 212-P 232	24
1.6275	7.6184	1.10(+00)	1.34(+01)	6.98(-02)	1.8685(+00)	E 212-P 234	25
$n = 2; Z = 29;$							
1.4776	8.3910	7.21(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	1
1.4779	8.3895	8.66(-01)	2.73(+00)	1.95(-02)	1.0672(-01)	F 212-P 232	2
1.4815	8.3689	6.73(-01)	4.18(+00)	6.73(-03)	1.1249(-01)	M 234-P 232	3
1.4817	8.3676	4.97(-02)	1.06(+01)	4.66(-03)	1.9790(-01)	C 234-S 212	4
1.4823	8.3645	4.08(+01)	2.73(+00)	9.19(-01)	5.0218(+00)	F 212-P 234	5
1.4825	8.3632	3.42(+01)	6.94(+00)	8.31(-01)	1.1541(+01)	C 232-S 212	6
1.4853	8.3477	9.71(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	7

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.4853	8.3473	7.54(+01)	7.27(-02)	9.99(-01)	2.9036(-01)	K 234-S 212	8
1.4859	8.3439	9.51(+01)	4.18(+00)	9.51(-01)	1.5896(+01)	M 234-P 234	9
1.4865	8.3406	5.26(+01)	1.17(+01)	7.20(-01)	3.3642(+01)	F 254-P 232	10
1.4867	8.3399	8.39(+01)	8.98(-02)	7.76(-01)	1.3933(-01)	M 232-P 232	11
1.4881	8.3320	4.42(+01)	3.88(+00)	9.19(-01)	7.1307(+00)	K 232-S 212	12
1.4889	8.3274	3.06(+01)	1.23(+01)	7.14(-01)	5.2557(+01)	F 256-P 234	13
1.4910	8.3156	8.74(+00)	1.17(+01)	1.20(-01)	5.5940(+00)	F 254-P 234	14
1.4911	8.3149	2.41(+01)	8.98(-02)	2.23(-01)	4.0067(-02)	M 232-P 234	15
1.4914	8.3133	8.12(-03)	1.24(-01)	3.18(-03)	1.5849(-03)	M 434-P 232	16
1.4918	8.3112	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	17
1.4940	8.2990	6.36(+00)	4.85(-02)	9.91(-01)	9.6097(-02)	M 432-P 232	18
1.4945	8.2961	9.12(+00)	3.70(+00)	7.11(-01)	1.5799(+01)	M 436-P 234	19
1.4953	8.2915	4.27(+00)	1.31(-01)	9.70(-01)	5.0992(-01)	K 434-S 212	20
1.4959	8.2883	2.42(+00)	1.24(-01)	9.48(-01)	4.7209(-01)	M 434-P 234	21
1.4963	8.2863	1.26(+00)	1.46(-02)	9.89(-01)	2.8847(-02)	K 432-S 212	22
1.4985	8.2740	7.16(-03)	4.85(-02)	1.12(-03)	1.0822(-04)	M 432-P 234	23
1.5091	8.2161	1.43(+00)	1.34(+01)	8.93(-02)	2.3867(+00)	E 212-P 232	24
1.5137	8.1911	1.19(+00)	1.34(+01)	7.45(-02)	1.9898(+00)	E 212-P 234	25
$n = 2; Z = 30;$							
1.3777	8.9994	7.81(-01)	2.80(+00)	1.52(-02)	8.5405(-02)	F 212-P 232	1
1.3778	8.9985	8.20(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	2
1.3809	8.9787	6.13(-01)	4.36(+00)	5.40(-03)	9.4248(-02)	M 234-P 232	3
1.3815	8.9744	1.89(-01)	1.06(+01)	1.75(-02)	7.4177(-01)	C 234-S 212	4
1.3821	8.9706	4.77(+01)	2.80(+00)	9.30(-01)	5.2116(+00)	F 212-P 234	5
1.3823	8.9695	4.16(+01)	6.72(+00)	8.61(-01)	1.1567(+01)	C 232-S 212	6
1.3849	8.9529	8.61(+01)	1.06(-01)	9.99(-01)	4.2531(-01)	K 234-S 212	7
1.3852	8.9508	1.23(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	8
1.3853	8.9498	1.08(+02)	4.36(+00)	9.56(-01)	1.6680(+01)	M 234-P 234	9
1.3859	8.9464	6.08(+01)	1.16(+01)	7.30(-01)	3.3781(+01)	F 254-P 232	10
1.3861	8.9450	9.56(+01)	9.40(-02)	7.77(-01)	1.4607(-01)	M 232-P 232	11
1.3877	8.9348	4.88(+01)	4.14(+00)	9.22(-01)	7.6320(+00)	K 232-S 212	12
1.3881	8.9322	3.38(+01)	1.18(+01)	7.41(-01)	5.2620(+01)	F 256-P 234	13
1.3903	8.9181	1.20(-02)	1.38(-01)	3.67(-03)	2.0211(-03)	M 434-P 232	14
1.3903	8.9176	1.09(+01)	1.16(+01)	1.31(-01)	6.0612(+00)	F 254-P 234	15
1.3906	8.9162	2.73(+01)	9.40(-02)	2.22(-01)	4.1748(-02)	M 232-P 234	16
1.3911	8.9125	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	17
1.3929	8.9011	8.80(+00)	6.11(-02)	9.93(-01)	1.2121(-01)	M 432-P 232	18
1.3935	8.8977	1.19(+01)	4.23(+00)	7.39(-01)	1.8734(+01)	M 436-P 234	19
1.3942	8.8930	5.73(+00)	1.58(-01)	9.73(-01)	6.1458(-01)	K 434-S 212	20
1.3948	8.8893	3.13(+00)	1.38(-01)	9.54(-01)	5.2607(-01)	M 434-P 234	21
1.3951	8.8871	1.67(+00)	1.67(-02)	9.90(-01)	3.3156(-02)	K 432-S 212	22
1.3974	8.8723	5.18(-03)	6.11(-02)	5.84(-04)	7.1338(-05)	M 432-P 234	23
1.4067	8.8139	1.66(+00)	1.33(+01)	1.02(-01)	2.7235(+00)	E 212-P 232	24
1.4113	8.7850	1.28(+00)	1.33(+01)	7.88(-02)	2.1004(+00)	E 212-P 234	25
$n = 2; Z = 31;$							
1.2872	9.6320	6.98(-01)	2.87(+00)	1.18(-02)	6.7961(-02)	F 212-P 232	1
1.2877	9.6283	9.29(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	2
1.2900	9.6111	5.57(-01)	4.53(+00)	4.34(-03)	7.8483(-02)	M 234-P 232	3
1.2911	9.6033	4.44(-01)	1.06(+01)	4.03(-02)	1.7060(+00)	C 234-S 212	4
1.2917	9.5989	5.54(+01)	2.87(+00)	9.39(-01)	5.3930(+00)	F 212-P 234	5
1.2918	9.5979	4.99(+01)	6.51(+00)	8.85(-01)	1.1512(+01)	C 232-S 212	6
1.2941	9.5806	9.76(+01)	1.44(-01)	9.99(-01)	5.7522(-01)	K 234-S 212	7
1.2945	9.5779	1.23(+02)	4.53(+00)	9.60(-01)	1.7388(+01)	M 234-P 234	8
1.2948	9.5756	1.54(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	9
1.2950	9.5744	7.00(+01)	1.15(+01)	7.38(-01)	3.3857(+01)	F 254-P 232	10

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.2952	9.5723	1.08(+02)	9.65(-02)	7.77(-01)	1.5010(-01)	M 232-P 232	11
1.2970	9.5593	5.36(+01)	4.39(+00)	9.24(-01)	8.1164(+00)	K 232-S 212	12
1.2970	9.5592	3.72(+01)	1.14(+01)	7.66(-01)	5.2371(+01)	F 256-P 234	13
1.2989	9.5452	1.77(-02)	1.51(-01)	4.24(-03)	2.5574(-03)	M 434-P 232	14
1.2995	9.5413	1.34(+01)	1.15(+01)	1.41(-01)	6.4760(+00)	F 254-P 234	15
1.2997	9.5392	3.09(+01)	9.65(-02)	2.22(-01)	4.2858(-02)	M 232-P 234	16
1.3002	9.5355	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	17
1.3017	9.5250	1.19(+01)	7.53(-02)	9.93(-01)	1.4971(-01)	M 432-P 232	18
1.3022	9.5210	1.53(+01)	4.75(+00)	7.63(-01)	2.1742(+01)	M 436-P 234	19
1.3029	9.5161	7.56(+00)	1.87(-01)	9.76(-01)	7.3119(-01)	K 434-S 212	20
1.3035	9.5120	4.01(+00)	1.51(-01)	9.60(-01)	5.7871(-01)	M 434-P 234	21
1.3038	9.5097	2.18(+00)	1.90(-02)	9.91(-01)	3.7624(-02)	K 432-S 212	22
1.3062	9.4918	3.03(-03)	7.53(-02)	2.53(-04)	3.8057(-05)	M 432-P 234	23
1.3143	9.4333	1.93(+00)	1.33(+01)	1.16(-01)	3.0892(+00)	E 212-P 232	24
1.3190	9.4002	1.37(+00)	1.33(+01)	8.27(-02)	2.1986(+00)	E 212-P 234	25
$n = 2; Z = 32;$							
1.2052	10.287	6.18(-01)	2.94(+00)	9.17(-03)	5.3865(-02)	F 212-P 232	1
1.2060	10.280	1.05(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	2
1.2077	10.266	5.04(-01)	4.67(+00)	3.48(-03)	6.5031(-02)	M 234-P 232	3
1.2091	10.255	8.44(-01)	1.06(+01)	7.40(-02)	3.1251(+00)	C 234-S 212	4
1.2097	10.249	6.39(+01)	2.94(+00)	9.47(-01)	5.5669(+00)	F 212-P 234	5
1.2098	10.249	5.94(+01)	6.30(+00)	9.04(-01)	1.1398(+01)	C 232-S 212	6
1.2119	10.231	1.10(+02)	1.84(-01)	9.98(-01)	7.3505(-01)	K 234-S 212	7
1.2122	10.228	1.40(+02)	4.67(+00)	9.64(-01)	1.8024(+01)	M 234-P 234	8
1.2126	10.225	8.02(+01)	1.14(+01)	7.44(-01)	3.3894(+01)	F 254-P 232	9
1.2129	10.222	1.90(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	10
1.2129	10.222	1.22(+02)	9.75(-02)	7.77(-01)	1.5144(-01)	M 232-P 232	11
1.2145	10.209	4.08(+01)	1.10(+01)	7.88(-01)	5.1890(+01)	F 256-P 234	12
1.2149	10.206	5.86(+01)	4.63(+00)	9.27(-01)	8.5807(+00)	K 232-S 212	13
1.2162	10.195	2.58(-02)	1.63(-01)	4.92(-03)	3.2074(-03)	M 434-P 232	14
1.2171	10.187	1.62(+01)	1.14(+01)	1.50(-01)	6.8419(+00)	F 254-P 234	15
1.2174	10.184	3.48(+01)	9.75(-02)	2.23(-01)	4.3405(-02)	M 232-P 234	16
1.2179	10.180	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	17
1.2190	10.171	1.59(+01)	9.12(-02)	9.94(-01)	1.8129(-01)	M 432-P 232	18
1.2196	10.166	1.93(+01)	5.25(+00)	7.86(-01)	2.4754(+01)	M 436-P 234	19
1.2202	10.161	9.82(+00)	2.20(-01)	9.78(-01)	8.5923(-01)	K 434-S 212	20
1.2207	10.157	5.06(+00)	1.63(-01)	9.64(-01)	6.2908(-01)	M 434-P 234	21
1.2210	10.154	2.81(+00)	2.13(-02)	9.92(-01)	4.2190(-02)	K 432-S 212	22
1.2236	10.133	1.18(-03)	9.12(-02)	7.39(-05)	1.3476(-05)	M 432-P 234	23
1.2307	10.075	2.23(+00)	1.33(+01)	1.31(-01)	3.4838(+00)	E 212-P 232	24
1.2353	10.037	1.46(+00)	1.33(+01)	8.60(-02)	2.2833(+00)	E 212-P 234	25
$n = 2; Z = 33;$							
1.1307	10.966	5.44(-01)	3.01(+00)	7.08(-03)	4.2589(-02)	F 212-P 232	1
1.1318	10.955	1.18(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	2
1.1329	10.944	4.55(-01)	4.80(+00)	2.79(-03)	5.3665(-02)	M 234-P 232	3
1.1345	10.928	1.41(+00)	1.05(+01)	1.19(-01)	4.9860(+00)	C 234-S 212	4
1.1351	10.923	7.32(+01)	3.01(+00)	9.54(-01)	5.7340(+00)	F 212-P 234	5
1.1352	10.922	7.00(+01)	6.11(+00)	9.20(-01)	1.1244(+01)	C 232-S 212	6
1.1372	10.903	1.24(+02)	2.25(-01)	9.98(-01)	9.0024(-01)	K 234-S 212	7
1.1373	10.901	1.58(+02)	4.80(+00)	9.68(-01)	1.8596(+01)	M 234-P 234	8
1.1377	10.897	9.14(+01)	1.13(+01)	7.49(-01)	3.3907(+01)	F 254-P 232	9
1.1381	10.894	1.36(+02)	9.69(-02)	7.75(-01)	1.5027(-01)	M 232-P 232	10
1.1384	10.891	2.31(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	11
1.1395	10.880	4.45(+01)	1.06(+01)	8.08(-01)	5.1247(+01)	F 256-P 234	12
1.1402	10.874	6.39(+01)	4.85(+00)	9.29(-01)	9.0228(+00)	K 232-S 212	13
1.1410	10.866	3.72(-02)	1.75(-01)	5.70(-03)	3.9832(-03)	M 434-P 232	14

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.1423	10.854	1.93(+01)	1.13(+01)	1.58(-01)	7.1632(+00)	F 254-P 234	15
1.1426	10.851	3.93(+01)	9.69(-02)	2.24(-01)	4.3418(-02)	M 232-P 234	16
1.1430	10.847	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	17
1.1440	10.838	2.07(+01)	1.08(-01)	9.95(-01)	2.1551(-01)	M 432-P 232	18
1.1445	10.833	2.38(+01)	5.73(+00)	8.06(-01)	2.7712(+01)	M 436-P 234	19
1.1450	10.828	1.26(+01)	2.55(-01)	9.80(-01)	9.9787(-01)	K 434-S 212	20
1.1456	10.823	6.32(+00)	1.75(-01)	9.68(-01)	6.7631(-01)	M 434-P 234	21
1.1458	10.821	3.57(+00)	2.35(-02)	9.93(-01)	4.6788(-02)	K 432-S 212	22
1.1485	10.795	1.07(-04)	1.08(-01)	5.14(-06)	1.1127(-06)	M 432-P 234	23
1.1547	10.738	2.56(+00)	1.32(+01)	1.48(-01)	3.9067(+00)	E 212-P 232	24
1.1593	10.694	1.54(+00)	1.32(+01)	8.89(-02)	2.3535(+00)	E 212-P 234	25
$n = 2; Z = 34;$							
1.0627	11.667	4.77(-01)	3.07(+00)	5.47(-03)	3.3641(-02)	F 212-P 232	1
1.0641	11.652	1.32(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	2
1.0646	11.646	4.09(-01)	4.92(+00)	2.24(-03)	4.4132(-02)	M 234-P 232	3
1.0666	11.625	2.18(+00)	1.05(+01)	1.73(-01)	7.2259(+00)	C 234-S 212	4
1.0672	11.618	8.35(+01)	3.07(+00)	9.59(-01)	5.8950(+00)	F 212-P 234	5
1.0672	11.618	8.19(+01)	5.93(+00)	9.32(-01)	1.1067(+01)	C 232-S 212	6
1.0690	11.598	1.38(+02)	2.67(-01)	9.98(-01)	1.0669(+00)	K 234-S 212	7
1.0691	11.597	1.77(+02)	4.92(+00)	9.71(-01)	1.9107(+01)	M 234-P 234	8
1.0695	11.593	1.04(+02)	1.13(+01)	7.53(-01)	3.3910(+01)	F 254-P 232	9
1.0699	11.589	1.51(+02)	9.50(-02)	7.73(-01)	1.4691(-01)	M 232-P 232	10
1.0705	11.582	2.78(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	11
1.0712	11.575	4.85(+01)	1.02(+01)	8.27(-01)	5.0502(+01)	F 256-P 234	12
1.0721	11.564	6.96(+01)	5.06(+00)	9.32(-01)	9.4416(+00)	K 232-S 212	13
1.0725	11.561	5.32(-02)	1.85(-01)	6.60(-03)	4.8956(-03)	M 434-P 232	14
1.0740	11.544	2.28(+01)	1.13(+01)	1.65(-01)	7.4445(+00)	F 254-P 234	15
1.0744	11.540	4.42(+01)	9.50(-02)	2.26(-01)	4.2945(-02)	M 232-P 234	16
1.0748	11.536	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	17
1.0755	11.528	2.64(+01)	1.27(-01)	9.95(-01)	2.5185(-01)	M 432-P 232	18
1.0760	11.522	2.90(+01)	6.18(+00)	8.25(-01)	3.0573(+01)	M 436-P 234	19
1.0765	11.517	1.59(+01)	2.92(-01)	9.82(-01)	1.1460(+00)	K 434-S 212	20
1.0770	11.512	7.82(+00)	1.85(-01)	9.70(-01)	7.1964(-01)	M 434-P 234	21
1.0773	11.509	4.50(+00)	2.58(-02)	9.94(-01)	5.1354(-02)	K 432-S 212	22
1.0801	11.479	2.63(-04)	1.27(-01)	9.91(-06)	2.5067(-06)	M 432-P 234	23
1.0854	11.423	2.93(+00)	1.32(+01)	1.65(-01)	4.3572(+00)	E 212-P 232	24
1.0901	11.374	1.62(+00)	1.32(+01)	9.13(-02)	2.4089(+00)	E 212-P 234	25
$n = 2; Z = 35;$							
1.0005	12.392	4.17(-01)	3.14(+00)	4.23(-03)	2.6583(-02)	F 212-P 232	1
1.0021	12.372	1.47(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	2
1.0023	12.370	3.68(-01)	5.02(+00)	1.80(-03)	3.6184(-02)	M 234-P 232	3
1.0044	12.344	3.18(+00)	1.04(+01)	2.34(-01)	9.7420(+00)	C 234-S 212	4
1.0050	12.337	9.48(+01)	3.14(+00)	9.64(-01)	6.0502(+00)	F 212-P 234	5
1.0051	12.336	9.51(+01)	5.77(+00)	9.43(-01)	1.0876(+01)	C 232-S 212	6
1.0067	12.316	1.53(+02)	3.09(-01)	9.98(-01)	1.2318(+00)	K 234-S 212	7
1.0068	12.315	1.99(+02)	5.02(+00)	9.74(-01)	1.9565(+01)	M 234-P 234	8
1.0071	12.311	1.17(+02)	1.12(+01)	7.56(-01)	3.3910(+01)	F 254-P 232	9
1.0075	12.306	1.68(+02)	9.19(-02)	7.71(-01)	1.4176(-01)	M 232-P 232	10
1.0085	12.294	3.32(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	11
1.0087	12.292	5.27(+01)	9.83(+00)	8.43(-01)	4.9702(+01)	F 256-P 234	12
1.0098	12.278	7.51(-02)	1.95(-01)	7.63(-03)	5.9529(-03)	M 434-P 232	13
1.0099	12.277	7.56(+01)	5.26(+00)	9.35(-01)	9.8368(+00)	K 232-S 212	14
1.0117	12.256	2.66(+01)	1.12(+01)	1.72(-01)	7.6900(+00)	F 254-P 234	15
1.0121	12.251	4.97(+01)	9.19(-02)	2.29(-01)	4.2046(-02)	M 232-P 234	16
1.0124	12.247	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	17

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.0130	12.240	3.32(+01)	1.46(−01)	9.96(−01)	2.8978(−01)	M 432-P 232	18
1.0135	12.234	3.49(+01)	6.60(+00)	8.41(−01)	3.3305(+01)	M 436-P 234	19
1.0139	12.228	1.98(+01)	3.31(−01)	9.84(−01)	1.3023(+00)	K 434-S 212	20
1.0144	12.223	9.56(+00)	1.95(−01)	9.73(−01)	7.5842(−01)	M 434-P 234	21
1.0146	12.220	5.60(+00)	2.81(−02)	9.95(−01)	5.5824(−02)	K 432-S 212	22
1.0176	12.184	1.98(−03)	1.46(−01)	5.95(−05)	1.7313(−05)	M 432-P 234	23
1.0222	12.130	3.34(+00)	1.32(+01)	1.84(−01)	4.8338(+00)	E 212-P 232	24
1.0268	12.074	1.69(+00)	1.32(+01)	9.31(−02)	2.4490(+00)	E 212-P 234	25
$n = 2; Z = 36;$							
.94354	13.140	3.63(−01)	3.20(+00)	3.28(−03)	2.1041(−02)	F 212-P 232	1
.94510	13.119	3.29(−01)	5.12(+00)	1.45(−03)	2.9587(−02)	M 234-P 232	2
.94537	13.115	1.64(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	3
.94745	13.086	4.43(+00)	1.04(+01)	2.99(−01)	1.2410(+01)	C 234-S 212	4
.94804	13.078	1.07(+02)	3.20(+00)	9.68(−01)	6.2000(+00)	F 212-P 234	5
.94807	13.078	1.10(+02)	5.61(+00)	9.51(−01)	1.0680(+01)	C 232-S 212	6
.94960	13.057	1.70(+02)	3.49(−01)	9.98(−01)	1.3925(+00)	K 234-S 212	7
.94961	13.056	2.22(+02)	5.12(+00)	9.76(−01)	1.9975(+01)	M 234-P 234	8
.94993	13.052	1.32(+02)	1.12(+01)	7.59(−01)	3.3913(+01)	F 254-P 232	9
.95034	13.046	1.85(+02)	8.80(−02)	7.68(−01)	1.3523(−01)	M 232-P 232	10
.95137	13.032	5.72(+01)	9.50(+00)	8.58(−01)	4.8882(+01)	F 256-P 234	11
.95156	13.030	3.93(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	12
.95240	13.018	1.05(−01)	2.03(−01)	8.81(−03)	7.1602(−03)	M 434-P 232	13
.95285	13.012	8.20(+01)	5.44(+00)	9.38(−01)	1.0209(+01)	K 232-S 212	14
.95449	12.990	3.09(+01)	1.12(+01)	1.77(−01)	7.9037(+00)	F 254-P 234	15
.95490	12.984	5.59(+01)	8.80(−02)	2.32(−01)	4.0787(−02)	M 232-P 234	16
.95524	12.980	0.00(+00)	0.00(+00)	0.00(+00)	0.0000(+00)	T 313-Y 111	17
.95565	12.974	4.11(+01)	1.65(−01)	9.96(−01)	3.2874(−01)	M 432-P 232	18
.95614	12.967	4.15(+01)	6.99(+00)	8.56(−01)	3.5888(+01)	M 436-P 234	19
.95653	12.962	2.44(+01)	3.72(−01)	9.85(−01)	1.4653(+00)	K 434-S 212	20
.95698	12.956	1.16(+01)	2.03(−01)	9.74(−01)	7.9214(−01)	M 434-P 234	21
.95723	12.953	6.90(+00)	3.02(−02)	9.96(−01)	6.0140(−02)	K 432-S 212	22
.96026	12.912	5.47(−03)	1.65(−01)	1.32(−04)	4.3728(−05)	M 432-P 234	23
.96418	12.859	3.80(+00)	1.31(+01)	2.03(−01)	5.3350(+00)	E 212-P 232	24
.96887	12.797	1.76(+00)	1.31(+01)	9.43(−02)	2.4741(+00)	E 212-P 234	25

Table IIa. Transitions 2l'3l''-1s2l,1s3l in [He] and 2p-1s, 3p-1s in [H] ions

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 3 \rightarrow n = 1; Z = 6;$							
28.465	.43557	2.17(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
28.466	.43555	2.17(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
29.288	.42333	3.47(-03)	1.86(-03)	4.72(-02)	8.7803(-05)	A'331-S 313	3
29.288	.42333	3.49(-03)	2.20(-03)	4.72(-02)	3.1174(-04)	A'333-S 313	4
29.289	.42332	3.52(-03)	1.91(-03)	4.79(-02)	4.5781(-04)	A'335-S 313	5
29.573	.41925	2.19(-03)	4.17(-01)	4.43(-03)	5.5349(-03)	A'133-S 111	6
29.582	.41913	4.81(-03)	7.44(-03)	6.68(-02)	2.4875(-03)	B'335-S 313	7
29.583	.41911	5.41(-03)	1.43(-02)	7.06(-02)	3.0274(-03)	B'333-S 313	8
29.584	.41910	5.72(-03)	1.83(-02)	7.18(-02)	1.3151(-03)	B'331-S 313	9
29.609	.41874	9.70(-03)	6.23(-01)	1.45(-02)	4.5155(-02)	C'335-S 313	10
29.610	.41872	9.12(-03)	6.17(-01)	1.37(-02)	2.5398(-02)	C'333-S 313	11
29.611	.41871	8.83(-03)	6.12(-01)	1.34(-02)	8.1778(-03)	C'331-S 313	12
29.756	.41667	2.72(-04)	2.65(-01)	7.72(-04)	6.1418(-04)	A'353-S 111	13
29.759	.41664	6.41(-03)	6.52(+00)	9.75(-04)	1.9067(-02)	B'133-S 111	14
29.792	.41617	5.11(-03)	2.10(-03)	7.15(-02)	4.4979(-04)	F'313-P 333	15
29.792	.41617	1.66(-03)	2.10(-03)	2.32(-02)	1.4605(-04)	F'313-P 331	16
29.793	.41616	9.01(-03)	2.10(-03)	1.26(-01)	7.9371(-04)	F'313-P 335	17
29.794	.41613	6.60(-03)	1.21(-01)	3.45(-02)	4.1808(-03)	F'111-P 133	18
29.809	.41593	3.58(-03)	1.55(-01)	1.95(-02)	1.5120(-02)	G'355-P 333	19
29.809	.41593	2.05(-03)	1.54(-01)	1.12(-02)	5.1939(-03)	G'353-P 333	20
29.810	.41592	2.61(-03)	1.54(-01)	1.43(-02)	6.6249(-03)	G'353-P 331	21
29.810	.41592	4.97(-03)	1.54(-01)	2.72(-02)	2.9292(-02)	G'357-P 335	22
29.810	.41591	1.29(-03)	1.55(-01)	7.03(-03)	5.4645(-03)	G'355-P 335	23
29.811	.41591	1.46(-04)	1.54(-01)	8.01(-04)	3.7037(-04)	G'353-P 335	24
29.841	.41548	4.40(-04)	6.72(+00)	6.48(-05)	2.1759(-03)	F'155-P 335	25
29.845	.41544	2.89(-03)	3.50(-01)	6.46(-03)	1.1290(-02)	F'335-P 333	26
29.846	.41542	8.57(-03)	3.50(-01)	1.92(-02)	3.3523(-02)	F'335-P 335	27
29.846	.41542	3.14(-03)	1.16(-05)	3.17(-02)	1.1029(-06)	F'333-P 333	28
29.846	.41542	4.10(-03)	1.16(-05)	4.15(-02)	1.4415(-06)	F'333-P 331	29
29.847	.41541	1.20(-02)	4.24(-04)	1.21(-01)	5.1335(-05)	F'331-P 333	30
29.847	.41540	4.79(-03)	1.16(-05)	4.84(-02)	1.6820(-06)	F'333-P 335	31
29.932	.41422	3.76(-03)	5.06(+00)	7.37(-04)	1.8662(-02)	G'155-P 133	32
29.991	.41341	1.28(-04)	1.36(-05)	1.28(-03)	5.2494(-08)	F'133-P 331	33
30.002	.41326	1.90(-02)	5.29(-04)	2.45(-01)	9.0978(-04)	F'357-P 335	34
30.002	.41325	1.44(-02)	8.31(-04)	1.84(-01)	7.6522(-04)	F'355-P 333	35
30.004	.41323	4.72(-03)	8.31(-04)	6.03(-02)	2.5029(-04)	F'355-P 335	36
30.004	.41323	7.90(-03)	3.79(-04)	1.01(-01)	1.1462(-04)	F'353-P 333	37
30.004	.41323	1.06(-02)	3.79(-04)	1.35(-01)	1.5363(-04)	F'353-P 331	38
30.005	.41321	5.16(-04)	3.79(-04)	6.59(-03)	7.4850(-06)	F'353-P 335	39
30.078	.41221	6.01(-03)	6.72(+00)	8.85(-04)	2.9723(-02)	F'155-P 133	40
30.083	.41214	3.00(-04)	3.50(-01)	6.71(-04)	1.1727(-03)	F'335-P 133	41
30.112	.41175	8.00(-03)	5.85(-02)	7.29(-02)	1.2781(-02)	C'133-S 111	42
30.167	.41099	2.50(-03)	5.02(-02)	3.08(-02)	4.6311(-03)	E'313-P 333	43
30.167	.41099	8.36(-04)	5.02(-02)	1.03(-02)	1.5497(-03)	E'313-P 331	44
30.168	.41098	4.12(-03)	5.02(-02)	5.08(-02)	7.6430(-03)	E'313-P 335	45
30.232	.41012	2.80(-02)	1.36(-05)	2.81(-01)	1.1488(-05)	F'133-P 133	46
30.245	.40994	3.06(-04)	3.79(-04)	3.91(-03)	4.4451(-06)	F'353-P 133	47
30.290	.40933	2.68(-03)	1.40(+01)	1.91(-04)	2.6743(-03)	E'111-P 133	48
33.734	.36753	8.14(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
33.740	.36748	8.13(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 6;$							

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
28.465	.43557	2.17(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
28.466	.43555	2.17(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
33.564	.36940	6.32(-02)	1.21(-01)	3.31(-01)	4.0051(-02)	F'111-P'133	3
33.571	.36933	5.94(-02)	4.17(-01)	1.20(-01)	1.4987(-01)	A'133-D'155	4
33.687	.36805	6.12(-02)	1.86(-03)	8.32(-01)	1.5467(-03)	A'331-D'353	5
33.687	.36805	3.74(-02)	2.20(-03)	5.06(-01)	3.3393(-03)	A'333-D'355	6
33.687	.36805	1.59(-02)	2.20(-03)	2.16(-01)	1.4243(-03)	A'333-D'353	7
33.689	.36803	5.04(-02)	1.91(-03)	6.86(-01)	6.5518(-03)	A'335-D'357	8
33.695	.36797	6.68(-02)	1.42(+00)	4.41(-02)	4.3982(-01)	A'177-D'155	9
33.734	.36753	8.14(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	10
33.739	.36749	3.35(-02)	5.06(+00)	6.57(-03)	1.6617(-01)	G'155-P'133	11
33.740	.36748	8.13(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	12
33.740	.36748	4.14(-02)	6.52(+00)	6.29(-03)	1.2299(-01)	B'133-S'111	13
33.773	.36711	1.74(-02)	2.10(-03)	2.43(-01)	1.5308(-03)	F'313-P'333	14
33.774	.36711	2.67(-02)	2.10(-03)	3.73(-01)	2.3484(-03)	F'313-P'335	15
33.795	.36687	1.52(-02)	1.54(-01)	8.30(-02)	8.9415(-02)	G'357-P'335	16
33.795	.36687	1.15(-02)	1.55(-01)	6.26(-02)	4.8609(-02)	G'355-P'333	17
33.805	.36676	7.07(-02)	3.10(-04)	7.98(-01)	1.7324(-03)	A'357-D'357	18
33.806	.36675	4.50(-02)	3.60(-05)	5.10(-01)	9.1789(-05)	A'355-D'355	19
33.806	.36675	1.26(-02)	3.60(-05)	1.42(-01)	2.5646(-05)	A'355-D'353	20
33.806	.36675	1.31(-02)	3.60(-05)	1.48(-01)	2.6669(-05)	A'355-D'357	21
33.807	.36675	5.74(-02)	2.65(-01)	1.63(-01)	1.2960(-01)	A'353-D'353	22
33.841	.36638	2.03(-02)	3.50(-01)	4.54(-02)	7.9329(-02)	F'335-P'333	23
33.841	.36637	6.09(-02)	3.50(-01)	1.36(-01)	2.3795(-01)	F'335-P'335	24
33.843	.36636	2.07(-02)	1.16(-05)	2.09(-01)	7.2603(-06)	F'333-P'333	25
33.843	.36636	2.79(-02)	1.16(-05)	2.82(-01)	9.8149(-06)	F'333-P'331	26
33.843	.36635	3.65(-02)	1.16(-05)	3.70(-01)	1.2840(-05)	F'333-P'335	27
33.844	.36635	8.51(-02)	4.24(-04)	8.57(-01)	3.6339(-04)	F'331-P'333	28
33.872	.36604	4.28(-02)	7.44(-03)	5.95(-01)	2.2140(-02)	B'335-S'313	29
33.874	.36602	3.97(-02)	1.43(-02)	5.18(-01)	2.2239(-02)	B'333-S'313	30
33.875	.36601	3.82(-02)	1.83(-02)	4.80(-01)	8.7877(-03)	B'331-S'313	31
33.908	.36565	3.29(-02)	6.23(-01)	4.91(-02)	1.5313(-01)	C'335-S'313	32
33.910	.36563	3.60(-02)	6.17(-01)	5.41(-02)	1.0016(-01)	C'333-S'313	33
33.924	.36548	1.10(-02)	4.25(-03)	1.29(-01)	2.7331(-03)	A'155-D'355	34
33.924	.36548	6.67(-02)	4.25(-03)	7.78(-01)	1.6524(-02)	A'155-D'155	35
33.925	.36547	5.34(-02)	6.72(+00)	7.87(-03)	2.6419(-01)	F'155-P'133	36
33.934	.36537	7.76(-02)	2.84(-01)	2.15(-01)	5.4883(-01)	A'379-D'357	37
33.936	.36535	5.56(-02)	2.84(-01)	1.54(-01)	3.0570(-01)	A'377-D'355	38
33.938	.36532	6.37(-02)	2.80(-01)	1.78(-01)	2.4915(-01)	A'375-D'353	39
34.042	.36421	5.80(-02)	5.29(-04)	7.47(-01)	2.7700(-03)	F'357-P'335	40
34.044	.36419	4.34(-02)	8.31(-04)	5.54(-01)	2.3019(-03)	F'355-P'333	41
34.045	.36418	1.49(-02)	8.31(-04)	1.90(-01)	7.8950(-04)	F'355-P'335	42
34.046	.36417	2.43(-02)	3.79(-04)	3.10(-01)	3.5243(-04)	F'353-P'333	43
34.046	.36417	3.19(-02)	3.79(-04)	4.07(-01)	4.6295(-04)	F'353-P'331	44
34.076	.36385	1.26(-02)	7.44(-03)	1.76(-01)	6.5443(-03)	B'335-D'357	45
34.078	.36383	9.43(-03)	1.43(-02)	1.23(-01)	5.2748(-03)	B'333-D'355	46
34.079	.36382	1.55(-02)	1.83(-02)	1.94(-01)	3.5546(-03)	B'331-D'353	47
34.120	.36338	6.92(-02)	1.36(-05)	6.92(-01)	2.8333(-05)	F'133-P'133	48
34.195	.36259	3.61(-02)	5.85(-02)	3.29(-01)	5.7726(-02)	C'133-S'111	49
34.257	.36193	1.32(-02)	5.02(-02)	1.62(-01)	2.4419(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 7;$							
20.910	.59296	4.03(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
20.911	.59293	4.02(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
21.425	.57870	6.42(-03)	1.19(-03)	4.74(-02)	5.6153(-05)	A'331-S 313	3
21.425	.57868	6.46(-03)	2.10(-03)	4.74(-02)	2.9925(-04)	A'333-S 313	4
21.426	.57866	6.55(-03)	1.25(-03)	4.85(-02)	3.0358(-04)	A'335-S 313	5

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
21.609	.57377	4.20(-03)	4.43(-01)	7.11(-03)	9.4510(-03)	A'133-S 111	6
21.612	.57368	8.38(-03)	4.91(-03)	6.55(-02)	1.6090(-03)	B'335-S 313	7
21.613	.57365	1.02(-02)	1.51(-02)	7.69(-02)	3.4781(-03)	B'333-S 313	8
21.614	.57363	1.11(-02)	2.16(-02)	8.18(-02)	1.7662(-03)	B'331-S 313	9
21.629	.57323	1.94(-02)	6.34(-01)	2.70(-02)	8.5617(-02)	C'335-S 313	10
21.631	.57319	1.77(-02)	6.25(-01)	2.48(-02)	4.6455(-02)	C'333-S 313	11
21.631	.57318	1.68(-02)	6.18(-01)	2.37(-02)	1.4636(-02)	C'331-S 313	12
21.726	.57069	1.26(-02)	7.01(+00)	1.77(-03)	3.7326(-02)	B'133-S 111	13
21.745	.57017	2.95(-03)	2.81(-03)	2.22(-02)	1.8706(-04)	F'313-P 331	14
21.745	.57017	9.25(-03)	2.81(-03)	6.95(-02)	5.8620(-04)	F'313-P 333	15
21.747	.57013	1.69(-02)	2.81(-03)	1.27(-01)	1.0728(-03)	F'313-P 335	16
21.750	.57004	1.42(-02)	1.85(-01)	4.49(-02)	8.2831(-03)	F'111-P 133	17
21.757	.56987	6.38(-03)	1.72(-01)	2.84(-02)	2.4345(-02)	G'355-P 333	18
21.757	.56986	4.62(-03)	1.68(-01)	2.10(-02)	1.0558(-02)	G'353-P 331	19
21.757	.56985	3.74(-03)	1.68(-01)	1.70(-02)	8.5452(-03)	G'353-P 333	20
21.758	.56984	9.10(-03)	1.67(-01)	4.10(-02)	4.8097(-02)	G'357-P 335	21
21.758	.56983	2.44(-03)	1.72(-01)	1.09(-02)	9.3137(-03)	G'355-P 335	22
21.759	.56982	2.79(-04)	1.68(-01)	1.27(-03)	6.3833(-04)	G'353-P 335	23
21.775	.56939	6.39(-04)	6.45(+00)	9.71(-05)	3.1296(-03)	F'155-P 333	24
21.776	.56935	2.22(-03)	6.45(+00)	3.38(-04)	1.0896(-02)	F'155-P 335	25
21.778	.56931	5.49(-03)	9.03(-01)	5.08(-03)	2.2937(-02)	F'335-P 333	26
21.779	.56928	8.42(-03)	3.31(-05)	4.56(-02)	4.5280(-06)	F'333-P 331	27
21.779	.56928	6.49(-03)	3.31(-05)	3.52(-02)	3.4919(-06)	F'333-P 333	28
21.779	.56928	1.60(-02)	9.03(-01)	1.48(-02)	6.7028(-02)	F'335-P 335	29
21.780	.56926	2.44(-02)	1.02(-03)	1.31(-01)	1.3425(-04)	F'331-P 333	30
21.781	.56924	9.48(-03)	3.31(-05)	5.14(-02)	5.1002(-06)	F'333-P 335	31
21.838	.56776	7.98(-03)	5.43(+00)	1.45(-03)	3.9356(-02)	G'155-P 133	32
21.872	.56687	6.07(-04)	2.81(-05)	3.27(-03)	2.7520(-07)	F'133-P 331	33
21.878	.56671	3.48(-02)	4.57(-04)	2.41(-01)	7.7177(-04)	F'357-P 335	34
21.879	.56670	2.65(-02)	1.28(-03)	1.81(-01)	1.1565(-03)	F'355-P 333	35
21.880	.56666	8.57(-03)	1.28(-03)	5.86(-02)	3.7381(-04)	F'355-P 335	36
21.880	.56666	1.91(-02)	2.36(-04)	1.30(-01)	9.2076(-05)	F'353-P 331	37
21.880	.56665	1.43(-02)	2.36(-04)	9.70(-02)	6.8724(-05)	F'353-P 333	38
21.882	.56662	9.20(-04)	2.36(-04)	6.24(-03)	4.4236(-06)	F'353-P 335	39
21.938	.56516	1.15(-02)	6.45(+00)	1.75(-03)	5.6409(-02)	F'155-P 133	40
21.941	.56508	1.55(-03)	9.03(-01)	1.43(-03)	6.4635(-03)	F'335-P 133	41
21.956	.56470	1.54(-02)	5.65(-02)	1.00(-01)	1.7018(-02)	C'133-S 111	42
21.984	.56398	1.53(-03)	5.45(-02)	1.37(-02)	2.2312(-03)	E'313-P 331	43
21.984	.56398	4.55(-03)	5.45(-02)	4.07(-02)	6.6542(-03)	E'313-P 333	44
21.985	.56395	7.47(-03)	5.45(-02)	6.68(-02)	1.0913(-02)	E'313-P 335	45
22.036	.56264	4.93(-02)	2.81(-05)	2.66(-01)	2.2372(-05)	F'133-P 133	46
22.045	.56243	1.41(-03)	2.36(-04)	9.57(-03)	6.7851(-06)	F'353-P 133	47
22.072	.56173	5.51(-03)	1.45(+01)	3.79(-04)	5.4892(-03)	E'111-P 133	48
24.779	.50036	1.51(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
24.785	.50025	1.51(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 7;$							
20.910	.59296	4.03(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
20.911	.59293	4.02(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
24.663	.50271	1.17(-01)	1.85(-01)	3.71(-01)	6.8427(-02)	F'111-P'133	3
24.672	.50253	1.28(-01)	4.43(-01)	2.17(-01)	2.8798(-01)	A'133-D'155	4
24.742	.50111	1.45(-01)	1.57(+00)	8.32(-02)	9.1532(-01)	A'177-D'155	5
24.752	.50091	1.15(-01)	1.19(-03)	8.45(-01)	1.0017(-03)	A'331-D'353	6
24.753	.50089	8.06(-02)	2.10(-03)	5.91(-01)	3.7319(-03)	A'333-D'355	7
24.753	.50089	3.06(-02)	2.10(-03)	2.24(-01)	1.4149(-03)	A'333-D'353	8
24.754	.50087	9.32(-02)	1.25(-03)	6.90(-01)	4.3173(-03)	A'335-D'357	9

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
24.776	.50043	6.21(−02)	5.43(+00)	1.13(−02)	3.0657(−01)	G'155-P'133	10
24.778	.50038	7.79(−02)	7.01(+00)	1.09(−02)	2.3023(−01)	B'133-S'111	11
24.779	.50036	1.51(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	12
24.785	.50025	1.51(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	13
24.805	.49983	3.35(−02)	2.81(−03)	2.52(−01)	2.1254(−03)	F'313-P'333	14
24.806	.49982	4.92(−02)	2.81(−03)	3.69(−01)	3.1176(−03)	F'313-P'335	15
24.820	.49953	2.86(−02)	1.67(−01)	1.29(−01)	1.5098(−01)	G'357-P'335	16
24.821	.49953	2.18(−02)	1.72(−01)	9.71(−02)	8.3282(−02)	G'355-P'333	17
24.827	.49941	1.31(−01)	6.02(−04)	7.89(−01)	3.3250(−03)	A'357-D'357	18
24.827	.49939	9.62(−02)	8.87(−05)	5.84(−01)	2.5884(−04)	A'355-D'355	19
24.828	.49938	2.50(−02)	8.87(−05)	1.51(−01)	6.7140(−05)	A'355-D'357	20
24.828	.49937	3.83(−02)	1.23(−01)	1.33(−01)	4.9242(−02)	A'353-D'355	21
24.828	.49937	1.08(−01)	1.23(−01)	3.76(−01)	1.3869(−01)	A'353-D'353	22
24.848	.49897	3.46(−02)	9.03(−01)	3.20(−02)	1.4449(−01)	F'335-P'333	23
24.849	.49896	1.04(−01)	9.03(−01)	9.61(−02)	4.3369(−01)	F'335-P'335	24
24.850	.49894	5.09(−02)	3.31(−05)	2.76(−01)	2.7371(−05)	F'333-P'331	25
24.850	.49894	3.74(−02)	3.31(−05)	2.03(−01)	2.0104(−05)	F'333-P'333	26
24.850	.49893	6.84(−02)	3.31(−05)	3.71(−01)	3.6797(−05)	F'333-P'335	27
24.851	.49892	1.57(−01)	1.02(−03)	8.44(−01)	8.6247(−04)	F'331-P'333	28
24.869	.49856	8.40(−02)	4.91(−03)	6.57(−01)	1.6121(−02)	B'335-S'313	29
24.870	.49852	7.52(−02)	1.51(−02)	5.70(−01)	2.5764(−02)	B'333-S'313	30
24.871	.49851	7.08(−02)	2.16(−02)	5.23(−01)	1.1290(−02)	B'331-S'313	31
24.891	.49811	5.67(−02)	6.34(−01)	7.90(−02)	2.5065(−01)	C'335-S'313	32
24.893	.49807	6.56(−02)	6.25(−01)	9.19(−02)	1.7241(−01)	C'333-S'313	33
24.894	.49805	7.02(−02)	6.18(−01)	9.89(−02)	6.1121(−02)	C'331-S'313	34
24.905	.49784	8.95(−02)	6.45(+00)	1.36(−02)	4.3869(−01)	F'155-P'133	35
24.907	.49780	1.40(−01)	1.12(−02)	8.58(−01)	4.8186(−02)	A'155-D'155	36
24.911	.49772	1.45(−01)	3.15(−01)	3.15(−01)	8.9276(−01)	A'379-D'357	37
24.913	.49767	1.21(−01)	3.15(−01)	2.63(−01)	5.7971(−01)	A'377-D'355	38
24.915	.49763	1.16(−01)	3.04(−01)	2.58(−01)	3.9166(−01)	A'375-D'353	39
24.977	.49640	1.09(−01)	4.57(−04)	7.55(−01)	2.4170(−03)	F'357-P'335	40
24.979	.49636	8.15(−02)	1.28(−03)	5.57(−01)	3.5536(−03)	F'355-P'333	41
24.980	.49635	2.84(−02)	1.28(−03)	1.94(−01)	1.2373(−03)	F'355-P'335	42
24.981	.49632	5.91(−02)	2.36(−04)	4.01(−01)	2.8417(−04)	F'353-P'331	43
24.981	.49632	4.54(−02)	2.36(−04)	3.08(−01)	2.1821(−04)	F'353-P'333	44
25.003	.49589	2.27(−02)	4.91(−03)	1.78(−01)	4.3632(−03)	B'335-D'357	45
25.004	.49586	2.01(−02)	1.51(−02)	1.52(−01)	6.8884(−03)	B'333-D'355	46
25.005	.49584	2.83(−02)	2.16(−02)	2.09(−01)	4.5078(−03)	B'331-D'353	47
25.032	.49531	1.29(−01)	2.81(−05)	6.93(−01)	5.8364(−05)	F'133-P'133	48
25.078	.49440	6.77(−02)	5.65(−02)	4.43(−01)	7.4982(−02)	C'133-S'111	49
25.117	.49363	2.46(−02)	5.45(−02)	2.20(−01)	3.5923(−02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 8;$							
16.006	.77464	6.87(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
16.007	.77458	6.87(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
16.349	.75836	1.08(−02)	7.27(−04)	4.67(−02)	3.4000(−05)	A'331-S 313	3
16.350	.75834	1.09(−02)	2.88(−03)	4.68(−02)	4.0469(−04)	A'333-S 313	4
16.350	.75831	1.12(−02)	8.06(−04)	4.84(−02)	1.9496(−04)	A'335-S 313	5
16.475	.75259	7.28(−03)	4.58(−01)	1.02(−02)	1.4083(−02)	A'133-S 111	6
16.476	.75254	1.30(−02)	2.18(−03)	5.96(−02)	6.4971(−04)	B'335-S 313	7
16.477	.75247	1.75(−02)	1.55(−02)	8.04(−02)	3.7449(−03)	B'333-S 313	8
16.478	.75244	1.98(−02)	2.53(−02)	9.04(−02)	2.2910(−03)	B'331-S 313	9
16.487	.75201	3.55(−02)	6.44(−01)	4.55(−02)	1.4639(−01)	C'335-S 313	10
16.489	.75195	3.13(−02)	6.32(−01)	4.00(−02)	7.5860(−02)	C'333-S 313	11
16.489	.75191	2.91(−02)	6.21(−01)	3.73(−02)	2.3172(−02)	C'331-S 313	12
16.553	.74902	2.23(−02)	7.34(+00)	2.97(−03)	6.5267(−02)	B'133-S 111	13

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
16.566	.74845	4.78(−03)	3.46(−03)	2.09(−02)	2.1716(−04)	F'313-P 331	14
16.566	.74844	1.54(−02)	3.46(−03)	6.71(−02)	6.9709(−04)	F'313-P 333	15
16.567	.74837	2.95(−02)	3.46(−03)	1.29(−01)	1.3404(−03)	F'313-P 335	16
16.571	.74822	2.70(−02)	2.43(−01)	5.73(−02)	1.3943(−02)	F'111-P 133	17
16.574	.74807	1.05(−02)	1.88(−01)	3.75(−02)	3.5248(−02)	G'355-P 333	18
16.574	.74806	7.53(−03)	1.78(−01)	2.81(−02)	1.4993(−02)	G'353-P 331	19
16.574	.74805	6.38(−03)	1.78(−01)	2.38(−02)	1.2718(−02)	G'353-P 333	20
16.575	.74803	1.56(−02)	1.78(−01)	5.71(−02)	7.1069(−02)	G'357-P 335	21
16.575	.74800	4.36(−03)	1.88(−01)	1.56(−02)	1.4627(−02)	G'355-P 335	22
16.585	.74757	2.44(−03)	5.62(+00)	4.18(−04)	1.1727(−02)	F'155-P 333	23
16.587	.74750	8.43(−03)	5.62(+00)	1.44(−03)	4.0438(−02)	F'155-P 335	24
16.587	.74747	8.79(−03)	1.92(+00)	3.97(−03)	3.8147(−02)	F'335-P 333	25
16.588	.74743	1.56(−02)	8.39(−05)	4.92(−02)	1.2382(−05)	F'333-P 331	26
16.588	.74742	1.21(−02)	8.39(−05)	3.83(−02)	9.6308(−06)	F'333-P 333	27
16.589	.74740	2.48(−02)	1.92(+00)	1.12(−02)	1.0775(−01)	F'335-P 335	28
16.589	.74738	4.45(−02)	2.19(−03)	1.39(−01)	3.0515(−04)	F'331-P 333	29
16.590	.74735	1.68(−02)	8.39(−05)	5.29(−02)	1.3308(−05)	F'333-P 335	30
16.630	.74556	1.51(−02)	5.74(+00)	2.57(−03)	7.3775(−02)	G'155-P 133	31
16.651	.74462	1.95(−03)	4.80(−05)	6.16(−03)	8.8643(−07)	F'133-P 331	32
16.651	.74461	9.32(−04)	4.80(−05)	2.95(−03)	4.2401(−07)	F'133-P 333	33
16.655	.74444	5.87(−02)	4.55(−04)	2.38(−01)	7.5705(−04)	F'357-P 335	34
16.655	.74442	4.50(−02)	2.33(−03)	1.79(−01)	2.0820(−03)	F'355-P 333	35
16.657	.74435	1.43(−02)	2.33(−03)	5.69(−02)	6.6225(−04)	F'355-P 335	36
16.657	.74435	3.17(−02)	1.42(−04)	1.24(−01)	5.2700(−05)	F'353-P 331	37
16.657	.74434	2.37(−02)	1.42(−04)	9.27(−02)	3.9455(−05)	F'353-P 333	38
16.659	.74427	1.50(−03)	1.42(−04)	5.85(−03)	2.4889(−06)	F'353-P 335	39
16.701	.74240	1.82(−02)	5.62(+00)	3.10(−03)	8.7077(−02)	F'155-P 133	40
16.703	.74230	5.93(−03)	1.92(+00)	2.68(−03)	2.5751(−02)	F'335-P 133	41
16.711	.74193	2.70(−02)	5.60(−02)	1.21(−01)	2.0404(−02)	C'133-S 111	42
16.727	.74125	2.58(−03)	5.78(−02)	1.66(−02)	2.8759(−03)	E'313-P 331	43
16.727	.74124	7.66(−03)	5.78(−02)	4.94(−02)	8.5576(−03)	E'313-P 333	44
16.728	.74117	1.25(−02)	5.78(−02)	8.03(−02)	1.3912(−02)	E'313-P 335	45
16.767	.73944	7.99(−02)	4.80(−05)	2.52(−01)	3.6324(−05)	F'133-P 133	46
16.774	.73917	4.39(−03)	1.42(−04)	1.72(−02)	7.3000(−06)	F'353-P 133	47
16.791	.73840	1.01(−02)	1.49(+01)	6.76(−04)	1.0046(−02)	E'111-P 133	48
18.967	.65368	2.57(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
18.973	.65350	2.57(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 8;$							
16.006	.77464	6.87(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
16.007	.77458	6.87(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
18.885	.65652	2.01(−01)	2.43(−01)	4.25(−01)	1.0346(−01)	F'111-P'133	3
18.894	.65623	2.19(−01)	4.58(−01)	3.09(−01)	4.2394(−01)	A'133-D'155	4
18.936	.65475	2.48(−01)	1.69(+00)	1.25(−01)	1.4774(+00)	A'177-D'155	5
18.951	.65425	1.97(−01)	7.27(−04)	8.50(−01)	6.1865(−04)	A'331-D'353	6
18.951	.65423	5.43(−02)	2.88(−03)	2.32(−01)	2.0084(−03)	A'333-D'353	7
18.951	.65423	1.38(−01)	2.88(−03)	5.88(−01)	5.0867(−03)	A'333-D'355	8
18.952	.65419	1.58(−01)	8.06(−04)	6.84(−01)	2.7587(−03)	A'335-D'357	9
18.962	.65386	1.06(−01)	5.74(+00)	1.82(−02)	5.2110(−01)	G'155-P'133	10
18.964	.65378	1.34(−01)	7.34(+00)	1.78(−02)	3.9155(−01)	B'133-S'111	11
18.967	.65368	2.57(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	12
18.973	.65350	2.57(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	13
18.986	.65304	5.98(−02)	3.46(−03)	2.61(−01)	2.7130(−03)	F'313-P'333	14
18.987	.65302	8.27(−02)	3.46(−03)	3.61(−01)	3.7537(−03)	F'313-P'335	15
18.997	.65267	4.99(−02)	1.78(−01)	1.83(−01)	2.2788(−01)	G'357-P'335	16
18.997	.65267	3.86(−02)	1.88(−01)	1.38(−01)	1.2936(−01)	G'355-P'333	17

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
19.000	.65254	2.22(-01)	1.15(-03)	7.80(-01)	6.2535(-03)	A'357-D'357	18
19.001	.65251	1.62(-01)	1.93(-04)	5.74(-01)	5.5350(-04)	A'355-D'355	19
19.002	.65248	1.84(-01)	7.27(-02)	5.19(-01)	1.1305(-01)	A'353-D'353	20
19.002	.65248	6.73(-02)	7.27(-02)	1.90(-01)	4.1346(-02)	A'353-D'355	21
19.012	.65214	4.90(-02)	5.62(+00)	8.36(-03)	2.3488(-01)	F'155-P'335	22
19.014	.65206	5.02(-02)	1.92(+00)	2.27(-02)	2.1784(-01)	F'335-P'333	23
19.015	.65204	1.51(-01)	1.92(+00)	6.83(-02)	6.5554(-01)	F'335-P'335	24
19.016	.65202	8.51(-02)	8.39(-05)	2.69(-01)	6.7636(-05)	F'333-P'331	25
19.016	.65201	6.20(-02)	8.39(-05)	1.96(-01)	4.9265(-05)	F'333-P'333	26
19.016	.65199	1.19(-01)	8.39(-05)	3.75(-01)	9.4342(-05)	F'333-P'335	27
19.017	.65198	2.66(-01)	2.19(-03)	8.34(-01)	1.8256(-03)	F'331-P'333	28
19.028	.65158	1.53(-01)	2.18(-03)	6.99(-01)	7.6100(-03)	B'335-S'313	29
19.030	.65152	1.31(-01)	1.55(-02)	6.03(-01)	2.8103(-02)	B'333-S'313	30
19.031	.65149	1.20(-01)	2.53(-02)	5.47(-01)	1.3868(-02)	B'331-S'313	31
19.044	.65106	8.81(-02)	6.44(-01)	1.13(-01)	3.6325(-01)	C'335-S'313	32
19.046	.65099	1.10(-01)	6.32(-01)	1.41(-01)	2.6677(-01)	C'333-S'313	33
19.047	.65096	1.22(-01)	6.21(-01)	1.56(-01)	9.6892(-02)	C'331-S'313	34
19.054	.65070	1.28(-01)	5.62(+00)	2.19(-02)	6.1435(-01)	F'155-P'133	35
19.056	.65062	2.36(-01)	2.18(-02)	8.37(-01)	9.1068(-02)	A'155-D'155	36
19.057	.65059	4.19(-02)	1.92(+00)	1.90(-02)	1.8201(-01)	F'335-P'133	37
19.058	.65057	2.48(-01)	3.39(-01)	4.23(-01)	1.2902(+00)	A'379-D'357	38
19.060	.65049	2.06(-01)	3.39(-01)	3.51(-01)	8.3263(-01)	A'377-D'355	39
19.063	.65041	1.92(-01)	3.17(-01)	3.38(-01)	5.3673(-01)	A'375-D'353	40
19.063	.65041	4.84(-02)	3.17(-01)	8.54(-02)	1.3545(-01)	A'375-D'355	41
19.101	.64909	1.88(-01)	4.55(-04)	7.60(-01)	2.4224(-03)	F'357-P'335	42
19.104	.64901	1.40(-01)	2.33(-03)	5.56(-01)	6.4756(-03)	F'355-P'333	43
19.104	.64899	4.97(-02)	2.33(-03)	1.98(-01)	2.2992(-03)	F'355-P'335	44
19.106	.64894	9.94(-02)	1.42(-04)	3.89(-01)	1.6542(-04)	F'353-P'331	45
19.106	.64894	7.72(-02)	1.42(-04)	3.02(-01)	1.2853(-04)	F'353-P'333	46
19.124	.64833	4.76(-02)	2.53(-02)	2.17(-01)	5.4985(-03)	B'331-D'353	47
19.141	.64774	2.18(-01)	4.80(-05)	6.88(-01)	9.8929(-05)	F'133-P'133	48
19.172	.64669	1.16(-01)	5.60(-02)	5.23(-01)	8.7921(-02)	C'133-S'111	49
19.198	.64582	4.21(-02)	5.78(-02)	2.71(-01)	4.7022(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 9;$							
12.643	.98063	1.10(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
12.645	.98054	1.10(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
12.884	.96236	1.71(-02)	4.04(-04)	4.56(-02)	1.8456(-05)	A'331-S 313	3
12.884	.96232	1.73(-02)	4.87(-03)	4.57(-02)	6.6770(-04)	A'333-S 313	4
12.885	.96228	1.78(-02)	4.88(-04)	4.78(-02)	1.1674(-04)	A'335-S 313	5
12.973	.95573	1.17(-02)	4.63(-01)	1.35(-02)	1.8726(-02)	A'133-S 111	6
12.973	.95572	1.83(-02)	2.86(-04)	5.13(-02)	7.3232(-05)	B'335-S 313	7
12.974	.95561	2.80(-02)	1.59(-02)	8.21(-02)	3.9089(-03)	B'333-S 313	8
12.975	.95556	3.34(-02)	2.97(-02)	9.88(-02)	2.9352(-03)	C'331-S 313	9
12.981	.95510	6.10(-02)	6.51(-01)	7.08(-02)	2.3047(-01)	C'335-S 313	10
12.983	.95500	5.18(-02)	6.38(-01)	5.90(-02)	1.1308(-01)	C'333-S 313	11
12.983	.95495	4.67(-02)	6.21(-01)	5.33(-02)	3.3094(-02)	B'331-S 313	12
13.028	.95167	3.65(-02)	7.54(+00)	4.65(-03)	1.0523(-01)	B'133-S 111	13
13.037	.95104	7.17(-03)	4.07(-03)	1.94(-02)	2.3662(-04)	F'313-P 331	14
13.037	.95102	2.38(-02)	4.07(-03)	6.43(-02)	7.8436(-04)	F'313-P 333	15
13.039	.95091	4.87(-02)	4.07(-03)	1.32(-01)	1.6085(-03)	F'313-P 335	16
13.041	.95071	4.71(-02)	2.99(-01)	7.03(-02)	2.1005(-02)	F'111-P 133	17
13.043	.95058	1.62(-02)	2.09(-01)	4.51(-02)	4.7051(-02)	G'355-P 333	18
13.043	.95057	1.14(-02)	1.86(-01)	3.45(-02)	1.9282(-02)	G'353-P 331	19
13.044	.95055	1.04(-02)	1.86(-01)	3.13(-02)	1.7510(-02)	G'353-P 333	20
13.044	.95050	2.53(-02)	1.86(-01)	7.40(-02)	9.6341(-02)	G'357-P 335	21

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
13.045	.95046	7.53(−03)	2.09(−01)	2.10(−02)	2.1869(−02)	G'355-P 335	22
13.045	.95043	8.97(−04)	1.86(−01)	2.71(−03)	1.5115(−03)	G'353-P 335	23
13.050	.95007	6.75(−03)	4.48(+00)	1.38(−03)	3.0955(−02)	F'155-P 333	24
13.052	.94995	2.31(−02)	4.48(+00)	4.72(−03)	1.0585(−01)	F'155-P 335	25
13.052	.94993	1.24(−02)	3.16(+00)	3.42(−03)	5.4194(−02)	F'335-P 333	26
13.053	.94988	2.68(−02)	1.96(−04)	5.26(−02)	3.0948(−05)	F'333-P 331	27
13.053	.94987	2.10(−02)	1.96(−04)	4.12(−02)	2.4260(−05)	F'333-P 333	28
13.054	.94981	3.28(−02)	3.16(+00)	9.08(−03)	1.4374(−01)	F'335-P 335	29
13.054	.94981	7.50(−02)	4.27(−03)	1.46(−01)	6.2190(−04)	F'331-P 333	30
13.055	.94975	2.71(−02)	1.96(−04)	5.31(−02)	3.1293(−05)	F'333-P 335	31
13.083	.94766	2.62(−02)	6.01(+00)	4.23(−03)	1.2694(−01)	G'155-P 133	32
13.097	.94670	4.71(−03)	7.39(−05)	9.31(−03)	2.0629(−06)	F'133-P 331	33
13.100	.94648	9.28(−02)	5.17(−04)	2.35(−01)	8.4966(−04)	F'357-P 335	34
13.100	.94645	7.19(−02)	4.33(−03)	1.77(−01)	3.8405(−03)	F'355-P 333	35
13.102	.94634	4.92(−02)	7.83(−05)	1.18(−01)	2.7762(−05)	F'353-P 331	36
13.102	.94633	2.24(−02)	4.33(−03)	5.52(−02)	1.1965(−03)	F'355-P 335	37
13.102	.94632	3.70(−02)	7.83(−05)	8.90(−02)	2.0906(−05)	F'353-P 333	38
13.104	.94620	2.28(−03)	7.83(−05)	5.47(−03)	1.2843(−06)	F'353-P 335	39
13.135	.94395	2.44(−02)	4.48(+00)	5.00(−03)	1.1202(−01)	F'155-P 133	40
13.137	.94381	1.63(−02)	3.16(+00)	4.52(−03)	7.1565(−02)	F'335-P 133	41
13.141	.94347	4.43(−02)	5.68(−02)	1.36(−01)	2.3217(−02)	C'133-S 111	42
13.151	.94281	4.08(−03)	6.03(−02)	1.90(−02)	3.4343(−03)	E'313-P 331	43
13.151	.94279	1.21(−02)	6.03(−02)	5.63(−02)	1.0197(−02)	E'313-P 333	44
13.152	.94267	1.95(−02)	6.03(−02)	9.05(−02)	1.6385(−02)	E'313-P 335	45
13.182	.94056	1.22(−01)	7.39(−05)	2.41(−01)	5.3451(−05)	F'133-P 133	46
13.187	.94020	1.02(−02)	7.83(−05)	2.45(−02)	5.7485(−06)	F'353-P 133	47
13.199	.93935	1.70(−02)	1.51(+01)	1.12(−03)	1.6886(−02)	E'111-P 133	48
14.982	.82754	4.13(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
14.988	.82724	4.12(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 9;$							
12.643	.98063	1.10(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
12.645	.98054	1.10(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
14.923	.83084	3.22(−01)	2.99(−01)	4.81(−01)	1.4367(−01)	F'111-P'133	3
14.930	.83044	3.50(−01)	4.63(−01)	4.02(−01)	5.5901(−01)	A'133-D'155	4
14.958	.82890	3.92(−01)	1.78(+00)	1.74(−01)	2.1706(+00)	A'177-D'155	5
14.972	.82812	3.20(−01)	4.04(−04)	8.53(−01)	3.4513(−04)	A'331-D'353	6
14.972	.82809	9.15(−02)	4.87(−03)	2.42(−01)	3.5314(−03)	A'333-D'353	7
14.972	.82809	2.18(−01)	4.87(−03)	5.76(−01)	8.4010(−03)	A'333-D'355	8
14.974	.82803	2.51(−01)	4.88(−04)	6.74(−01)	1.6453(−03)	A'335-D'357	9
14.978	.82780	1.72(−01)	6.01(+00)	2.77(−02)	8.3186(−01)	G'155-P'133	10
14.980	.82769	2.14(−01)	7.54(+00)	2.73(−02)	6.1835(−01)	B'133-S'111	11
14.982	.82754	4.13(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	12
14.988	.82724	4.12(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	13
14.997	.82676	1.00(−01)	4.07(−03)	2.72(−01)	3.3133(−03)	F'313-P'333	14
14.997	.82672	1.29(−01)	4.07(−03)	3.49(−01)	4.2592(−03)	F'313-P'335	15
15.004	.82632	8.25(−02)	1.86(−01)	2.41(−01)	3.1413(−01)	G'357-P'335	16
15.005	.82631	6.48(−02)	2.09(−01)	1.80(−01)	1.8825(−01)	G'355-P'333	17
15.005	.82629	4.57(−02)	1.86(−01)	1.38(−01)	7.7099(−02)	G'353-P'331	18
15.007	.82620	3.53(−01)	2.08(−03)	7.70(−01)	1.1214(−02)	A'357-D'357	19
15.007	.82616	2.54(−01)	3.82(−04)	5.56(−01)	1.0602(−03)	A'355-D'355	20
15.008	.82611	2.91(−01)	8.20(−02)	5.43(−01)	1.3364(−01)	A'353-D'353	21
15.008	.82611	1.11(−01)	8.20(−02)	2.07(−01)	5.1070(−02)	A'353-D'355	22
15.014	.82577	1.27(−01)	4.48(+00)	2.60(−02)	5.8355(−01)	F'155-P'335	23
15.016	.82566	6.34(−02)	3.16(+00)	1.76(−02)	2.7819(−01)	F'335-P'333	24
15.017	.82563	1.92(−01)	3.16(+00)	5.33(−02)	8.4396(−01)	F'335-P'335	25

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
15.017	.82561	1.33(-01)	1.96(-04)	2.61(-01)	1.5371(-04)	F'333-P'331	26
15.018	.82556	1.95(-01)	1.96(-04)	3.82(-01)	2.2506(-04)	F'333-P'335	27
15.019	.82554	4.25(-01)	4.27(-03)	8.26(-01)	3.5228(-03)	F'331-P'333	28
15.026	.82513	2.61(-01)	2.86(-04)	7.30(-01)	1.0428(-03)	B'335-S'313	29
15.028	.82502	2.14(-01)	1.59(-02)	6.27(-01)	2.9857(-02)	B'333-S'313	30
15.029	.82497	1.90(-01)	2.97(-02)	5.61(-01)	1.6656(-02)	C'331-S'313	31
15.037	.82451	1.25(-01)	6.51(-01)	1.46(-01)	4.7365(-01)	C'335-S'313	32
15.039	.82442	1.73(-01)	6.38(-01)	1.97(-01)	3.7762(-01)	C'333-S'313	33
15.040	.82436	1.99(-01)	6.21(-01)	2.26(-01)	1.4071(-01)	B'331-S'313	34
15.045	.82408	1.60(-01)	4.48(+00)	3.27(-02)	7.3392(-01)	F'155-P'133	35
15.047	.82396	3.70(-01)	3.37(-02)	8.19(-01)	1.3794(-01)	A'155-D'155	36
15.048	.82395	4.00(-01)	3.58(-01)	5.27(-01)	1.7007(+00)	A'379-D'357	37
15.048	.82394	1.07(-01)	3.16(+00)	2.97(-02)	4.6966(-01)	F'335-P'133	38
15.050	.82381	3.24(-01)	3.59(-01)	4.28(-01)	1.0740(+00)	A'377-D'355	39
15.050	.82380	5.43(-02)	3.59(-01)	7.16(-02)	1.7978(-01)	A'377-D'357	40
15.053	.82368	2.97(-01)	3.25(-01)	4.09(-01)	6.6323(-01)	A'375-D'353	41
15.053	.82368	8.31(-02)	3.25(-01)	1.14(-01)	1.8572(-01)	A'375-D'355	42
15.078	.82230	3.02(-01)	5.17(-04)	7.64(-01)	2.7651(-03)	F'357-P'335	43
15.080	.82218	2.25(-01)	4.33(-03)	5.54(-01)	1.2003(-02)	F'355-P'333	44
15.082	.82206	1.56(-01)	7.83(-05)	3.75(-01)	8.8189(-05)	F'353-P'331	45
15.082	.82205	1.23(-01)	7.83(-05)	2.96(-01)	6.9576(-05)	F'353-P'333	46
15.096	.82132	7.49(-02)	2.97(-02)	2.21(-01)	6.5804(-03)	C'331-D'353	47
15.107	.82069	3.44(-01)	7.39(-05)	6.80(-01)	1.5065(-04)	F'133-P'133	48
15.129	.81949	1.87(-01)	5.68(-02)	5.75(-01)	9.7967(-02)	C'133-S'111	49
15.148	.81849	6.75(-02)	6.03(-02)	3.14(-01)	5.6780(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 10;$							
10.239	1.2110	1.68(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
10.240	1.2108	1.68(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
10.413	1.1907	2.54(-02)	1.81(-04)	4.42(-02)	7.9833(-06)	A'331-S 313	3
10.413	1.1907	2.58(-02)	8.45(-03)	4.43(-02)	1.1240(-03)	A'333-S 313	4
10.414	1.1906	2.68(-02)	2.58(-04)	4.69(-02)	6.0611(-05)	A'335-S 313	5
10.478	1.1833	2.36(-02)	3.23(-04)	4.20(-02)	6.7860(-05)	B'335-S 313	6
10.479	1.1832	1.78(-02)	4.59(-01)	1.64(-02)	2.2618(-02)	A'133-S 111	7
10.480	1.1831	4.26(-02)	1.64(-02)	8.25(-02)	4.0579(-03)	B'333-S 313	8
10.480	1.1830	5.38(-02)	3.48(-02)	1.08(-01)	3.7445(-03)	C'331-S 313	9
10.485	1.1825	9.94(-02)	6.55(-01)	1.03(-01)	3.3862(-01)	C'335-S 313	10
10.486	1.1824	8.15(-02)	6.45(-01)	8.09(-02)	1.5655(-01)	C'333-S 313	11
10.487	1.1823	7.09(-02)	6.20(-01)	6.98(-02)	4.3291(-02)	B'331-S 313	12
10.519	1.1787	5.64(-02)	7.69(+00)	6.91(-03)	1.5961(-01)	B'133-S 111	13
10.525	1.1780	1.00(-02)	4.65(-03)	1.76(-02)	2.4570(-04)	F'313-P 331	14
10.526	1.1780	3.47(-02)	4.65(-03)	6.09(-02)	8.4930(-04)	F'313-P 333	15
10.527	1.1778	7.72(-02)	4.65(-03)	1.35(-01)	1.8892(-03)	F'313-P 335	16
10.529	1.1775	7.68(-02)	3.52(-01)	8.30(-02)	2.9243(-02)	F'111-P 133	17
10.530	1.1774	2.35(-02)	2.38(-01)	4.97(-02)	5.9204(-02)	G'355-P 333	18
10.530	1.1774	1.63(-02)	1.93(-01)	3.93(-02)	2.2714(-02)	G'353-P 331	19
10.531	1.1774	1.64(-02)	1.93(-01)	3.93(-02)	2.2755(-02)	G'353-P 333	20
10.531	1.1773	3.95(-02)	1.93(-01)	9.03(-02)	1.2188(-01)	G'357-P 335	21
10.532	1.1772	1.28(-02)	2.38(-01)	2.70(-02)	3.2229(-02)	G'355-P 335	22
10.532	1.1772	1.56(-03)	1.93(-01)	3.76(-03)	2.1725(-03)	G'353-P 335	23
10.535	1.1769	1.42(-02)	3.48(+00)	3.44(-03)	5.9947(-02)	F'335-P 333	24
10.536	1.1767	4.83(-02)	3.48(+00)	1.17(-02)	2.0332(-01)	F'335-P 335	25
10.536	1.1767	1.66(-02)	4.20(+00)	3.42(-03)	7.1898(-02)	F'155-P 333	26
10.537	1.1767	4.36(-02)	4.36(-04)	5.59(-02)	7.3135(-05)	F'333-P 331	27
10.537	1.1767	3.43(-02)	4.36(-04)	4.40(-02)	5.7604(-05)	F'333-P 333	28
10.538	1.1766	1.19(-01)	7.70(-03)	1.51(-01)	1.1606(-03)	F'331-P 333	29
10.538	1.1765	3.98(-02)	4.20(+00)	8.21(-03)	1.7251(-01)	F'155-P 335	30

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
10.539	1.1765	4.07(−02)	4.36(−04)	5.23(−02)	6.8385(−05)	F'333-P 335	31
10.560	1.1741	4.30(−02)	6.26(+00)	6.53(−03)	2.0458(−01)	G'155-P 133	32
10.569	1.1731	9.36(−03)	1.09(−04)	1.22(−02)	3.9935(−06)	F'133-P 331	33
10.571	1.1729	1.39(−01)	6.55(−04)	2.32(−01)	1.0652(−03)	F'357-P 335	34
10.572	1.1728	1.10(−01)	7.81(−03)	1.76(−01)	6.8757(−03)	F'355-P 333	35
10.573	1.1726	7.30(−02)	3.70(−05)	1.14(−01)	1.2589(−05)	F'353-P 331	36
10.573	1.1726	3.32(−02)	7.81(−03)	5.34(−02)	2.0870(−03)	F'355-P 335	37
10.573	1.1726	5.55(−02)	3.70(−05)	8.62(−02)	9.5586(−06)	F'353-P 333	38
10.575	1.1724	3.30(−03)	3.70(−05)	5.12(−03)	5.6809(−07)	F'353-P 335	39
10.598	1.1699	3.04(−02)	3.48(+00)	7.35(−03)	1.2813(−01)	F'335-P 133	40
10.600	1.1696	3.40(−02)	4.20(+00)	7.03(−03)	1.4760(−01)	F'155-P 133	41
10.603	1.1694	6.90(−02)	5.86(−02)	1.47(−01)	2.5805(−02)	C'133-S 111	42
10.609	1.1687	6.16(−03)	6.23(−02)	2.08(−02)	3.8953(−03)	E'313-P 331	43
10.609	1.1687	1.83(−02)	6.23(−02)	6.17(−02)	1.1548(−02)	E'313-P 333	44
10.611	1.1685	2.89(−02)	6.23(−02)	9.77(−02)	1.8274(−02)	E'313-P 335	45
10.633	1.1660	1.78(−01)	1.09(−04)	2.32(−01)	7.6126(−05)	F'133-P 133	46
10.638	1.1655	1.93(−02)	3.70(−05)	3.00(−02)	3.3296(−06)	F'353-P 133	47
10.646	1.1646	2.69(−02)	1.54(+01)	1.73(−03)	2.6565(−02)	E'111-P 133	48
12.132	1.0220	6.30(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
12.138	1.0215	6.29(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 10;$							
10.239	1.2110	1.68(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
10.240	1.2108	1.68(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
12.088	1.0257	4.92(−01)	3.52(−01)	5.33(−01)	1.8760(−01)	F'111-P'133	3
12.094	1.0252	5.31(−01)	4.59(−01)	4.90(−01)	6.7498(−01)	A'133-D'155	4
12.113	1.0236	5.87(−01)	1.85(+00)	2.28(−01)	2.9555(+00)	A'177-D'155	5
12.125	1.0225	4.93(−01)	1.81(−04)	8.56(−01)	1.5465(−04)	A'331-D'353	6
12.126	1.0225	1.48(−01)	8.45(−03)	2.54(−01)	6.4381(−03)	A'333-D'353	7
12.126	1.0225	3.25(−01)	8.45(−03)	5.58(−01)	1.4138(−02)	A'333-D'355	8
12.127	1.0224	3.76(−01)	2.58(−04)	6.59(−01)	8.5152(−04)	A'335-D'357	9
12.128	1.0223	2.65(−01)	6.26(+00)	4.03(−02)	1.2631(+00)	G'155-P'133	10
12.130	1.0221	3.26(−01)	7.69(+00)	4.00(−02)	9.2336(−01)	B'133-S'111	11
12.132	1.0220	6.30(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	12
12.138	1.0215	6.29(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	13
12.143	1.0210	1.61(−01)	4.65(−03)	2.83(−01)	3.9478(−03)	F'313-P'333	14
12.144	1.0210	1.89(−01)	4.65(−03)	3.32(−01)	4.6381(−03)	F'313-P'335	15
12.149	1.0205	1.31(−01)	1.93(−01)	2.99(−01)	4.0279(−01)	G'357-P'335	16
12.150	1.0205	1.05(−01)	2.38(−01)	2.23(−01)	2.6523(−01)	G'355-P'333	17
12.150	1.0205	7.30(−02)	1.93(−01)	1.75(−01)	1.0149(−01)	G'353-P'331	18
12.150	1.0204	5.33(−01)	3.60(−03)	7.59(−01)	1.9094(−02)	A'357-D'357	19
12.151	1.0203	3.73(−01)	6.99(−04)	5.34(−01)	1.8643(−03)	A'355-D'355	20
12.152	1.0203	4.36(−01)	1.11(−01)	5.40(−01)	1.7989(−01)	A'353-D'353	21
12.152	1.0203	1.76(−01)	1.11(−01)	2.19(−01)	7.2804(−02)	A'353-D'355	22
12.155	1.0200	8.24(−02)	3.48(+00)	1.99(−02)	3.4698(−01)	F'335-P'333	23
12.156	1.0200	2.56(−01)	3.48(+00)	6.19(−02)	1.0781(+00)	F'335-P'335	24
12.158	1.0198	7.46(−02)	4.20(+00)	1.54(−02)	3.2379(−01)	F'155-P'333	25
12.158	1.0197	2.31(−01)	4.20(+00)	4.77(−02)	1.0024(+00)	F'155-P'335	26
12.159	1.0197	1.96(−01)	4.36(−04)	2.52(−01)	3.2959(−04)	F'333-P'331	27
12.159	1.0197	3.06(−01)	4.36(−04)	3.93(−01)	5.1370(−04)	F'333-P'335	28
12.160	1.0196	6.45(−01)	7.70(−03)	8.18(−01)	6.2965(−03)	F'331-P'333	29
12.165	1.0192	4.25(−01)	3.23(−04)	7.57(−01)	1.2214(−03)	B'335-S'313	30
12.167	1.0191	3.33(−01)	1.64(−02)	6.45(−01)	3.1708(−02)	B'333-S'313	31
12.168	1.0190	2.83(−01)	3.48(−02)	5.67(−01)	1.9738(−02)	C'331-S'313	32
12.173	1.0185	1.65(−01)	6.55(−01)	1.72(−01)	5.6253(−01)	C'335-S'313	33
12.175	1.0184	2.58(−01)	6.45(−01)	2.56(−01)	4.9603(−01)	C'333-S'313	34

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
12.176	1.0183	3.10(−01)	6.20(−01)	3.05(−01)	1.8950(−01)	B'331-S'313	35
12.179	1.0180	1.88(−01)	3.48(+00)	4.55(−02)	7.9208(−01)	F'335-P'133	36
12.181	1.0179	6.11(−01)	3.74(−01)	6.20(−01)	2.0900(+00)	A'379-D'357	37
12.181	1.0179	5.52(−01)	4.47(−02)	8.09(−01)	1.8090(−01)	A'155-D'155	38
12.181	1.0178	2.11(−01)	4.20(+00)	4.35(−02)	9.1450(−01)	F'155-P'133	39
12.183	1.0177	4.80(−01)	3.75(−01)	4.87(−01)	1.2778(+00)	A'377-D'355	40
12.183	1.0177	8.84(−02)	3.75(−01)	8.97(−02)	2.3518(−01)	A'377-D'357	41
12.186	1.0175	4.38(−01)	3.29(−01)	4.64(−01)	7.6328(−01)	A'375-D'353	42
12.186	1.0175	1.37(−01)	3.29(−01)	1.45(−01)	2.3870(−01)	A'375-D'355	43
12.203	1.0161	4.60(−01)	6.55(−04)	7.66(−01)	3.5141(−03)	F'357-P'335	44
12.205	1.0159	3.42(−01)	7.81(−03)	5.49(−01)	2.1457(−02)	F'355-P'333	45
12.207	1.0157	2.34(−01)	3.70(−05)	3.64(−01)	4.0318(−05)	F'353-P'331	46
12.207	1.0157	1.88(−01)	3.70(−05)	2.92(−01)	3.2412(−05)	F'353-P'333	47
12.225	1.0142	5.17(−01)	1.09(−04)	6.73(−01)	2.2069(−04)	F'133-P'133	48
12.241	1.0128	2.85(−01)	5.86(−02)	6.07(−01)	1.0670(−01)	C'133-S'111	49
12.255	1.0117	1.03(−01)	6.23(−02)	3.47(−01)	6.4928(−02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 11;$							
8.4591	1.4657	2.46(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
8.4603	1.4655	2.46(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
8.5890	1.4435	3.61(−02)	4.50(−05)	4.24(−02)	1.9098(−06)	A'331-S 313	3
8.5894	1.4435	3.67(−02)	1.39(−02)	4.26(−02)	1.7807(−03)	A'333-S 313	4
8.5900	1.4434	3.84(−02)	1.01(−04)	4.57(−02)	2.3058(−05)	A'335-S 313	5
8.6387	1.4352	2.81(−02)	3.14(−03)	3.30(−02)	5.1915(−04)	B'335-S 313	6
8.6392	1.4351	2.57(−02)	4.48(−01)	1.88(−02)	2.5189(−02)	A'133-S 111	7
8.6403	1.4350	6.20(−02)	1.74(−02)	8.21(−02)	4.2954(−03)	B'333-S 313	8
8.6410	1.4348	8.34(−02)	4.07(−02)	1.17(−01)	4.7610(−03)	C'331-S 313	9
8.6438	1.4344	1.55(−01)	6.55(−01)	1.43(−01)	4.6843(−01)	C'335-S 313	10
8.6450	1.4342	1.23(−01)	6.52(−01)	1.05(−01)	2.0438(−01)	C'333-S 313	11
8.6458	1.4341	1.03(−01)	6.18(−01)	8.51(−02)	5.2586(−02)	B'331-S 313	12
8.6700	1.4300	8.33(−02)	7.80(+00)	9.83(−03)	2.2994(−01)	B'133-S 111	13
8.6744	1.4293	1.32(−02)	5.23(−03)	1.56(−02)	2.4462(−04)	F'313-P 331	14
8.6748	1.4293	4.81(−02)	5.23(−03)	5.69(−02)	8.9213(−04)	F'313-P 333	15
8.6766	1.4290	1.18(−01)	5.23(−03)	1.40(−01)	2.1926(−03)	F'313-P 335	16
8.6781	1.4287	1.19(−01)	4.06(−01)	9.48(−02)	3.8460(−02)	F'111-P 133	17
8.6786	1.4286	3.21(−02)	2.82(−01)	5.03(−02)	7.0801(−02)	G'355-P 333	18
8.6786	1.4286	2.19(−02)	1.98(−01)	4.14(−02)	2.4613(−02)	G'353-P 331	19
8.6790	1.4286	2.53(−02)	1.98(−01)	4.79(−02)	2.8442(−02)	G'353-P 333	20
8.6798	1.4284	6.00(−02)	1.98(−01)	1.05(−01)	1.4610(−01)	G'357-P 335	21
8.6804	1.4283	2.20(−02)	2.82(−01)	3.44(−02)	4.8438(−02)	G'355-P 335	22
8.6808	1.4283	2.72(−03)	1.98(−01)	5.15(−03)	3.0611(−03)	G'353-P 335	23
8.6811	1.4282	2.54(−02)	2.78(+00)	6.75(−03)	9.3680(−02)	F'335-P 333	24
8.6829	1.4279	8.45(−02)	2.78(+00)	2.25(−02)	3.1158(−01)	F'335-P 335	25
8.6831	1.4279	2.25(−02)	4.88(+00)	3.90(−03)	9.5176(−02)	F'155-P 333	26
8.6831	1.4279	6.79(−02)	9.40(−04)	5.95(−02)	1.6774(−04)	F'333-P 331	27
8.6835	1.4278	5.33(−02)	9.40(−04)	4.67(−02)	1.3183(−04)	F'333-P 333	28
8.6843	1.4277	1.80(−01)	1.30(−02)	1.55(−01)	2.0129(−03)	F'331-P 333	29
8.6849	1.4276	4.69(−02)	4.88(+00)	8.10(−03)	1.9782(−01)	F'155-P 335	30
8.6854	1.4275	5.75(−02)	9.40(−04)	5.04(−02)	1.4202(−04)	F'333-P 335	31
8.7014	1.4249	6.72(−02)	6.51(+00)	9.61(−03)	3.1298(−01)	G'155-P 133	32
8.7069	1.4240	1.64(−02)	1.61(−04)	1.46(−02)	7.0509(−06)	F'133-P 331	33
8.7093	1.4236	2.01(−01)	8.98(−04)	2.30(−01)	1.4477(−03)	F'357-P 335	34
8.7096	1.4236	1.60(−01)	1.35(−02)	1.75(−01)	1.1801(−02)	F'355-P 333	35
8.7111	1.4233	1.05(−01)	1.32(−05)	1.10(−01)	4.3560(−06)	F'353-P 331	36
8.7114	1.4233	4.72(−02)	1.35(−02)	5.16(−02)	3.4692(−03)	F'355-P 335	37
8.7115	1.4232	8.05(−02)	1.32(−05)	8.45(−02)	3.3416(−06)	F'353-P 333	38

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
8.7278	1.4206	1.53(−03)	2.82(−01)	2.40(−03)	3.3737(−03)	G'355-P 133	39
8.7304	1.4202	3.73(−02)	2.78(+00)	9.91(−03)	1.3756(−01)	F'335-P 133	40
8.7323	1.4198	5.91(−02)	4.88(+00)	1.02(−02)	2.4970(−01)	F'155-P 133	41
8.7337	1.4196	1.03(−01)	6.14(−02)	1.54(−01)	2.8425(−02)	C'133-S 111	42
8.7377	1.4190	8.93(−03)	6.39(−02)	2.23(−02)	4.2678(−03)	E'313-P 331	43
8.7381	1.4189	2.65(−02)	6.39(−02)	6.60(−02)	1.2649(−02)	E'313-P 333	44
8.7399	1.4186	4.11(−02)	6.39(−02)	1.02(−01)	1.9629(−02)	E'313-P 335	45
8.7568	1.4159	2.53(−01)	1.61(−04)	2.25(−01)	1.0854(−04)	F'133-P 133	46
8.7611	1.4152	3.20(−02)	1.32(−05)	3.36(−02)	1.3290(−06)	F'353-P 133	47
8.7671	1.4142	4.04(−02)	1.55(+01)	2.55(−03)	3.9608(−02)	E'111-P 133	48
10.023	1.2370	9.23(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
10.029	1.2363	9.21(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 11;$							
8.4591	1.4657	2.46(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
8.4603	1.4655	2.46(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
9.9896	1.2411	7.24(−01)	4.06(−01)	5.78(−01)	2.3431(−01)	F'111-P'133	3
9.9945	1.2405	7.72(−01)	4.48(−01)	5.65(−01)	7.5825(−01)	A'133-D'155	4
10.007	1.2390	8.60(−02)	1.91(+00)	2.89(−02)	3.8688(−01)	A'177-D'355	5
10.008	1.2389	8.39(−01)	1.91(+00)	2.82(−01)	3.7710(+00)	A'177-D'155	6
10.019	1.2376	7.30(−01)	4.50(−05)	8.59(−01)	3.8641(−05)	A'331-D'353	7
10.019	1.2375	2.32(−01)	1.39(−02)	2.69(−01)	1.1234(−02)	A'333-D'353	8
10.019	1.2375	4.62(−01)	1.39(−02)	5.36(−01)	2.2401(−02)	A'333-D'355	9
10.020	1.2374	5.39(−01)	1.01(−04)	6.40(−01)	3.2319(−04)	A'335-D'357	10
10.021	1.2373	3.95(−01)	6.51(+00)	5.65(−02)	1.8402(+00)	G'155-P'133	11
10.022	1.2372	4.76(−01)	7.80(+00)	5.62(−02)	1.3145(+00)	B'133-S'111	12
10.023	1.2370	9.23(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	13
10.029	1.2363	9.21(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	14
10.032	1.2359	2.50(−01)	5.23(−03)	2.96(−01)	4.6348(−03)	F'313-P'333	15
10.033	1.2358	2.64(−01)	5.23(−03)	3.12(−01)	4.8918(−03)	F'313-P'335	16
10.037	1.2352	2.01(−01)	1.98(−01)	3.52(−01)	4.8825(−01)	G'357-P'335	17
10.037	1.2352	1.69(−01)	2.82(−01)	2.64(−01)	3.7220(−01)	G'355-P'333	18
10.037	1.2352	7.70(−01)	5.92(−03)	7.46(−01)	3.0929(−02)	A'357-D'357	19
10.038	1.2352	1.14(−01)	1.98(−01)	2.15(−01)	1.2775(−01)	G'353-P'331	20
10.038	1.2351	5.21(−01)	1.20(−03)	5.08(−01)	3.0563(−03)	A'355-D'355	21
10.039	1.2350	6.21(−01)	1.59(−01)	5.26(−01)	2.5170(−01)	A'353-D'353	22
10.039	1.2350	2.70(−01)	1.59(−01)	2.29(−01)	1.0958(−01)	A'353-D'355	23
10.041	1.2348	1.37(−01)	2.78(+00)	3.64(−02)	5.0571(−01)	F'335-P'333	24
10.041	1.2347	4.37(−01)	2.78(+00)	1.16(−01)	1.6131(+00)	F'335-P'335	25
10.043	1.2345	8.57(−02)	4.88(+00)	1.48(−02)	3.6199(−01)	F'155-P'333	26
10.044	1.2344	2.77(−01)	4.88(+00)	4.79(−02)	1.1689(+00)	F'155-P'335	27
10.045	1.2343	4.64(−01)	9.40(−04)	4.06(−01)	1.1462(−03)	F'333-P'335	28
10.045	1.2343	9.42(−01)	1.30(−02)	8.12(−01)	1.0545(−02)	F'331-P'333	29
10.048	1.2339	6.62(−01)	3.14(−03)	7.80(−01)	1.2254(−02)	B'335-S'313	30
10.050	1.2337	4.99(−01)	1.74(−02)	6.60(−01)	3.4523(−02)	B'333-S'313	31
10.051	1.2335	4.05(−01)	4.07(−02)	5.69(−01)	2.3141(−02)	C'331-S'313	32
10.055	1.2331	2.03(−01)	6.55(−01)	1.88(−01)	6.1503(−01)	C'335-S'313	33
10.057	1.2329	3.69(−01)	6.52(−01)	3.13(−01)	6.1237(−01)	C'333-S'313	34
10.058	1.2328	4.67(−01)	6.18(−01)	3.87(−01)	2.3928(−01)	B'331-S'313	35
10.059	1.2326	2.20(−01)	2.78(+00)	5.85(−02)	8.1121(−01)	F'335-P'133	36
10.060	1.2324	8.98(−01)	3.88(−01)	6.99(−01)	2.4374(+00)	A'379-D'357	37
10.061	1.2324	7.95(−01)	5.39(−02)	8.03(−01)	2.1621(−01)	A'155-D'155	38
10.062	1.2323	3.50(−01)	4.88(+00)	6.06(−02)	1.4791(+00)	F'155-P'133	39
10.063	1.2321	6.76(−01)	3.88(−01)	5.26(−01)	1.4279(+00)	A'377-D'355	40
10.063	1.2321	1.40(−01)	3.88(−01)	1.08(−01)	2.9451(−01)	A'377-D'357	41
10.065	1.2318	6.23(−01)	3.33(−01)	5.04(−01)	8.3874(−01)	A'375-D'353	42

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
10.065	1.2318	2.17(−01)	3.33(−01)	1.76(−01)	2.9256(−01)	A'375-D'355	43
10.077	1.2304	6.70(−01)	8.98(−04)	7.69(−01)	4.8305(−03)	F'357-P'335	44
10.079	1.2302	4.97(−01)	1.35(−02)	5.43(−01)	3.6549(−02)	F'355-P'333	45
10.081	1.2299	3.38(−01)	1.32(−05)	3.54(−01)	1.4021(−05)	F'353-P'331	46
10.081	1.2299	2.78(−01)	1.32(−05)	2.91(−01)	1.1526(−05)	F'353-P'333	47
10.094	1.2283	7.51(−01)	1.61(−04)	6.69(−01)	3.2229(−04)	F'133-P'133	48
10.107	1.2267	4.17(−01)	6.14(−02)	6.26(−01)	1.1518(−01)	C'133-S'111	49
10.118	1.2254	1.50(−01)	6.39(−02)	3.73(−01)	7.1574(−02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 12;$							
7.1058	1.7448	3.49(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
7.1069	1.7446	3.49(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
7.2051	1.7208	4.92(−02)	6.41(−08)	4.04(−02)	2.5927(−09)	A'331-S 313	3
7.2055	1.7207	5.01(−02)	2.13(−02)	4.06(−02)	2.5936(−03)	A'333-S 313	4
7.2060	1.7206	5.30(−02)	1.60(−05)	4.41(−02)	3.5181(−06)	A'335-S 313	5
7.2436	1.7117	3.10(−02)	9.06(−03)	2.50(−02)	1.1335(−03)	B'335-S 313	6
7.2441	1.7115	3.54(−02)	4.28(−01)	2.04(−02)	2.6176(−02)	A'133-S 111	7
7.2452	1.7113	8.69(−02)	1.95(−02)	8.11(−02)	4.7544(−03)	B'333-S 313	8
7.2459	1.7111	1.25(−01)	4.72(−02)	1.28(−01)	6.0199(−03)	C'331-S 313	9
7.2478	1.7106	2.32(−01)	6.52(−01)	1.88(−01)	6.1383(−01)	C'335-S 313	10
7.2490	1.7104	1.80(−01)	6.60(−01)	1.29(−01)	2.5501(−01)	C'333-S 313	11
7.2498	1.7102	1.43(−01)	6.14(−01)	9.79(−02)	6.0106(−02)	B'331-S 313	12
7.2682	1.7059	1.19(−01)	7.85(+00)	1.34(−02)	3.1657(−01)	B'133-S 111	13
7.2714	1.7051	1.63(−02)	5.81(−03)	1.34(−02)	2.3381(−04)	F'313-P 331	14
7.2719	1.7050	6.36(−02)	5.81(−03)	5.23(−02)	9.1243(−04)	F'313-P 333	15
7.2738	1.7046	1.76(−01)	5.81(−03)	1.45(−01)	2.5263(−03)	F'313-P 335	16
7.2748	1.7043	1.77(−01)	4.61(−01)	1.05(−01)	4.8550(−02)	F'111-P 133	17
7.2750	1.7043	4.00(−02)	3.33(−01)	4.61(−02)	7.6642(−02)	G'355-P 333	18
7.2750	1.7043	2.73(−02)	2.02(−01)	4.03(−02)	2.4349(−02)	G'353-P 331	19
7.2755	1.7042	3.90(−02)	2.02(−01)	5.74(−02)	3.4744(−02)	G'353-P 333	20
7.2763	1.7040	4.21(−02)	2.31(+00)	1.13(−02)	1.3035(−01)	F'335-P 333	21
7.2763	1.7040	8.92(−02)	2.03(−01)	1.19(−01)	1.6811(−01)	G'357-P 335	22
7.2769	1.7038	3.99(−02)	3.33(−01)	4.60(−02)	7.6490(−02)	G'355-P 335	23
7.2774	1.7037	4.81(−03)	2.02(−01)	7.09(−03)	4.2895(−03)	G'353-P 335	24
7.2782	1.7035	1.30(−01)	2.31(+00)	3.49(−02)	4.0376(−01)	F'335-P 335	25
7.2782	1.7035	1.02(−01)	2.00(−03)	6.35(−02)	3.8172(−04)	F'333-P 331	26
7.2783	1.7035	3.17(−02)	5.25(+00)	4.89(−03)	1.2841(−01)	F'155-P 333	27
7.2787	1.7034	7.92(−02)	2.00(−03)	4.91(−02)	2.9526(−04)	F'333-P 333	28
7.2794	1.7032	2.61(−01)	2.07(−02)	1.58(−01)	3.2793(−03)	F'331-P 333	29
7.2802	1.7030	5.43(−02)	5.25(+00)	8.38(−03)	2.2016(−01)	F'155-P 335	30
7.2806	1.7030	7.65(−02)	2.00(−03)	4.74(−02)	2.8510(−04)	F'333-P 335	31
7.2929	1.7001	1.01(−01)	6.77(+00)	1.36(−02)	4.5885(−01)	G'155-P 133	32
7.2963	1.6993	2.66(−02)	2.37(−04)	1.68(−02)	1.1934(−05)	F'133-P 331	33
7.2986	1.6988	2.79(−01)	1.30(−03)	2.29(−01)	2.0744(−03)	F'357-P 335	34
7.2988	1.6987	2.28(−01)	2.22(−02)	1.75(−01)	1.9424(−02)	F'355-P 333	35
7.3002	1.6984	1.47(−01)	5.33(−06)	1.08(−01)	1.7210(−06)	F'353-P 331	36
7.3007	1.6983	1.14(−01)	5.33(−06)	8.36(−02)	1.3363(−06)	F'353-P 333	37
7.3007	1.6983	6.44(−02)	2.22(−02)	4.96(−02)	5.4949(−03)	F'355-P 335	38
7.3139	1.6952	3.44(−03)	3.33(−01)	3.96(−03)	6.5892(−03)	G'355-P 133	39
7.3152	1.6949	4.65(−02)	2.31(+00)	1.24(−02)	1.4392(−01)	F'335-P 133	40
7.3172	1.6944	9.14(−02)	5.25(+00)	1.41(−02)	3.7074(−01)	F'155-P 133	41
7.3178	1.6943	1.48(−01)	6.49(−02)	1.60(−01)	3.1221(−02)	C'133-S 111	42
7.3206	1.6936	1.25(−02)	6.51(−02)	2.34(−02)	4.5664(−03)	E'313-P 331	43
7.3211	1.6935	3.71(−02)	6.51(−02)	6.94(−02)	1.3559(−02)	E'313-P 333	44
7.3230	1.6931	5.62(−02)	6.51(−02)	1.05(−01)	2.0532(−02)	E'313-P 335	45
7.3358	1.6901	3.49(−01)	2.37(−04)	2.20(−01)	1.5649(−04)	F'133-P 133	46

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
7.3398	1.6892	4.84(−02)	5.33(−06)	3.55(−02)	5.6758(−07)	F'353-P 133	47
7.3443	1.6882	5.80(−02)	1.56(+01)	3.61(−03)	5.6455(−02)	E'111-P 133	48
8.4192	1.4726	1.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
8.4246	1.4717	1.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 12;$							
7.1058	1.7448	3.49(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
7.1069	1.7446	3.49(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
8.3933	1.4772	1.03(+00)	4.61(−01)	6.15(−01)	2.8346(−01)	F'111-P'133	3
8.3973	1.4765	1.09(+00)	4.28(−01)	6.25(−01)	8.0300(−01)	A'133-D'155	4
8.4062	1.4749	1.56(−01)	1.96(+00)	4.49(−02)	6.1695(−01)	A'177-D'355	5
8.4068	1.4748	1.15(+00)	1.96(+00)	3.32(−01)	4.5517(+00)	A'177-D'155	6
8.4160	1.4732	1.05(+00)	6.41(−08)	8.62(−01)	5.5264(−08)	A'331-D'353	7
8.4166	1.4731	6.31(−01)	2.13(−02)	5.12(−01)	3.2690(−02)	A'333-D'355	8
8.4175	1.4729	5.71(−01)	6.77(+00)	7.65(−02)	2.5889(+00)	G'155-P'133	9
8.4176	1.4729	7.42(−01)	1.60(−05)	6.17(−01)	4.9249(−05)	A'335-D'357	10
8.4183	1.4728	6.71(−01)	7.85(+00)	7.61(−02)	1.7933(+00)	B'133-S'111	11
8.4192	1.4726	1.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	12
8.4246	1.4717	1.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	13
8.4267	1.4713	3.76(−01)	5.81(−03)	3.09(−01)	5.3863(−03)	F'313-P'333	14
8.4306	1.4707	1.07(+00)	9.34(−03)	7.31(−01)	4.7810(−02)	A'357-D'357	15
8.4310	1.4706	3.01(−01)	2.03(−01)	4.00(−01)	5.6712(−01)	G'357-P'335	16
8.4310	1.4706	2.74(−01)	3.33(−01)	3.16(−01)	5.2497(−01)	G'355-P'333	17
8.4314	1.4705	1.75(−01)	2.02(−01)	2.58(−01)	1.5599(−01)	G'353-P'331	18
8.4315	1.4705	6.99(−01)	1.97(−03)	4.80(−01)	4.7302(−03)	A'355-D'355	19
8.4325	1.4703	8.47(−01)	2.31(−01)	5.05(−01)	3.5085(−01)	A'353-D'353	20
8.4325	1.4703	4.04(−01)	2.31(−01)	2.41(−01)	1.6717(−01)	A'353-D'355	21
8.4327	1.4703	1.97(−01)	2.31(+00)	5.28(−02)	6.1067(−01)	F'335-P'333	22
8.4335	1.4702	6.80(−01)	2.31(+00)	1.82(−01)	2.1048(+00)	F'335-P'335	23
8.4355	1.4698	9.66(−02)	5.25(+00)	1.49(−02)	3.9160(−01)	F'155-P'333	24
8.4362	1.4697	3.37(−01)	5.25(+00)	5.20(−02)	1.3648(+00)	F'155-P'335	25
8.4366	1.4696	6.82(−01)	2.00(−03)	4.23(−01)	2.5434(−03)	F'333-P'335	26
8.4369	1.4696	1.33(+00)	2.07(−02)	8.06(−01)	1.6689(−02)	F'331-P'333	27
8.4386	1.4693	9.91(−01)	9.06(−03)	8.00(−01)	3.6274(−02)	B'335-S'313	28
8.4408	1.4689	7.22(−01)	1.95(−02)	6.74(−01)	3.9529(−02)	B'333-S'313	29
8.4418	1.4687	5.59(−01)	4.72(−02)	5.69(−01)	2.6844(−02)	C'331-S'313	30
8.4444	1.4683	2.36(−01)	6.52(−01)	1.92(−01)	6.2544(−01)	C'335-S'313	31
8.4460	1.4680	5.07(−01)	6.60(−01)	3.63(−01)	7.1888(−01)	C'333-S'313	32
8.4470	1.4678	6.82(−01)	6.14(−01)	4.66(−01)	2.8632(−01)	B'331-S'313	33
8.4471	1.4678	2.63(−01)	2.31(+00)	7.03(−02)	8.1360(−01)	F'335-P'133	34
8.4480	1.4676	1.28(+00)	3.99(−01)	7.62(−01)	2.7355(+00)	A'379-D'357	35
8.4489	1.4675	1.11(+00)	6.09(−02)	7.99(−01)	2.4317(−01)	A'155-D'155	36
8.4499	1.4673	5.23(−01)	5.25(+00)	8.08(−02)	2.1218(+00)	F'155-P'133	37
8.4505	1.4672	9.11(−01)	3.99(−01)	5.44(−01)	1.5197(+00)	A'377-D'355	38
8.4508	1.4671	2.14(−01)	3.99(−01)	1.28(−01)	3.5766(−01)	A'377-D'357	39
8.4512	1.4671	1.50(−01)	3.99(−01)	8.93(−02)	2.4956(−01)	A'377-D'155	40
8.4531	1.4667	8.62(−01)	3.36(−01)	5.32(−01)	8.9463(−01)	A'375-D'353	41
8.4531	1.4667	3.33(−01)	3.36(−01)	2.06(−01)	3.4590(−01)	A'375-D'355	42
8.4609	1.4654	9.39(−01)	1.30(−03)	7.70(−01)	6.9877(−03)	F'357-P'335	43
8.4629	1.4650	6.95(−01)	2.22(−02)	5.35(−01)	5.9351(−02)	F'355-P'333	44
8.4653	1.4646	4.74(−01)	5.33(−06)	3.47(−01)	5.5531(−06)	F'353-P'331	45
8.4746	1.4630	1.06(+00)	2.37(−04)	6.67(−01)	4.7450(−04)	F'133-P'133	46
8.4747	1.4630	9.40(−02)	6.52(−01)	7.64(−02)	2.4912(−01)	C'335-D'357	47
8.4849	1.4612	5.89(−01)	6.49(−02)	6.36(−01)	1.2395(−01)	C'133-S'111	48
8.4860	1.4611	3.37(−01)	1.56(+01)	2.10(−02)	3.2816(−01)	E'111-P'133	49
8.4937	1.4597	2.11(−01)	6.51(−02)	3.94(−01)	7.6961(−02)	E'313-P'335	50

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 3 \rightarrow n = 1; Z = 13;$							
6.0525	2.0485	4.81(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
6.0537	2.0481	4.81(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
6.1300	2.0226	6.47(-02)	5.68(-05)	3.82(-02)	2.1715(-06)	A'331-S 313	3
6.1303	2.0225	6.58(-02)	3.01(-02)	3.83(-02)	3.4591(-03)	A'333-S 313	4
6.1309	2.0223	7.04(-02)	1.41(-05)	4.21(-02)	2.9730(-06)	A'335-S 313	5
6.1604	2.0126	3.20(-02)	1.78(-02)	1.83(-02)	1.6280(-03)	B'335-S 313	6
6.1610	2.0124	4.71(-02)	4.03(-01)	2.12(-02)	2.5619(-02)	A'133-S 111	7
6.1621	2.0121	1.18(-01)	2.35(-02)	7.95(-02)	5.6091(-03)	B'333-S 313	8
6.1629	2.0118	1.83(-01)	5.43(-02)	1.39(-01)	7.5448(-03)	C'331-S 313	9
6.1641	2.0114	3.34(-01)	6.46(-01)	2.37(-01)	7.6584(-01)	C'335-S 313	10
6.1653	2.0110	2.55(-01)	6.69(-01)	1.53(-01)	3.0764(-01)	C'333-S 313	11
6.1660	2.0108	1.93(-01)	6.09(-01)	1.07(-01)	6.5462(-02)	B'331-S 313	12
6.1802	2.0062	1.63(-01)	7.87(+00)	1.77(-02)	4.1823(-01)	B'133-S 111	13
6.1826	2.0054	1.90(-02)	6.41(-03)	1.11(-02)	2.1426(-04)	F'313-P 331	14
6.1831	2.0052	8.06(-02)	6.41(-03)	4.73(-02)	9.1002(-04)	F'313-P 333	15
6.1851	2.0046	2.56(-01)	6.41(-03)	1.50(-01)	2.8943(-03)	F'313-P 335	16
6.1858	2.0044	2.54(-01)	5.19(-01)	1.15(-01)	5.9507(-02)	F'111-P 133	17
6.1858	2.0044	3.48(-02)	2.87(-01)	3.03(-02)	4.3435(-02)	G'355-P 333	18
6.1858	2.0043	3.09(-02)	2.03(-01)	3.50(-02)	2.1324(-02)	G'353-P 331	19
6.1863	2.0042	7.62(-02)	2.14(+00)	1.88(-02)	2.0180(-01)	F'335-P 333	20
6.1863	2.0042	6.08(-02)	2.03(-01)	6.87(-02)	4.1929(-02)	G'353-P 333	21
6.1872	2.0039	1.30(-01)	2.06(-01)	1.30(-01)	1.8763(-01)	G'357-P 335	22
6.1877	2.0037	9.78(-02)	2.87(-01)	8.52(-02)	1.2208(-01)	G'355-P 335	23
6.1881	2.0036	1.51(-01)	4.28(-03)	6.84(-02)	8.7884(-04)	F'333-P 331	24
6.1882	2.0036	1.60(-01)	2.14(+00)	3.95(-02)	4.2333(-01)	F'335-P 335	25
6.1883	2.0036	8.72(-03)	2.03(-01)	9.87(-03)	6.0194(-03)	G'353-P 335	26
6.1884	2.0035	4.58(-02)	5.38(+00)	6.54(-03)	1.7608(-01)	F'155-P 333	27
6.1886	2.0035	1.12(-01)	4.28(-03)	5.08(-02)	6.5263(-04)	F'333-P 333	28
6.1893	2.0032	3.68(-01)	3.13(-02)	1.61(-01)	5.0586(-03)	F'331-P 333	29
6.1903	2.0029	6.14(-02)	5.38(+00)	8.77(-03)	2.3606(-01)	F'155-P 335	30
6.1905	2.0028	9.60(-02)	4.28(-03)	4.36(-02)	5.6018(-04)	F'333-P 335	31
6.2002	1.9997	1.48(-01)	7.04(+00)	1.84(-02)	6.4908(-01)	G'155-P 133	32
6.2020	1.9991	4.10(-02)	3.52(-04)	1.88(-02)	1.9846(-05)	F'133-P 331	33
6.2043	1.9984	3.75(-01)	1.93(-03)	2.27(-01)	3.0652(-03)	F'357-P 335	34
6.2045	1.9983	3.14(-01)	3.51(-02)	1.75(-01)	3.0762(-02)	F'355-P 333	35
6.2059	1.9979	2.01(-01)	1.38(-05)	1.06(-01)	4.3939(-06)	F'353-P 331	36
6.2064	1.9977	1.58(-01)	1.38(-05)	8.33(-02)	3.4588(-06)	F'353-P 333	37
6.2064	1.9977	8.50(-02)	3.51(-02)	4.74(-02)	8.3162(-03)	F'355-P 335	38
6.2171	1.9943	3.65(-03)	2.87(-01)	3.18(-03)	4.5536(-03)	G'355-P 133	39
6.2175	1.9941	6.29(-02)	2.14(+00)	1.55(-02)	1.6656(-01)	F'335-P 133	40
6.2197	1.9934	1.30(-01)	5.38(+00)	1.86(-02)	4.9936(-01)	F'155-P 133	41
6.2197	1.9934	2.07(-01)	6.93(-02)	1.65(-01)	3.4249(-02)	C'133-S 111	42
6.2218	1.9928	1.70(-02)	6.61(-02)	2.42(-02)	4.8041(-03)	E'313-P 331	43
6.2222	1.9926	5.06(-02)	6.61(-02)	7.23(-02)	1.4338(-02)	E'313-P 333	44
6.2242	1.9920	7.44(-02)	6.61(-02)	1.06(-01)	2.1062(-02)	E'313-P 335	45
6.2339	1.9889	4.70(-01)	3.52(-04)	2.16(-01)	2.2786(-04)	F'133-P 133	46
6.2378	1.9876	6.86(-02)	1.38(-05)	3.62(-02)	1.5015(-06)	F'353-P 133	47
6.2412	1.9866	8.03(-02)	1.57(+01)	4.92(-03)	7.7405(-02)	E'111-P 133	48
7.1709	1.7290	1.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
7.1763	1.7277	1.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 13;$							
6.0525	2.0485	4.81(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
6.0537	2.0481	4.81(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
7.1507	1.7339	1.43(+00)	5.19(-01)	6.45(-01)	3.3524(-01)	F'111-P'133	3
7.1539	1.7331	1.49(+00)	4.03(-01)	6.71(-01)	8.1029(-01)	A'133-D'155	4

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
7.1604	1.7315	2.67(−01)	2.00(+00)	6.51(−02)	9.1286(−01)	A'177-D'355	5
7.1610	1.7314	1.53(+00)	2.00(+00)	3.74(−01)	5.2435(+00)	A'177-D'155	6
7.1688	1.7295	1.46(+00)	5.68(−05)	8.66(−01)	4.9196(−05)	A'331-D'353	7
7.1693	1.7294	5.29(−01)	3.01(−02)	3.09(−01)	2.7851(−02)	A'333-D'353	8
7.1693	1.7294	8.33(−01)	3.01(−02)	4.86(−01)	4.3833(−02)	A'333-D'355	9
7.1700	1.7292	8.05(−01)	7.04(+00)	1.00(−01)	3.5335(+00)	G'155-P'133	10
7.1703	1.7292	9.85(−01)	1.41(−05)	5.90(−01)	4.1626(−05)	A'335-D'357	11
7.1705	1.7291	9.18(−01)	7.87(+00)	9.97(−02)	2.3523(+00)	B'133-S'111	12
7.1709	1.7290	1.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	13
7.1763	1.7277	1.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	14
7.1802	1.7268	1.45(+00)	1.41(−02)	7.14(−01)	7.0747(−02)	A'357-D'357	15
7.1809	1.7266	5.09(−01)	2.87(−01)	4.44(−01)	6.3561(−01)	G'355-P'333	16
7.1810	1.7266	4.43(−01)	2.06(−01)	4.43(−01)	6.3803(−01)	G'357-P'335	17
7.1811	1.7265	9.05(−01)	3.10(−03)	4.51(−01)	6.9879(−03)	A'355-D'355	18
7.1814	1.7265	2.70(−01)	2.03(−01)	3.05(−01)	1.8622(−01)	G'353-P'331	19
7.1816	1.7264	1.90(−01)	2.14(+00)	4.69(−02)	5.0289(−01)	F'335-P'333	20
7.1822	1.7263	1.11(+00)	3.30(−01)	4.80(−01)	4.7507(−01)	A'353-D'353	21
7.1822	1.7263	5.90(−01)	3.30(−01)	2.55(−01)	2.5221(−01)	A'353-D'355	22
7.1824	1.7262	9.87(−01)	2.14(+00)	2.44(−01)	2.6131(+00)	F'335-P'335	23
7.1844	1.7258	1.05(−01)	5.38(+00)	1.50(−02)	4.0314(−01)	F'155-P'333	24
7.1852	1.7256	4.14(−01)	5.38(+00)	5.92(−02)	1.5935(+00)	F'155-P'335	25
7.1855	1.7255	9.75(−01)	4.28(−03)	4.43(−01)	5.6892(−03)	F'333-P'335	26
7.1857	1.7254	1.83(+00)	3.13(−02)	8.02(−01)	2.5124(−02)	F'331-P'333	27
7.1863	1.7253	1.43(+00)	1.78(−02)	8.19(−01)	7.2728(−02)	B'335-S'313	28
7.1886	1.7247	1.02(+00)	2.35(−02)	6.87(−01)	4.8513(−02)	B'333-S'313	29
7.1897	1.7245	7.47(−01)	5.43(−02)	5.67(−01)	3.0784(−02)	C'331-S'313	30
7.1914	1.7241	2.61(−01)	6.46(−01)	1.85(−01)	5.9797(−01)	C'335-S'313	31
7.1929	1.7237	6.73(−01)	6.69(−01)	4.04(−01)	8.1084(−01)	C'333-S'313	32
7.1932	1.7236	3.34(−01)	2.14(+00)	8.26(−02)	8.8484(−01)	F'335-P'133	33
7.1938	1.7235	1.76(+00)	4.09(−01)	8.12(−01)	2.9854(+00)	A'379-D'357	34
7.1939	1.7235	9.69(−01)	6.09(−01)	5.38(−01)	3.2799(−01)	B'331-S'313	35
7.1948	1.7233	1.51(+00)	6.59(−02)	7.97(−01)	2.6234(−01)	A'155-D'155	36
7.1960	1.7230	7.25(−01)	5.38(+00)	1.04(−01)	2.7889(+00)	F'155-P'133	37
7.1964	1.7229	1.18(+00)	4.09(−01)	5.44(−01)	1.5571(+00)	A'377-D'355	38
7.1967	1.7228	3.23(−01)	4.09(−01)	1.48(−01)	4.2506(−01)	A'377-D'357	39
7.1970	1.7227	2.57(−01)	4.09(−01)	1.18(−01)	3.3929(−01)	A'377-D'155	40
7.1989	1.7223	1.16(+00)	3.40(−01)	5.51(−01)	9.3573(−01)	A'375-D'353	41
7.1989	1.7223	4.94(−01)	3.40(−01)	2.34(−01)	3.9747(−01)	A'375-D'355	42
7.2041	1.7210	1.27(+00)	1.93(−03)	7.72(−01)	1.0409(−02)	F'357-P'335	43
7.2061	1.7206	9.42(−01)	3.51(−02)	5.25(−01)	9.2172(−02)	F'355-P'333	44
7.2085	1.7200	6.48(−01)	1.38(−05)	3.42(−01)	1.4180(−05)	F'353-P'331	45
7.2151	1.7184	1.45(+00)	3.52(−04)	6.67(−01)	7.0424(−04)	F'133-P'133	46
7.2159	1.7182	1.43(−01)	6.46(−01)	1.01(−01)	3.2708(−01)	C'335-D'357	47
7.2237	1.7164	8.06(−01)	6.93(−02)	6.41(−01)	1.3320(−01)	C'133-S'111	48
7.2249	1.7161	4.50(−01)	1.57(+01)	2.76(−02)	4.3418(−01)	E'111-P'133	49
7.2309	1.7147	2.87(−01)	6.61(−02)	4.10(−01)	8.1334(−02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 14;$							
5.2168	2.3766	6.48(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
5.2180	2.3761	6.48(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
5.2782	2.3490	8.23(−02)	2.31(−04)	3.58(−02)	8.2649(−06)	A'331-S 313	3
5.2785	2.3489	8.35(−02)	3.94(−02)	3.58(−02)	4.2312(−03)	A'333-S 313	4
5.2790	2.3486	9.02(−02)	1.14(−04)	3.97(−02)	2.2624(−05)	A'335-S 313	5
5.3027	2.3381	3.12(−02)	2.85(−02)	1.30(−02)	1.8550(−03)	B'335-S 313	6
5.3033	2.3379	6.06(−02)	3.71(−01)	2.14(−02)	2.3770(−02)	A'133-S 111	7
5.3045	2.3374	1.55(−01)	3.05(−02)	7.74(−02)	7.0824(−03)	B'333-S 313	8

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
5.3052	2.3370	2.61(−01)	6.17(−02)	1.51(−01)	9.3442(−03)	C'331-S 313	9
5.3061	2.3367	4.67(−01)	6.37(−01)	2.87(−01)	9.1455(−01)	C'335-S 313	10
5.3071	2.3362	3.55(−01)	6.80(−01)	1.78(−01)	3.6227(−01)	C'333-S 313	11
5.3079	2.3359	2.54(−01)	6.04(−01)	1.14(−01)	6.8709(−02)	B'331-S 313	12
5.3189	2.3310	2.19(−01)	7.84(+00)	2.26(−02)	5.3190(−01)	B'133-S 111	13
5.3208	2.3302	2.08(−02)	7.04(−03)	8.89(−03)	1.8789(−04)	F'313-P 331	14
5.3213	2.3300	9.82(−02)	7.04(−03)	4.19(−02)	8.8608(−04)	F'313-P 333	15
5.3233	2.3291	3.65(−01)	7.04(−03)	1.56(−01)	3.2963(−03)	F'313-P 335	16
5.3234	2.3290	2.45(−02)	8.04(−01)	7.17(−03)	2.8831(−02)	F'335-P 333	17
5.3236	2.3290	2.97(−02)	2.02(−01)	2.52(−02)	1.5234(−02)	G'353-P 331	18
5.3237	2.3289	1.19(−01)	1.56(+00)	4.29(−02)	3.3462(−01)	G'355-P 333	19
5.3237	2.3289	3.55(−01)	5.83(−01)	1.23(−01)	7.1407(−02)	F'111-P 133	20
5.3241	2.3287	9.74(−02)	2.02(−01)	8.24(−02)	4.9906(−02)	G'353-P 333	21
5.3251	2.3283	1.88(−01)	2.09(−01)	1.40(−01)	2.0467(−01)	G'357-P 335	22
5.3253	2.3282	2.17(−01)	9.28(−03)	7.47(−02)	2.0793(−03)	F'333-P 331	23
5.3255	2.3282	3.71(−01)	8.04(−01)	1.09(−01)	4.3735(−01)	F'335-P 335	24
5.3257	2.3281	6.73(−02)	5.30(+00)	9.14(−03)	2.4228(−01)	F'155-P 333	25
5.3257	2.3281	3.70(−03)	1.56(+00)	1.34(−03)	1.0427(−02)	G'355-P 335	26
5.3258	2.3280	1.48(−01)	9.28(−03)	5.10(−02)	1.4184(−03)	F'333-P 333	27
5.3262	2.3278	1.64(−02)	2.02(−01)	1.38(−02)	8.3831(−03)	G'353-P 335	28
5.3265	2.3277	5.03(−01)	4.53(−02)	1.64(−01)	7.4325(−03)	F'331-P 333	29
5.3277	2.3272	6.68(−02)	5.30(+00)	9.07(−03)	2.4049(−01)	F'155-P 335	30
5.3278	2.3271	1.13(−01)	9.28(−03)	3.89(−02)	1.0826(−03)	F'333-P 335	31
5.3354	2.3238	2.11(−01)	7.33(+00)	2.43(−02)	8.9046(−01)	G'155-P 133	32
5.3362	2.3235	6.10(−02)	5.24(−04)	2.09(−02)	3.2831(−05)	F'133-P 331	33
5.3385	2.3225	4.90(−01)	2.91(−03)	2.26(−01)	4.5982(−03)	F'357-P 335	34
5.3386	2.3225	4.24(−01)	5.36(−02)	1.76(−01)	4.7049(−02)	F'355-P 333	35
5.3399	2.3219	2.69(−01)	4.07(−05)	1.05(−01)	1.2773(−05)	F'353-P 331	36
5.3404	2.3216	2.15(−01)	4.07(−05)	8.36(−02)	1.0212(−05)	F'353-P 333	37
5.3406	2.3216	1.09(−01)	5.36(−02)	4.51(−02)	1.2064(−02)	F'355-P 335	38
5.3490	2.3179	3.17(−02)	8.04(−01)	9.28(−03)	3.7300(−02)	F'335-P 133	39
5.3493	2.3178	6.06(−02)	1.56(+00)	2.19(−02)	1.7083(−01)	G'355-P 133	40
5.3509	2.3171	2.82(−01)	7.43(−02)	1.68(−01)	3.7487(−02)	C'133-S 111	41
5.3513	2.3169	1.72(−01)	5.30(+00)	2.33(−02)	6.1862(−01)	F'155-P 133	42
5.3525	2.3164	2.24(−02)	6.67(−02)	2.49(−02)	4.9897(−03)	E'313-P 331	43
5.3530	2.3162	6.76(−02)	6.67(−02)	7.51(−02)	1.5033(−02)	E'313-P 333	44
5.3551	2.3153	9.57(−02)	6.67(−02)	1.06(−01)	2.1283(−02)	E'313-P 335	45
5.3624	2.3121	6.20(−01)	5.24(−04)	2.12(−01)	3.3356(−04)	F'133-P 133	46
5.3662	2.3105	9.26(−02)	4.07(−05)	3.60(−02)	4.3955(−06)	F'353-P 133	47
5.3688	2.3094	1.08(−01)	1.58(+01)	6.49(−03)	1.0255(−01)	E'111-P 133	48
6.1804	2.0061	2.43(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
6.1858	2.0043	2.42(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 14;$							
5.2168	2.3766	6.48(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
5.2180	2.3761	6.48(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
6.1644	2.0113	1.94(+00)	5.83(−01)	6.70(−01)	3.9024(−01)	F'111-P'133	3
6.1670	2.0105	2.00(+00)	3.71(−01)	7.06(−01)	7.8535(−01)	A'133-D'155	4
6.1718	2.0089	4.31(−01)	2.03(+00)	8.86(−02)	1.2613(+00)	A'177-D'355	5
6.1724	2.0087	1.98(+00)	2.03(+00)	4.08(−01)	5.8126(+00)	A'177-D'155	6
6.1790	2.0066	2.00(+00)	2.31(−04)	8.69(−01)	2.0078(−04)	A'331-D'353	7
6.1795	2.0064	1.07(+00)	3.94(−02)	4.59(−01)	5.4189(−02)	A'333-D'355	8
6.1801	2.0062	1.11(+00)	7.33(+00)	1.28(−01)	4.6951(+00)	G'155-P'133	9
6.1804	2.0061	1.22(+00)	7.84(+00)	1.27(−01)	2.9759(+00)	B'133-S'111	10
6.1804	2.0061	2.43(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	11
6.1805	2.0061	1.27(+00)	1.14(−04)	5.57(−01)	3.1751(−04)	A'335-D'357	12

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
6.1858	2.0043	2.42(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	13
6.1881	2.0036	1.91(+00)	2.06(-02)	6.95(-01)	1.0048(-01)	A'357-D'357	14
6.1882	2.0036	1.51(-01)	7.84(+00)	1.56(-02)	3.6791(-01)	B'133-D'155	15
6.1889	2.0034	8.14(-01)	8.04(-01)	2.38(-01)	9.5856(-01)	F'335-P'333	16
6.1891	2.0033	1.14(+00)	4.72(-03)	4.22(-01)	9.9555(-03)	A'355-D'355	17
6.1892	2.0033	1.95(-01)	1.56(+00)	7.05(-02)	5.5015(-01)	G'355-P'333	18
6.1892	2.0032	6.45(-01)	2.09(-01)	4.80(-01)	7.0080(-01)	G'357-P'335	19
6.1896	2.0031	4.22(-01)	2.02(-01)	3.57(-01)	2.1613(-01)	G'353-P'331	20
6.1897	2.0031	1.04(+00)	8.04(-01)	3.05(-01)	1.2275(+00)	F'335-P'335	21
6.1900	2.0030	3.12(-01)	1.56(+00)	1.13(-01)	8.8060(-01)	G'355-P'335	22
6.1903	2.0029	1.41(+00)	4.54(-01)	4.51(-01)	6.1419(-01)	A'353-D'353	23
6.1903	2.0029	8.46(-01)	4.54(-01)	2.71(-01)	3.6934(-01)	A'353-D'355	24
6.1919	2.0024	1.07(-01)	5.30(+00)	1.45(-02)	3.8527(-01)	F'155-P'333	25
6.1927	2.0021	5.13(-01)	5.30(+00)	6.96(-02)	1.8457(+00)	F'155-P'335	26
6.1928	2.0021	1.35(+00)	9.28(-03)	4.64(-01)	1.2918(-02)	F'333-P'335	27
6.1929	2.0020	2.00(+00)	2.85(-02)	8.34(-01)	1.1877(-01)	B'335-S'313	28
6.1930	2.0020	2.45(+00)	4.53(-02)	7.97(-01)	3.6155(-02)	F'331-P'333	29
6.1953	2.0013	1.40(+00)	3.05(-02)	7.00(-01)	6.4036(-02)	B'333-S'313	30
6.1963	2.0009	9.75(-01)	6.17(-02)	5.65(-01)	3.4877(-02)	C'331-S'313	31
6.1975	2.0006	2.78(-01)	6.37(-01)	1.71(-01)	5.4359(-01)	C'335-S'313	32
6.1987	2.0002	2.38(-01)	1.56(+00)	8.60(-02)	6.7124(-01)	G'355-P'133	33
6.1989	2.0001	2.38(+00)	4.17(-01)	8.51(-01)	3.1927(+00)	A'379-D'357	34
6.1989	2.0001	8.68(-01)	6.80(-01)	4.35(-01)	8.8653(-01)	C'333-S'313	35
6.1999	1.9998	1.34(+00)	6.04(-01)	6.01(-01)	3.6299(-01)	B'331-S'313	36
6.2000	1.9997	2.02(+00)	6.91(-02)	7.94(-01)	2.7448(-01)	A'155-D'155	37
6.2014	1.9993	9.47(-01)	5.30(+00)	1.28(-01)	3.4072(+00)	F'155-P'133	38
6.2015	1.9993	1.48(+00)	4.18(-01)	5.29(-01)	1.5485(+00)	A'377-D'355	39
6.2018	1.9992	4.76(-01)	4.18(-01)	1.70(-01)	4.9731(-01)	A'377-D'357	40
6.2021	1.9991	4.19(-01)	4.18(-01)	1.50(-01)	4.3772(-01)	A'377-D'155	41
6.2040	1.9985	1.54(+00)	3.43(-01)	5.62(-01)	9.6569(-01)	A'375-D'353	42
6.2040	1.9985	7.11(-01)	3.43(-01)	2.60(-01)	4.4618(-01)	A'375-D'355	43
6.2073	1.9974	1.68(+00)	2.91(-03)	7.73(-01)	1.5725(-02)	F'357-P'335	44
6.2093	1.9968	1.24(+00)	5.36(-02)	5.13(-01)	1.3735(-01)	F'355-P'333	45
6.2164	1.9945	1.95(+00)	5.24(-04)	6.68(-01)	1.0497(-03)	F'133-P'133	46
6.2176	1.9941	2.08(-01)	6.37(-01)	1.28(-01)	4.0693(-01)	C'335-D'357	47
6.2236	1.9922	1.08(+00)	7.43(-02)	6.41(-01)	1.4280(-01)	C'133-S'111	48
6.2249	1.9918	5.85(-01)	1.58(+01)	3.53(-02)	5.5794(-01)	E'111-P'133	49
6.2297	1.9902	3.82(-01)	6.67(-02)	4.24(-01)	8.4893(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 15;$							
4.5426	2.7294	8.55(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
4.5438	2.7287	8.54(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
4.5919	2.7001	1.02(-01)	5.40(-04)	3.32(-02)	1.7937(-05)	A'331-S 313	3
4.5922	2.6999	1.03(-01)	4.80(-02)	3.31(-02)	4.7641(-03)	A'333-S 313	4
4.5927	2.6996	1.12(-01)	3.39(-04)	3.69(-02)	6.2486(-05)	A'335-S 313	5
4.6120	2.6883	2.88(-02)	4.03(-02)	8.98(-03)	1.8098(-03)	B'335-S 313	6
4.6125	2.6880	7.54(-02)	3.35(-01)	2.09(-02)	2.1001(-02)	A'133-S 111	7
4.6138	2.6873	1.99(-01)	4.20(-02)	7.50(-02)	9.4484(-03)	B'333-S 313	8
4.6146	2.6868	3.64(-01)	6.93(-02)	1.65(-01)	1.1409(-02)	C'331-S 313	9
4.6151	2.6865	6.36(-01)	6.26(-01)	3.36(-01)	1.0516(+00)	C'335-S 313	10
4.6161	2.6859	4.83(-01)	6.93(-01)	2.02(-01)	4.1941(-01)	C'333-S 313	11
4.6168	2.6855	3.27(-01)	5.98(-01)	1.17(-01)	7.0177(-02)	B'331-S 313	12
4.6255	2.6805	2.86(-01)	7.78(+00)	2.80(-02)	6.5345(-01)	B'133-S 111	13
4.6274	2.6794	1.15(-01)	7.70(-03)	3.66(-02)	8.4405(-04)	F'313-P 333	14
4.6289	2.6785	6.70(-02)	9.43(-01)	1.47(-02)	6.9397(-02)	F'335-P 333	15
4.6295	2.6781	2.05(-02)	1.94(-01)	1.24(-02)	7.1869(-03)	G'353-P 331	16

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
4.6295	2.6781	1.10(−01)	1.48(+00)	3.63(−02)	2.6844(−01)	G'355-P 333	17
4.6295	2.6781	5.09(−01)	7.70(−03)	1.61(−01)	3.7278(−03)	F'313-P 335	18
4.6297	2.6780	4.84(−01)	6.52(−01)	1.29(−01)	8.4388(−02)	F'111-P 133	19
4.6300	2.6778	1.62(−01)	1.94(−01)	9.79(−02)	5.6883(−02)	G'353-P 333	20
4.6307	2.6775	3.06(−01)	2.02(−02)	8.35(−02)	5.0626(−03)	F'333-P 331	21
4.6310	2.6773	4.76(−01)	9.43(−01)	1.05(−01)	4.9293(−01)	F'335-P 335	22
4.6311	2.6772	2.70(−01)	2.10(−01)	1.49(−01)	2.1935(−01)	G'357-P 335	23
4.6312	2.6772	9.91(−02)	5.05(+00)	1.30(−02)	3.2859(−01)	F'155-P 333	24
4.6312	2.6772	1.78(−01)	2.02(−02)	4.85(−02)	2.9391(−03)	F'333-P 333	25
4.6316	2.6769	5.31(−02)	1.48(+00)	1.75(−02)	1.2906(−01)	G'355-P 335	26
4.6320	2.6767	6.72(−01)	6.29(−02)	1.66(−01)	1.0450(−02)	F'331-P 333	27
4.6321	2.6766	3.17(−02)	1.94(−01)	1.91(−02)	1.1104(−02)	G'353-P 335	28
4.6333	2.6760	6.93(−02)	5.05(+00)	9.10(−03)	2.2990(−01)	F'155-P 335	29
4.6333	2.6759	1.22(−01)	2.02(−02)	3.34(−02)	2.0258(−03)	F'333-P 335	30
4.6393	2.6725	8.89(−02)	7.80(−04)	2.32(−02)	5.4375(−05)	F'133-P 331	31
4.6393	2.6725	2.96(−01)	7.65(+00)	3.11(−02)	1.1893(+00)	G'155-P 133	32
4.6417	2.6711	5.62(−01)	7.90(−02)	1.76(−01)	6.9707(−02)	F'355-P 333	33
4.6417	2.6711	6.22(−01)	4.40(−03)	2.25(−01)	6.9283(−03)	F'357-P 335	34
4.6430	2.6704	3.54(−01)	8.91(−05)	1.04(−01)	2.7704(−05)	F'353-P 331	35
4.6435	2.6701	2.88(−01)	8.91(−05)	8.43(−02)	2.2535(−05)	F'353-P 333	36
4.6438	2.6699	1.35(−01)	7.90(−02)	4.26(−02)	1.6820(−02)	F'355-P 335	37
4.6502	2.6662	5.51(−02)	9.43(−01)	1.21(−02)	5.7051(−02)	F'335-P 133	38
4.6508	2.6659	7.64(−02)	1.48(+00)	2.51(−02)	1.8583(−01)	G'355-P 133	39
4.6513	2.6656	1.46(−02)	1.94(−01)	8.80(−03)	5.1157(−03)	G'353-P 133	40
4.6518	2.6653	3.76(−01)	7.97(−02)	1.71(−01)	4.0833(−02)	C'133-S 111	41
4.6525	2.6649	2.14(−01)	5.05(+00)	2.81(−02)	7.0865(−01)	F'155-P 133	42
4.6531	2.6646	2.89(−02)	6.72(−02)	2.54(−02)	5.1283(−03)	E'313-P 331	43
4.6536	2.6643	8.85(−02)	6.72(−02)	7.78(−02)	1.5683(−02)	E'313-P 333	44
4.6558	2.6630	1.20(−01)	6.72(−02)	1.05(−01)	2.1243(−02)	E'313-P 335	45
4.6612	2.6599	7.98(−01)	7.80(−04)	2.09(−01)	4.8827(−04)	F'133-P 133	46
4.6649	2.6578	1.20(−01)	8.91(−05)	3.52(−02)	9.4090(−06)	F'353-P 133	47
4.6669	2.6567	1.40(−01)	1.58(+01)	8.32(−03)	1.3170(−01)	E'111-P 133	48
5.3814	2.3040	3.21(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
5.3868	2.3017	3.20(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 15;$							
4.5426	2.7294	8.55(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
4.5438	2.7287	8.54(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
5.3686	2.3095	2.58(+00)	6.52(−01)	6.89(−01)	4.4926(−01)	F'111-P'133	3
5.3707	2.3086	2.64(+00)	3.35(−01)	7.32(−01)	7.3517(−01)	A'133-D'155	4
5.3743	2.3070	6.60(−01)	2.06(+00)	1.14(−01)	1.6413(+00)	A'177-D'355	5
5.3749	2.3068	2.51(+00)	2.06(+00)	4.33(−01)	6.2464(+00)	A'177-D'155	6
5.3804	2.3044	2.68(+00)	5.40(−04)	8.74(−01)	4.7143(−04)	A'331-D'353	7
5.3809	2.3042	1.12(+00)	4.80(−02)	3.63(−01)	5.2153(−02)	A'333-D'353	8
5.3809	2.3042	1.34(+00)	4.80(−02)	4.32(−01)	6.2084(−02)	A'333-D'355	9
5.3814	2.3040	3.21(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	10
5.3815	2.3039	1.52(+00)	7.65(+00)	1.59(−01)	6.0892(+00)	G'155-P'133	11
5.3816	2.3039	1.59(+00)	7.78(+00)	1.56(−01)	3.6449(+00)	B'133-S'111	12
5.3818	2.3038	1.58(+00)	3.39(−04)	5.21(−01)	8.8178(−04)	A'335-D'357	13
5.3868	2.3017	3.20(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	14
5.3878	2.3012	2.20(−01)	7.78(+00)	2.15(−02)	5.0296(−01)	B'133-D'353	15
5.3878	2.3012	2.44(+00)	2.91(−02)	6.74(−01)	1.3728(−01)	A'357-D'357	16
5.3882	2.3010	8.67(−01)	9.43(−01)	1.90(−01)	8.9754(−01)	F'335-P'333	17
5.3883	2.3010	1.85(−01)	7.78(+00)	1.81(−02)	4.2286(−01)	B'133-D'155	18
5.3888	2.3008	1.40(+00)	6.99(−03)	3.95(−01)	1.3809(−02)	A'355-D'355	19
5.3890	2.3007	5.57(−01)	1.48(+00)	1.83(−01)	1.3543(+00)	G'355-P'333	20

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
5.3891	2.3007	1.68(+00)	9.43(-01)	3.69(-01)	1.7372(+00)	F'335-P'335	21
5.3891	2.3006	9.30(-01)	2.10(-01)	5.14(-01)	7.5563(-01)	G'357-P'335	22
5.3895	2.3005	6.73(-01)	1.94(-01)	4.06(-01)	2.3583(-01)	G'353-P'331	23
5.3901	2.3002	1.73(+00)	5.92(-01)	4.22(-01)	7.4952(-01)	A'353-D'353	24
5.3901	2.3002	1.19(+00)	5.92(-01)	2.91(-01)	5.1726(-01)	A'353-D'355	25
5.3916	2.2996	2.71(+00)	4.03(-02)	8.46(-01)	1.7042(-01)	B'335-S'313	26
5.3922	2.2994	6.33(-01)	5.05(+00)	8.32(-02)	2.1007(+00)	F'155-P'335	27
5.3922	2.2993	1.78(+00)	2.02(-02)	4.86(-01)	2.9451(-02)	F'333-P'335	28
5.3923	2.2993	3.21(+00)	6.29(-02)	7.94(-01)	4.9927(-02)	F'331-P'333	29
5.3940	2.2986	1.89(+00)	4.20(-02)	7.11(-01)	8.9629(-02)	B'333-S'313	30
5.3951	2.2981	1.25(+00)	6.93(-02)	5.63(-01)	3.9029(-02)	C'331-S'313	31
5.3958	2.2978	2.87(-01)	6.26(-01)	1.52(-01)	4.7516(-01)	C'335-S'313	32
5.3965	2.2975	3.14(+00)	4.24(-01)	8.81(-01)	3.3640(+00)	A'379-D'357	33
5.3970	2.2973	2.61(-01)	1.48(+00)	8.58(-02)	6.3435(-01)	G'355-P'133	34
5.3972	2.2972	1.09(+00)	6.93(-01)	4.55(-01)	9.4645(-01)	C'333-S'313	35
5.3977	2.2970	2.63(+00)	7.07(-02)	7.92(-01)	2.7999(-01)	A'155-D'155	36
5.3982	2.2968	1.82(+00)	5.98(-01)	6.55(-01)	3.9116(-01)	B'331-S'313	37
5.3991	2.2964	1.80(+00)	4.26(-01)	5.04(-01)	1.5038(+00)	A'377-D'355	38
5.3993	2.2963	1.17(+00)	5.05(+00)	1.54(-01)	3.8948(+00)	F'155-P'133	39
5.3995	2.2963	6.89(-01)	4.26(-01)	1.93(-01)	5.7489(-01)	A'377-D'357	40
5.3997	2.2961	6.48(-01)	4.26(-01)	1.81(-01)	5.4053(-01)	A'377-D'155	41
5.4016	2.2953	2.00(+00)	3.47(-01)	5.69(-01)	9.8716(-01)	A'375-D'353	42
5.4016	2.2953	9.94(-01)	3.47(-01)	2.83(-01)	4.9118(-01)	A'375-D'355	43
5.4035	2.2945	2.14(+00)	4.40(-03)	7.73(-01)	2.3840(-02)	F'357-P'335	44
5.4055	2.2937	1.59(+00)	7.90(-02)	4.98(-01)	1.9692(-01)	F'355-P'333	45
5.4110	2.2913	2.56(+00)	7.80(-04)	6.69(-01)	1.5646(-03)	F'133-P'133	46
5.4126	2.2907	2.92(-01)	6.26(-01)	1.54(-01)	4.8256(-01)	C'335-D'357	47
5.4173	2.2887	1.40(+00)	7.97(-02)	6.37(-01)	1.5237(-01)	C'133-S'111	48
5.4187	2.2881	7.42(-01)	1.58(+01)	4.41(-02)	6.9785(-01)	E'111-P'133	49
5.4226	2.2864	4.95(-01)	6.72(-02)	4.36(-01)	8.7780(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 16;$							
3.9908	3.1068	1.11(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
3.9919	3.1059	1.11(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
4.0309	3.0759	1.23(-01)	9.99(-04)	3.06(-02)	3.0584(-05)	A'331-S 313	3
4.0312	3.0756	1.23(-01)	5.47(-02)	3.03(-02)	4.9612(-03)	A'333-S 313	4
4.0316	3.0754	1.34(-01)	7.12(-04)	3.38(-02)	1.2012(-04)	A'335-S 313	5
4.0480	3.0629	9.13(-02)	2.95(-01)	2.00(-02)	1.7719(-02)	A'133-S 111	6
4.0493	3.0619	2.50(-01)	6.00(-02)	7.23(-02)	1.3031(-02)	B'333-S 313	7
4.0502	3.0612	4.97(-01)	7.68(-02)	1.79(-01)	1.3715(-02)	C'331-S 313	8
4.0505	3.0610	8.44(-01)	6.16(-01)	3.81(-01)	1.1718(+00)	C'335-S 313	9
4.0514	3.0603	6.46(-01)	7.08(-01)	2.26(-01)	4.7979(-01)	C'333-S 313	10
4.0521	3.0597	4.12(-01)	5.91(-01)	1.19(-01)	7.0302(-02)	B'331-S 313	11
4.0590	3.0546	3.67(-01)	7.71(+00)	3.37(-02)	7.7881(-01)	B'133-S 111	12
4.0605	3.0534	2.21(-02)	7.27(-01)	4.21(-03)	9.1834(-03)	A'353-S 111	13
4.0605	3.0534	1.31(-01)	8.39(-03)	3.14(-02)	7.8974(-04)	F'313-P 333	14
4.0616	3.0527	9.46(-02)	7.76(-01)	1.73(-02)	6.7149(-02)	F'335-P 333	15
4.0624	3.0520	1.18(-01)	1.77(+00)	2.98(-02)	2.6424(-01)	G'355-P 333	16
4.0627	3.0518	6.95(-01)	8.39(-03)	1.66(-01)	4.1818(-03)	F'313-P 335	17
4.0627	3.0518	6.48(-01)	7.28(-01)	1.35(-01)	9.8619(-02)	F'111-P 133	18
4.0630	3.0516	2.76(-01)	1.74(-01)	1.11(-01)	5.7743(-02)	G'353-P 333	19
4.0633	3.0513	4.16(-01)	4.23(-02)	9.58(-02)	1.2157(-02)	F'333-P 331	20
4.0637	3.0510	6.29(-01)	7.76(-01)	1.15(-01)	4.4643(-01)	F'335-P 335	21
4.0639	3.0509	1.82(-01)	4.23(-02)	4.19(-02)	5.3167(-03)	F'333-P 333	22
4.0639	3.0509	1.43(-01)	4.67(+00)	1.85(-02)	4.3132(-01)	F'155-P 333	23
4.0641	3.0508	3.84(-01)	2.11(-01)	1.57(-01)	2.3169(-01)	G'357-P 335	24
4.0646	3.0504	8.79(-01)	8.40(-02)	1.68(-01)	1.4111(-02)	F'331-P 333	25

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
4.0646	3.0504	9.76(−02)	1.77(+00)	2.47(−02)	2.1885(−01)	G'355-P 335	26
4.0651	3.0500	6.10(−02)	1.74(−01)	2.44(−02)	1.2750(−02)	G'353-P 335	27
4.0660	3.0493	1.18(−01)	4.23(−02)	2.71(−02)	3.4393(−03)	F'333-P 335	28
4.0661	3.0493	6.82(−02)	4.67(+00)	8.78(−03)	2.0513(−01)	F'155-P 335	29
4.0702	3.0462	1.28(−01)	1.16(−03)	2.60(−02)	9.0386(−05)	F'133-P 331	30
4.0708	3.0457	4.09(−01)	8.00(+00)	3.88(−02)	1.5510(+00)	G'155-P 133	31
4.0725	3.0445	7.31(−01)	1.13(−01)	1.77(−01)	1.0030(−01)	F'355-P 333	32
4.0726	3.0444	7.69(−01)	6.65(−03)	2.24(−01)	1.0407(−02)	F'357-P 335	33
4.0738	3.0435	4.59(−01)	1.63(−04)	1.03(−01)	5.0332(−05)	F'353-P 331	34
4.0743	3.0431	3.81(−01)	1.63(−04)	8.54(−02)	4.1724(−05)	F'353-P 333	35
4.0746	3.0428	1.65(−01)	1.13(−01)	3.99(−02)	2.2588(−02)	F'355-P 335	36
4.0758	3.0419	1.66(−02)	1.58(+01)	9.72(−04)	1.5396(−02)	E'111-P 333	37
4.0795	3.0392	6.45(−02)	7.76(−01)	1.18(−02)	4.5802(−02)	F'335-P 133	38
4.0804	3.0386	1.23(−01)	1.77(+00)	3.12(−02)	2.7674(−01)	G'355-P 133	39
4.0809	3.0382	4.90(−01)	8.53(−02)	1.72(−01)	4.4110(−02)	C'133-S 111	40
4.0809	3.0382	3.69(−02)	1.74(−01)	1.48(−02)	7.7135(−03)	G'353-P 133	41
4.0819	3.0374	2.51(−01)	4.67(+00)	3.23(−02)	7.5427(−01)	F'155-P 133	42
4.0820	3.0373	3.65(−02)	6.74(−02)	2.58(−02)	5.2212(−03)	E'313-P 331	43
4.0826	3.0369	1.14(−01)	6.74(−02)	8.07(−02)	1.6320(−02)	E'313-P 333	44
4.0848	3.0353	1.47(−01)	6.74(−02)	1.04(−01)	2.0983(−02)	E'313-P 335	45
4.0888	3.0323	1.00(+00)	1.16(−03)	2.05(−01)	7.1053(−04)	F'133-P 133	46
4.0924	3.0296	1.52(−01)	1.63(−04)	3.40(−02)	1.6614(−05)	F'353-P 133	47
4.0939	3.0285	1.78(−01)	1.58(+01)	1.04(−02)	1.6437(−01)	E'111-P 133	48
4.7274	2.6227	4.16(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
4.7328	2.6197	4.14(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 16;$							
3.9908	3.1068	1.11(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
3.9919	3.1059	1.11(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
4.7171	2.6284	3.37(+00)	7.28(−01)	7.04(−01)	5.1319(−01)	F'111-P'133	3
4.7188	2.6275	3.44(+00)	2.95(−01)	7.52(−01)	6.6693(−01)	A'133-D'155	4
4.7215	2.6260	9.67(−01)	2.08(+00)	1.40(−01)	2.0292(+00)	A'177-D'355	5
4.7221	2.6256	3.12(+00)	2.08(+00)	4.50(−01)	6.5486(+00)	A'177-D'155	6
4.7268	2.6230	3.52(+00)	9.99(−04)	8.78(−01)	8.7725(−04)	A'331-D'353	7
4.7272	2.6228	1.60(+00)	5.47(−02)	3.94(−01)	6.4579(−02)	A'333-D'353	8
4.7272	2.6228	1.64(+00)	5.47(−02)	4.04(−01)	6.6318(−02)	A'333-D'355	9
4.7274	2.6227	4.16(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	10
4.7279	2.6224	2.05(+00)	7.71(+00)	1.88(−01)	4.3450(+00)	B'133-S'111	11
4.7280	2.6224	2.03(+00)	8.00(+00)	1.93(−01)	7.7228(+00)	G'155-P'133	12
4.7281	2.6223	1.91(+00)	7.12(−04)	4.81(−01)	1.7122(−03)	A'335-D'357	13
4.7328	2.6197	4.14(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	14
4.7329	2.6197	3.06(+00)	3.97(−02)	6.50(−01)	1.8078(−01)	A'357-D'357	15
4.7330	2.6196	1.10(+00)	7.76(−01)	2.01(−01)	7.7957(−01)	F'335-P'333	16
4.7332	2.6195	3.33(−01)	7.71(+00)	3.06(−02)	7.0771(−01)	B'133-D'353	17
4.7338	2.6192	2.20(−01)	7.71(+00)	2.02(−02)	4.6652(−01)	B'133-D'155	18
4.7339	2.6191	2.24(+00)	7.76(−01)	4.10(−01)	1.5915(+00)	F'335-P'335	19
4.7339	2.6191	1.70(+00)	1.01(−02)	3.71(−01)	1.8800(−02)	A'355-D'355	20
4.7342	2.6189	8.68(−01)	1.77(+00)	2.19(−01)	1.9461(+00)	G'355-P'333	21
4.7344	2.6188	1.33(+00)	2.11(−01)	5.44(−01)	8.0240(−01)	G'357-P'335	22
4.7347	2.6186	1.08(+00)	1.74(−01)	4.31(−01)	2.2508(−01)	G'353-P'331	23
4.7353	2.6183	2.06(+00)	7.27(−01)	3.94(−01)	8.5841(−01)	A'353-D'353	24
4.7353	2.6183	1.65(+00)	7.27(−01)	3.14(−01)	6.8531(−01)	A'353-D'355	25
4.7359	2.6180	3.59(+00)	5.24(−02)	8.55(−01)	2.2383(−01)	B'335-S'313	26
4.7370	2.6174	2.18(+00)	4.23(−02)	5.02(−01)	6.3749(−02)	F'333-P'335	27
4.7371	2.6173	7.75(−01)	4.67(+00)	9.98(−02)	2.3301(+00)	F'155-P'335	28
4.7371	2.6173	4.13(+00)	8.40(−02)	7.90(−01)	6.6368(−02)	F'331-P'333	29

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
4.7384	2.6166	2.49(+00)	6.00(-02)	7.21(-01)	1.2989(-01)	B'333-S'313	30
4.7395	2.6160	1.56(+00)	7.68(-02)	5.62(-01)	4.3151(-02)	C'331-S'313	31
4.7399	2.6158	4.08(+00)	4.31(-01)	9.05(-01)	3.5060(+00)	A'379-D'357	32
4.7399	2.6158	2.91(-01)	6.16(-01)	1.31(-01)	4.0360(-01)	C'335-S'313	33
4.7409	2.6152	3.97(-01)	1.77(+00)	1.00(-01)	8.8962(-01)	G'355-P'133	34
4.7412	2.6151	1.34(+00)	7.08(-01)	4.67(-01)	9.9240(-01)	C'333-S'313	35
4.7412	2.6150	3.38(+00)	7.08(-02)	7.88(-01)	2.7867(-01)	A'155-D'155	36
4.7422	2.6145	2.42(+00)	5.91(-01)	6.99(-01)	4.1309(-01)	B'331-S'313	37
4.7426	2.6143	2.13(+00)	4.35(-01)	4.71(-01)	1.4328(+00)	A'377-D'355	38
4.7429	2.6141	1.39(+00)	4.67(+00)	1.79(-01)	4.1922(+00)	F'155-P'133	39
4.7430	2.6141	9.80(-01)	4.35(-01)	2.16(-01)	6.5800(-01)	A'377-D'357	40
4.7432	2.6140	9.60(-01)	4.35(-01)	2.12(-01)	6.4428(-01)	A'377-D'155	41
4.7450	2.6129	2.55(+00)	3.50(-01)	5.72(-01)	1.0020(+00)	A'375-D'353	42
4.7450	2.6129	1.35(+00)	3.50(-01)	3.04(-01)	5.3187(-01)	A'375-D'355	43
4.7459	2.6125	2.66(+00)	6.65(-03)	7.73(-01)	3.6007(-02)	F'357-P'335	44
4.7478	2.6114	1.98(+00)	1.13(-01)	4.81(-01)	2.7217(-01)	F'355-P'333	45
4.7522	2.6090	3.28(+00)	1.16(-03)	6.68(-01)	2.3204(-03)	F'133-P'133	46
4.7541	2.6080	3.96(-01)	6.16(-01)	1.78(-01)	5.4924(-01)	C'335-D'357	47
4.7577	2.6060	1.79(+00)	8.53(-02)	6.30(-01)	1.6131(-01)	C'133-S'111	48
4.7592	2.6052	9.20(-01)	1.58(+01)	5.37(-02)	8.5088(-01)	E'111-P'133	49
4.7624	2.6034	6.29(-01)	6.74(-02)	4.45(-01)	9.0094(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 17;$							
3.5335	3.5089	1.41(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
3.5346	3.5077	1.41(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
3.5664	3.4765	1.44(-01)	1.62(-03)	2.79(-02)	4.5351(-05)	A'331-S 313	3
3.5666	3.4762	1.43(-01)	5.87(-02)	2.73(-02)	4.8090(-03)	A'333-S 313	4
3.5670	3.4759	1.56(-01)	1.25(-03)	3.04(-02)	1.9009(-04)	A'335-S 313	5
3.5807	3.4626	1.08(-01)	2.55(-01)	1.87(-02)	1.4304(-02)	A'133-S 111	6
3.5822	3.4612	3.08(-01)	8.70(-02)	6.97(-02)	1.8202(-02)	B'333-S 313	7
3.5831	3.4603	6.66(-01)	8.41(-02)	1.93(-01)	1.6221(-02)	C'331-S 313	8
3.5832	3.4602	1.10(+00)	6.05(-01)	4.21(-01)	1.2732(+00)	C'335-S 313	9
3.5841	3.4593	8.50(-01)	7.26(-01)	2.50(-01)	5.4408(-01)	C'333-S 313	10
3.5848	3.4586	5.12(-01)	5.85(-01)	1.19(-01)	6.9504(-02)	B'331-S 313	11
3.5902	3.4534	4.63(-01)	7.66(+00)	3.94(-02)	9.0496(-01)	B'133-S 111	12
3.5915	3.4522	1.46(-01)	9.11(-03)	2.67(-02)	7.3040(-04)	F'313-P 333	13
3.5916	3.4521	3.08(-02)	8.35(-01)	4.68(-03)	1.1735(-02)	A'353-S 111	14
3.5921	3.4516	1.21(-01)	5.76(-01)	1.84(-02)	5.3022(-02)	F'335-P 333	15
3.5932	3.4506	1.28(-01)	2.11(+00)	2.51(-02)	2.6467(-01)	G'355-P 333	16
3.5936	3.4502	8.52(-01)	8.13(-01)	1.41(-01)	1.1428(-01)	F'111-P 133	17
3.5937	3.4501	9.29(-01)	9.11(-03)	1.70(-01)	4.6509(-03)	F'313-P 335	18
3.5937	3.4501	4.50(-01)	1.41(-01)	1.15(-01)	4.8576(-02)	G'353-P 333	19
3.5939	3.4498	5.27(-01)	7.72(-02)	1.11(-01)	2.5690(-02)	F'333-P 331	20
3.5943	3.4495	8.27(-01)	5.76(-01)	1.26(-01)	3.6391(-01)	F'335-P 335	21
3.5945	3.4493	1.49(-01)	7.72(-02)	3.13(-02)	7.2486(-03)	F'333-P 333	22
3.5946	3.4493	2.02(-01)	4.23(+00)	2.56(-02)	5.4106(-01)	G'155-P 333	23
3.5949	3.4489	5.45(-01)	2.10(-01)	1.65(-01)	2.4149(-01)	G'357-P 335	24
3.5951	3.4487	1.13(+00)	1.08(-01)	1.70(-01)	1.8355(-02)	F'331-P 333	25
3.5954	3.4484	1.46(-01)	2.11(+00)	2.87(-02)	3.0208(-01)	G'355-P 335	26
3.5959	3.4479	1.07(-01)	1.41(-01)	2.74(-02)	1.1577(-02)	G'353-P 335	27
3.5967	3.4472	9.60(-02)	7.72(-02)	2.02(-02)	4.6788(-03)	F'333-P 335	28
3.5968	3.4471	6.40(-02)	4.23(+00)	8.12(-03)	1.7174(-01)	G'155-P 335	29
3.5994	3.4446	1.82(-01)	1.71(-03)	2.94(-02)	1.5061(-04)	F'133-P 331	30
3.6004	3.4436	5.57(-01)	8.37(+00)	4.73(-02)	1.9789(+00)	F'155-P 133	31
3.6016	3.4425	9.36(-01)	1.57(-01)	1.78(-01)	1.4041(-01)	F'355-P 333	32
3.6018	3.4423	9.24(-01)	9.96(-03)	2.22(-01)	1.5493(-02)	F'357-P 335	33

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.6029	3.4412	5.87(−01)	2.67(−04)	1.02(−01)	8.1978(−05)	F'353-P 331	34
3.6035	3.4407	4.97(−01)	2.67(−04)	8.67(−02)	6.9376(−05)	F'353-P 333	35
3.6039	3.4403	1.95(−01)	1.57(−01)	3.72(−02)	2.9264(−02)	F'355-P 335	36
3.6046	3.4396	2.89(−02)	1.58(+01)	1.66(−03)	2.6205(−02)	E'111-P 333	37
3.6075	3.4369	6.87(−02)	5.76(−01)	1.05(−02)	3.0197(−02)	F'335-P 133	38
3.6085	3.4359	1.94(−01)	2.11(+00)	3.81(−02)	4.0160(−01)	G'355-P 133	39
3.6087	3.4357	6.26(−01)	9.07(−02)	1.73(−01)	4.7076(−02)	C'133-S 111	40
3.6091	3.4354	8.78(−02)	1.41(−01)	2.24(−02)	9.4826(−03)	G'353-P 133	41
3.6097	3.4348	4.50(−02)	6.75(−02)	2.60(−02)	5.2680(−03)	E'313-P 331	42
3.6099	3.4346	2.81(−01)	4.23(+00)	3.56(−02)	7.5258(−01)	G'155-P 133	43
3.6102	3.4343	1.45(−01)	6.75(−02)	8.38(−02)	1.6965(−02)	E'313-P 333	44
3.6125	3.4321	1.75(−01)	6.75(−02)	1.01(−01)	2.0534(−02)	E'313-P 335	45
3.6154	3.4294	1.23(+00)	1.71(−03)	1.99(−01)	1.0203(−03)	F'133-P 133	46
3.6189	3.4260	1.86(−01)	2.67(−04)	3.25(−02)	2.5984(−05)	F'353-P 133	47
3.6201	3.4249	2.20(−01)	1.58(+01)	1.26(−02)	1.9969(−01)	E'111-P 133	48
4.1853	2.9624	5.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
4.1907	2.9585	5.29(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 17;$							
3.5335	3.5089	1.41(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
3.5346	3.5077	1.41(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
4.1770	2.9683	4.35(+00)	8.13(−01)	7.17(−01)	5.8288(−01)	F'111-P'133	3
4.1784	2.9673	4.41(+00)	2.55(−01)	7.69(−01)	5.8733(−01)	A'133-D'155	4
4.1805	2.9658	1.36(+00)	2.09(+00)	1.64(−01)	2.4031(+00)	A'177-D'355	5
4.1810	2.9654	3.82(+00)	2.09(+00)	4.60(−01)	6.7323(+00)	A'177-D'155	6
4.1850	2.9626	4.56(+00)	1.62(−03)	8.82(−01)	1.4316(−03)	A'331-D'353	7
4.1853	2.9624	5.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	8
4.1854	2.9623	1.97(+00)	5.87(−02)	3.78(−01)	6.6524(−02)	A'333-D'355	9
4.1854	2.9623	2.23(+00)	5.87(−02)	4.27(−01)	7.5154(−02)	A'333-D'353	10
4.1861	2.9618	2.60(+00)	7.66(+00)	2.21(−01)	5.0747(+00)	B'133-S'111	11
4.1863	2.9617	2.70(+00)	8.37(+00)	2.29(−01)	9.5904(+00)	F'155-P'133	12
4.1863	2.9617	2.26(+00)	1.25(−03)	4.40(−01)	2.7537(−03)	A'335-D'357	13
4.1900	2.9591	1.43(+00)	5.76(−01)	2.18(−01)	6.2958(−01)	F'335-P'333	14
4.1901	2.9590	3.75(+00)	5.26(−02)	6.24(−01)	2.2991(−01)	A'357-D'357	15
4.1907	2.9586	4.64(−01)	7.66(+00)	3.95(−02)	9.0779(−01)	B'133-D'353	16
4.1907	2.9585	5.29(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	17
4.1909	2.9584	2.88(+00)	5.76(−01)	4.39(−01)	1.2663(+00)	F'335-P'335	18
4.1913	2.9582	2.52(−01)	7.66(+00)	2.15(−02)	4.9344(−01)	B'133-D'155	19
4.1915	2.9580	1.23(+00)	2.11(+00)	2.42(−01)	2.5479(+00)	G'355-P'333	20
4.1917	2.9579	1.90(+00)	2.10(−01)	5.72(−01)	8.4033(−01)	G'357-P'335	21
4.1920	2.9577	1.64(+00)	1.41(−01)	4.18(−01)	1.7685(−01)	G'353-P'331	22
4.1925	2.9573	4.64(+00)	6.41(−02)	8.61(−01)	2.7594(−01)	B'335-S'313	23
4.1927	2.9572	2.24(+00)	8.35(−01)	3.41(−01)	8.5350(−01)	A'353-D'355	24
4.1927	2.9572	2.42(+00)	8.35(−01)	3.68(−01)	9.2198(−01)	A'353-D'353	25
4.1941	2.9562	5.23(+00)	1.08(−01)	7.88(−01)	8.5148(−02)	F'331-P'333	26
4.1941	2.9562	2.40(+00)	7.72(−02)	5.05(−01)	1.1685(−01)	F'333-P'335	27
4.1942	2.9561	9.35(−01)	4.23(+00)	1.19(−01)	2.5081(+00)	G'155-P'335	28
4.1950	2.9555	3.22(+00)	8.70(−02)	7.29(−01)	1.9041(−01)	B'333-S'313	29
4.1958	2.9550	5.21(+00)	4.36(−01)	9.23(−01)	3.6242(+00)	A'379-D'357	30
4.1962	2.9547	1.94(+00)	8.41(−02)	5.61(−01)	4.7163(−02)	C'331-S'313	31
4.1964	2.9546	2.90(−01)	6.05(−01)	1.11(−01)	3.3617(−01)	C'335-S'313	32
4.1972	2.9540	5.92(−01)	2.11(+00)	1.16(−01)	1.2255(+00)	G'355-P'133	33
4.1973	2.9539	4.26(+00)	6.91(−02)	7.81(−01)	2.6970(−01)	A'155-D'155	34
4.1976	2.9537	1.60(+00)	7.26(−01)	4.72(−01)	1.0269(+00)	C'333-S'313	35
4.1986	2.9530	3.17(+00)	5.85(−01)	7.35(−01)	4.2970(−01)	B'331-S'313	36
4.1986	2.9530	2.47(+00)	4.43(−01)	4.34(−01)	1.3439(+00)	A'377-D'355	37

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
4.1990	2.9527	1.37(+00)	4.43(-01)	2.41(-01)	7.4649(-01)	A'377-D'357	38
4.1991	2.9527	1.60(+00)	4.23(+00)	2.03(-01)	4.2902(+00)	G'155-P'133	39
4.1992	2.9526	1.37(+00)	4.43(-01)	2.41(-01)	7.4680(-01)	A'377-D'155	40
4.2010	2.9513	1.80(+00)	3.53(-01)	3.22(-01)	5.6766(-01)	A'375-D'355	41
4.2010	2.9513	3.21(+00)	3.53(-01)	5.73(-01)	1.0114(+00)	A'375-D'353	42
4.2011	2.9512	3.21(+00)	9.96(-03)	7.73(-01)	5.3862(-02)	F'357-P'335	43
4.2030	2.9499	2.42(+00)	1.57(-01)	4.61(-01)	3.6319(-01)	F'355-P'333	44
4.2039	2.9493	1.35(+00)	1.57(-01)	2.58(-01)	2.0312(-01)	F'355-P'335	45
4.2065	2.9475	4.12(+00)	1.71(-03)	6.64(-01)	3.4026(-03)	F'133-P'133	46
4.2085	2.9460	5.21(-01)	6.05(-01)	2.00(-01)	6.0435(-01)	C'335-D'357	47
4.2114	2.9441	2.25(+00)	9.07(-02)	6.20(-01)	1.6890(-01)	C'133-S'111	48
4.2129	2.9430	1.12(+00)	1.58(+01)	6.40(-02)	1.0125(+00)	E'111-P'133	49
4.2156	2.9411	7.85(-01)	6.75(-02)	4.54(-01)	9.1894(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 18;$							
3.1502	3.9357	1.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
3.1514	3.9343	1.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
3.1774	3.9021	1.66(-01)	2.42(-03)	2.53(-02)	6.1201(-05)	A'331-S 313	3
3.1777	3.9017	1.62(-01)	5.98(-02)	2.44(-02)	4.3744(-03)	A'333-S 313	4
3.1780	3.9014	1.77(-01)	1.97(-03)	2.69(-02)	2.6456(-04)	A'335-S 313	5
3.1896	3.8872	1.24(-01)	2.14(-01)	1.72(-02)	1.1063(-02)	A'133-S 111	6
3.1912	3.8852	3.73(-01)	1.26(-01)	6.72(-02)	2.5391(-02)	B'333-S 313	7
3.1920	3.8842	1.40(+00)	5.95(-01)	4.56(-01)	1.3565(+00)	C'335-S 313	8
3.1921	3.8841	8.77(-01)	9.09(-02)	2.08(-01)	1.8879(-02)	C'331-S 313	9
3.1929	3.8831	1.10(+00)	7.47(-01)	2.73(-01)	6.1266(-01)	C'333-S 313	10
3.1936	3.8823	6.28(-01)	5.78(-01)	1.18(-01)	6.8130(-02)	B'331-S 313	11
3.1959	3.8795	8.90(-03)	8.78(+00)	6.69(-04)	2.9352(-02)	F'155-P 335	12
3.1979	3.8771	5.77(-01)	7.63(+00)	4.50(-02)	1.0298(+00)	B'133-S 111	13
3.1989	3.8759	1.60(-01)	9.88(-03)	2.27(-02)	6.7326(-04)	F'313-P 333	14
3.1993	3.8754	1.46(-01)	3.78(-01)	1.85(-02)	3.5086(-02)	F'335-P 333	15
3.2005	3.8739	1.40(-01)	2.39(+00)	2.21(-02)	2.6368(-01)	G'355-P 333	16
3.2010	3.8734	6.58(-01)	1.05(-01)	1.11(-01)	3.5099(-02)	F'333-P 333	17
3.2010	3.8733	1.10(+00)	9.07(-01)	1.45(-01)	1.3153(-01)	F'111-P 133	18
3.2012	3.8731	1.22(+00)	9.88(-03)	1.73(-01)	5.1298(-03)	F'313-P 335	19
3.2012	3.8731	6.21(-01)	1.14(-01)	1.25(-01)	4.2919(-02)	G'353-P 331	20
3.2016	3.8726	1.08(+00)	3.78(-01)	1.37(-01)	2.5878(-01)	F'335-P 335	21
3.2017	3.8725	1.00(-01)	1.14(-01)	2.02(-02)	6.9163(-03)	G'353-P 333	22
3.2018	3.8724	2.75(-01)	3.79(+00)	3.41(-02)	6.4626(-01)	G'155-P 333	23
3.2023	3.8718	1.42(+00)	1.35(-01)	1.71(-01)	2.3060(-02)	F'331-P 333	24
3.2023	3.8718	7.68(-01)	2.07(-01)	1.71(-01)	2.4832(-01)	G'357-P 335	25
3.2028	3.8712	1.99(-01)	2.39(+00)	3.13(-02)	3.7336(-01)	G'355-P 335	26
3.2032	3.8706	1.62(-01)	1.05(-01)	2.73(-02)	8.6404(-03)	F'333-P 335	27
3.2041	3.8696	5.81(-02)	3.79(+00)	7.22(-03)	1.3683(-01)	G'155-P 335	28
3.2056	3.8678	2.58(-01)	2.49(-03)	3.35(-02)	2.5017(-04)	F'133-P 331	29
3.2069	3.8663	7.50(-01)	8.78(+00)	5.63(-02)	2.4727(+00)	F'155-P 133	30
3.2077	3.8652	1.18(+00)	2.13(-01)	1.80(-01)	1.9156(-01)	F'355-P 333	31
3.2080	3.8649	8.03(-02)	1.26(-01)	1.45(-02)	5.4639(-03)	B'333-S 111	32
3.2080	3.8649	1.08(+00)	1.47(-02)	2.21(-01)	2.2725(-02)	F'357-P 335	33
3.2090	3.8637	7.40(-01)	4.05(-04)	1.02(-01)	1.2405(-04)	F'353-P 331	34
3.2095	3.8630	6.40(-01)	4.05(-04)	8.82(-02)	1.0734(-04)	F'353-P 333	35
3.2100	3.8625	2.26(-01)	2.13(-01)	3.43(-02)	3.6632(-02)	F'355-P 335	36
3.2104	3.8619	4.80(-02)	1.58(+01)	2.70(-03)	4.2555(-02)	E'111-P 333	37
3.2126	3.8594	6.67(-02)	3.78(-01)	8.48(-03)	1.6035(-02)	F'335-P 133	38
3.2138	3.8579	7.86(-01)	9.56(-02)	1.72(-01)	4.9448(-02)	C'133-S 111	39
3.2138	3.8579	2.86(-01)	2.39(+00)	4.52(-02)	5.3869(-01)	G'355-P 133	40
3.2143	3.8574	1.86(-01)	1.05(-01)	3.14(-02)	9.9203(-03)	F'333-P 133	41

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.2146	3.8570	5.44(−02)	6.74(−02)	2.61(−02)	5.2665(−03)	E'313-P 331	42
3.2151	3.8564	3.03(−01)	3.79(+00)	3.76(−02)	7.1316(−01)	G'155-P 133	43
3.2151	3.8563	1.82(−01)	6.74(−02)	8.72(−02)	1.7636(−02)	E'313-P 333	44
3.2174	3.8535	2.06(−01)	6.74(−02)	9.86(−02)	1.9923(−02)	E'313-P 335	45
3.2194	3.8512	1.48(+00)	2.49(−03)	1.92(−01)	1.4314(−03)	F'133-P 133	46
3.2229	3.8470	2.23(−01)	4.05(−04)	3.07(−02)	3.7372(−05)	F'353-P 133	47
3.2238	3.8459	2.67(−01)	1.58(+01)	1.50(−02)	2.3647(−01)	E'111-P 133	48
3.7311	3.3230	6.68(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
3.7365	3.3182	6.65(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 18;$							
3.1502	3.9357	1.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
3.1514	3.9343	1.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
3.7244	3.3290	5.53(+00)	9.07(−01)	7.26(−01)	6.5907(−01)	F'111-P'133	3
3.7254	3.3281	5.61(+00)	2.14(−01)	7.83(−01)	5.0237(−01)	A'133-D'155	4
3.7270	3.3266	1.85(+00)	2.09(+00)	1.87(−01)	2.7449(+00)	A'177-D'355	5
3.7276	3.3262	4.60(+00)	2.09(+00)	4.65(−01)	6.8150(+00)	A'177-D'155	6
3.7282	3.3256	1.40(−01)	8.78(+00)	1.05(−02)	4.6209(−01)	F'155-P'335	7
3.7310	3.3231	5.82(+00)	2.42(−03)	8.86(−01)	2.1430(−03)	A'331-D'353	8
3.7311	3.3230	6.68(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
3.7314	3.3228	2.34(+00)	5.98(−02)	3.52(−01)	6.3209(−02)	A'333-D'355	10
3.7314	3.3228	3.06(+00)	5.98(−02)	4.60(−01)	8.2627(−02)	A'333-D'353	11
3.7320	3.3222	3.27(+00)	7.63(+00)	2.55(−01)	5.8453(+00)	B'133-S'111	12
3.7321	3.3221	2.62(+00)	1.97(−03)	4.00(−01)	3.9261(−03)	A'335-D'357	13
3.7323	3.3220	3.54(+00)	8.78(+00)	2.66(−01)	1.1667(+01)	F'155-P'133	14
3.7351	3.3195	1.88(+00)	3.78(−01)	2.39(−01)	4.5188(−01)	F'335-P'333	15
3.7353	3.3193	4.50(+00)	6.78(−02)	5.96(−01)	2.8295(−01)	A'357-D'357	16
3.7360	3.3187	3.60(+00)	3.78(−01)	4.57(−01)	8.6545(−01)	F'335-P'335	17
3.7362	3.3185	5.99(−01)	7.63(+00)	4.67(−02)	1.0687(+00)	B'133-D'353	18
3.7365	3.3182	6.65(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	19
3.7367	3.3180	2.80(−01)	7.63(+00)	2.18(−02)	4.9947(−01)	B'133-D'155	20
3.7367	3.3180	1.66(+00)	2.39(+00)	2.62(−01)	3.1274(+00)	G'355-P'333	21
3.7370	3.3178	2.68(+00)	2.07(−01)	5.99(−01)	8.6778(−01)	G'357-P'335	22
3.7371	3.3177	2.27(+00)	1.05(−01)	3.84(−01)	1.2123(−01)	F'333-P'331	23
3.7372	3.3176	5.87(+00)	7.54(−02)	8.62(−01)	3.2477(−01)	B'335-S'313	24
3.7380	3.3169	2.99(+00)	8.98(−01)	3.70(−01)	9.9659(−01)	A'353-D'355	25
3.7380	3.3169	2.80(+00)	8.98(−01)	3.46(−01)	9.3110(−01)	A'353-D'353	26
3.7391	3.3159	6.52(+00)	1.35(−01)	7.85(−01)	1.0567(−01)	F'331-P'333	27
3.7393	3.3158	2.42(+00)	1.14(−01)	4.88(−01)	1.6739(−01)	G'353-P'335	28
3.7394	3.3157	1.11(+00)	3.79(+00)	1.38(−01)	2.6218(+00)	G'155-P'335	29
3.7398	3.3153	4.08(+00)	1.26(−01)	7.35(−01)	2.7749(−01)	B'333-S'313	30
3.7400	3.3151	6.57(+00)	4.42(−01)	9.37(−01)	3.7235(+00)	A'379-D'357	31
3.7410	3.3142	2.37(+00)	9.09(−02)	5.61(−01)	5.1001(−02)	C'331-S'313	32
3.7416	3.3137	5.24(+00)	6.56(−02)	7.68(−01)	2.5208(−01)	A'155-D'155	33
3.7417	3.3136	8.24(−01)	2.39(+00)	1.30(−01)	1.5500(+00)	G'355-P'133	34
3.7422	3.3132	1.89(+00)	7.47(−01)	4.70(−01)	1.0529(+00)	C'333-S'313	35
3.7429	3.3126	2.78(+00)	4.52(−01)	3.94(−01)	1.2444(+00)	A'377-D'355	36
3.7431	3.3123	4.07(+00)	5.78(−01)	7.64(−01)	4.4199(−01)	B'331-S'313	37
3.7432	3.3123	1.88(+00)	4.52(−01)	2.66(−01)	8.3992(−01)	A'377-D'357	38
3.7434	3.3121	1.90(+00)	4.52(−01)	2.68(−01)	8.4719(−01)	A'377-D'155	39
3.7434	3.3121	1.80(+00)	3.79(+00)	2.23(−01)	4.2295(+00)	G'155-P'133	40
3.7447	3.3109	3.76(+00)	1.47(−02)	7.71(−01)	7.9345(−02)	F'357-P'335	41
3.7452	3.3105	2.34(+00)	3.55(−01)	3.36(−01)	5.9746(−01)	A'375-D'355	42
3.7452	3.3105	3.98(+00)	3.55(−01)	5.71(−01)	1.0158(+00)	A'375-D'353	43
3.7465	3.3094	2.89(+00)	2.13(−01)	4.39(−01)	4.6839(−01)	F'355-P'333	44
3.7474	3.3085	1.77(+00)	2.13(−01)	2.68(−01)	2.8584(−01)	F'355-P'335	45

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.7493	3.3069	5.04(+00)	2.49(-03)	6.55(-01)	4.8910(-03)	F'133-P'133	46
3.7515	3.3049	6.70(-01)	5.95(-01)	2.18(-01)	6.4721(-01)	C'335-D'357	47
3.7537	3.3030	2.77(+00)	9.56(-02)	6.08(-01)	1.7432(-01)	C'133-S'111	48
3.7553	3.3016	1.33(+00)	1.58(+01)	7.46(-02)	1.1767(+00)	E'111-P'133	49
3.7576	3.2996	9.62(-01)	6.74(-02)	4.61(-01)	9.3213(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 19;$							
2.8259	4.3875	2.21(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
2.8270	4.3857	2.21(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
2.8485	4.3526	1.88(-01)	3.38(-03)	2.28(-02)	7.7028(-05)	A'331-S 313	3
2.8488	4.3522	1.79(-01)	5.84(-02)	2.15(-02)	3.7713(-03)	A'333-S 313	4
2.8490	4.3519	1.95(-01)	2.85(-03)	2.35(-02)	3.3507(-04)	A'335-S 313	5
2.8589	4.3367	1.39(-01)	1.75(-01)	1.56(-02)	8.2063(-03)	A'133-S 111	6
2.8606	4.3342	4.48(-01)	1.80(-01)	6.51(-02)	3.5100(-02)	B'333-S 313	7
2.8614	4.3330	1.77(+00)	5.85(-01)	4.87(-01)	1.4237(+00)	C'335-S 313	8
2.8616	4.3328	1.14(+00)	9.73(-02)	2.22(-01)	2.1633(-02)	C'331-S 313	9
2.8623	4.3317	1.41(+00)	7.70(-01)	2.97(-01)	6.8558(-01)	C'333-S 313	10
2.8630	4.3307	7.61(-01)	5.72(-01)	1.16(-01)	6.6438(-02)	B'331-S 313	11
2.8650	4.3276	1.82(-02)	9.20(+00)	1.20(-03)	5.5071(-02)	F'155-P 335	12
2.8663	4.3257	7.10(-01)	7.63(+00)	5.03(-02)	1.1510(+00)	B'133-S 111	13
2.8671	4.3245	1.74(-01)	1.07(-02)	1.94(-02)	6.2417(-04)	F'313-P 333	14
2.8673	4.3241	1.70(-01)	2.01(-01)	1.80(-02)	1.8060(-02)	F'335-P 333	15
2.8686	4.3222	1.56(-01)	2.56(+00)	2.05(-02)	2.6219(-01)	G'155-P 333	16
2.8690	4.3216	8.64(-01)	7.79(-02)	1.04(-01)	2.4276(-02)	F'333-P 333	17
2.8692	4.3213	1.41(+00)	1.01(+00)	1.49(-01)	1.5052(-01)	F'111-P 133	18
2.8692	4.3212	7.04(-01)	1.43(-01)	1.35(-01)	5.7651(-02)	G'353-P 331	19
2.8694	4.3210	1.56(+00)	1.07(-02)	1.75(-01)	5.6153(-03)	F'313-P 335	20
2.8696	4.3206	1.38(+00)	2.01(-01)	1.46(-01)	1.4695(-01)	F'335-P 335	21
2.8698	4.3204	6.28(-02)	1.43(-01)	1.20(-02)	5.1372(-03)	G'353-P 333	22
2.8698	4.3203	3.62(-01)	3.40(+00)	4.35(-02)	7.3804(-01)	G'355-P 333	23
2.8703	4.3196	1.77(+00)	1.62(-01)	1.73(-01)	2.8047(-02)	F'331-P 333	24
2.8704	4.3194	1.08(+00)	2.02(-01)	1.77(-01)	2.5155(-01)	G'357-P 335	25
2.8709	4.3187	2.53(-01)	2.56(+00)	3.31(-02)	4.2401(-01)	G'155-P 335	26
2.8713	4.3181	2.17(-01)	7.79(-02)	2.61(-02)	6.1037(-03)	F'333-P 335	27
2.8722	4.3168	5.18(-02)	3.40(+00)	6.22(-03)	1.0559(-01)	G'355-P 335	28
2.8727	4.3159	3.62(-01)	3.55(-03)	3.85(-02)	4.0999(-04)	F'133-P 331	29
2.8742	4.3137	1.00(+00)	9.20(+00)	6.58(-02)	3.0259(+00)	F'155-P 133	30
2.8748	4.3128	1.48(+00)	2.82(-01)	1.81(-01)	2.5499(-01)	F'355-P 333	31
2.8750	4.3125	1.36(-01)	1.80(-01)	1.99(-02)	1.0699(-02)	B'333-S 111	32
2.8752	4.3122	1.22(+00)	2.13(-02)	2.19(-01)	3.2626(-02)	F'357-P 335	33
2.8761	4.3109	9.22(-01)	5.84(-04)	1.02(-01)	1.7792(-04)	F'353-P 331	34
2.8766	4.3101	8.16(-01)	5.84(-04)	9.00(-02)	1.5764(-04)	F'353-P 333	35
2.8767	4.3100	3.17(-02)	7.70(-01)	6.69(-03)	1.5456(-02)	C'333-S 111	36
2.8771	4.3093	2.57(-01)	2.82(-01)	3.15(-02)	4.4360(-02)	F'355-P 335	37
2.8773	4.3091	7.67(-02)	1.57(+01)	4.21(-03)	6.6163(-02)	E'111-P 333	38
2.8800	4.3050	9.70(-01)	9.95(-02)	1.71(-01)	5.0948(-02)	C'133-S 111	39
2.8802	4.3047	3.96(-01)	2.56(+00)	5.20(-02)	6.6500(-01)	G'155-P 133	40
2.8806	4.3042	3.51(-01)	7.79(-02)	4.22(-02)	9.8583(-03)	F'333-P 133	41
2.8807	4.3039	6.44(-02)	6.71(-02)	2.59(-02)	5.2143(-03)	E'313-P 331	42
2.8813	4.3031	2.26(-01)	6.71(-02)	9.11(-02)	1.8343(-02)	E'313-P 333	43
2.8815	4.3028	3.20(-01)	3.40(+00)	3.83(-02)	6.5095(-01)	G'355-P 133	44
2.8836	4.2996	2.37(-01)	6.71(-02)	9.52(-02)	1.9175(-02)	E'313-P 335	45
2.8849	4.2977	1.71(+00)	3.55(-03)	1.82(-01)	1.9378(-03)	F'133-P 133	46
2.8883	4.2927	2.62(-01)	5.84(-04)	2.88(-02)	5.0497(-05)	F'353-P 133	47
2.8890	4.2916	3.17(-01)	1.57(+01)	1.74(-02)	2.7324(-01)	E'111-P 133	48
3.3467	3.7047	8.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
3.3521	3.6987	8.27(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 2 \rightarrow n = 1; Z = 19;$							
2.8259	4.3875	2.21(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
2.8270	4.3857	2.21(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
3.3412	3.7108	6.96(+00)	1.01(+00)	7.34(-01)	7.4232(-01)	F'111-P'133	3
3.3420	3.7099	7.05(+00)	1.75(-01)	7.95(-01)	4.1725(-01)	A'133-D'155	4
3.3433	3.7085	2.45(+00)	2.09(+00)	2.08(-01)	3.0416(+00)	A'177-D'355	5
3.3436	3.7081	3.87(-01)	2.09(+00)	3.28(-02)	4.8013(-01)	A'177-D'357	6
3.3438	3.7079	5.49(+00)	2.09(+00)	4.65(-01)	6.8152(+00)	A'177-D'155	7
3.3447	3.7070	2.58(-01)	9.20(+00)	1.70(-02)	7.8037(-01)	F'155-P'335	8
3.3467	3.7047	8.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
3.3467	3.7047	7.34(+00)	3.38(-03)	8.90(-01)	3.0140(-03)	A'331-D'353	10
3.3471	3.7043	4.11(+00)	5.84(-02)	4.93(-01)	8.6429(-02)	A'333-D'353	11
3.3478	3.7035	4.12(+00)	7.63(+00)	2.91(-01)	6.6730(+00)	B'133-S'111	12
3.3481	3.7032	4.59(+00)	9.20(+00)	3.02(-01)	1.3901(+01)	F'155-P'133	13
3.3500	3.7011	2.70(+00)	8.50(-02)	2.88(-01)	1.7133(-01)	A'357-D'355	14
3.3500	3.7010	2.48(+00)	2.01(-01)	2.62(-01)	2.6317(-01)	F'335-P'333	15
3.3504	3.7006	5.32(+00)	8.50(-02)	5.67(-01)	3.3773(-01)	A'357-D'357	16
3.3510	3.7000	4.39(+00)	2.01(-01)	4.65(-01)	4.6696(-01)	F'335-P'335	17
3.3515	3.6994	7.19(-01)	7.63(+00)	5.09(-02)	1.1657(+00)	B'133-D'353	18
3.3518	3.6991	2.16(+00)	2.56(+00)	2.84(-01)	3.6297(+00)	G'155-P'333	19
3.3520	3.6989	7.28(+00)	8.63(-02)	8.57(-01)	3.6977(-01)	B'335-S'313	20
3.3520	3.6988	2.98(-01)	7.63(+00)	2.11(-02)	4.8275(-01)	B'133-D'155	21
3.3521	3.6988	3.77(+00)	2.02(-01)	6.23(-01)	8.8247(-01)	G'357-P'335	22
3.3521	3.6987	2.93(+00)	7.79(-02)	3.52(-01)	8.2368(-02)	F'333-P'331	23
3.3521	3.6987	8.27(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	24
3.3532	3.6975	3.95(+00)	9.06(-01)	4.01(-01)	1.0907(+00)	A'353-D'355	25
3.3532	3.6975	3.21(+00)	9.06(-01)	3.27(-01)	8.8735(-01)	A'353-D'353	26
3.3541	3.6965	8.02(+00)	1.62(-01)	7.83(-01)	1.2713(-01)	F'331-P'333	27
3.3542	3.6964	8.18(+00)	4.46(-01)	9.48(-01)	3.8075(+00)	A'379-D'357	28
3.3544	3.6962	2.41(+00)	1.43(-01)	4.60(-01)	1.9705(-01)	G'353-P'335	29
3.3545	3.6961	1.31(+00)	3.40(+00)	1.57(-01)	2.6737(+00)	G'355-P'335	30
3.3545	3.6961	5.07(+00)	1.80(-01)	7.38(-01)	3.9757(-01)	B'333-S'313	31
3.3558	3.6946	2.87(+00)	9.73(-02)	5.61(-01)	5.4618(-02)	C'331-S'313	32
3.3560	3.6944	6.31(+00)	6.05(-02)	7.47(-01)	2.2567(-01)	A'155-D'155	33
3.3562	3.6942	1.06(+00)	2.56(+00)	1.39(-01)	1.7832(+00)	G'155-P'133	34
3.3568	3.6936	2.20(+00)	7.70(-01)	4.64(-01)	1.0732(+00)	C'333-S'313	35
3.3572	3.6931	3.08(+00)	4.62(-01)	3.53(-01)	1.1400(+00)	A'377-D'355	36
3.3576	3.6927	2.53(+00)	4.62(-01)	2.90(-01)	9.3760(-01)	A'377-D'357	37
3.3577	3.6925	5.16(+00)	5.72(-01)	7.88(-01)	4.5089(-01)	B'331-S'313	38
3.3578	3.6925	2.55(+00)	4.62(-01)	2.93(-01)	9.4556(-01)	A'377-D'155	39
3.3579	3.6923	2.00(+00)	3.40(+00)	2.40(-01)	4.0702(+00)	G'355-P'133	40
3.3586	3.6916	4.26(+00)	2.13(-02)	7.68(-01)	1.1436(-01)	F'357-P'335	41
3.3595	3.6906	2.97(+00)	3.57(-01)	3.46(-01)	6.1777(-01)	A'375-D'355	42
3.3595	3.6906	4.86(+00)	3.57(-01)	5.67(-01)	1.0129(+00)	A'375-D'353	43
3.3603	3.6897	3.39(+00)	2.82(-01)	4.15(-01)	5.8434(-01)	F'355-P'333	44
3.3613	3.6887	2.27(+00)	2.82(-01)	2.78(-01)	3.9215(-01)	F'355-P'335	45
3.3626	3.6872	6.02(+00)	3.55(-03)	6.40(-01)	6.8165(-03)	F'133-P'133	46
3.3649	3.6847	8.42(-01)	5.85(-01)	2.32(-01)	6.7843(-01)	C'335-D'357	47
3.3666	3.6828	3.37(+00)	9.95(-02)	5.92(-01)	1.7688(-01)	C'133-S'111	48
3.3682	3.6811	1.55(+00)	1.57(+01)	8.50(-02)	1.3366(+00)	E'111-P'133	49
3.3701	3.6790	1.16(+00)	6.71(-02)	4.67(-01)	9.4067(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 20;$							
2.5490	4.8641	2.72(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
2.5501	4.8620	2.72(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
2.5679	4.8283	2.08(-01)	4.52(-03)	2.03(-02)	9.1785(-05)	A'331-S 313	3

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.5681	4.8279	1.95(−01)	5.52(−02)	1.88(−02)	3.1164(−03)	A'333-S 313	4
2.5683	4.8275	2.10(−01)	3.87(−03)	2.04(−02)	3.9451(−04)	A'335-S 313	5
2.5769	4.8114	1.53(−01)	1.39(−01)	1.40(−02)	5.8439(−03)	A'133-S 111	6
2.5787	4.8081	5.32(−01)	2.52(−01)	6.35(−02)	4.7933(−02)	B'333-S 313	7
2.5794	4.8068	2.20(+00)	5.77(−01)	5.13(−01)	1.4775(+00)	C'335-S 313	8
2.5797	4.8063	1.45(+00)	1.03(−01)	2.37(−01)	2.4428(−02)	C'331-S 313	9
2.5802	4.8052	1.77(+00)	7.97(−01)	3.19(−01)	7.6254(−01)	C'333-S 313	10
2.5803	4.8050	6.38(−03)	9.62(+00)	3.65(−04)	1.7540(−02)	F'155-P 333	11
2.5809	4.8039	9.13(−01)	5.66(−01)	1.14(−01)	6.4608(−02)	B'331-S 313	12
2.5827	4.8006	3.62(−02)	9.62(+00)	2.07(−03)	9.9535(−02)	F'155-P 335	13
2.5834	4.7992	8.62(−01)	7.66(+00)	5.50(−02)	1.2638(+00)	B'133-S 111	14
2.5840	4.7981	1.89(−01)	1.16(−02)	1.69(−02)	5.8703(−04)	F'313-P 333	15
2.5842	4.7979	1.91(−01)	6.69(−02)	1.68(−02)	5.6240(−03)	F'335-P 333	16
2.5855	4.7954	1.78(−01)	2.61(+00)	2.00(−02)	2.6127(−01)	G'155-P 333	17
2.5858	4.7949	1.05(+00)	5.97(−02)	9.51(−02)	1.7031(−02)	F'333-P 333	18
2.5862	4.7942	1.78(+00)	1.13(+00)	1.52(−01)	1.7131(−01)	F'111-P 133	19
2.5862	4.7941	7.95(−01)	1.61(−01)	1.40(−01)	6.7649(−02)	G'353-P 331	20
2.5864	4.7937	1.97(+00)	1.16(−02)	1.76(−01)	6.1053(−03)	F'313-P 335	21
2.5866	4.7934	1.75(+00)	6.69(−02)	1.54(−01)	5.1601(−02)	F'335-P 335	22
2.5871	4.7931	4.66(−01)	3.06(+00)	5.31(−02)	8.1219(−01)	G'355-P 333	23
2.5871	4.7924	2.17(+00)	1.90(−01)	1.74(−01)	3.3097(−02)	F'331-P 333	24
2.5874	4.7919	1.49(+00)	1.95(−01)	1.83(−01)	2.5055(−01)	F'357-P 335	25
2.5879	4.7909	3.05(−01)	2.61(+00)	3.43(−02)	4.4801(−01)	G'155-P 335	26
2.5882	4.7905	2.77(−01)	5.97(−02)	2.51(−02)	4.4942(−03)	F'333-P 335	27
2.5890	4.7889	5.02(−01)	4.92(−03)	4.43(−02)	6.5371(−04)	F'133-P 331	28
2.5891	4.7887	4.60(−02)	3.06(+00)	5.24(−03)	8.0174(−02)	G'355-P 335	29
2.5906	4.7860	1.32(+00)	9.62(+00)	7.53(−02)	3.6221(+00)	F'155-P 133	30
2.5909	4.7853	1.83(+00)	3.64(−01)	1.82(−01)	3.3156(−01)	F'355-P 333	31
2.5911	4.7851	2.23(−01)	2.52(−01)	2.66(−02)	2.0087(−02)	B'333-S 111	32
2.5915	4.7844	1.32(+00)	3.00(−02)	2.17(−01)	4.5497(−02)	G'357-P 335	33
2.5922	4.7830	1.14(+00)	8.07(−04)	1.01(−01)	2.4486(−04)	F'353-P 331	34
2.5926	4.7822	4.67(−02)	7.97(−01)	8.40(−03)	2.0099(−02)	C'333-S 111	35
2.5927	4.7821	1.03(+00)	8.07(−04)	9.19(−02)	2.2242(−04)	F'353-P 333	36
2.5933	4.7810	1.18(−01)	1.56(+01)	6.31(−03)	9.8781(−02)	E'111-P 333	37
2.5934	4.7809	2.87(−01)	3.64(−01)	2.86(−02)	5.2037(−02)	F'355-P 335	38
2.5955	4.7770	1.18(+00)	1.02(−01)	1.68(−01)	5.1352(−02)	C'133-S 111	39
2.5958	4.7764	5.18(−01)	2.61(+00)	5.83(−02)	7.6055(−01)	G'155-P 133	40
2.5961	4.7759	6.06(−01)	5.97(−02)	5.49(−02)	9.8331(−03)	F'333-P 133	41
2.5961	4.7758	7.47(−02)	6.67(−02)	2.55(−02)	5.1093(−03)	E'313-P 331	42
2.5967	4.7748	2.79(−01)	6.67(−02)	9.54(−02)	1.9091(−02)	E'313-P 333	43
2.5971	4.7741	3.32(−01)	3.06(+00)	3.79(−02)	5.7921(−01)	G'355-P 133	44
2.5991	4.7703	2.68(−01)	6.67(−02)	9.15(−02)	1.8315(−02)	E'313-P 335	45
2.5998	4.7689	1.92(+00)	4.92(−03)	1.69(−01)	2.4970(−03)	F'133-P 133	46
2.6031	4.7630	3.01(−01)	8.07(−04)	2.68(−02)	6.4949(−05)	F'353-P 133	47
2.6036	4.7620	3.68(−01)	1.56(+01)	1.97(−02)	3.0833(−01)	E'111-P 133	48
3.0185	4.1075	1.02(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
3.0239	4.1002	1.02(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 20;$							
2.5490	4.8641	2.72(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
2.5501	4.8620	2.72(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
3.0140	4.1137	8.67(+00)	1.13(+00)	7.40(−01)	8.3291(−01)	F'111-P'133	3
3.0146	4.1128	8.78(+00)	1.39(−01)	8.06(−01)	3.3627(−01)	A'133-D'155	4
3.0152	4.1120	2.96(−01)	7.66(+00)	1.89(−02)	4.3328(−01)	B'133-S'313	5
3.0156	4.1115	3.16(+00)	2.09(+00)	2.25(−01)	3.2850(+00)	A'177-D'355	6
3.0160	4.1110	5.97(−01)	2.09(+00)	4.25(−02)	6.2089(−01)	A'177-D'357	7

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.0161	4.1108	6.49(+00)	2.09(+00)	4.62(-01)	6.7502(+00)	A'177-D'155	8
3.0171	4.1094	4.61(-01)	9.62(+00)	2.64(-02)	1.2681(+00)	F'155-P'335	9
3.0185	4.1075	1.02(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	10
3.0186	4.1073	9.14(+00)	4.52(-03)	8.94(-01)	4.0398(-03)	A'331-D'353	11
3.0189	4.1069	5.42(+00)	5.52(-02)	5.24(-01)	8.6768(-02)	A'333-D'353	12
3.0197	4.1059	5.16(+00)	7.66(+00)	3.29(-01)	7.5662(+00)	B'133-S'111	13
3.0200	4.1055	5.89(+00)	9.62(+00)	3.37(-01)	1.6203(+01)	F'155-P'133	14
3.0214	4.1036	3.64(+00)	1.04(-01)	3.15(-01)	2.3009(-01)	A'357-D'355	15
3.0218	4.1031	6.19(+00)	1.04(-01)	5.37(-01)	3.9195(-01)	A'357-D'357	16
3.0223	4.1023	5.24(+00)	6.69(-02)	4.61(-01)	1.5410(-01)	F'335-P'335	17
3.0231	4.1013	8.12(-01)	7.66(+00)	5.18(-02)	1.1894(+00)	B'133-D'353	18
3.0231	4.1013	8.74(+00)	9.96(-02)	8.34(-01)	4.1522(-01)	B'335-S'313	19
3.0232	4.1011	2.73(+00)	2.61(+00)	3.07(-01)	4.0002(+00)	G'155-P'333	20
3.0234	4.1008	5.25(+00)	1.95(-01)	6.45(-01)	8.8207(-01)	F'357-P'335	21
3.0236	4.1006	3.03(-01)	7.66(+00)	1.93(-02)	4.4415(-01)	B'133-D'155	22
3.0239	4.1002	1.02(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	23
3.0247	4.0990	5.14(+00)	8.60(-01)	4.34(-01)	1.1199(+00)	A'353-D'355	24
3.0247	4.0990	3.68(+00)	8.60(-01)	3.10(-01)	8.0056(-01)	A'353-D'353	25
3.0250	4.0987	1.01(+01)	4.50(-01)	9.57(-01)	3.8792(+00)	A'379-D'357	26
3.0254	4.0981	9.75(+00)	1.90(-01)	7.82(-01)	1.4856(-01)	F'331-P'333	27
3.0256	4.0979	6.18(+00)	2.52(-01)	7.37(-01)	5.5637(-01)	B'333-S'313	28
3.0258	4.0976	2.46(+00)	1.61(-01)	4.34(-01)	2.0966(-01)	G'353-P'335	29
3.0259	4.0975	1.53(+00)	3.06(+00)	1.75(-01)	2.6754(+00)	G'355-P'335	30
3.0269	4.0961	7.38(+00)	5.39(-02)	7.14(-01)	1.9235(-01)	A'155-D'155	31
3.0270	4.0960	3.44(+00)	1.03(-01)	5.63(-01)	5.7978(-02)	C'331-S'313	32
3.0271	4.0958	1.28(+00)	2.61(+00)	1.44(-01)	1.8732(+00)	G'155-P'133	33
3.0278	4.0949	2.54(+00)	7.97(-01)	4.56(-01)	1.0910(+00)	C'333-S'313	34
3.0280	4.0946	3.34(+00)	4.73(-01)	3.12(-01)	1.0351(+00)	A'377-D'355	35
3.0284	4.0940	3.35(+00)	4.73(-01)	3.14(-01)	1.0387(+00)	A'377-D'357	36
3.0286	4.0939	3.36(+00)	4.73(-01)	3.15(-01)	1.0427(+00)	A'377-D'155	37
3.0287	4.0937	6.46(+00)	5.66(-01)	8.08(-01)	4.5720(-01)	B'331-S'313	38
3.0288	4.0936	2.22(+00)	3.06(+00)	2.53(-01)	3.8645(+00)	G'355-P'133	39
3.0290	4.0932	4.65(+00)	3.00(-02)	7.62(-01)	1.6005(-01)	G'357-P'335	40
3.0302	4.0917	3.61(+00)	3.55(-01)	3.45(-01)	6.1193(-01)	A'375-D'355	41
3.0302	4.0916	5.81(+00)	3.55(-01)	5.56(-01)	9.8609(-01)	A'375-D'353	42
3.0306	4.0911	3.89(+00)	3.64(-01)	3.88(-01)	7.0576(-01)	F'355-P'333	43
3.0316	4.0897	2.89(+00)	3.64(-01)	2.89(-01)	5.2482(-01)	F'355-P'335	44
3.0326	4.0884	6.99(+00)	4.92(-03)	6.17(-01)	9.0995(-03)	F'133-P'133	45
3.0338	4.0867	5.64(-01)	1.56(+01)	3.02(-02)	4.7182(-01)	E'111-P'333	46
3.0349	4.0853	1.04(+00)	5.77(-01)	2.43(-01)	6.9935(-01)	C'335-D'357	47
3.0362	4.0836	4.04(+00)	1.02(-01)	5.75(-01)	1.7606(-01)	C'133-S'111	48
3.0378	4.0815	1.77(+00)	1.56(+01)	9.49(-02)	1.4846(+00)	E'111-P'133	49
3.0394	4.0792	1.38(+00)	6.67(-02)	4.72(-01)	9.4460(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 21;$							
2.3106	5.3658	3.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
2.3118	5.3632	3.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
2.3265	5.3292	2.26(-01)	5.80(-03)	1.80(-02)	1.0460(-04)	A'331-S 313	3
2.3267	5.3287	2.08(-01)	5.10(-02)	1.63(-02)	2.4976(-03)	A'333-S 313	4
2.3269	5.3284	2.22(-01)	5.01(-03)	1.75(-02)	4.3847(-04)	A'335-S 313	5
2.3308	5.3195	7.17(-02)	7.72(-01)	5.05(-03)	1.1694(-02)	A'353-S 313	6
2.3343	5.3114	1.65(-01)	1.07(-01)	1.24(-02)	3.9978(-03)	A'133-S 111	7
2.3362	5.3071	6.30(-01)	3.45(-01)	6.25(-02)	6.4631(-02)	B'333-S 313	8
2.3369	5.3056	2.70(+00)	5.69(-01)	5.35(-01)	1.5205(+00)	C'335-S 313	9
2.3373	5.3047	1.82(+00)	1.08(-01)	2.51(-01)	2.7214(-02)	C'331-S 313	10
2.3376	5.3040	1.10(-02)	1.00(+01)	5.45(-04)	2.7266(-02)	F'155-P 333	11

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.3377	5.3036	2.20(+00)	8.28(-01)	3.40(-01)	8.4296(-01)	C'333-S 313	12
2.3384	5.3021	1.09(+00)	5.61(-01)	1.12(-01)	6.2757(-02)	B'331-S 313	13
2.3400	5.2985	6.99(-02)	1.00(+01)	3.45(-03)	1.7244(-01)	F'155-P 335	14
2.3403	5.2979	1.03(+00)	7.70(+00)	5.89(-02)	1.3609(+00)	B'133-S 111	15
2.3408	5.2968	2.08(-01)	5.94(-03)	1.52(-02)	4.5156(-04)	F'335-P 333	16
2.3421	5.2937	2.07(-01)	2.54(+00)	2.05(-02)	2.6066(-01)	G'155-P 333	17
2.3423	5.2933	1.20(+00)	4.76(-02)	8.52(-02)	1.2166(-02)	F'333-P 333	18
2.3429	5.2921	2.23(+00)	1.25(+00)	1.55(-01)	1.9393(-01)	F'111-P 133	19
2.3429	5.2921	9.01(-01)	1.73(-01)	1.42(-01)	7.3897(-02)	G'353-P 331	20
2.3432	5.2913	2.44(+00)	1.26(-02)	1.75(-01)	6.5961(-03)	F'313-P 335	21
2.3432	5.2912	2.19(+00)	5.94(-03)	1.61(-01)	4.7724(-03)	F'335-P 335	22
2.3434	5.2909	5.85(-01)	2.78(+00)	6.25(-02)	8.6840(-01)	G'355-P 333	23
2.3437	5.2900	2.63(+00)	2.16(-01)	1.75(-01)	3.7979(-02)	F'331-P 333	24
2.3440	5.2894	2.03(+00)	1.86(-01)	1.88(-01)	2.4499(-01)	F'357-P 335	25
2.3446	5.2881	3.52(-01)	2.54(+00)	3.49(-02)	4.4316(-01)	G'155-P 335	26
2.3447	5.2878	3.52(-01)	4.76(-02)	2.49(-02)	3.5574(-03)	F'333-P 335	27
2.3451	5.2869	6.85(-01)	6.57(-03)	5.07(-02)	9.9905(-04)	F'133-P 331	28
2.3458	5.2853	4.09(-02)	2.78(+00)	4.36(-03)	6.0619(-02)	G'355-P 335	29
2.3467	5.2833	1.71(+00)	1.00(+01)	8.45(-02)	4.2312(+00)	F'155-P 133	30
2.3470	5.2828	2.24(+00)	4.59(-01)	1.84(-01)	4.2157(-01)	F'355-P 333	31
2.3470	5.2827	3.52(-01)	3.45(-01)	3.49(-02)	3.6096(-02)	B'333-S 111	32
2.3476	5.2814	1.38(+00)	4.10(-02)	2.13(-01)	6.1110(-02)	G'357-P 335	33
2.3482	5.2801	1.38(+00)	1.08(-03)	1.01(-01)	3.2592(-04)	F'353-P 331	34
2.3485	5.2793	6.68(-02)	8.28(-01)	1.03(-02)	2.5530(-02)	C'333-S 111	35
2.3487	5.2789	1.29(+00)	1.08(-03)	9.39(-02)	3.0380(-04)	F'353-P 333	36
2.3491	5.2779	1.76(-01)	1.56(+01)	9.13(-03)	1.4200(-01)	E'111-P 333	37
2.3494	5.2773	3.14(-01)	4.59(-01)	2.58(-02)	5.9220(-02)	F'355-P 335	38
2.3509	5.2739	1.41(+00)	1.03(-01)	1.64(-01)	5.0544(-02)	C'133-S 111	39
2.3514	5.2729	6.45(-01)	2.54(+00)	6.39(-02)	8.1132(-01)	G'155-P 133	40
2.3515	5.2726	9.73(-01)	4.76(-02)	6.89(-02)	9.8417(-03)	F'333-P 133	41
2.3515	5.2725	8.49(-02)	6.62(-02)	2.49(-02)	4.9503(-03)	E'313-P 331	42
2.3520	5.2714	3.41(-01)	6.62(-02)	1.00(-01)	1.9882(-02)	E'313-P 333	43
2.3526	5.2701	3.42(-01)	2.78(+00)	3.65(-02)	5.0683(-01)	G'355-P 133	44
2.3545	5.2658	2.98(-01)	6.62(-02)	8.74(-02)	1.7368(-02)	E'313-P 335	45
2.3549	5.2650	2.08(+00)	6.57(-03)	1.54(-01)	3.0265(-03)	F'133-P 133	46
2.3580	5.2581	3.41(-01)	1.08(-03)	2.48(-02)	8.0200(-05)	F'353-P 133	47
2.3584	5.2571	4.21(-01)	1.56(+01)	2.19(-02)	3.4003(-01)	E'111-P 133	48
2.7360	4.5316	1.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
2.7414	4.5226	1.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 21;$							
2.3106	5.3658	3.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
2.3118	5.3632	3.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
2.7323	4.5377	1.07(+01)	1.25(+00)	7.45(-01)	9.3079(-01)	F'111-P'133	3
2.7328	4.5370	1.08(+01)	1.07(-01)	8.15(-01)	2.6265(-01)	A'133-D'155	4
2.7334	4.5359	4.66(-01)	7.70(+00)	2.66(-02)	6.1491(-01)	B'133-S'313	5
2.7335	4.5357	3.98(+00)	2.08(+00)	2.39(-01)	3.4711(+00)	A'177-D'355	6
2.7339	4.5351	8.94(-01)	2.08(+00)	5.37(-02)	7.8010(-01)	A'177-D'357	7
2.7340	4.5349	7.61(+00)	2.08(+00)	4.57(-01)	6.6358(+00)	A'177-D'155	8
2.7351	4.5331	8.01(-01)	1.00(+01)	3.95(-02)	1.9757(+00)	F'155-P'335	9
2.7360	4.5316	1.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	10
2.7362	4.5312	1.13(+01)	5.80(-03)	8.98(-01)	5.2092(-03)	A'331-D'353	11
2.7365	4.5308	7.03(+00)	5.10(-02)	5.52(-01)	8.4418(-02)	A'333-D'353	12
2.7373	4.5295	6.46(+00)	7.70(+00)	3.68(-01)	8.5162(+00)	B'133-S'111	13
2.7376	4.5289	7.47(+00)	1.00(+01)	3.68(-01)	1.8438(+01)	F'155-P'133	14
2.7386	4.5274	4.82(+00)	1.25(-01)	3.44(-01)	3.0062(-01)	A'357-D'355	15

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.7390	4.5267	7.11(+00)	1.25(-01)	5.07(-01)	4.4347(-01)	A'357-D'357	16
2.7395	4.5258	6.08(+00)	5.94(-03)	4.46(-01)	1.3233(-02)	F'335-P'335	17
2.7398	4.5253	2.17(+00)	3.19(-01)	1.71(-01)	2.7302(-01)	A'375-S'313	18
2.7401	4.5249	8.75(+00)	1.46(-01)	6.85(-01)	4.9870(-01)	B'335-S'313	19
2.7404	4.5243	3.33(+00)	2.54(+00)	3.30(-01)	4.1899(+00)	G'155-P'333	20
2.7404	4.5243	8.68(-01)	7.70(+00)	4.96(-02)	1.1452(+00)	B'133-D'353	21
2.7406	4.5240	7.18(+00)	1.86(-01)	6.64(-01)	8.6529(-01)	F'357-P'335	22
2.7414	4.5226	1.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y'212	23
2.7416	4.5223	1.23(+01)	4.54(-01)	9.64(-01)	3.9409(+00)	A'379-D'357	24
2.7421	4.5216	6.62(+00)	7.72(-01)	4.66(-01)	1.0797(+00)	A'353-D'355	25
2.7421	4.5216	4.20(+00)	7.72(-01)	2.96(-01)	6.8528(-01)	A'353-D'353	26
2.7426	4.5207	7.39(+00)	3.45(-01)	7.33(-01)	7.5793(-01)	B'333-S'313	27
2.7426	4.5207	1.17(+01)	2.16(-01)	7.81(-01)	1.6899(-01)	F'331-P'333	28
2.7431	4.5199	2.61(+00)	1.73(-01)	4.13(-01)	2.1422(-01)	G'353-P'335	29
2.7431	4.5199	1.78(+00)	2.78(+00)	1.90(-01)	2.6409(+00)	G'355-P'335	30
2.7438	4.5188	8.40(+00)	4.67(-02)	6.70(-01)	1.5636(-01)	A'155-D'155	31
2.7439	4.5185	1.44(+00)	2.54(+00)	1.42(-01)	1.8050(+00)	G'155-P'133	32
2.7440	4.5184	4.09(+00)	1.08(-01)	5.64(-01)	6.1062(-02)	C'331-S'313	33
2.7447	4.5173	2.90(+00)	8.28(-01)	4.47(-01)	1.1089(+00)	C'333-S'313	34
2.7448	4.5171	3.55(+00)	4.86(-01)	2.74(-01)	9.3306(-01)	A'377-D'355	35
2.7452	4.5164	4.35(+00)	4.86(-01)	3.35(-01)	1.1423(+00)	A'377-D'357	36
2.7453	4.5162	4.34(+00)	4.86(-01)	3.35(-01)	1.1396(+00)	A'377-D'155	37
2.7455	4.5159	4.89(+00)	4.10(-02)	7.52(-01)	2.1567(-01)	G'357-P'335	38
2.7456	4.5158	7.98(+00)	5.61(-01)	8.23(-01)	4.6156(-01)	B'331-S'313	39
2.7456	4.5158	2.46(+00)	2.78(+00)	2.62(-01)	3.6469(+00)	G'355-P'133	40
2.7468	4.5138	3.48(+00)	3.19(-01)	2.74(-01)	4.3738(-01)	A'375-D'355	41
2.7468	4.5138	5.96(+00)	3.19(-01)	4.70(-01)	7.4935(-01)	A'375-D'353	42
2.7470	4.5135	4.38(+00)	4.59(-01)	3.60(-01)	8.2608(-01)	F'355-P'333	43
2.7480	4.5118	3.64(+00)	4.59(-01)	2.99(-01)	6.8568(-01)	F'355-P'335	44
2.7487	4.5107	7.90(+00)	6.57(-03)	5.84(-01)	1.1514(-02)	F'133-P'133	45
2.7500	4.5086	8.30(-01)	1.56(+01)	4.31(-02)	6.7034(-01)	E'111-P'333	46
2.7509	4.5070	1.26(+00)	5.69(-01)	2.50(-01)	7.1156(-01)	C'335-D'357	47
2.7519	4.5054	4.79(+00)	1.03(-01)	5.56(-01)	1.7170(-01)	C'133-S'111	48
2.7535	4.5028	2.00(+00)	1.56(+01)	1.04(-01)	1.6135(+00)	E'111-P'133	49
2.7550	4.5004	1.62(+00)	6.62(-02)	4.75(-01)	9.4388(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 22;$							
2.1041	5.8926	4.00(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y'212	1
2.1052	5.8894	3.99(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y'212	2
2.1175	5.8554	2.43(-01)	7.22(-03)	1.59(-02)	1.1486(-04)	A'331-S'313	3
2.1176	5.8549	2.18(-01)	4.64(-02)	1.41(-02)	1.9633(-03)	A'333-S'313	4
2.1221	5.8425	2.14(-01)	3.97(-02)	1.42(-02)	2.8283(-03)	A'155-S'313	5
2.1262	5.8312	7.44(-01)	4.61(-01)	6.22(-02)	8.6090(-02)	B'333-S'313	6
2.1269	5.8294	3.28(+00)	5.62(-01)	5.54(-01)	1.5550(+00)	C'335-S'313	7
2.1273	5.8283	1.83(-02)	1.03(+01)	7.75(-04)	4.0061(-02)	F'155-P'333	8
2.1273	5.8282	2.27(+00)	1.13(-01)	2.65(-01)	2.9945(-02)	C'331-S'313	9
2.1277	5.8271	2.71(+00)	8.62(-01)	3.58(-01)	9.2612(-01)	C'333-S'313	10
2.1284	5.8254	1.28(+00)	5.55(-01)	1.10(-01)	6.0954(-02)	B'331-S'313	11
2.1297	5.8217	1.21(+00)	7.74(+00)	6.17(-02)	1.4324(+00)	B'133-S'111	12
2.1298	5.8215	1.30(-01)	1.03(+01)	5.50(-03)	2.8436(-01)	F'155-P'335	13
2.1300	5.8209	2.18(-01)	5.28(-02)	1.33(-02)	3.5036(-03)	F'335-P'333	14
2.1314	5.8171	1.31(+00)	3.92(-02)	7.45(-02)	8.7475(-03)	F'333-P'333	15
2.1314	5.8171	2.45(-01)	2.36(+00)	2.20(-02)	2.5888(-01)	G'155-P'333	16
2.1321	5.8150	1.03(+00)	1.81(-01)	1.43(-01)	7.7754(-02)	G'353-P'331	17
2.1322	5.8150	2.76(+00)	1.38(+00)	1.58(-01)	2.1830(-01)	F'111-P'133	18
2.1325	5.8141	2.97(+00)	1.36(-02)	1.74(-01)	7.0788(-03)	F'313-P'335	19
2.1325	5.8140	2.71(+00)	5.28(-02)	1.65(-01)	4.3601(-02)	F'335-P'335	20

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.1326	5.8137	7.23(−01)	2.55(+00)	7.12(−02)	9.0843(−01)	G'355-P 333	21
2.1330	5.8128	3.16(+00)	2.40(−01)	1.77(−01)	4.2475(−02)	F'331-P 333	22
2.1333	5.8120	2.72(+00)	1.75(−01)	1.92(−01)	2.3515(−01)	F'357-P 335	23
2.1339	5.8102	4.56(−01)	3.92(−02)	2.58(−02)	3.0327(−03)	F'333-P 335	24
2.1339	5.8102	3.90(−01)	2.36(+00)	3.49(−02)	4.1116(−01)	G'155-P 335	25
2.1340	5.8100	9.17(−01)	8.41(−03)	5.74(−02)	1.4467(−03)	F'133-P 331	26
2.1345	5.8087	3.61(−01)	8.41(−03)	2.26(−02)	5.6916(−04)	F'133-P 333	27
2.1351	5.8069	3.66(−02)	2.55(+00)	3.61(−03)	4.6002(−02)	G'355-P 335	28
2.1356	5.8056	2.20(+00)	1.03(+01)	9.31(−02)	4.8083(+00)	F'155-P 133	29
2.1357	5.8054	5.36(−01)	4.61(−01)	4.49(−02)	6.2068(−02)	B'333-S 111	30
2.1357	5.8054	2.71(+00)	5.66(−01)	1.85(−01)	5.2472(−01)	F'355-P 333	31
2.1365	5.8033	1.40(+00)	5.38(−02)	2.08(−01)	7.8442(−02)	G'357-P 335	32
2.1369	5.8021	1.67(+00)	1.40(−03)	1.00(−01)	4.2179(−04)	F'353-P 331	33
2.1372	5.8014	9.29(−02)	8.62(−01)	1.23(−02)	3.1788(−02)	C'333-S 111	34
2.1374	5.8008	1.60(+00)	1.40(−03)	9.60(−02)	4.0379(−04)	F'353-P 333	35
2.1378	5.7998	2.54(−01)	1.55(+01)	1.27(−02)	1.9703(−01)	E'111-P 333	36
2.1382	5.7985	3.39(−01)	5.66(−01)	2.31(−02)	6.5489(−02)	F'355-P 335	37
2.1383	5.7983	2.79(−01)	1.36(−02)	1.63(−02)	6.6602(−04)	F'313-P 133	38
2.1392	5.7958	1.66(+00)	1.02(−01)	1.59(−01)	4.8540(−02)	C'133-S 111	39
2.1397	5.7944	1.46(+00)	3.92(−02)	8.29(−02)	9.7372(−03)	F'333-P 133	40
2.1397	5.7944	7.68(−01)	2.36(+00)	6.87(−02)	8.1031(−01)	G'155-P 133	41
2.1398	5.7943	9.46(−02)	6.56(−02)	2.41(−02)	4.7378(−03)	E'313-P 331	42
2.1403	5.7930	4.13(−01)	6.56(−02)	1.05(−01)	2.0711(−02)	E'313-P 333	43
2.1410	5.7910	3.49(−01)	2.55(+00)	3.44(−02)	4.3867(−01)	G'355-P 133	44
2.1428	5.7861	3.26(−01)	6.56(−02)	8.31(−02)	1.6356(−02)	E'313-P 335	45
2.1428	5.7860	2.17(+00)	8.41(−03)	1.36(−01)	3.4285(−03)	F'133-P 133	46
2.1458	5.7781	3.79(−01)	1.40(−03)	2.27(−02)	9.5648(−05)	F'353-P 133	47
2.1462	5.7771	4.73(−01)	1.55(+01)	2.37(−02)	3.6675(−01)	E'111-P 133	48
2.4912	4.9769	1.50(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
2.4966	4.9661	1.49(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 22;$							
2.1041	5.8926	4.00(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
2.1052	5.8894	3.99(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
2.4882	4.9830	1.31(+01)	1.38(+00)	7.50(−01)	1.0356(+00)	F'111-P'133	3
2.4885	4.9824	1.32(+01)	8.03(−02)	8.24(−01)	1.9849(−01)	A'133-D'155	4
2.4890	4.9812	4.91(+00)	2.06(+00)	2.50(−01)	3.5995(+00)	A'177-D'355	5
2.4892	4.9810	7.14(−01)	7.74(+00)	3.63(−02)	8.4268(−01)	B'133-S'313	6
2.4895	4.9804	1.30(+00)	2.06(+00)	6.63(−02)	9.5485(−01)	A'177-D'357	7
2.4896	4.9802	8.85(+00)	2.06(+00)	4.50(−01)	6.4857(+00)	A'177-D'155	8
2.4897	4.9800	2.02(−01)	1.03(+01)	8.53(−03)	4.4092(−01)	F'155-P'333	9
2.4907	4.9779	1.34(+00)	1.03(+01)	5.68(−02)	2.9360(+00)	F'155-P'335	10
2.4912	4.9769	1.50(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	11
2.4915	4.9764	1.38(+01)	7.22(−03)	9.01(−01)	6.5049(−03)	A'331-D'353	12
2.4917	4.9759	8.94(+00)	4.64(−02)	5.77(−01)	8.0383(−02)	A'333-D'353	13
2.4926	4.9742	8.04(+00)	7.74(+00)	4.09(−01)	9.4918(+00)	B'133-S'111	14
2.4928	4.9736	9.34(+00)	1.03(+01)	3.95(−01)	2.0431(+01)	F'155-P'133	15
2.4934	4.9725	6.28(+00)	1.47(−01)	3.72(−01)	3.8279(−01)	A'357-D'355	16
2.4938	4.9717	8.05(+00)	1.47(−01)	4.77(−01)	4.9060(−01)	A'357-D'357	17
2.4944	4.9705	6.88(+00)	5.28(−02)	4.19(−01)	1.1073(−01)	F'335-P'335	18
2.4947	4.9700	1.09(+01)	1.57(−01)	7.10(−01)	5.5759(−01)	B'335-S'313	19
2.4953	4.9687	3.95(+00)	2.36(+00)	3.53(−01)	4.1632(+00)	G'155-P'333	20
2.4954	4.9685	9.65(+00)	1.75(−01)	6.81(−01)	8.3300(−01)	F'357-P'335	21
2.4954	4.9685	8.88(−01)	7.74(+00)	4.51(−02)	1.0480(+00)	B'133-D'353	22
2.4961	4.9672	1.48(+01)	4.58(−01)	9.70(−01)	3.9946(+00)	A'379-D'357	23
2.4966	4.9661	1.49(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	24

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.4971	4.9652	8.40(+00)	6.56(-01)	4.98(-01)	9.7906(-01)	A'353-D'355	25
2.4971	4.9652	4.79(+00)	6.56(-01)	2.83(-01)	5.5744(-01)	A'353-D'353	26
2.4973	4.9648	8.67(+00)	4.61(-01)	7.26(-01)	1.0035(+00)	B'333-S'313	27
2.4975	4.9644	1.39(+01)	2.40(-01)	7.80(-01)	1.8750(-01)	F'331-P'333	28
2.4980	4.9633	2.05(+00)	2.55(+00)	2.03(-01)	2.5826(+00)	G'355-P'335	29
2.4980	4.9633	2.85(+00)	1.81(-01)	3.98(-01)	2.1596(-01)	G'353-P'335	30
2.4984	4.9625	9.31(+00)	3.97(-02)	6.18(-01)	1.2274(-01)	A'155-D'155	31
2.4985	4.9624	1.51(+00)	2.36(+00)	1.35(-01)	1.5974(+00)	G'155-P'133	32
2.4988	4.9618	4.84(+00)	1.13(-01)	5.66(-01)	6.3859(-02)	C'331-S'313	33
2.4993	4.9607	3.30(+00)	8.62(-01)	4.37(-01)	1.1297(+00)	C'333-S'313	34
2.4994	4.9607	3.72(+00)	5.01(-01)	2.38(-01)	8.3599(-01)	A'377-D'355	35
2.4998	4.9599	5.55(+00)	5.01(-01)	3.55(-01)	1.2474(+00)	A'377-D'357	36
2.4998	4.9597	4.94(+00)	5.38(-02)	7.37(-01)	2.7766(-01)	G'357-P'335	37
2.4999	4.9597	5.50(+00)	5.01(-01)	3.52(-01)	1.2371(+00)	A'377-D'155	38
2.5002	4.9590	2.73(+00)	2.55(+00)	2.69(-01)	3.4356(+00)	G'355-P'133	39
2.5002	4.9590	9.77(+00)	5.55(-01)	8.36(-01)	4.6447(-01)	B'331-S'313	40
2.5012	4.9570	4.85(+00)	5.66(-01)	3.31(-01)	9.3817(-01)	F'355-P'333	41
2.5014	4.9566	5.55(+00)	3.16(-01)	3.63(-01)	5.7371(-01)	A'375-D'355	42
2.5014	4.9566	6.87(+00)	3.16(-01)	4.50(-01)	7.1024(-01)	A'375-D'353	43
2.5022	4.9550	4.53(+00)	5.66(-01)	3.09(-01)	8.7522(-01)	F'355-P'335	44
2.5027	4.9540	8.71(+00)	8.41(-03)	5.45(-01)	1.3738(-02)	F'133-P'133	45
2.5040	4.9514	1.19(+00)	1.55(+01)	5.95(-02)	9.1982(-01)	E'111-P'333	46
2.5049	4.9497	1.51(+00)	5.62(-01)	2.55(-01)	7.1661(-01)	C'335-D'357	47
2.5056	4.9483	5.62(+00)	1.02(-01)	5.36(-01)	1.6400(-01)	C'133-S'111	48
2.5072	4.9451	2.21(+00)	1.55(+01)	1.11(-01)	1.7169(+00)	E'111-P'133	49
2.5085	4.9426	1.87(+00)	6.56(-02)	4.77(-01)	9.3850(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 23;$							
1.9239	6.4446	4.79(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.9250	6.4408	4.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.9351	6.4070	2.57(-01)	8.74(-03)	1.40(-02)	1.2223(-04)	A'331-S 313	3
1.9391	6.3940	1.11(-01)	5.29(-01)	5.54(-03)	8.8045(-03)	A'353-S 313	4
1.9395	6.3926	2.88(-01)	3.40(-02)	1.61(-02)	2.7303(-03)	A'155-S 313	5
1.9432	6.3805	8.78(-01)	6.02(-01)	6.28(-02)	1.1337(-01)	B'333-S 313	6
1.9438	6.3785	3.96(+00)	5.55(-01)	5.70(-01)	1.5831(+00)	C'335-S 313	7
1.9439	6.3780	2.88(-02)	1.05(+01)	1.05(-03)	5.5115(-02)	F'155-P 333	8
1.9443	6.3768	2.79(+00)	1.17(-01)	2.79(-01)	3.2586(-02)	C'331-S 313	9
1.9446	6.3757	3.29(+00)	8.99(-01)	3.75(-01)	1.0112(+00)	C'333-S 313	10
1.9453	6.3737	1.50(+00)	5.51(-01)	1.08(-01)	5.9239(-02)	B'331-S 313	11
1.9461	6.3708	1.40(+00)	7.75(+00)	6.32(-02)	1.4690(+00)	B'133-S 111	12
1.9463	6.3703	2.20(-01)	2.38(-01)	1.11(-02)	1.3235(-02)	F'335-P 333	13
1.9465	6.3696	2.31(-01)	1.05(+01)	8.40(-03)	4.4287(-01)	F'155-P 335	14
1.9476	6.3662	1.38(+00)	3.29(-02)	6.36(-02)	6.2737(-03)	F'333-P 333	15
1.9477	6.3657	2.94(-01)	2.09(+00)	2.42(-02)	2.5363(-01)	G'155-P 333	16
1.9485	6.3632	1.17(+00)	1.86(-01)	1.43(-01)	8.0147(-02)	G'353-P 331	17
1.9485	6.3631	3.38(+00)	1.52(+00)	1.60(-01)	2.4427(-01)	F'111-P 133	18
1.9488	6.3620	3.55(+00)	1.47(-02)	1.71(-01)	7.5365(-03)	F'313-P 335	19
1.9489	6.3619	3.29(+00)	2.38(-01)	1.67(-01)	1.9852(-01)	F'335-P 335	20
1.9489	6.3617	8.79(-01)	2.36(+00)	7.92(-02)	9.3476(-01)	G'355-P 333	21
1.9493	6.3606	3.75(+00)	2.61(-01)	1.78(-01)	4.6404(-02)	F'331-P 333	22
1.9495	6.3598	3.57(+00)	1.62(-01)	1.96(-01)	2.2199(-01)	F'357-P 335	23
1.9500	6.3582	1.20(+00)	1.03(-02)	6.39(-02)	1.9756(-03)	F'133-P 331	24
1.9501	6.3578	6.07(-01)	3.29(-02)	2.80(-02)	2.7631(-03)	F'333-P 335	25
1.9503	6.3573	4.14(-01)	2.09(+00)	3.41(-02)	3.5735(-01)	G'155-P 335	26
1.9505	6.3567	5.97(-01)	1.03(-02)	3.18(-02)	9.8235(-04)	F'133-P 333	27
1.9515	6.3534	7.91(-01)	6.02(-01)	5.66(-02)	1.0221(-01)	B'333-S 111	28

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.9515	6.3533	3.31(−02)	2.36(+00)	2.98(−03)	3.5207(−02)	G'355-P 335	29
1.9515	6.3532	2.77(+00)	1.05(+01)	1.01(−01)	5.2996(+00)	F'155-P 133	30
1.9516	6.3531	3.26(+00)	6.86(−01)	1.87(−01)	6.4010(−01)	F'355-P 333	31
1.9525	6.3501	1.36(+00)	6.79(−02)	2.01(−01)	9.5682(−02)	G'357-P 335	32
1.9528	6.3492	2.00(+00)	1.78(−03)	9.97(−02)	5.3283(−04)	F'353-P 331	33
1.9529	6.3486	1.27(−01)	8.99(−01)	1.44(−02)	3.8929(−02)	C'333-S 111	34
1.9532	6.3477	1.97(+00)	1.78(−03)	9.81(−02)	5.2413(−04)	F'353-P 333	35
1.9535	6.3467	3.57(−01)	1.53(+01)	1.72(−02)	2.6448(−01)	E'111-P 333	36
1.9539	6.3456	4.28(−01)	1.47(−02)	2.06(−02)	9.0954(−04)	F'313-P 133	37
1.9541	6.3447	3.60(−01)	6.86(−01)	2.06(−02)	7.0510(−02)	F'355-P 335	38
1.9547	6.3428	1.94(+00)	9.92(−02)	1.53(−01)	4.5488(−02)	C'133-S 111	39
1.9552	6.3414	2.07(+00)	3.29(−02)	9.55(−02)	9.4177(−03)	F'333-P 133	40
1.9552	6.3412	1.03(−01)	6.49(−02)	2.30(−02)	4.4740(−03)	E'313-P 331	41
1.9553	6.3409	8.78(−01)	2.09(+00)	7.24(−02)	7.5806(−01)	G'155-P 133	42
1.9557	6.3397	4.98(−01)	6.49(−02)	1.11(−01)	2.1571(−02)	E'313-P 333	43
1.9566	6.3369	3.54(−01)	2.36(+00)	3.19(−02)	3.7691(−01)	G'355-P 133	44
1.9581	6.3319	2.21(+00)	1.03(−02)	1.18(−01)	3.6343(−03)	F'133-P 133	45
1.9583	6.3313	3.53(−01)	6.49(−02)	7.85(−02)	1.5302(−02)	E'313-P 335	46
1.9609	6.3229	4.15(−01)	1.78(−03)	2.07(−02)	1.1066(−04)	F'353-P 133	47
1.9612	6.3219	5.22(−01)	1.53(+01)	2.52(−02)	3.8721(−01)	E'111-P 133	48
2.2776	5.4437	1.80(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
2.2830	5.4308	1.79(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 23;$							
1.9239	6.4446	4.79(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.9250	6.4408	4.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
2.2751	5.4497	1.59(+01)	1.52(+00)	7.53(−01)	1.1465(+00)	F'111-P'133	3
2.2753	5.4492	1.60(+01)	5.81(−02)	8.31(−01)	1.4479(−01)	A'133-D'155	4
2.2757	5.4481	5.95(+00)	2.04(+00)	2.58(−01)	3.6726(+00)	A'177-D'355	5
2.2760	5.4475	1.06(+00)	7.75(+00)	4.80(−02)	1.1164(+00)	B'133-S'313	6
2.2761	5.4472	1.85(+00)	2.04(+00)	8.01(−02)	1.1414(+00)	A'177-D'357	7
2.2762	5.4469	1.02(+01)	2.04(+00)	4.43(−01)	6.3115(+00)	A'177-D'155	8
2.2774	5.4442	2.16(+00)	1.05(+01)	7.85(−02)	4.1386(+00)	F'155-P'335	9
2.2776	5.4437	1.80(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	10
2.2779	5.4430	1.66(+01)	8.74(−03)	9.04(−01)	7.9052(−03)	A'331-D'353	11
2.2781	5.4424	1.12(+01)	4.20(−02)	5.99(−01)	7.5595(−02)	A'333-D'353	12
2.2790	5.4403	9.95(+00)	7.75(+00)	4.49(−01)	1.0442(+01)	B'133-S'111	13
2.2793	5.4397	1.15(+01)	1.05(+01)	4.17(−01)	2.1997(+01)	F'155-P'133	14
2.2796	5.4390	8.07(+00)	1.70(−01)	4.00(−01)	4.7603(−01)	A'357-D'355	15
2.2796	5.4389	7.66(+00)	2.38(−01)	3.88(−01)	4.6150(−01)	F'335-P'333	16
2.2800	5.4380	9.03(+00)	1.70(−01)	4.47(−01)	5.3220(−01)	A'357-D'357	17
2.2806	5.4364	7.55(+00)	2.38(−01)	3.83(−01)	4.5484(−01)	F'335-P'335	18
2.2807	5.4362	1.45(+01)	1.28(−01)	7.87(−01)	5.0188(−01)	B'335-S'313	19
2.2815	5.4344	1.27(+01)	1.62(−01)	6.95(−01)	7.8856(−01)	F'357-P'335	20
2.2815	5.4344	4.53(+00)	2.09(+00)	3.73(−01)	3.9088(+00)	G'155-P'333	21
2.2817	5.4339	8.75(−01)	7.75(+00)	3.95(−02)	9.1774(−01)	B'133-D'353	22
2.2819	5.4334	1.78(+01)	4.61(−01)	9.75(−01)	4.0415(+00)	A'379-D'357	23
2.2830	5.4308	1.79(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	24
2.2833	5.4300	9.99(+00)	6.02(−01)	7.15(−01)	1.2908(+00)	B'333-S'313	25
2.2834	5.4299	1.05(+01)	5.29(−01)	5.27(−01)	8.3645(−01)	A'353-D'355	26
2.2834	5.4299	5.44(+00)	5.29(−01)	2.72(−01)	4.3154(−01)	A'353-D'353	27
2.2836	5.4293	1.64(+01)	2.61(−01)	7.80(−01)	2.0340(−01)	F'331-P'333	28
2.2842	5.4279	2.36(+00)	2.36(+00)	2.13(−01)	2.5094(+00)	G'355-P'335	29
2.2842	5.4278	3.17(+00)	1.86(−01)	3.88(−01)	2.1706(−01)	G'353-P'335	30
2.2844	5.4274	1.50(+00)	2.09(+00)	1.24(−01)	1.2944(+00)	G'155-P'133	31
2.2844	5.4274	1.01(+01)	3.40(−02)	5.61(−01)	9.5340(−02)	A'155-D'155	32

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.2849	5.4264	5.68(+00)	1.17(-01)	5.68(-01)	6.6368(-02)	C'331-S'313	33
2.2852	5.4255	3.84(+00)	5.18(-01)	2.05(-01)	7.4528(-01)	A'377-D'355	34
2.2853	5.4253	3.75(+00)	8.99(-01)	4.28(-01)	1.1553(+00)	C'333-S'313	35
2.2856	5.4247	4.83(+00)	6.79(-02)	7.15(-01)	3.3962(-01)	G'357-P'335	36
2.2857	5.4245	6.97(+00)	5.18(-01)	3.73(-01)	1.3529(+00)	A'377-D'357	37
2.2858	5.4243	6.88(+00)	5.18(-01)	3.68(-01)	1.3361(+00)	A'377-D'155	38
2.2861	5.4234	3.04(+00)	2.36(+00)	2.74(-01)	3.2384(+00)	G'355-P'133	39
2.2862	5.4233	1.18(+01)	5.51(-01)	8.47(-01)	4.6631(-01)	B'331-S'313	40
2.2868	5.4218	5.28(+00)	6.86(-01)	3.02(-01)	1.0353(+00)	F'355-P'333	41
2.2872	5.4208	7.36(+00)	3.53(-01)	4.05(-01)	7.1361(-01)	A'375-D'355	42
2.2872	5.4208	9.51(+00)	3.53(-01)	5.24(-01)	9.2287(-01)	A'375-D'353	43
2.2878	5.4193	5.57(+00)	6.86(-01)	3.19(-01)	1.0925(+00)	F'355-P'335	44
2.2895	5.4154	1.65(+00)	1.53(+01)	7.96(-02)	1.2217(+00)	E'111-P'333	45
2.2897	5.4148	2.26(+00)	6.86(-01)	1.29(-01)	4.4296(-01)	F'355-P'133	46
2.2903	5.4135	1.79(+00)	5.55(-01)	2.58(-01)	7.1589(-01)	C'335-D'357	47
2.2908	5.4123	6.54(+00)	9.92(-02)	5.15(-01)	1.5346(-01)	C'133-S'111	48
2.2924	5.4085	2.41(+00)	1.53(+01)	1.17(-01)	1.7899(+00)	E'111-P'133	49
2.2935	5.4059	2.14(+00)	6.49(-02)	4.77(-01)	9.2845(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 24;$							
1.7657	7.0219	5.69(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.7668	7.0173	5.68(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.7791	6.9691	1.32(-01)	4.07(-01)	5.57(-03)	6.8019(-03)	A'353-S 313	3
1.7793	6.9681	3.67(-01)	3.03(-02)	1.73(-02)	2.6229(-03)	A'155-S 313	4
1.7826	6.9551	1.04(+00)	7.68(-01)	6.41(-02)	1.4764(-01)	B'333-S 313	5
1.7831	6.9533	4.26(-02)	1.06(+01)	1.33(-03)	7.0544(-02)	F'155-P 333	6
1.7832	6.9529	4.73(+00)	5.49(-01)	5.85(-01)	1.6064(+00)	C'335-S 313	7
1.7838	6.9506	3.39(+00)	1.20(-01)	2.92(-01)	3.5112(-02)	C'331-S 313	8
1.7841	6.9496	3.94(+00)	9.41(-01)	3.89(-01)	1.0974(+00)	C'333-S 313	9
1.7847	6.9473	1.75(+00)	5.46(-01)	1.06(-01)	5.7630(-02)	B'331-S 313	10
1.7852	6.9453	1.58(+00)	7.73(+00)	6.32(-02)	1.4639(+00)	B'133-S 111	11
1.7852	6.9453	3.04(-01)	1.59(-02)	1.21(-02)	5.7998(-04)	F'313-P 333	12
1.7852	6.9451	2.13(-01)	5.73(-01)	8.97(-03)	2.5710(-02)	F'335-P 333	13
1.7857	6.9430	3.91(-01)	1.06(+01)	1.22(-02)	6.4747(-01)	F'155-P 335	14
1.7863	6.9409	1.40(+00)	2.80(-02)	5.32(-02)	4.4709(-03)	F'333-P 333	15
1.7866	6.9397	3.53(-01)	1.77(+00)	2.73(-02)	2.4252(-01)	G'155-P 333	16
1.7874	6.9366	1.34(+00)	1.90(-01)	1.43(-01)	8.1621(-02)	G'353-P 331	17
1.7874	6.9365	4.12(+00)	1.67(+00)	1.63(-01)	2.7163(-01)	F'111-P 133	18
1.7878	6.9351	4.16(+00)	1.59(-02)	1.66(-01)	7.9420(-03)	F'313-P 335	19
1.7878	6.9350	1.05(+00)	2.20(+00)	8.63(-02)	9.4977(-01)	G'355-P 333	20
1.7878	6.9349	3.95(+00)	5.73(-01)	1.66(-01)	4.7639(-01)	F'335-P 335	21
1.7882	6.9336	4.41(+00)	2.77(-01)	1.79(-01)	4.9645(-02)	F'331-P 333	22
1.7884	6.9329	4.56(+00)	1.49(-01)	1.99(-01)	2.0694(-01)	F'357-P 335	23
1.7887	6.9317	1.54(+00)	1.22(-02)	6.99(-02)	2.5498(-03)	F'133-P 331	24
1.7889	6.9307	8.31(-01)	2.80(-02)	3.17(-02)	2.6602(-03)	F'333-P 335	25
1.7891	6.9300	9.04(-01)	1.22(-02)	4.11(-02)	1.4976(-03)	F'133-P 333	26
1.7892	6.9295	4.22(-01)	1.77(+00)	3.27(-02)	2.9009(-01)	G'155-P 335	27
1.7900	6.9266	1.13(+00)	7.68(-01)	7.01(-02)	1.6140(-01)	B'333-S 111	28
1.7901	6.9261	3.90(+00)	8.15(-01)	1.88(-01)	7.6629(-01)	F'355-P 333	29
1.7901	6.9260	3.42(+00)	1.06(+01)	1.07(-01)	5.6566(+00)	F'155-P 133	30
1.7905	6.9248	3.02(-02)	2.20(+00)	2.47(-03)	2.7248(-02)	G'355-P 335	31
1.7912	6.9219	1.29(+00)	8.22(-02)	1.92(-01)	1.1065(-01)	G'357-P 335	32
1.7913	6.9215	2.37(+00)	2.21(-03)	9.92(-02)	6.5890(-04)	F'353-P 331	33
1.7914	6.9211	1.69(-01)	9.41(-01)	1.67(-02)	4.7020(-02)	C'333-S 111	34
1.7917	6.9198	2.40(+00)	2.21(-03)	1.00(-01)	6.6616(-04)	F'353-P 333	35
1.7920	6.9189	4.88(-01)	1.52(+01)	2.26(-02)	3.4425(-01)	E'111-P 333	36

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.7922	6.9181	6.53(−01)	1.59(−02)	2.61(−02)	1.2453(−03)	F'313-P 133	37
1.7927	6.9159	3.77(−01)	8.15(−01)	1.82(−02)	7.4071(−02)	F'355-P 335	38
1.7930	6.9150	2.23(+00)	9.47(−02)	1.46(−01)	4.1627(−02)	C'133-S 111	39
1.7933	6.9137	2.77(+00)	2.80(−02)	1.06(−01)	8.8665(−03)	F'333-P 133	40
1.7934	6.9133	1.10(−01)	6.42(−02)	2.16(−02)	4.1633(−03)	E'313-P 331	41
1.7936	6.9125	9.64(−01)	1.77(+00)	7.48(−02)	6.6291(−01)	G'155-P 133	42
1.7939	6.9116	5.95(−01)	6.42(−02)	1.17(−01)	2.2452(−02)	E'313-P 333	43
1.7949	6.9078	3.58(−01)	2.20(+00)	2.93(−02)	3.2221(−01)	G'355-P 133	44
1.7962	6.9028	2.19(+00)	1.22(−02)	9.97(−02)	3.6331(−03)	F'133-P 133	45
1.7965	6.9014	3.77(−01)	6.42(−02)	7.39(−02)	1.4227(−02)	E'313-P 335	46
1.7988	6.8926	4.49(−01)	2.21(−03)	1.88(−02)	1.2462(−04)	F'353-P 133	47
1.7991	6.8917	5.68(−01)	1.52(+01)	2.63(−02)	4.0055(−01)	E'111-P 133	48
2.0901	5.9319	2.14(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
2.0956	5.9166	2.12(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 24;$							
1.7657	7.0219	5.69(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.7668	7.0173	5.68(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
2.0881	5.9378	1.91(+01)	1.67(+00)	7.56(−01)	1.2624(+00)	F'111-P'133	3
2.0882	5.9375	1.92(+01)	4.04(−02)	8.38(−01)	1.0160(−01)	A'133-D'155	4
2.0885	5.9366	7.09(+00)	2.01(+00)	2.62(−01)	3.6948(+00)	A'177-D'355	5
2.0889	5.9354	2.56(+00)	2.01(+00)	9.49(−02)	1.3356(+00)	A'177-D'357	6
2.0889	5.9354	1.55(+00)	7.73(+00)	6.17(−02)	1.4302(+00)	B'133-S'313	7
2.0890	5.9351	1.18(+01)	2.01(+00)	4.35(−01)	6.1230(+00)	A'177-D'155	8
2.0901	5.9319	2.14(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
2.0901	5.9319	3.33(+00)	1.06(+01)	1.04(−01)	5.5129(+00)	F'155-P'335	10
2.0904	5.9310	2.00(+01)	1.04(−02)	9.07(−01)	9.3860(−03)	A'331-D'353	11
2.0906	5.9305	1.38(+01)	3.81(−02)	6.18(−01)	7.0754(−02)	A'333-D'353	12
2.0916	5.9278	1.22(+01)	7.73(+00)	4.88(−01)	1.1305(+01)	B'133-S'111	13
2.0918	5.9273	1.39(+01)	1.06(+01)	4.33(−01)	2.2995(+01)	F'155-P'133	14
2.0919	5.9269	1.02(+01)	1.94(−01)	4.28(−01)	5.7956(−01)	A'357-D'355	15
2.0919	5.9268	1.01(+01)	5.73(−01)	4.26(−01)	1.2217(+00)	F'335-P'333	16
2.0923	5.9257	1.00(+01)	1.94(−01)	4.19(−01)	5.6768(−01)	A'357-D'357	17
2.0930	5.9239	1.68(+01)	1.25(−01)	7.65(−01)	4.7684(−01)	B'335-S'313	18
2.0930	5.9237	8.03(+00)	5.73(−01)	3.38(−01)	9.6920(−01)	F'335-P'335	19
2.0937	5.9218	1.62(+01)	1.49(−01)	7.07(−01)	7.3701(−01)	F'357-P'335	20
2.0939	5.9214	5.02(+00)	1.77(+00)	3.89(−01)	3.4501(+00)	G'155-P'333	21
2.0939	5.9212	2.11(+01)	4.64(−01)	9.79(−01)	4.0830(+00)	A'379-D'357	22
2.0941	5.9206	8.37(−01)	7.73(+00)	3.34(−02)	7.7392(−01)	B'133-D'353	23
2.0955	5.9166	1.13(+01)	7.68(−01)	7.00(−01)	1.6128(+00)	B'333-S'313	24
2.0956	5.9166	2.12(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	25
2.0958	5.9159	1.31(+01)	4.07(−01)	5.53(−01)	6.7485(−01)	A'353-D'355	26
2.0958	5.9158	6.16(+00)	4.07(−01)	2.61(−01)	3.1844(−01)	A'353-D'353	27
2.0960	5.9153	1.92(+01)	2.77(−01)	7.80(−01)	2.1620(−01)	F'331-P'333	28
2.0966	5.9137	1.39(+00)	1.77(+00)	1.08(−01)	9.5341(−01)	G'155-P'133	29
2.0966	5.9137	2.69(+00)	2.20(+00)	2.21(−01)	2.4278(+00)	G'355-P'335	30
2.0966	5.9135	3.57(+00)	1.90(−01)	3.82(−01)	2.1828(−01)	G'353-P'335	31
2.0966	5.9135	1.06(+01)	3.03(−02)	5.02(−01)	7.6070(−02)	A'155-D'155	32
2.0971	5.9121	6.63(+00)	1.20(−01)	5.70(−01)	6.8597(−02)	C'331-S'313	33
2.0974	5.9115	3.91(+00)	5.37(−01)	1.76(−01)	6.6162(−01)	A'377-D'355	34
2.0975	5.9111	4.27(+00)	9.41(−01)	4.21(−01)	1.1876(+00)	C'333-S'313	35
2.0976	5.9108	4.58(+00)	8.22(−02)	6.84(−01)	3.9375(−01)	G'357-P'335	36
2.0978	5.9103	8.62(+00)	5.37(−01)	3.88(−01)	1.4578(+00)	A'377-D'357	37
2.0979	5.9100	8.49(+00)	5.37(−01)	3.82(−01)	1.4366(+00)	A'377-D'155	38
2.0982	5.9090	3.39(+00)	2.20(+00)	2.78(−01)	3.0573(+00)	G'355-P'133	39
2.0983	5.9088	1.42(+01)	5.46(−01)	8.56(−01)	4.6737(−01)	B'331-S'313	40

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.0987	5.9078	5.66(+00)	8.15(-01)	2.73(-01)	1.1123(+00)	F'355-P'333	41
2.0992	5.9062	8.94(+00)	3.60(-01)	4.16(-01)	7.4912(-01)	A'375-D'355	42
2.0992	5.9062	1.15(+01)	3.60(-01)	5.34(-01)	9.6264(-01)	A'375-D'353	43
2.0997	5.9048	6.79(+00)	8.15(-01)	3.28(-01)	1.3352(+00)	F'355-P'335	44
2.1012	5.9006	2.23(+00)	1.52(+01)	1.03(-01)	1.5743(+00)	E'111-P'333	45
2.1014	5.9002	3.10(+00)	8.15(-01)	1.49(-01)	6.0833(-01)	F'355-P'133	46
2.1020	5.8985	2.09(+00)	5.49(-01)	2.59(-01)	7.1059(-01)	C'335-D'357	47
2.1023	5.8975	7.55(+00)	9.47(-02)	4.95(-01)	1.4079(-01)	C'133-S'111	48
2.1040	5.8929	2.59(+00)	1.52(+01)	1.20(-01)	1.8299(+00)	E'111-P'133	49
2.1049	5.8903	2.42(+00)	6.42(-02)	4.75(-01)	9.1379(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 25;$							
1.6261	7.6246	6.71(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.6273	7.6192	6.70(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.6380	7.5692	4.42(-01)	2.98(-02)	1.77(-02)	2.6391(-03)	A'355-S 313	3
1.6411	7.5552	1.22(+00)	9.56(-01)	6.63(-02)	1.9014(-01)	B'333-S 313	4
1.6413	7.5542	5.93(-02)	1.05(+01)	1.59(-03)	8.3879(-02)	F'155-P 333	5
1.6416	7.5526	5.61(+00)	5.44(-01)	5.98(-01)	1.6261(+00)	C'335-S 313	6
1.6422	7.5497	4.09(+00)	1.23(-01)	3.04(-01)	3.7503(-02)	C'331-S 313	7
1.6425	7.5487	4.69(+00)	9.87(-01)	4.00(-01)	1.1839(+00)	C'333-S 313	8
1.6430	7.5461	2.03(+00)	5.42(-01)	1.04(-01)	5.6133(-02)	B'331-S 313	9
1.6431	7.5459	3.54(-01)	1.72(-02)	1.18(-02)	6.0816(-04)	F'313-P 333	10
1.6432	7.5455	1.99(-01)	1.04(+00)	6.95(-03)	3.6248(-02)	F'335-P 333	11
1.6432	7.5454	1.75(+00)	7.65(+00)	6.17(-02)	1.4162(+00)	B'133-S 111	12
1.6440	7.5419	6.26(-01)	1.05(+01)	1.68(-02)	8.8665(-01)	F'155-P 335	13
1.6441	7.5412	1.37(+00)	2.41(-02)	4.37(-02)	3.1646(-03)	F'333-P 333	14
1.6446	7.5391	4.23(-01)	1.43(+00)	3.13(-02)	2.2378(-01)	G'155-P 333	15
1.6454	7.5353	1.52(+00)	1.93(-01)	1.42(-01)	8.2490(-02)	G'353-P 331	16
1.6454	7.5353	4.96(+00)	1.82(+00)	1.65(-01)	3.0008(-01)	F'111-P 133	17
1.6458	7.5336	1.25(+00)	2.07(+00)	9.24(-02)	9.5552(-01)	G'355-P 333	18
1.6458	7.5336	4.80(+00)	1.72(-02)	1.60(-01)	8.2581(-03)	F'313-P 335	19
1.6459	7.5332	4.66(+00)	1.04(+00)	1.63(-01)	8.5069(-01)	F'335-P 335	20
1.6461	7.5320	5.16(+00)	2.89(-01)	1.80(-01)	5.2135(-02)	F'331-P 333	21
1.6462	7.5314	5.70(+00)	1.36(-01)	2.01(-01)	1.9146(-01)	F'357-P 335	22
1.6465	7.5304	1.94(+00)	1.38(-02)	7.54(-02)	3.1328(-03)	F'133-P 331	23
1.6468	7.5289	1.16(+00)	2.41(-02)	3.69(-02)	2.6711(-03)	F'333-P 335	24
1.6469	7.5285	1.28(+00)	1.38(-02)	4.98(-02)	2.0686(-03)	F'133-P 333	25
1.6473	7.5268	4.14(-01)	1.43(+00)	3.07(-02)	2.1917(-01)	G'155-P 335	26
1.6476	7.5252	1.57(+00)	9.56(-01)	8.53(-02)	2.4474(-01)	B'333-S 111	27
1.6477	7.5245	4.63(+00)	9.52(-01)	1.89(-01)	9.0150(-01)	F'355-P 333	28
1.6478	7.5243	4.14(+00)	1.05(+01)	1.11(-01)	5.8537(+00)	F'155-P 133	29
1.6485	7.5213	2.79(-02)	2.07(+00)	2.07(-03)	2.1351(-02)	G'355-P 335	30
1.6489	7.5190	2.80(+00)	2.70(-03)	9.85(-02)	7.9943(-04)	F'353-P 331	31
1.6490	7.5189	1.19(+00)	9.60(-02)	1.81(-01)	1.2144(-01)	G'357-P 335	32
1.6490	7.5188	2.22(-01)	9.87(-01)	1.90(-02)	5.6147(-02)	C'333-S 111	33
1.6494	7.5172	2.91(+00)	2.70(-03)	1.02(-01)	8.3073(-04)	F'353-P 333	34
1.6495	7.5163	6.53(-01)	1.51(+01)	2.88(-02)	4.3543(-01)	E'111-P 333	35
1.6496	7.5161	9.88(-01)	1.72(-02)	3.30(-02)	1.6990(-03)	F'313-P 133	36
1.6497	7.5156	2.06(-01)	1.04(+00)	7.23(-03)	3.7690(-02)	F'335-P 133	37
1.6504	7.5125	2.54(+00)	8.87(-02)	1.40(-01)	3.7246(-02)	C'133-S 111	38
1.6504	7.5122	3.91(-01)	9.52(-01)	1.60(-02)	7.6095(-02)	F'355-P 335	39
1.6506	7.5113	3.52(+00)	2.41(-02)	1.12(-01)	8.1308(-03)	F'333-P 133	40
1.6508	7.5107	1.15(-01)	6.34(-02)	2.01(-02)	3.8123(-03)	E'313-P 331	41
1.6511	7.5092	1.02(+00)	1.43(+00)	7.56(-02)	5.4003(-01)	G'155-P 133	42
1.6512	7.5088	7.06(-01)	6.34(-02)	1.23(-01)	2.3339(-02)	E'313-P 333	43
1.6523	7.5038	3.59(-01)	2.07(+00)	2.65(-02)	2.7445(-01)	G'355-P 133	44
1.6534	7.4987	2.14(+00)	1.38(-02)	8.34(-02)	3.4641(-03)	F'133-P 133	45

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.6539	7.4965	3.98(−01)	6.34(−02)	6.92(−02)	1.3150(−02)	E'313-P 335	46
1.6559	7.4873	4.79(−01)	2.70(−03)	1.69(−02)	1.3701(−04)	F'353-P 133	47
1.6561	7.4864	6.09(−01)	1.51(+01)	2.69(−02)	4.0640(−01)	E'111-P 133	48
1.9247	6.4417	2.52(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.9301	6.4236	2.50(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 25;$							
1.6261	7.6246	6.71(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.6273	7.6192	6.70(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.9230	6.4475	2.29(+01)	1.82(+00)	7.59(−01)	1.3821(+00)	F'111-P'133	3
1.9230	6.4474	2.29(+01)	2.70(−02)	8.44(−01)	6.8291(−02)	A'133-D'155	4
1.9233	6.4466	8.33(+00)	1.98(+00)	2.65(−01)	3.6716(+00)	A'177-D'355	5
1.9237	6.4452	3.48(+00)	1.98(+00)	1.10(−01)	1.5333(+00)	A'177-D'357	6
1.9238	6.4449	1.35(+01)	1.98(+00)	4.27(−01)	5.9280(+00)	A'177-D'155	7
1.9238	6.4448	2.19(+00)	7.65(+00)	7.72(−02)	1.7723(+00)	B'133-S'313	8
1.9247	6.4417	2.52(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
1.9249	6.4412	4.90(+00)	1.05(+01)	1.32(−01)	6.9366(+00)	F'155-P'335	10
1.9250	6.4407	2.37(+01)	1.20(−02)	9.09(−01)	1.0922(−02)	A'331-D'353	11
1.9252	6.4401	1.69(+01)	3.48(−02)	6.34(−01)	6.6298(−02)	A'333-D'353	12
1.9262	6.4369	1.49(+01)	7.65(+00)	5.24(−01)	1.2025(+01)	B'133-S'111	13
1.9263	6.4365	1.28(+01)	2.18(−01)	4.54(−01)	6.9250(−01)	A'357-D'355	14
1.9263	6.4365	1.65(+01)	1.05(+01)	4.44(−01)	2.3379(+01)	F'155-P'133	15
1.9264	6.4362	1.33(+01)	1.04(+00)	4.64(−01)	2.4197(+00)	F'335-P'333	16
1.9267	6.4351	1.10(+01)	2.18(−01)	3.92(−01)	5.9692(−01)	A'357-D'357	17
1.9273	6.4331	1.85(+01)	1.23(−01)	7.11(−01)	4.3800(−01)	B'335-S'313	18
1.9275	6.4325	8.29(+00)	1.04(+00)	2.90(−01)	1.5134(+00)	F'335-P'335	19
1.9280	6.4308	2.03(+01)	1.36(−01)	7.17(−01)	6.8352(−01)	F'357-P'335	20
1.9281	6.4306	2.49(+01)	4.66(−01)	9.82(−01)	4.1198(+00)	A'379-D'357	21
1.9283	6.4298	5.38(+00)	1.43(+00)	3.98(−01)	2.8474(+00)	G'155-P'333	22
1.9286	6.4288	7.83(−01)	7.65(+00)	2.76(−02)	6.3270(−01)	B'133-D'353	23
1.9298	6.4246	1.26(+01)	9.56(−01)	6.83(−01)	1.9584(+00)	B'333-S'313	24
1.9301	6.4236	2.50(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	25
1.9303	6.4231	1.60(+01)	2.98(−01)	5.76(−01)	5.1541(−01)	A'353-D'355	26
1.9303	6.4230	6.96(+00)	2.98(−01)	2.51(−01)	2.2435(−01)	A'353-D'353	27
1.9304	6.4227	2.23(+01)	2.89(−01)	7.80(−01)	2.2572(−01)	F'331-P'333	28
1.9308	6.4214	1.19(+00)	1.43(+00)	8.83(−02)	6.3116(−01)	G'155-P'133	29
1.9309	6.4210	1.10(+01)	2.98(−02)	4.39(−01)	6.5470(−02)	A'355-D'155	30
1.9310	6.4207	3.06(+00)	2.07(+00)	2.27(−01)	2.3417(+00)	G'355-P'335	31
1.9311	6.4205	4.06(+00)	1.93(−01)	3.79(−01)	2.1980(−01)	G'353-P'335	32
1.9315	6.4192	7.70(+00)	1.23(−01)	5.71(−01)	7.0561(−02)	C'331-S'313	33
1.9316	6.4188	3.94(+00)	5.56(−01)	1.50(−01)	5.8525(−01)	A'377-D'355	34
1.9318	6.4182	4.25(+00)	9.60(−02)	6.45(−01)	4.3317(−01)	G'357-P'335	35
1.9318	6.4181	4.86(+00)	9.87(−01)	4.14(−01)	1.2276(+00)	C'333-S'313	36
1.9320	6.4173	1.05(+01)	5.56(−01)	4.01(−01)	1.5610(+00)	A'377-D'357	37
1.9321	6.4171	1.04(+01)	5.56(−01)	3.95(−01)	1.5385(+00)	A'377-D'155	38
1.9325	6.4159	3.78(+00)	2.07(+00)	2.80(−01)	2.8916(+00)	G'355-P'133	39
1.9326	6.4155	1.69(+01)	5.42(−01)	8.63(−01)	4.6786(−01)	B'331-S'313	40
1.9327	6.4153	5.98(+00)	9.52(−01)	2.45(−01)	1.1657(+00)	F'355-P'333	41
1.9334	6.4129	1.07(+01)	3.64(−01)	4.23(−01)	7.6968(−01)	A'375-D'355	42
1.9334	6.4128	1.35(+01)	3.64(−01)	5.35(−01)	9.7425(−01)	A'375-D'353	43
1.9338	6.4116	8.21(+00)	9.52(−01)	3.36(−01)	1.5998(+00)	F'355-P'335	44
1.9351	6.4070	2.96(+00)	1.51(+01)	1.31(−01)	1.9725(+00)	E'111-P'333	45
1.9352	6.4068	4.14(+00)	9.52(−01)	1.69(−01)	8.0664(−01)	F'355-P'133	46
1.9358	6.4047	2.42(+00)	5.44(−01)	2.58(−01)	7.0169(−01)	C'335-D'357	47
1.9361	6.4040	8.65(+00)	8.87(−02)	4.76(−01)	1.2679(−01)	C'133-S'111	48
1.9377	6.3986	2.75(+00)	1.51(+01)	1.22(−01)	1.8366(+00)	E'111-P'133	49

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.9385	6.3958	2.71(+00)	6.34(-02)	4.71(-01)	8.9463(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 26;$							
1.5023	8.2528	7.87(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.5035	8.2465	7.85(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.5128	8.1958	4.98(-01)	3.39(-02)	1.70(-02)	2.8874(-03)	A'355-S 313	3
1.5155	8.1810	7.74(-02)	1.03(+01)	1.80(-03)	9.3038(-02)	F'155-P 333	4
1.5156	8.1807	1.45(+00)	1.16(+00)	6.93(-02)	2.4204(-01)	B'333-S 313	5
1.5161	8.1778	6.62(+00)	5.40(-01)	6.09(-01)	1.6433(+00)	C'335-S 313	6
1.5168	8.1743	4.89(+00)	1.26(-01)	3.15(-01)	3.9754(-02)	C'331-S 313	7
1.5170	8.1733	5.52(+00)	1.04(+00)	4.08(-01)	1.2699(+00)	C'333-S 313	8
1.5171	8.1724	4.12(-01)	1.84(-02)	1.16(-02)	6.4085(-04)	F'313-P 333	9
1.5173	8.1715	1.78(-01)	1.60(+00)	5.21(-03)	4.1710(-02)	F'335-P 333	10
1.5173	8.1712	1.90(+00)	7.53(+00)	5.89(-02)	1.3306(+00)	B'133-S 111	11
1.5175	8.1703	2.34(+00)	5.38(-01)	1.02(-01)	5.4744(-02)	B'331-S 313	12
1.5181	8.1673	1.31(+00)	2.10(-02)	3.53(-02)	2.2281(-03)	F'333-P 333	13
1.5183	8.1663	9.49(-01)	1.03(+01)	2.21(-02)	1.1405(+00)	F'155-P 335	14
1.5187	8.1640	5.03(-01)	1.09(+00)	3.61(-02)	1.9713(-01)	G'155-P 333	15
1.5195	8.1596	5.94(+00)	1.98(+00)	1.67(-01)	3.2930(-01)	F'111-P 133	16
1.5195	8.1596	1.73(+00)	1.95(-01)	1.42(-01)	8.2943(-02)	G'353-P 331	17
1.5198	8.1578	1.46(+00)	1.95(+00)	9.77(-02)	9.5367(-01)	G'355-P 333	18
1.5199	8.1576	5.43(+00)	1.84(-02)	1.53(-01)	8.4433(-03)	F'313-P 335	19
1.5200	8.1568	5.43(+00)	1.60(+00)	1.59(-01)	1.2702(+00)	F'335-P 335	20
1.5202	8.1557	5.99(+00)	2.97(-01)	1.81(-01)	5.3873(-02)	F'331-P 333	21
1.5203	8.1555	6.98(+00)	1.25(-01)	2.02(-01)	1.7665(-01)	F'357-P 335	22
1.5204	8.1546	2.40(+00)	1.54(-02)	8.02(-02)	3.6972(-03)	F'133-P 331	23
1.5208	8.1525	1.71(+00)	1.54(-02)	5.74(-02)	2.6466(-03)	F'133-P 333	24
1.5208	8.1525	1.63(+00)	2.10(-02)	4.38(-02)	2.7600(-03)	F'333-P 335	25
1.5214	8.1494	2.13(+00)	1.16(+00)	1.02(-01)	3.5700(-01)	B'333-S 111	26
1.5214	8.1492	3.92(-01)	1.09(+00)	2.81(-02)	1.5364(-01)	G'155-P 335	27
1.5216	8.1484	5.46(+00)	1.10(+00)	1.91(-01)	1.0437(+00)	F'355-P 333	28
1.5216	8.1482	4.91(+00)	1.03(+01)	1.14(-01)	5.8965(+00)	F'155-P 133	29
1.5226	8.1430	2.60(-02)	1.95(+00)	1.74(-03)	1.6945(-02)	G'355-P 335	30
1.5228	8.1420	3.27(+00)	3.25(-03)	9.79(-02)	9.5339(-04)	F'353-P 331	31
1.5228	8.1419	2.89(-01)	1.04(+00)	2.13(-02)	6.6405(-02)	C'333-S 111	32
1.5230	8.1410	1.09(+00)	1.09(-01)	1.67(-01)	1.2696(-01)	G'357-P 335	33
1.5232	8.1399	3.49(+00)	3.25(-03)	1.05(-01)	1.0181(-03)	F'353-P 333	34
1.5233	8.1395	1.47(+00)	1.84(-02)	4.15(-02)	2.2908(-03)	F'313-P 133	35
1.5233	8.1391	8.55(-01)	1.50(+01)	3.58(-02)	5.3643(-01)	E'111-P 333	36
1.5234	8.1387	4.52(-01)	1.60(+00)	1.32(-02)	1.0581(-01)	F'335-P 133	37
1.5240	8.1354	2.87(+00)	8.16(-02)	1.33(-01)	3.2632(-02)	C'133-S 111	38
1.5242	8.1344	4.29(+00)	2.10(-02)	1.16(-01)	7.2876(-03)	F'333-P 133	39
1.5243	8.1337	4.01(-01)	1.10(+00)	1.40(-02)	7.6633(-02)	F'355-P 335	40
1.5244	8.1334	1.18(-01)	6.25(-02)	1.83(-02)	3.4294(-03)	E'313-P 331	41
1.5248	8.1314	8.33(-01)	6.25(-02)	1.29(-01)	2.4219(-02)	E'313-P 333	42
1.5248	8.1311	1.04(+00)	1.09(+00)	7.47(-02)	4.0832(-01)	G'155-P 133	43
1.5260	8.1249	3.58(-01)	1.95(+00)	2.39(-02)	2.3314(-01)	G'355-P 133	44
1.5270	8.1197	2.06(+00)	1.54(-02)	6.92(-02)	3.1871(-03)	F'133-P 133	45
1.5275	8.1166	4.16(-01)	6.25(-02)	6.45(-02)	1.2088(-02)	E'313-P 335	46
1.5293	8.1071	5.05(-01)	3.25(-03)	1.51(-02)	1.4740(-04)	F'353-P 133	47
1.5295	8.1063	6.45(-01)	1.50(+01)	2.70(-02)	4.0494(-01)	E'111-P 133	48
1.7780	6.9733	2.96(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.7834	6.9521	2.93(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 26;$							
1.5023	8.2528	7.87(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.5035	8.2465	7.85(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.7766	6.9789	2.71(+01)	1.72(-02)	8.49(-01)	4.3771(-02)	A'133-D'155	3
1.7766	6.9789	2.71(+01)	1.98(+00)	7.61(-01)	1.5042(+00)	F'111-P'133	4
1.7767	6.9783	9.66(+00)	1.95(+00)	2.64(-01)	3.6096(+00)	A'177-D'355	5
1.7771	6.9767	4.63(+00)	1.95(+00)	1.27(-01)	1.7302(+00)	A'177-D'357	6
1.7772	6.9764	1.53(+01)	1.95(+00)	4.20(-01)	5.7325(+00)	A'177-D'155	7
1.7773	6.9759	3.04(+00)	7.53(+00)	9.41(-02)	2.1263(+00)	B'133-S'313	8
1.7780	6.9733	2.96(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
1.7783	6.9723	6.89(+00)	1.03(+01)	1.60(-01)	8.2757(+00)	F'155-P'335	10
1.7783	6.9720	2.81(+01)	1.37(-02)	9.11(-01)	1.2489(-02)	A'331-D'353	11
1.7785	6.9714	2.03(+01)	3.21(-02)	6.48(-01)	6.2447(-02)	A'333-D'353	12
1.7794	6.9678	1.58(+01)	2.42(-01)	4.80(-01)	8.1399(-01)	A'357-D'355	13
1.7795	6.9676	1.79(+01)	7.53(+00)	5.56(-01)	1.2559(+01)	B'133-S'111	14
1.7795	6.9674	1.93(+01)	1.03(+01)	4.49(-01)	2.3215(+01)	F'155-P'133	15
1.7795	6.9672	1.71(+01)	1.60(+00)	5.00(-01)	4.0069(+00)	F'335-P'333	16
1.7798	6.9661	1.21(+01)	2.42(-01)	3.66(-01)	6.2013(-01)	A'357-D'357	17
1.7802	6.9645	9.89(+00)	7.74(-02)	3.14(-01)	1.2139(-01)	A'155-D'355	18
1.7804	6.9637	1.91(+01)	1.19(-01)	6.25(-01)	3.7153(-01)	B'335-S'313	19
1.7807	6.9628	8.33(+00)	1.60(+00)	2.43(-01)	1.9493(+00)	F'335-P'335	20
1.7810	6.9616	2.92(+01)	4.69(-01)	9.84(-01)	4.1527(+00)	A'379-D'357	21
1.7810	6.9615	2.50(+01)	1.25(-01)	7.24(-01)	6.3209(-01)	F'357-P'335	22
1.7815	6.9597	5.58(+00)	1.09(+00)	4.00(-01)	2.1864(+00)	G'155-P'333	23
1.7818	6.9586	7.21(-01)	7.53(+00)	2.23(-02)	5.0490(-01)	B'133-D'353	24
1.7826	6.9553	9.90(-01)	1.09(+00)	7.09(-02)	3.8756(-01)	G'155-P'335	25
1.7829	6.9540	1.38(+01)	1.16(+00)	6.62(-01)	2.3125(+00)	B'333-S'313	26
1.7834	6.9521	2.93(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	27
1.7835	6.9516	1.94(+01)	2.09(-01)	5.96(-01)	3.7325(-01)	A'353-D'355	28
1.7836	6.9514	2.58(+01)	2.97(-01)	7.80(-01)	2.3201(-01)	F'331-P'333	29
1.7839	6.9504	9.44(-01)	1.09(+00)	6.76(-02)	3.6962(-01)	G'155-P'133	30
1.7842	6.9491	3.46(+00)	1.95(+00)	2.31(-01)	2.2537(+00)	G'355-P'335	31
1.7843	6.9488	4.63(+00)	1.95(-01)	3.78(-01)	2.2161(-01)	G'353-P'335	32
1.7846	6.9476	8.89(+00)	1.26(-01)	5.73(-01)	7.2276(-02)	C'331-S'313	33
1.7846	6.9474	3.93(+00)	5.77(-01)	1.28(-01)	5.1610(-01)	A'377-D'355	34
1.7847	6.9470	3.88(+00)	1.09(-01)	5.97(-01)	4.5386(-01)	G'357-P'335	35
1.7848	6.9466	5.55(+00)	1.04(+00)	4.10(-01)	1.2763(+00)	C'333-S'313	36
1.7851	6.9457	1.27(+01)	5.77(-01)	4.11(-01)	1.6613(+00)	A'377-D'357	37
1.7851	6.9455	1.25(+01)	5.77(-01)	4.06(-01)	1.6414(+00)	A'377-D'155	38
1.7855	6.9441	4.21(+00)	1.95(+00)	2.81(-01)	2.7394(+00)	G'355-P'133	39
1.7855	6.9441	6.24(+00)	1.10(+00)	2.18(-01)	1.1943(+00)	F'355-P'333	40
1.7856	6.9436	2.00(+01)	5.38(-01)	8.70(-01)	4.6795(-01)	B'331-S'313	41
1.7863	6.9409	1.27(+01)	3.66(-01)	4.29(-01)	7.8548(-01)	A'375-D'355	42
1.7863	6.9408	1.58(+01)	3.66(-01)	5.34(-01)	9.7767(-01)	A'375-D'353	43
1.7866	6.9397	9.84(+00)	1.10(+00)	3.44(-01)	1.8820(+00)	F'355-P'335	44
1.7879	6.9348	3.84(+00)	1.50(+01)	1.61(-01)	2.4082(+00)	E'111-P'333	45
1.7879	6.9348	5.42(+00)	1.10(+00)	1.89(-01)	1.0360(+00)	F'355-P'133	46
1.7885	6.9322	2.78(+00)	5.40(-01)	2.56(-01)	6.8997(-01)	C'335-D'357	47
1.7886	6.9318	9.87(+00)	8.16(-02)	4.58(-01)	1.1222(-01)	C'133-S'111	48
1.7903	6.9255	2.89(+00)	1.50(+01)	1.21(-01)	1.8117(+00)	E'111-P'133	49
1.7910	6.9227	3.00(+00)	6.25(-02)	4.65(-01)	8.7118(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 27;$							
1.3921	8.9066	9.17(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.3932	8.8993	9.15(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.4012	8.8484	5.16(-01)	4.38(-02)	1.52(-02)	3.3270(-03)	A'355-S 313	3
1.4035	8.8338	9.57(-02)	1.00(+01)	1.93(-03)	9.7100(-02)	F'155-P 333	4
1.4038	8.8319	1.71(+00)	1.39(+00)	7.32(-02)	3.0427(-01)	B'333-S 313	5
1.4043	8.8287	7.75(+00)	5.35(-01)	6.20(-01)	1.6588(+00)	C'335-S 313	6

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.4050	8.8248	4.78(−01)	1.96(−02)	1.14(−02)	6.7101(−04)	F'313-P 333	7
1.4050	8.8243	5.79(+00)	1.29(−01)	3.26(−01)	4.1860(−02)	C'331-S 313	8
1.4052	8.8234	1.55(−01)	2.19(+00)	3.79(−03)	4.1611(−02)	F'335-P 333	9
1.4052	8.8233	6.44(+00)	1.09(+00)	4.13(−01)	1.3548(+00)	C'333-S 313	10
1.4053	8.8228	2.02(+00)	7.37(+00)	5.50(−02)	1.2167(+00)	B'133-S 111	11
1.4057	8.8200	2.69(+00)	5.35(−01)	1.00(−01)	5.3458(−02)	B'331-S 313	12
1.4058	8.8193	1.23(+00)	1.85(−02)	2.82(−02)	1.5654(−03)	F'333-P 333	13
1.4063	8.8163	1.37(+00)	1.00(+01)	2.76(−02)	1.3878(+00)	F'155-P 335	14
1.4066	8.8145	5.94(−01)	7.92(−01)	4.15(−02)	1.6418(−01)	G'155-P 333	15
1.4074	8.8095	7.06(+00)	2.13(+00)	1.68(−01)	3.5895(−01)	F'111-P 133	16
1.4074	8.8094	1.96(+00)	1.97(−01)	1.41(−01)	8.3094(−02)	G'353-P 331	17
1.4077	8.8075	1.70(+00)	1.85(+00)	1.02(−01)	9.4555(−01)	G'355-P 333	18
1.4078	8.8072	6.02(+00)	1.96(−02)	1.44(−01)	8.4634(−03)	F'313-P 335	19
1.4080	8.8059	6.26(+00)	2.19(+00)	1.53(−01)	1.6808(+00)	F'335-P 335	20
1.4081	8.8052	8.41(+00)	1.14(−01)	2.04(−01)	1.6317(−01)	F'357-P 335	21
1.4081	8.8049	6.91(+00)	3.01(−01)	1.82(−01)	5.4906(−02)	F'331-P 333	22
1.4082	8.8043	2.92(+00)	1.67(−02)	8.45(−02)	4.2274(−03)	F'133-P 331	23
1.4086	8.8021	2.21(+00)	1.67(−02)	6.38(−02)	3.1936(−03)	F'133-P 333	24
1.4086	8.8017	2.27(+00)	1.85(−02)	5.22(−02)	2.9005(−03)	F'333-P 335	25
1.4091	8.7991	2.82(+00)	1.39(+00)	1.21(−01)	5.0184(−01)	B'333-S 111	26
1.4093	8.7979	6.40(+00)	1.24(+00)	1.92(−01)	1.1909(+00)	F'355-P 333	27
1.4093	8.7976	5.73(+00)	1.00(+01)	1.16(−01)	5.8160(+00)	F'155-P 133	28
1.4094	8.7970	3.61(−01)	7.92(−01)	2.52(−02)	9.9732(−02)	G'155-P 335	29
1.4104	8.7905	3.70(−01)	1.09(+00)	2.38(−02)	7.7894(−02)	C'333-S 111	30
1.4105	8.7904	3.80(+00)	3.84(−03)	9.71(−02)	1.1193(−03)	F'353-P 331	31
1.4105	8.7899	2.45(−02)	1.85(+00)	1.47(−03)	1.3618(−02)	G'355-P 335	32
1.4108	8.7886	2.15(+00)	1.96(−02)	5.15(−02)	3.0247(−03)	F'313-P 133	33
1.4108	8.7883	9.84(−01)	1.20(−01)	1.52(−01)	1.2711(−01)	G'357-P 335	34
1.4108	8.7881	4.17(+00)	3.84(−03)	1.07(−01)	1.2280(−03)	F'353-P 333	35
1.4109	8.7874	1.10(+00)	1.49(+01)	4.34(−02)	6.4506(−01)	E'111-P 333	36
1.4110	8.7872	8.20(−01)	2.19(+00)	2.01(−02)	2.2042(−01)	F'335-P 133	37
1.4115	8.7837	3.21(+00)	7.38(−02)	1.27(−01)	2.8036(−02)	C'133-S 111	38
1.4116	8.7831	5.03(+00)	1.85(−02)	1.15(−01)	6.4191(−03)	F'333-P 133	39
1.4119	8.7817	1.18(−01)	6.16(−02)	1.64(−02)	3.0246(−03)	E'313-P 331	40
1.4121	8.7803	4.07(−01)	1.24(+00)	1.22(−02)	7.5837(−02)	F'355-P 335	41
1.4122	8.7795	9.76(−01)	6.16(−02)	1.36(−01)	2.5075(−02)	E'313-P 333	42
1.4124	8.7784	1.03(+00)	7.92(−01)	7.21(−02)	2.8564(−01)	G'155-P 133	43
1.4135	8.7713	3.55(−01)	1.85(+00)	2.14(−02)	1.9764(−01)	G'355-P 133	44
1.4144	8.7659	1.98(+00)	1.67(−02)	5.71(−02)	2.8576(−03)	F'133-P 133	45
1.4150	8.7619	4.30(−01)	6.16(−02)	5.98(−02)	1.1054(−02)	E'313-P 335	46
1.4167	8.7520	5.27(−01)	3.84(−03)	1.35(−02)	1.5551(−04)	F'353-P 133	47
1.4168	8.7512	6.76(−01)	1.49(+01)	2.67(−02)	3.9678(−01)	E'111-P 133	48
1.6473	7.5266	3.45(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.6527	7.5019	3.42(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 27;$							
1.3921	8.9066	9.17(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.3932	8.8993	9.15(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.6460	7.5323	3.19(+01)	1.04(−02)	8.53(−01)	2.6741(−02)	A'133-D'155	3
1.6461	7.5321	3.20(+01)	2.13(+00)	7.63(−01)	1.6270(+00)	F'111-P'133	4
1.6461	7.5319	1.11(+01)	1.92(+00)	2.62(−01)	3.5152(+00)	A'177-D'355	5
1.6466	7.5299	6.05(+00)	1.92(+00)	1.43(−01)	1.9231(+00)	A'177-D'357	6
1.6466	7.5296	1.74(+01)	1.92(+00)	4.13(−01)	5.5410(+00)	A'177-D'155	7
1.6468	7.5287	4.11(+00)	7.37(+00)	1.12(−01)	2.4737(+00)	B'133-S'313	8
1.6473	7.5266	3.45(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
1.6476	7.5252	9.29(+00)	1.00(+01)	1.88(−01)	9.4296(+00)	F'155-P'335	10

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.6476	7.5252	3.29(+01)	1.54(-02)	9.13(-01)	1.4064(-02)	A'331-D'353	11
1.6477	7.5245	2.42(+01)	2.99(-02)	6.60(-01)	5.9269(-02)	A'333-D'353	12
1.6484	7.5215	1.51(+01)	4.38(-02)	4.44(-01)	9.7370(-02)	A'355-S'313	13
1.6485	7.5209	1.94(+01)	2.67(-01)	5.05(-01)	9.4334(-01)	A'357-D'355	14
1.6487	7.5202	2.23(+01)	1.00(+01)	4.51(-01)	2.2645(+01)	F'155-P'133	15
1.6487	7.5201	2.14(+01)	7.37(+00)	5.83(-01)	1.2892(+01)	B'133-S'111	16
1.6487	7.5200	2.18(+01)	2.19(+00)	5.33(-01)	5.8529(+00)	F'335-P'333	17
1.6490	7.5189	1.31(+01)	2.67(-01)	3.41(-01)	6.3774(-01)	A'357-D'357	18
1.6493	7.5175	1.17(+01)	8.13(-02)	3.17(-01)	1.2911(-01)	A'155-D'355	19
1.6496	7.5159	1.81(+01)	1.09(-01)	5.10(-01)	2.7854(-01)	B'335-S'313	20
1.6499	7.5148	8.19(+00)	2.19(+00)	2.01(-01)	2.2014(+00)	F'335-P'335	21
1.6499	7.5145	3.41(+01)	4.71(-01)	9.86(-01)	4.1823(+00)	A'379-D'357	22
1.6500	7.5141	3.02(+01)	1.14(-01)	7.30(-01)	5.8511(-01)	F'357-P'335	23
1.6507	7.5112	5.63(+00)	7.92(-01)	3.93(-01)	1.5560(+00)	G'155-P'333	24
1.6518	7.5059	1.32(+00)	7.92(-01)	9.20(-02)	3.6425(-01)	G'155-P'335	25
1.6520	7.5050	1.49(+01)	1.39(+00)	6.39(-01)	2.6574(+00)	B'333-S'313	26
1.6527	7.5019	3.42(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	27
1.6528	7.5016	2.32(+01)	1.39(-01)	6.14(-01)	2.5628(-01)	A'353-D'355	28
1.6528	7.5015	2.96(+01)	3.01(-01)	7.81(-01)	2.3531(-01)	F'331-P'333	29
1.6534	7.4989	3.89(+00)	1.85(+00)	2.34(-01)	2.1652(+00)	G'355-P'335	30
1.6535	7.4985	5.28(+00)	1.97(-01)	3.79(-01)	2.2363(-01)	G'353-P'335	31
1.6537	7.4976	3.89(+00)	5.99(-01)	1.08(-01)	4.5391(-01)	A'377-D'355	32
1.6537	7.4974	1.02(+01)	1.29(-01)	5.74(-01)	7.3767(-02)	C'331-S'313	33
1.6537	7.4972	3.53(+00)	1.20(-01)	5.43(-01)	4.5535(-01)	G'357-P'335	34
1.6539	7.4964	6.34(+00)	1.09(+00)	4.07(-01)	1.3340(+00)	C'333-S'313	35
1.6541	7.4956	1.51(+01)	5.99(-01)	4.19(-01)	1.7579(+00)	A'377-D'357	36
1.6542	7.4953	1.09(+01)	1.09(-01)	3.07(-01)	1.6775(-01)	B'335-D'357	37
1.6542	7.4953	1.50(+01)	5.99(-01)	4.16(-01)	1.7443(+00)	A'377-D'155	38
1.6544	7.4945	6.44(+00)	1.24(+00)	1.93(-01)	1.1992(+00)	F'355-P'333	39
1.6545	7.4938	4.67(+00)	1.85(+00)	2.81(-01)	2.5986(+00)	G'355-P'133	40
1.6547	7.4931	2.35(+01)	5.35(-01)	8.75(-01)	4.6773(-01)	B'331-S'313	41
1.6553	7.4903	1.50(+01)	3.68(-01)	4.34(-01)	7.9878(-01)	A'375-D'355	42
1.6553	7.4902	1.83(+01)	3.68(-01)	5.32(-01)	9.7785(-01)	A'375-D'353	43
1.6555	7.4893	1.17(+01)	1.24(+00)	3.51(-01)	2.1774(+00)	F'355-P'335	44
1.6566	7.4842	6.95(+00)	1.24(+00)	2.08(-01)	1.2928(+00)	F'355-P'133	45
1.6567	7.4840	4.89(+00)	1.49(+01)	1.93(-01)	2.8713(+00)	E'111-P'333	46
1.6573	7.4812	3.16(+00)	5.35(-01)	2.53(-01)	6.7606(-01)	C'335-D'357	47
1.6573	7.4810	1.12(+01)	7.38(-02)	4.42(-01)	9.7733(-02)	C'133-S'111	48
1.6589	7.4738	3.00(+00)	1.49(+01)	1.18(-01)	1.7591(+00)	E'111-P'133	49
1.6596	7.4708	3.28(+00)	6.16(-02)	4.57(-01)	8.4374(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 28;$							
1.2934	9.5862	1.06(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.2945	9.5777	1.06(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.3014	9.5271	4.89(-01)	5.90(-02)	1.24(-02)	3.6612(-03)	B'335-S 313	3
1.3022	9.5209	3.39(-01)	9.49(-02)	8.22(-03)	3.9000(-03)	A'355-S 313	4
1.3033	9.5128	1.13(-01)	9.71(+00)	1.99(-03)	9.6387(-02)	F'155-P 333	5
1.3039	9.5089	2.02(+00)	1.62(+00)	7.78(-02)	3.7746(-01)	B'333-S 313	6
1.3044	9.5053	9.03(+00)	5.32(-01)	6.30(-01)	1.6732(+00)	C'335-S 313	7
1.3049	9.5013	1.31(-01)	2.77(+00)	2.70(-03)	3.7440(-02)	F'335-P 333	8
1.3051	9.5004	2.11(+00)	7.17(+00)	5.05(-02)	1.0861(+00)	B'133-S 111	9
1.3051	9.4999	6.82(+00)	1.31(-01)	3.36(-01)	4.3828(-02)	C'331-S 313	10
1.3052	9.4990	7.46(+00)	1.15(+00)	4.16(-01)	1.4378(+00)	C'333-S 313	11
1.3055	9.4973	1.12(+00)	1.66(-02)	2.22(-02)	1.1030(-03)	F'333-P 333	12
1.3057	9.4954	3.07(+00)	5.31(-01)	9.84(-02)	5.2265(-02)	B'331-S 313	13
1.3062	9.4921	1.88(+00)	9.71(+00)	3.32(-02)	1.6125(+00)	F'155-P 335	14
1.3064	9.4908	6.94(-01)	5.43(-01)	4.73(-02)	1.2821(-01)	G'155-P 333	15

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.3071	9.4852	8.33(+00)	2.29(+00)	1.70(-01)	3.8868(-01)	F'111-P 133	16
1.3072	9.4849	2.22(+00)	1.98(-01)	1.40(-01)	8.3018(-02)	G'353-P 331	17
1.3075	9.4829	1.96(+00)	1.76(+00)	1.06(-01)	9.3224(-01)	G'355-P 333	18
1.3075	9.4826	6.56(+00)	2.07(-02)	1.34(-01)	8.3057(-03)	F'313-P 335	19
1.3078	9.4807	9.99(+00)	1.06(-01)	2.05(-01)	1.5128(-01)	F'357-P 335	20
1.3078	9.4806	7.14(+00)	2.77(+00)	1.48(-01)	2.0441(+00)	F'335-P 335	21
1.3079	9.4797	3.53(+00)	1.78(-02)	8.83(-02)	4.7171(-03)	F'133-P 331	22
1.3079	9.4797	7.93(+00)	3.02(-01)	1.83(-01)	5.5313(-02)	F'331-P 333	23
1.3082	9.4774	2.76(+00)	1.78(-02)	6.90(-02)	3.6865(-03)	F'133-P 333	24
1.3083	9.4766	3.13(+00)	1.66(-02)	6.18(-02)	3.0739(-03)	F'333-P 335	25
1.3086	9.4745	3.65(+00)	1.62(+00)	1.40(-01)	6.8114(-01)	B'333-S 111	26
1.3088	9.4731	7.47(+00)	1.39(+00)	1.93(-01)	1.3413(+00)	F'355-P 333	27
1.3088	9.4729	6.60(+00)	9.71(+00)	1.16(-01)	5.6535(+00)	F'155-P 133	28
1.3092	9.4701	3.24(-01)	5.43(-01)	2.21(-02)	5.9872(-02)	G'155-P 335	29
1.3100	9.4647	4.70(-01)	1.15(+00)	2.63(-02)	9.0707(-02)	C'333-S 111	30
1.3100	9.4644	4.38(+00)	4.48(-03)	9.64(-02)	1.2955(-03)	F'353-P 331	31
1.3102	9.4634	3.06(+00)	2.07(-02)	6.26(-02)	3.8795(-03)	F'313-P 133	32
1.3103	9.4622	2.33(-02)	1.76(+00)	1.26(-03)	1.1077(-02)	G'355-P 335	33
1.3104	9.4620	4.93(+00)	4.48(-03)	1.09(-01)	1.4595(-03)	F'353-P 333	34
1.3104	9.4614	1.32(+00)	2.77(+00)	2.72(-02)	3.7655(-01)	F'335-P 133	35
1.3104	9.4613	1.39(+00)	1.47(+01)	5.15(-02)	7.5883(-01)	E'111-P 333	36
1.3105	9.4610	8.89(-01)	1.30(-01)	1.35(-01)	1.2263(-01)	G'357-P 335	37
1.3109	9.4577	3.58(+00)	6.55(-02)	1.20(-01)	2.3654(-02)	C'133-S 111	38
1.3110	9.4574	5.71(+00)	1.66(-02)	1.13(-01)	5.5976(-03)	F'333-P 133	39
1.3112	9.4555	1.15(-01)	6.07(-02)	1.43(-02)	2.6091(-03)	E'313-P 331	40
1.3116	9.4531	1.14(+00)	6.07(-02)	1.42(-01)	2.5892(-02)	E'313-P 333	41
1.3117	9.4524	4.11(-01)	1.39(+00)	1.06(-02)	7.3921(-02)	F'355-P 335	42
1.3119	9.4509	9.98(-01)	5.43(-01)	6.80(-02)	1.8446(-01)	G'155-P 133	43
1.3130	9.4430	3.51(-01)	1.76(+00)	1.90(-02)	1.6731(-01)	G'355-P 133	44
1.3138	9.4375	1.88(+00)	1.78(-02)	4.71(-02)	2.5166(-03)	F'133-P 133	45
1.3145	9.4324	4.42(-01)	6.07(-02)	5.52(-02)	1.0060(-02)	E'313-P 335	46
1.3159	9.4221	5.45(-01)	4.48(-03)	1.20(-02)	1.6120(-04)	F'353-P 133	47
1.3160	9.4214	7.00(-01)	1.47(+01)	2.60(-02)	3.8290(-01)	E'111-P 133	48
1.5303	8.1019	4.00(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.5358	8.0732	3.96(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 28;$							
1.2934	9.5862	1.06(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.2945	9.5777	1.06(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.5292	8.1076	3.72(+01)	6.17(-03)	8.57(-01)	1.5863(-02)	A'133-D'155	3
1.5293	8.1074	1.25(+01)	1.88(+00)	2.57(-01)	3.3947(+00)	A'177-D'355	4
1.5293	8.1071	3.75(+01)	2.29(+00)	7.65(-01)	1.7493(+00)	F'111-P'133	5
1.5297	8.1051	7.78(+00)	1.88(+00)	1.60(-01)	2.1087(+00)	A'177-D'357	6
1.5298	8.1048	1.98(+01)	1.88(+00)	4.06(-01)	5.3565(+00)	A'177-D'155	7
1.5300	8.1035	5.44(+00)	7.17(+00)	1.30(-01)	2.7975(+00)	B'133-S'313	8
1.5303	8.1019	4.00(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
1.5306	8.1002	3.84(+01)	1.71(-02)	9.14(-01)	1.5629(-02)	A'331-D'353	10
1.5307	8.1001	1.21(+01)	9.71(+00)	2.13(-01)	1.0352(+01)	F'155-P'335	11
1.5308	8.0996	2.87(+01)	2.82(-02)	6.70(-01)	5.6741(-02)	A'333-D'353	12
1.5315	8.0959	2.31(+01)	5.90(-02)	5.85(-01)	1.7271(-01)	B'335-S'313	13
1.5315	8.0959	2.35(+01)	2.92(-01)	5.29(-01)	1.0800(+00)	A'357-D'355	14
1.5317	8.0949	2.55(+01)	9.71(+00)	4.50(-01)	2.1832(+01)	F'155-P'133	15
1.5317	8.0947	2.72(+01)	2.77(+00)	5.63(-01)	7.7962(+00)	F'335-P'333	16
1.5317	8.0944	2.54(+01)	7.17(+00)	6.06(-01)	1.3031(+01)	B'133-S'111	17
1.5319	8.0936	1.41(+01)	2.92(-01)	3.18(-01)	6.5025(-01)	A'357-D'357	18
1.5321	8.0924	1.37(+01)	8.47(-02)	3.22(-01)	1.3638(-01)	A'155-D'355	19

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.5326	8.0897	1.57(+01)	9.49(-02)	3.80(-01)	1.8034(-01)	A'355-S'313	20
1.5327	8.0893	3.96(+01)	4.73(-01)	9.88(-01)	4.2091(+00)	A'379-D'357	21
1.5328	8.0886	3.59(+01)	1.06(-01)	7.35(-01)	5.4357(-01)	F'357-P'335	22
1.5328	8.0885	7.93(+00)	2.77(+00)	1.64(-01)	2.2680(+00)	F'335-P'335	23
1.5337	8.0843	5.54(+00)	5.43(-01)	3.77(-01)	1.0232(+00)	G'155-P'333	24
1.5349	8.0777	1.59(+01)	1.62(+00)	6.14(-01)	2.9751(+00)	B'333-S'313	25
1.5358	8.0732	3.96(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	26
1.5358	8.0732	3.39(+01)	3.02(-01)	7.81(-01)	2.3600(-01)	F'331-P'333	27
1.5358	8.0730	2.75(+01)	8.82(-02)	6.28(-01)	1.6630(-01)	A'353-D'355	28
1.5363	8.0702	4.36(+00)	1.76(+00)	2.36(-01)	2.0772(+00)	G'355-P'335	29
1.5364	8.0698	6.03(+00)	1.98(-01)	3.80(-01)	2.2577(-01)	G'353-P'335	30
1.5365	8.0692	3.83(+00)	6.21(-01)	9.16(-02)	3.9833(-01)	A'377-D'355	31
1.5366	8.0689	3.19(+00)	1.30(-01)	4.85(-01)	4.4015(-01)	G'357-P'335	32
1.5366	8.0687	1.17(+01)	1.31(-01)	5.75(-01)	7.5057(-02)	C'331-S'313	33
1.5368	8.0678	7.26(+00)	1.15(+00)	4.05(-01)	1.4005(+00)	C'333-S'313	34
1.5369	8.0672	1.57(+01)	9.49(-02)	3.82(-01)	1.8114(-01)	A'355-D'357	35
1.5370	8.0669	1.78(+01)	6.21(-01)	4.26(-01)	1.8499(+00)	A'377-D'357	36
1.5370	8.0666	1.77(+01)	6.21(-01)	4.25(-01)	1.8466(+00)	A'377-D'155	37
1.5370	8.0665	6.58(+00)	1.39(+00)	1.70(-01)	1.1827(+00)	F'355-P'333	38
1.5373	8.0650	5.18(+00)	1.76(+00)	2.80(-01)	2.4673(+00)	G'355-P'133	39
1.5374	8.0646	1.79(+01)	1.78(-02)	4.47(-01)	2.3864(-02)	F'133-P'335	40
1.5375	8.0642	2.75(+01)	5.31(-01)	8.79(-01)	4.6731(-01)	B'331-S'313	41
1.5380	8.0612	1.75(+01)	3.69(-01)	4.39(-01)	8.1038(-01)	A'375-D'355	42
1.5381	8.0611	2.11(+01)	3.69(-01)	5.29(-01)	9.7654(-01)	A'375-D'353	43
1.5382	8.0603	1.38(+01)	1.39(+00)	3.57(-01)	2.4812(+00)	F'355-P'335	44
1.5392	8.0551	8.75(+00)	1.39(+00)	2.26(-01)	1.5724(+00)	F'355-P'133	45
1.5393	8.0548	6.13(+00)	1.47(+01)	2.27(-01)	3.3508(+00)	E'111-P'333	46
1.5399	8.0518	1.27(+01)	6.55(-02)	4.26(-01)	8.3829(-02)	C'133-S'111	47
1.5399	8.0516	3.56(+00)	5.32(-01)	2.48(-01)	6.6047(-01)	C'335-D'357	48
1.5415	8.0434	3.08(+00)	1.47(+01)	1.14(-01)	1.6836(+00)	E'111-P'133	49
1.5420	8.0404	3.57(+00)	6.07(-02)	4.46(-01)	8.1270(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 29;$							
1.2047	10.292	1.23(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.2059	10.282	1.22(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.2117	10.232	4.31(-01)	7.62(-02)	9.44(-03)	3.5987(-03)	B'335-S 313	3
1.2126	10.225	5.34(-01)	7.87(-02)	1.13(-02)	4.4291(-03)	A'355-S 313	4
1.2134	10.218	1.27(-01)	9.35(+00)	1.97(-03)	9.1994(-02)	F'155-P 333	5
1.2142	10.212	2.39(+00)	1.85(+00)	8.33(-02)	4.6172(-01)	C'133-S 313	6
1.2146	10.208	6.12(-01)	2.16(-02)	1.07(-02)	6.9448(-04)	F'313-P 333	7
1.2146	10.208	1.05(+01)	5.28(-01)	6.39(-01)	1.6869(+00)	C'335-S 313	8
1.2149	10.205	1.08(-01)	3.29(+00)	1.90(-03)	3.1265(-02)	F'335-P 333	9
1.2151	10.204	2.17(+00)	6.94(+00)	4.56(-02)	9.5005(-01)	B'133-S 111	10
1.2154	10.201	1.01(+00)	1.51(-02)	1.73(-02)	7.8452(-04)	F'333-P 333	11
1.2154	10.201	7.97(+00)	1.32(-01)	3.45(-01)	4.5666(-02)	C'331-S 313	12
1.2155	10.200	8.57(+00)	1.21(+00)	4.17(-01)	1.5183(+00)	C'333-S 313	13
1.2160	10.196	3.49(+00)	5.28(-01)	9.68(-02)	5.1157(-02)	B'331-S 313	14
1.2163	10.194	2.50(+00)	9.35(+00)	3.86(-02)	1.8065(+00)	F'155-P 335	15
1.2164	10.193	3.21(-01)	5.72(-02)	9.27(-03)	1.5918(-03)	B'333-S 313	16
1.2164	10.193	8.02(-01)	3.51(-01)	5.32(-02)	9.3258(-02)	G'155-P 333	17
1.2171	10.187	9.76(+00)	2.44(+00)	1.71(-01)	4.1818(-01)	F'111-P 133	18
1.2172	10.186	2.49(+00)	1.99(-01)	1.39(-01)	8.2769(-02)	G'353-P 331	19
1.2174	10.184	2.23(+00)	1.68(+00)	1.09(-01)	9.1463(-01)	G'355-P 333	20
1.2175	10.184	7.03(+00)	2.16(-02)	1.23(-01)	7.9879(-03)	F'313-P 335	21
1.2177	10.182	1.17(+01)	9.81(-02)	2.05(-01)	1.4098(-01)	F'357-P 335	22
1.2178	10.181	8.10(+00)	3.29(+00)	1.42(-01)	2.3427(+00)	F'335-P 335	23

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.2178	10.181	4.23(+00)	1.88(-02)	9.16(-02)	5.1654(-03)	F'133-P 331	24
1.2179	10.180	9.07(+00)	3.00(-01)	1.84(-01)	5.5193(-02)	F'331-P 333	25
1.2181	10.178	3.37(+00)	1.88(-02)	7.30(-02)	4.1146(-03)	F'133-P 333	26
1.2183	10.177	4.23(+00)	1.51(-02)	7.21(-02)	3.2695(-03)	F'333-P 335	27
1.2184	10.176	4.63(+00)	1.85(+00)	1.61(-01)	8.9461(-01)	C'133-S 111	28
1.2186	10.174	8.67(+00)	1.54(+00)	1.94(-01)	1.4930(+00)	F'355-P 333	29
1.2186	10.174	7.53(+00)	9.35(+00)	1.17(-01)	5.4470(+00)	F'155-P 133	30
1.2193	10.169	2.86(-01)	3.51(-01)	1.89(-02)	3.3231(-02)	G'155-P 335	31
1.2198	10.165	5.92(-01)	1.21(+00)	2.88(-02)	1.0493(-01)	C'333-S 111	32
1.2198	10.164	4.23(+00)	2.16(-02)	7.43(-02)	4.8079(-03)	F'313-P 133	33
1.2198	10.164	5.02(+00)	5.16(-03)	9.55(-02)	1.4799(-03)	F'353-P 331	34
1.2201	10.162	5.81(+00)	5.16(-03)	1.10(-01)	1.7110(-03)	F'353-P 333	35
1.2202	10.161	1.94(+00)	3.29(+00)	3.41(-02)	5.6015(-01)	F'335-P 133	36
1.2202	10.161	1.73(+00)	1.46(+01)	5.98(-02)	8.7512(-01)	E'111-P 333	37
1.2204	10.159	8.03(-01)	1.38(-01)	1.19(-01)	1.1472(-01)	G'357-P 335	38
1.2206	10.157	6.30(+00)	1.51(-02)	1.07(-01)	4.8740(-03)	F'333-P 133	39
1.2206	10.157	3.95(+00)	5.72(-02)	1.14(-01)	1.9619(-02)	B'333-S 111	40
1.2209	10.155	1.08(-01)	5.98(-02)	1.22(-02)	2.1946(-03)	E'313-P 331	41
1.2212	10.153	1.32(+00)	5.98(-02)	1.49(-01)	2.6655(-02)	E'313-P 333	42
1.2216	10.150	4.13(-01)	1.54(+00)	9.24(-03)	7.1129(-02)	F'355-P 335	43
1.2217	10.149	9.45(-01)	3.51(-01)	6.26(-02)	1.0983(-01)	G'155-P 133	44
1.2227	10.140	3.46(-01)	1.68(+00)	1.69(-02)	1.4149(-01)	G'355-P 133	45
1.2234	10.134	1.79(+00)	1.88(-02)	3.88(-02)	2.1893(-03)	F'133-P 133	46
1.2242	10.128	4.50(-01)	5.98(-02)	5.08(-02)	9.1151(-03)	E'313-P 335	47
1.2255	10.117	7.19(-01)	1.46(+01)	2.49(-02)	3.6445(-01)	E'111-P 133	48
1.4252	8.6992	4.62(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.4307	8.6662	4.57(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 29;$							
1.2047	10.292	1.23(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.2059	10.282	1.22(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.4243	8.7051	1.40(+01)	1.85(+00)	2.52(-01)	3.2541(+00)	A'177-D'355	3
1.4243	8.7050	4.32(+01)	3.82(-03)	8.61(-01)	9.8742(-03)	A'133-D'155	4
1.4244	8.7043	4.37(+01)	2.44(+00)	7.67(-01)	1.8698(+00)	F'111-P'133	5
1.4247	8.7024	9.85(+00)	1.85(+00)	1.77(-01)	2.2849(+00)	A'177-D'357	6
1.4248	8.7020	2.23(+01)	1.85(+00)	4.01(-01)	5.1810(+00)	A'177-D'155	7
1.4251	8.7003	7.06(+00)	6.94(+00)	1.48(-01)	3.0846(+00)	B'133-S'313	8
1.4252	8.6992	4.62(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
1.4255	8.6974	4.45(+01)	1.88(-02)	9.15(-01)	1.7166(-02)	A'331-D'353	10
1.4256	8.6970	1.53(+01)	9.35(+00)	2.36(-01)	1.1045(+01)	F'155-P'335	11
1.4257	8.6967	3.36(+01)	2.69(-02)	6.78(-01)	5.4795(-02)	A'333-D'353	12
1.4260	8.6943	2.09(+01)	1.42(-02)	4.24(-01)	3.0018(-02)	A'335-D'155	13
1.4263	8.6930	2.82(+01)	3.17(-01)	5.51(-01)	1.2235(+00)	A'357-D'355	14
1.4263	8.6925	3.24(+01)	7.62(-02)	7.10(-01)	2.7044(-01)	B'335-S'313	15
1.4265	8.6917	2.89(+01)	9.35(+00)	4.47(-01)	2.0913(+01)	F'155-P'133	16
1.4265	8.6914	3.35(+01)	3.29(+00)	5.90(-01)	9.6945(+00)	F'335-P'333	17
1.4266	8.6909	2.98(+01)	6.94(+00)	6.24(-01)	1.2999(+01)	B'133-S'111	18
1.4267	8.6903	1.52(+01)	3.17(-01)	2.97(-01)	6.5817(-01)	A'357-D'357	19
1.4269	8.6893	1.61(+01)	8.75(-02)	3.28(-01)	1.4335(-01)	A'155-D'355	20
1.4269	8.6892	1.59(+01)	8.75(-02)	3.23(-01)	1.4155(-01)	A'155-D'353	21
1.4274	8.6861	4.57(+01)	4.75(-01)	9.90(-01)	4.2334(+00)	A'379-D'357	22
1.4275	8.6852	4.23(+01)	9.81(-02)	7.39(-01)	5.0757(-01)	F'357-P'335	23
1.4277	8.6842	7.58(+00)	3.29(+00)	1.33(-01)	2.1928(+00)	F'335-P'335	24
1.4285	8.6791	5.34(+00)	3.51(-01)	3.54(-01)	6.2052(-01)	G'155-P'333	25
1.4297	8.6720	1.68(+01)	1.85(+00)	5.86(-01)	3.2494(+00)	C'133-S'313	26
1.4306	8.6664	3.85(+01)	3.00(-01)	7.82(-01)	2.3451(-01)	F'331-P'333	27

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.4307	8.6662	4.57(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	28
1.4307	8.6661	3.23(+01)	5.26(-02)	6.41(-01)	1.0113(-01)	A'353-D'355	29
1.4312	8.6631	4.86(+00)	1.68(+00)	2.37(-01)	1.9901(+00)	G'355-P'335	30
1.4313	8.6626	6.87(+00)	1.99(-01)	3.82(-01)	2.2795(-01)	G'353-P'335	31
1.4313	8.6623	2.89(+00)	1.38(-01)	4.27(-01)	4.1252(-01)	G'357-P'335	32
1.4314	8.6616	1.33(+01)	1.32(-01)	5.75(-01)	7.6169(-02)	C'331-S'313	33
1.4316	8.6608	8.33(+00)	1.21(+00)	4.05(-01)	1.4757(+00)	C'333-S'313	34
1.4316	8.6605	2.14(+01)	7.87(-02)	4.50(-01)	1.7715(-01)	A'355-D'357	35
1.4317	8.6603	6.67(+00)	1.54(+00)	1.49(-01)	1.1484(+00)	F'355-P'333	36
1.4317	8.6599	2.08(+01)	6.43(-01)	4.30(-01)	1.9370(+00)	A'377-D'357	37
1.4318	8.6595	2.09(+01)	6.43(-01)	4.33(-01)	1.9472(+00)	A'377-D'155	38
1.4321	8.6577	5.72(+00)	1.68(+00)	2.79(-01)	2.3439(+00)	G'355-P'133	39
1.4321	8.6573	2.18(+01)	1.88(-02)	4.72(-01)	2.6587(-02)	F'133-P'335	40
1.4322	8.6568	3.19(+01)	5.28(-01)	8.83(-01)	4.6673(-01)	B'331-S'313	41
1.4327	8.6537	2.04(+01)	3.70(-01)	4.44(-01)	8.2064(-01)	A'375-D'355	42
1.4328	8.6536	2.42(+01)	3.70(-01)	5.27(-01)	9.7450(-01)	A'375-D'353	43
1.4329	8.6530	1.62(+01)	1.54(+00)	3.62(-01)	2.7894(+00)	F'355-P'335	44
1.4337	8.6476	1.09(+01)	1.54(+00)	2.43(-01)	1.8696(+00)	F'355-P'133	45
1.4338	8.6471	7.56(+00)	1.46(+01)	2.62(-01)	3.8353(+00)	E'111-P'333	46
1.4343	8.6441	1.43(+01)	5.72(-02)	4.13(-01)	7.0863(-02)	B'333-S'111	47
1.4344	8.6436	3.99(+00)	5.28(-01)	2.44(-01)	6.4358(-01)	C'335-D'357	48
1.4359	8.6345	3.14(+00)	1.46(+01)	1.09(-01)	1.5906(+00)	E'111-P'133	49
1.4364	8.6314	3.84(+00)	5.98(-02)	4.34(-01)	7.7852(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 30;$							
1.1248	11.023	1.41(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.1259	11.012	1.40(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.1309	10.964	3.65(-01)	9.18(-02)	6.96(-03)	3.1936(-03)	B'335-S 313	3
1.1318	10.954	7.44(-01)	6.43(-02)	1.37(-02)	4.3990(-03)	A'355-S 313	4
1.1323	10.950	1.39(-01)	9.00(+00)	1.89(-03)	8.5229(-02)	F'155-P 333	5
1.1333	10.940	2.82(+00)	2.08(+00)	8.93(-02)	5.5667(-01)	C'133-S 313	6
1.1334	10.939	6.70(-01)	2.23(-02)	1.02(-02)	6.7910(-04)	F'313-P 333	7
1.1337	10.936	1.21(+01)	5.25(-01)	6.47(-01)	1.7003(+00)	C'335-S 313	8
1.1338	10.936	8.78(-02)	3.74(+00)	1.33(-03)	2.4750(-02)	F'335-P 333	9
1.1339	10.934	2.21(+00)	6.70(+00)	4.07(-02)	8.1764(-01)	B'133-S 111	10
1.1342	10.932	9.05(-01)	1.41(-02)	1.34(-02)	5.6687(-04)	F'333-P 333	11
1.1345	10.928	9.26(+00)	1.34(-01)	3.53(-01)	4.7384(-02)	C'331-S 313	12
1.1346	10.928	9.78(+00)	1.28(+00)	4.15(-01)	1.5959(+00)	C'333-S 313	13
1.1351	10.923	3.96(+00)	5.26(-01)	9.54(-02)	5.0122(-02)	B'331-S 313	14
1.1352	10.922	3.21(+00)	9.00(+00)	4.37(-02)	1.9681(+00)	F'155-P 335	15
1.1353	10.921	9.19(-01)	2.14(-01)	5.89(-02)	6.2964(-02)	G'155-P 333	16
1.1354	10.920	4.31(-01)	4.92(-02)	1.08(-02)	1.5890(-03)	B'333-S 313	17
1.1360	10.914	1.14(+01)	2.59(+00)	1.73(-01)	4.4719(-01)	F'111-P 133	18
1.1361	10.914	2.80(+00)	2.00(-01)	1.37(-01)	8.2384(-02)	G'353-P 331	19
1.1363	10.911	2.53(+00)	1.60(+00)	1.11(-01)	8.9346(-01)	G'355-P 333	20
1.1363	10.911	7.45(+00)	2.23(-02)	1.13(-01)	7.5542(-03)	F'313-P 335	21
1.1365	10.909	1.37(+01)	9.17(-02)	2.06(-01)	1.3216(-01)	F'357-P 335	22
1.1366	10.908	5.02(+00)	1.96(-02)	9.47(-02)	5.5745(-03)	F'133-P 331	23
1.1367	10.907	9.13(+00)	3.74(+00)	1.38(-01)	2.5752(+00)	F'335-P 335	24
1.1368	10.907	1.03(+01)	2.96(-01)	1.85(-01)	5.4648(-02)	F'331-P 333	25
1.1369	10.905	4.03(+00)	1.96(-02)	7.60(-02)	4.4763(-03)	F'133-P 333	26
1.1371	10.904	5.56(+00)	1.41(-02)	8.24(-02)	3.4835(-03)	F'333-P 335	27
1.1372	10.903	5.76(+00)	2.08(+00)	1.83(-01)	1.1396(+00)	C'133-S 111	28
1.1373	10.901	8.53(+00)	9.00(+00)	1.16(-01)	5.2246(+00)	F'155-P 133	29
1.1374	10.901	1.00(+01)	1.69(+00)	1.95(-01)	1.6446(+00)	F'355-P 333	30
1.1382	10.893	2.49(-01)	2.14(-01)	1.60(-02)	1.7082(-02)	G'155-P 335	31

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.1384	10.891	5.67(+00)	2.23(-02)	8.60(-02)	5.7485(-03)	F'313-P 133	32
1.1385	10.890	7.39(-01)	1.28(+00)	3.14(-02)	1.2062(-01)	C'333-S 111	33
1.1386	10.890	5.73(+00)	5.88(-03)	9.47(-02)	1.6703(-03)	F'353-P 331	34
1.1388	10.887	2.68(+00)	3.74(+00)	4.04(-02)	7.5509(-01)	F'335-P 133	35
1.1388	10.887	6.79(+00)	5.88(-03)	1.12(-01)	1.9806(-03)	F'353-P 333	36
1.1389	10.886	2.12(+00)	1.45(+01)	6.83(-02)	9.9143(-01)	E'111-P 333	37
1.1392	10.883	6.82(+00)	1.41(-02)	1.01(-01)	4.2727(-03)	F'333-P 133	38
1.1393	10.883	4.35(+00)	4.92(-02)	1.09(-01)	1.6011(-02)	B'333-S 111	39
1.1393	10.883	7.27(-01)	1.45(-01)	1.03(-01)	1.0470(-01)	G'357-P 335	40
1.1395	10.880	9.92(-02)	5.89(-02)	1.02(-02)	1.7926(-03)	E'313-P 331	41
1.1398	10.878	1.51(+00)	5.89(-02)	1.55(-01)	2.7352(-02)	E'313-P 333	42
1.1403	10.873	4.13(-01)	1.69(+00)	8.02(-03)	6.7702(-02)	F'355-P 335	43
1.1404	10.872	8.81(-01)	2.14(-01)	5.65(-02)	6.0358(-02)	G'155-P 133	44
1.1414	10.863	3.39(-01)	1.60(+00)	1.49(-02)	1.1958(-01)	G'355-P 133	45
1.1420	10.857	1.70(+00)	1.96(-02)	3.21(-02)	1.8892(-03)	F'133-P 133	46
1.1428	10.849	4.55(-01)	5.89(-02)	4.66(-02)	8.2248(-03)	E'313-P 335	47
1.1440	10.838	7.31(-01)	1.45(+01)	2.36(-02)	3.4268(-01)	E'111-P 133	48
1.3305	9.3187	5.30(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.3359	9.2808	5.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 30;$							
1.1248	11.023	1.41(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.1259	11.012	1.40(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.3296	9.3249	1.56(+01)	1.81(+00)	2.44(-01)	3.0985(+00)	A'177-D'355	3
1.3297	9.3245	4.99(+01)	2.95(-03)	8.64(-01)	7.6543(-03)	A'133-D'155	4
1.3298	9.3236	5.06(+01)	2.59(+00)	7.68(-01)	1.9873(+00)	F'111-P'133	5
1.3301	9.3218	1.23(+01)	1.81(+00)	1.93(-01)	2.4500(+00)	A'177-D'357	6
1.3301	9.3214	2.52(+01)	1.81(+00)	3.96(-01)	5.0154(+00)	A'177-D'155	7
1.3304	9.3193	8.98(+00)	6.70(+00)	1.65(-01)	3.3270(+00)	B'133-S'313	8
1.3305	9.3187	5.30(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
1.3308	9.3167	5.14(+01)	2.04(-02)	9.16(-01)	1.8662(-02)	A'331-D'353	10
1.3309	9.3162	1.88(+01)	9.00(+00)	2.56(-01)	1.1538(+01)	F'155-P'335	11
1.3309	9.3160	3.92(+01)	2.59(-02)	6.86(-01)	5.3345(-02)	A'333-D'353	12
1.3312	9.3134	2.51(+01)	1.50(-02)	4.40(-01)	3.3065(-02)	A'335-D'155	13
1.3314	9.3123	3.36(+01)	3.42(-01)	5.73(-01)	1.3736(+00)	A'357-D'355	14
1.3315	9.3114	4.21(+01)	9.18(-02)	8.01(-01)	3.6784(-01)	B'335-S'313	15
1.3316	9.3107	3.26(+01)	9.00(+00)	4.44(-01)	1.9982(+01)	F'155-P'133	16
1.3317	9.3103	4.06(+01)	3.74(+00)	6.13(-01)	1.1451(+01)	F'335-P'333	17
1.3318	9.3094	3.46(+01)	6.70(+00)	6.38(-01)	1.2832(+01)	B'133-S'111	18
1.3319	9.3092	1.62(+01)	3.42(-01)	2.76(-01)	6.6198(-01)	A'357-D'357	19
1.3320	9.3085	1.88(+01)	9.00(-02)	3.34(-01)	1.5012(-01)	A'155-D'355	20
1.3320	9.3083	1.86(+01)	9.00(-02)	3.29(-01)	1.4795(-01)	A'155-D'353	21
1.3324	9.3052	5.25(+01)	4.77(-01)	9.91(-01)	4.2557(+00)	A'379-D'357	22
1.3326	9.3040	4.93(+01)	9.17(-02)	7.42(-01)	4.7669(-01)	F'357-P'335	23
1.3329	9.3019	7.20(+00)	3.74(+00)	1.09(-01)	2.0304(+00)	F'335-P'335	24
1.3338	9.2958	5.07(+00)	2.14(-01)	3.25(-01)	3.4726(-01)	G'155-P'333	25
1.3349	9.2882	1.75(+01)	2.08(+00)	5.57(-01)	3.4679(+00)	C'133-S'313	26
1.3359	9.2814	4.37(+01)	2.96(-01)	7.82(-01)	2.3130(-01)	F'331-P'333	27
1.3359	9.2808	3.77(+01)	2.90(-02)	6.52(-01)	5.6637(-02)	A'353-D'355	28
1.3359	9.2808	5.24(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	29
1.3364	9.2777	5.39(+00)	1.60(+00)	2.38(-01)	1.9042(+00)	G'355-P'335	30
1.3364	9.2774	2.62(+00)	1.45(-01)	3.71(-01)	3.7717(-01)	G'357-P'335	31
1.3365	9.2771	7.81(+00)	2.00(-01)	3.84(-01)	2.3010(-01)	G'353-P'335	32
1.3366	9.2762	1.51(+01)	1.34(-01)	5.75(-01)	7.7127(-02)	C'331-S'313	33
1.3366	9.2758	6.71(+00)	1.69(+00)	1.30(-01)	1.1001(+00)	F'355-P'333	34
1.3367	9.2755	9.55(+00)	1.28(+00)	4.06(-01)	1.5587(+00)	C'333-S'313	35

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.3367	9.2754	2.73(+01)	6.43(-02)	5.03(-01)	1.6165(-01)	A'355-D'357	36
1.3368	9.2745	2.41(+01)	6.65(-01)	4.34(-01)	2.0185(+00)	A'377-D'357	37
1.3369	9.2741	2.44(+01)	6.65(-01)	4.40(-01)	2.0455(+00)	A'377-D'155	38
1.3372	9.2722	6.30(+00)	1.60(+00)	2.78(-01)	2.2270(+00)	G'355-P'133	39
1.3372	9.2717	2.61(+01)	1.96(-02)	4.93(-01)	2.9025(-02)	F'133-P'335	40
1.3373	9.2711	3.68(+01)	5.26(-01)	8.87(-01)	4.6604(-01)	B'331-S'313	41
1.3378	9.2680	2.35(+01)	3.71(-01)	4.47(-01)	8.2979(-01)	A'375-D'355	42
1.3378	9.2678	2.76(+01)	3.71(-01)	5.24(-01)	9.7212(-01)	A'375-D'353	43
1.3379	9.2674	1.89(+01)	1.69(+00)	3.67(-01)	3.0983(+00)	F'355-P'335	44
1.3387	9.2619	1.33(+01)	1.69(+00)	2.58(-01)	2.1788(+00)	F'355-P'133	45
1.3388	9.2611	9.21(+00)	1.45(+01)	2.97(-01)	4.3147(+00)	E'111-P'333	46
1.3392	9.2581	1.60(+01)	4.92(-02)	4.00(-01)	5.9058(-02)	B'333-S'111	47
1.3393	9.2572	4.44(+00)	5.25(-01)	2.38(-01)	6.2570(-01)	C'335-D'357	48
1.3408	9.2471	3.17(+00)	1.45(+01)	1.02(-01)	1.4858(+00)	E'111-P'133	49
1.3412	9.2440	4.10(+00)	5.89(-02)	4.20(-01)	7.4173(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 31;$							
1.0524	11.781	1.61(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.0536	11.768	1.60(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.0588	11.710	9.53(-01)	5.29(-02)	1.54(-02)	4.0642(-03)	A'355-S 313	3
1.0589	11.708	1.48(-01)	8.68(+00)	1.78(-03)	7.7244(-02)	F'155-P 333	4
1.0599	11.697	7.16(-01)	2.28(-02)	9.44(-03)	6.4631(-04)	F'313-P 333	5
1.0601	11.695	3.31(+00)	2.30(+00)	9.60(-02)	6.6138(-01)	C'133-S 313	6
1.0604	11.692	7.03(-02)	4.11(+00)	9.18(-04)	1.8862(-02)	F'335-P 333	7
1.0605	11.691	1.39(+01)	5.22(-01)	6.56(-01)	1.7136(+00)	C'335-S 313	8
1.0606	11.691	2.21(+00)	6.46(+00)	3.59(-02)	6.9499(-01)	B'133-S 111	9
1.0607	11.689	8.03(-01)	1.34(-02)	1.04(-02)	4.1801(-04)	F'333-P 333	10
1.0614	11.682	1.07(+01)	1.36(-01)	3.61(-01)	4.8995(-02)	C'331-S 313	11
1.0614	11.681	1.11(+01)	1.35(+00)	4.12(-01)	1.6699(+00)	C'333-S 313	12
1.0619	11.676	4.47(+00)	5.23(-01)	9.40(-02)	4.9153(-02)	B'331-S 313	13
1.0619	11.675	4.03(+00)	8.68(+00)	4.84(-02)	2.0997(+00)	F'155-P 335	14
1.0619	11.675	1.04(+00)	1.24(-01)	6.42(-02)	3.9750(-02)	G'155-P 333	15
1.0621	11.673	5.71(-01)	4.15(-02)	1.24(-02)	1.5428(-03)	B'333-S 313	16
1.0626	11.668	1.32(+01)	2.73(+00)	1.74(-01)	4.7546(-01)	F'111-P 133	17
1.0627	11.667	3.12(+00)	2.00(-01)	1.36(-01)	8.1890(-02)	G'353-P 331	18
1.0629	11.665	2.84(+00)	1.53(+00)	1.13(-01)	8.6938(-01)	G'355-P 333	19
1.0629	11.664	7.83(+00)	2.28(-02)	1.03(-01)	7.0593(-03)	F'313-P 335	20
1.0631	11.663	1.58(+01)	8.63(-02)	2.06(-01)	1.2463(-01)	F'357-P 335	21
1.0632	11.661	5.91(+00)	2.03(-02)	9.75(-02)	5.9475(-03)	F'133-P 331	22
1.0634	11.659	1.03(+01)	4.11(+00)	1.34(-01)	2.7491(+00)	F'335-P 335	23
1.0634	11.659	1.17(+01)	2.90(-01)	1.86(-01)	5.3776(-02)	F'331-P 333	24
1.0635	11.659	4.75(+00)	2.03(-02)	7.83(-02)	4.7751(-03)	F'133-P 333	25
1.0637	11.656	7.06(+00)	2.30(+00)	2.05(-01)	1.4116(+00)	C'133-S 111	26
1.0637	11.656	7.13(+00)	1.34(-02)	9.24(-02)	3.7152(-03)	F'333-P 335	27
1.0638	11.655	9.61(+00)	8.68(+00)	1.15(-01)	5.0044(+00)	F'155-P 133	28
1.0639	11.654	1.15(+01)	1.83(+00)	1.96(-01)	1.7950(+00)	F'355-P 333	29
1.0648	11.644	7.37(+00)	2.28(-02)	9.70(-02)	6.6438(-03)	F'313-P 133	30
1.0649	11.642	2.16(-01)	1.24(-01)	1.33(-02)	8.2244(-03)	G'155-P 335	31
1.0650	11.642	9.15(-01)	1.35(+00)	3.40(-02)	1.3781(-01)	C'333-S 111	32
1.0651	11.641	6.50(+00)	6.63(-03)	9.38(-02)	1.8647(-03)	F'353-P 331	33
1.0653	11.639	3.54(+00)	4.11(+00)	4.62(-02)	9.4805(-01)	F'335-P 133	34
1.0653	11.638	7.90(+00)	6.63(-03)	1.14(-01)	2.2661(-03)	F'353-P 333	35
1.0654	11.638	2.56(+00)	1.44(+01)	7.68(-02)	1.1056(+00)	E'111-P 333	36
1.0656	11.635	7.29(+00)	1.34(-02)	9.43(-02)	3.7941(-03)	F'333-P 133	37
1.0657	11.634	4.76(+00)	4.15(-02)	1.03(-01)	1.2862(-02)	B'333-S 111	38
1.0659	11.632	6.61(-01)	1.51(-01)	8.86(-02)	9.3763(-02)	G'357-P 335	39
1.0659	11.632	8.75(-02)	5.80(-02)	8.13(-03)	1.4142(-03)	E'313-P 331	40

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.0662	11.629	1.73(+00)	5.80(-02)	1.61(-01)	2.7971(-02)	E'313-P 333	41
1.0668	11.622	8.13(-01)	1.24(-01)	5.00(-02)	3.0960(-02)	G'155-P 133	42
1.0669	11.621	4.11(-01)	1.83(+00)	6.96(-03)	6.3861(-02)	F'355-P 335	43
1.0678	11.611	3.31(-01)	1.53(+00)	1.32(-02)	1.0105(-01)	G'355-P 133	44
1.0684	11.605	1.61(+00)	2.03(-02)	2.66(-02)	1.6219(-03)	F'133-P 133	45
1.0692	11.596	4.58(-01)	5.80(-02)	4.25(-02)	7.3934(-03)	E'313-P 335	46
1.0703	11.584	5.73(-01)	6.63(-03)	8.27(-03)	1.6432(-04)	F'353-P 133	47
1.0703	11.584	7.39(-01)	1.44(+01)	2.21(-02)	3.1878(-01)	E'111-P 133	48
1.2448	9.9605	6.07(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.2502	9.9172	5.99(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 31;$							
1.0524	11.781	1.61(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
1.0536	11.768	1.60(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.2439	9.9671	1.71(+01)	1.77(+00)	2.36(-01)	2.9325(+00)	A'177-D'355	3
1.2440	9.9664	5.74(+01)	3.17(-03)	8.67(-01)	8.2519(-03)	A'133-D'155	4
1.2442	9.9653	5.82(+01)	2.73(+00)	7.70(-01)	2.1010(+00)	F'111-P'133	5
1.2444	9.9635	1.52(+01)	1.77(+00)	2.10(-01)	2.6026(+00)	A'177-D'357	6
1.2444	9.9631	2.84(+01)	1.77(+00)	3.91(-01)	4.8602(+00)	A'177-D'155	7
1.2448	9.9606	1.12(+01)	6.46(+00)	1.82(-01)	3.5221(+00)	B'133-S'313	8
1.2448	9.9605	6.07(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	9
1.2450	9.9583	5.90(+01)	2.19(-02)	9.17(-01)	2.0108(-02)	A'331-D'353	10
1.2451	9.9577	2.28(+01)	8.68(+00)	2.74(-01)	1.1872(+01)	F'155-P'335	11
1.2451	9.9576	4.53(+01)	2.52(-02)	6.92(-01)	5.2306(-02)	A'333-D'353	12
1.2455	9.9549	2.98(+01)	1.58(-02)	4.57(-01)	3.6066(-02)	A'335-D'155	13
1.2456	9.9539	3.97(+01)	3.68(-01)	5.94(-01)	1.5300(+00)	A'357-D'355	14
1.2458	9.9526	5.19(+01)	1.04(-01)	8.62(-01)	4.5001(-01)	B'335-S'313	15
1.2458	9.9520	3.67(+01)	8.68(+00)	4.40(-01)	1.9095(+01)	F'155-P'133	16
1.2459	9.9515	4.85(+01)	4.11(+00)	6.34(-01)	1.3015(+01)	F'335-P'333	17
1.2460	9.9504	1.72(+01)	3.68(-01)	2.57(-01)	6.6209(-01)	A'357-D'357	18
1.2460	9.9503	4.00(+01)	6.46(+00)	6.49(-01)	1.2566(+01)	B'133-S'111	19
1.2461	9.9500	2.20(+01)	9.21(-02)	3.40(-01)	1.5676(-01)	A'155-D'355	20
1.2461	9.9498	2.16(+01)	9.21(-02)	3.35(-01)	1.5417(-01)	A'155-D'353	21
1.2462	9.9488	3.48(+01)	1.34(-02)	4.50(-01)	1.8121(-02)	F'333-P'331	22
1.2465	9.9465	6.01(+01)	4.79(-01)	9.92(-01)	4.2761(+00)	A'379-D'357	23
1.2467	9.9452	5.70(+01)	8.63(-02)	7.45(-01)	4.5033(-01)	F'357-P'335	24
1.2471	9.9417	6.81(+00)	4.11(+00)	8.89(-02)	1.8270(+00)	F'335-P'335	25
1.2480	9.9345	4.76(+00)	1.24(-01)	2.93(-01)	1.8121(-01)	G'155-P'333	26
1.2491	9.9263	1.81(+01)	2.30(+00)	5.26(-01)	3.6228(+00)	C'133-S'313	27
1.2501	9.9181	4.93(+01)	2.90(-01)	7.83(-01)	2.2679(-01)	F'331-P'333	28
1.2502	9.9173	4.37(+01)	1.42(-02)	6.61(-01)	2.8246(-02)	A'353-D'355	29
1.2502	9.9172	5.99(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	30
1.2506	9.9143	2.38(+00)	1.51(-01)	3.20(-01)	3.3833(-01)	G'357-P'335	31
1.2506	9.9141	5.95(+00)	1.53(+00)	2.37(-01)	1.8198(+00)	G'355-P'335	32
1.2507	9.9135	8.86(+00)	2.00(-01)	3.86(-01)	2.3219(-01)	G'353-P'335	33
1.2507	9.9134	6.70(+00)	1.83(+00)	1.14(-01)	1.0419(+00)	F'355-P'333	34
1.2508	9.9126	1.70(+01)	1.36(-01)	5.75(-01)	7.7954(-02)	C'331-S'313	35
1.2509	9.9120	1.10(+01)	1.35(+00)	4.07(-01)	1.6489(+00)	C'333-S'313	36
1.2509	9.9120	3.35(+01)	5.29(-02)	5.41(-01)	1.4306(-01)	A'355-D'357	37
1.2510	9.9109	2.77(+01)	6.86(-01)	4.36(-01)	2.0945(+00)	A'377-D'357	38
1.2510	9.9105	2.83(+01)	6.86(-01)	4.46(-01)	2.1408(+00)	A'377-D'155	39
1.2513	9.9085	6.92(+00)	1.53(+00)	2.76(-01)	2.1156(+00)	G'355-P'133	40
1.2514	9.9078	3.10(+01)	2.03(-02)	5.11(-01)	3.1188(-02)	F'133-P'335	41
1.2515	9.9072	4.23(+01)	5.23(-01)	8.90(-01)	4.6528(-01)	B'331-S'313	42
1.2519	9.9039	2.71(+01)	3.72(-01)	4.51(-01)	8.3800(-01)	A'375-D'355	43
1.2519	9.9038	3.13(+01)	3.72(-01)	5.22(-01)	9.6962(-01)	A'375-D'353	44

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.2519	9.9035	2.19(+01)	1.83(+00)	3.71(-01)	3.4048(+00)	F'355-P'335	45
1.2526	9.8979	1.61(+01)	1.83(+00)	2.72(-01)	2.4951(+00)	F'355-P'133	46
1.2528	9.8969	1.11(+01)	1.44(+01)	3.32(-01)	4.7800(+00)	E'111-P'333	47
1.2533	9.8926	4.91(+00)	5.22(-01)	2.32(-01)	6.0707(-01)	C'335-D'357	48
1.2547	9.8814	3.19(+00)	1.44(+01)	9.54(-02)	1.3743(+00)	E'111-P'133	49
1.2551	9.8783	4.35(+00)	5.80(-02)	4.04(-01)	7.0291(-02)	E'313-P'335	50
$n = 3 \rightarrow n = 1; Z = 32;$							
.98678	12.565	1.83(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.98793	12.550	1.83(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
.99238	12.494	1.55(-01)	8.38(+00)	1.64(-03)	6.8895(-02)	F'155-P 333	3
.99250	12.492	1.16(+00)	4.43(-02)	1.64(-02)	3.6361(-03)	A'355-S 313	4
.99330	12.482	7.50(-01)	2.32(-02)	8.63(-03)	6.0050(-04)	F'313-P 333	5
.99351	12.480	1.90(-01)	3.72(-01)	2.78(-03)	5.1764(-03)	A'375-S 313	6
.99376	12.476	3.87(+00)	2.50(+00)	1.03(-01)	7.7447(-01)	C'133-S 313	7
.99380	12.476	5.58(-02)	4.41(+00)	6.34(-04)	1.3990(-02)	F'335-P 333	8
.99397	12.474	2.20(+00)	6.21(+00)	3.14(-02)	5.8551(-01)	B'133-S 111	9
.99407	12.473	7.10(-01)	1.30(-02)	8.06(-03)	3.1511(-04)	F'333-P 333	10
.99414	12.472	1.58(+01)	5.20(-01)	6.64(-01)	1.7271(+00)	C'335-S 313	11
.99500	12.461	1.23(+01)	1.37(-01)	3.69(-01)	5.0512(-02)	C'331-S 313	12
.99504	12.460	1.25(+01)	1.42(+00)	4.08(-01)	1.7400(+00)	C'333-S 313	13
.99539	12.456	1.18(+00)	7.12(-02)	6.90(-02)	2.4537(-02)	G'155-P 333	14
.99541	12.456	4.95(+00)	8.38(+00)	5.26(-02)	2.2055(+00)	F'155-P 335	15
.99546	12.455	5.03(+00)	5.20(-01)	9.27(-02)	4.8241(-02)	B'331-S 313	16
.99569	12.452	7.44(-01)	3.45(-02)	1.41(-02)	1.4577(-03)	B'333-S 313	17
.99604	12.448	1.52(+01)	2.87(+00)	1.75(-01)	5.0282(-01)	F'111-P 133	18
.99614	12.447	3.48(+00)	2.01(-01)	1.35(-01)	8.1310(-02)	G'353-P 331	19
.99630	12.445	3.18(+00)	1.47(+00)	1.15(-01)	8.4298(-01)	G'355-P 333	20
.99633	12.444	8.19(+00)	2.32(-02)	9.42(-02)	6.5529(-03)	F'313-P 335	21
.99637	12.444	1.55(-01)	2.01(-01)	6.00(-03)	3.6149(-03)	G'353-P 333	22
.99644	12.443	1.81(+01)	8.18(-02)	2.06(-01)	1.1820(-01)	F'357-P 335	23
.99661	12.441	6.93(+00)	2.09(-02)	1.00(-01)	6.2877(-03)	F'133-P 331	24
.99684	12.438	5.53(+00)	2.09(-02)	7.98(-02)	5.0172(-03)	F'133-P 333	25
.99684	12.438	1.15(+01)	4.41(+00)	1.30(-01)	2.8753(+00)	F'335-P 335	26
.99688	12.437	1.32(+01)	2.83(-01)	1.86(-01)	5.2665(-02)	F'331-P 333	27
.99699	12.436	8.53(+00)	2.50(+00)	2.27(-01)	1.7044(+00)	C'133-S 111	28
.99711	12.435	8.93(+00)	1.30(-02)	1.01(-01)	3.9637(-03)	F'333-P 335	29
.99712	12.434	1.08(+01)	8.38(+00)	1.14(-01)	4.7963(+00)	F'155-P 133	30
.99718	12.434	1.32(+01)	1.98(+00)	1.96(-01)	1.9433(+00)	F'355-P 333	31
.99805	12.423	9.31(+00)	2.32(-02)	1.07(-01)	7.4536(-03)	F'313-P 133	32
.99829	12.420	1.13(+00)	1.42(+00)	3.67(-02)	1.5650(-01)	C'333-S 111	33
.99839	12.419	7.34(+00)	7.39(-03)	9.29(-02)	2.0609(-03)	F'353-P 331	34
.99844	12.418	1.87(-01)	7.12(-02)	1.09(-02)	3.8895(-03)	G'155-P 335	35
.99856	12.416	4.51(+00)	4.41(+00)	5.12(-02)	1.1302(+00)	F'335-P 133	36
.99862	12.416	9.14(+00)	7.39(-03)	1.16(-01)	2.5647(-03)	F'353-P 333	37
.99865	12.415	3.07(+00)	1.43(+01)	8.50(-02)	1.2157(+00)	E'111-P 333	38
.99882	12.413	7.71(+00)	1.30(-02)	8.76(-02)	3.4233(-03)	F'333-P 133	39
.99894	12.412	5.19(+00)	3.45(-02)	9.83(-02)	1.0171(-02)	B'333-S 111	40
.99931	12.407	6.03(-01)	1.56(-01)	7.56(-02)	8.2785(-02)	G'357-P 335	41
.99937	12.406	1.97(+00)	5.71(-02)	1.66(-01)	2.8504(-02)	E'313-P 333	42
1.0002	12.397	7.45(-01)	7.12(-02)	4.37(-02)	1.5546(-02)	G'155-P 133	43
1.0002	12.396	4.08(-01)	1.98(+00)	6.05(-03)	5.9795(-02)	F'355-P 335	44
1.0011	12.385	3.22(-01)	1.47(+00)	1.16(-02)	8.5409(-02)	G'355-P 133	45
1.0016	12.378	1.53(+00)	2.09(-02)	2.21(-02)	1.3883(-03)	F'133-P 133	46
1.0024	12.368	4.58(-01)	5.71(-02)	3.87(-02)	6.6233(-03)	E'313-P 335	47
1.0035	12.356	7.42(-01)	1.43(+01)	2.06(-02)	2.9383(-01)	E'111-P 133	48

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.1669	10.625	6.91(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.1724	10.576	6.81(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 32;$							
.98678	12.565	1.83(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.98793	12.550	1.83(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.1662	10.632	1.87(+01)	1.74(+00)	2.27(-01)	2.7603(+00)	A'177-D'355	3
1.1663	10.631	6.57(+01)	4.17(-03)	8.70(-01)	1.0886(-02)	A'133-D'155	4
1.1664	10.629	6.68(+01)	2.87(+00)	7.71(-01)	2.2103(+00)	F'111-P'133	5
1.1666	10.628	1.86(+01)	1.74(+00)	2.25(-01)	2.7422(+00)	A'177-D'357	6
1.1667	10.627	3.19(+01)	1.74(+00)	3.88(-01)	4.7151(+00)	A'177-D'155	7
1.1669	10.625	6.91(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	8
1.1670	10.624	1.38(+01)	6.21(+00)	1.97(-01)	3.6715(+00)	B'133-S'313	9
1.1672	10.622	6.74(+01)	2.34(-02)	9.18(-01)	2.1495(-02)	A'331-D'353	10
1.1673	10.622	2.71(+01)	8.38(+00)	2.88(-01)	1.2086(+01)	F'155-P'335	11
1.1673	10.622	5.22(+01)	2.47(-02)	6.97(-01)	5.1600(-02)	A'333-D'353	12
1.1676	10.619	3.52(+01)	1.65(-02)	4.73(-01)	3.9022(-02)	A'335-D'155	13
1.1677	10.618	4.67(+01)	3.94(-01)	6.14(-01)	1.6925(+00)	A'357-D'355	14
1.1679	10.616	6.20(+01)	1.14(-01)	9.01(-01)	5.1445(-01)	B'335-S'313	15
1.1679	10.616	4.11(+01)	8.38(+00)	4.36(-01)	1.8280(+01)	F'155-P'133	16
1.1680	10.615	5.73(+01)	4.41(+00)	6.51(-01)	1.4372(+01)	F'335-P'333	17
1.1681	10.614	2.56(+01)	9.39(-02)	3.48(-01)	1.6326(-01)	A'155-D'355	18
1.1681	10.614	1.82(+01)	3.94(-01)	2.39(-01)	6.5887(-01)	A'357-D'357	19
1.1682	10.614	2.51(+01)	9.39(-02)	3.41(-01)	1.6023(-01)	A'155-D'353	20
1.1682	10.614	4.60(+01)	6.21(+00)	6.57(-01)	1.2235(+01)	B'133-S'111	21
1.1683	10.613	4.09(+01)	1.30(-02)	4.64(-01)	1.8133(-02)	F'333-P'331	22
1.1685	10.610	6.84(+01)	4.81(-01)	9.93(-01)	4.2949(+00)	A'379-D'357	23
1.1687	10.609	6.55(+01)	8.18(-02)	7.47(-01)	4.2784(-01)	F'357-P'335	24
1.1692	10.604	4.07(+01)	2.32(-02)	4.68(-01)	3.2540(-02)	F'313-P'133	25
1.1693	10.604	6.44(+00)	4.41(+00)	7.32(-02)	1.6139(+00)	F'335-P'335	26
1.1712	10.586	1.86(+01)	2.50(+00)	4.95(-01)	3.7117(+00)	C'133-S'313	27
1.1722	10.577	5.56(+01)	2.83(-01)	7.83(-01)	2.2134(-01)	F'331-P'333	28
1.1724	10.576	5.03(+01)	5.84(-03)	6.69(-01)	1.1718(-02)	A'353-D'355	29
1.1724	10.576	6.81(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	30
1.1726	10.573	2.18(+00)	1.56(-01)	2.73(-01)	2.9919(-01)	G'357-P'335	31
1.1727	10.573	6.66(+00)	1.98(+00)	9.88(-02)	9.7718(-01)	F'355-P'333	32
1.1727	10.572	6.54(+00)	1.47(+00)	2.37(-01)	1.7370(+00)	G'355-P'335	33
1.1728	10.572	1.00(+01)	2.01(-01)	3.88(-01)	2.3417(-01)	G'353-P'335	34
1.1729	10.571	1.92(+01)	1.37(-01)	5.74(-01)	7.8670(-02)	C'331-S'313	35
1.1730	10.570	4.01(+01)	4.43(-02)	5.69(-01)	1.2588(-01)	A'355-D'357	36
1.1730	10.570	1.25(+01)	1.42(+00)	4.09(-01)	1.7451(+00)	C'333-S'313	37
1.1731	10.569	3.17(+01)	7.07(-01)	4.38(-01)	2.1649(+00)	A'377-D'357	38
1.1731	10.569	3.27(+01)	7.07(-01)	4.51(-01)	2.2325(+00)	A'377-D'155	39
1.1734	10.567	7.57(+00)	1.47(+00)	2.74(-01)	2.0089(+00)	G'355-P'133	40
1.1735	10.566	3.65(+01)	2.09(-02)	5.27(-01)	3.3097(-02)	F'133-P'335	41
1.1735	10.565	4.84(+01)	5.20(-01)	8.93(-01)	4.6446(-01)	B'331-S'313	42
1.1738	10.562	2.28(+01)	3.45(-02)	4.32(-01)	4.4676(-02)	B'333-S'313	43
1.1739	10.562	3.10(+01)	3.72(-01)	4.54(-01)	8.4540(-01)	A'375-D'355	44
1.1739	10.562	3.55(+01)	3.72(-01)	5.19(-01)	9.6710(-01)	A'375-D'353	45
1.1739	10.562	2.53(+01)	1.98(+00)	3.75(-01)	3.7066(+00)	F'355-P'335	46
1.1746	10.556	1.92(+01)	1.98(+00)	2.85(-01)	2.8142(+00)	F'355-P'133	47
1.1747	10.555	1.32(+01)	1.43(+01)	3.65(-01)	5.2243(+00)	E'111-P'333	48
1.1752	10.550	5.39(+00)	5.20(-01)	2.26(-01)	5.8788(-01)	C'335-D'357	49
1.1766	10.537	3.18(+00)	1.43(+01)	8.82(-02)	1.2605(+00)	E'111-P'133	50
$n = 3 \rightarrow n = 1; Z = 33;$							
.92700	13.375	2.08(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.92815	13.358	2.07(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
.93179	13.306	1.59(-01)	8.11(+00)	1.50(-03)	6.0747(-02)	F'155-P 333	3
.93218	13.301	1.36(+00)	3.78(-02)	1.70(-02)	3.2159(-03)	A'355-S 313	4
.93264	13.294	7.71(-01)	2.34(-02)	7.78(-03)	5.4702(-04)	F'313-P 333	5
.93314	13.287	2.29(-01)	3.73(-01)	2.95(-03)	5.5086(-03)	A'375-S 313	6
.93319	13.286	4.39(-02)	4.66(+00)	4.37(-04)	1.0176(-02)	F'335-P 333	7
.93335	13.284	4.52(+00)	2.69(+00)	1.11(-01)	8.9421(-01)	C'133-S 313	8
.93336	13.284	2.17(+00)	5.97(+00)	2.74(-02)	4.9041(-01)	B'133-S 111	9
.93370	13.279	1.80(+01)	5.18(-01)	6.72(-01)	1.7407(+00)	C'335-S 313	10
.93459	13.266	1.41(+01)	1.38(-01)	3.76(-01)	5.1949(-02)	C'331-S 313	11
.93462	13.266	1.40(+01)	1.50(+00)	4.02(-01)	1.8060(+00)	C'333-S 313	12
.93483	13.263	1.32(+00)	4.65(-02)	7.30(-02)	1.6972(-02)	G'155-P 333	13
.93487	13.262	5.99(+00)	8.11(+00)	5.65(-02)	2.2901(+00)	F'155-P 335	14
.93501	13.260	5.64(+00)	5.18(-01)	9.15(-02)	4.7377(-02)	B'331-S 313	15
.93521	13.258	9.57(-01)	2.81(-02)	1.59(-02)	1.3403(-03)	B'333-S 313	16
.93544	13.254	1.74(+01)	3.00(+00)	1.77(-01)	5.2912(-01)	F'111-P 133	17
.93556	13.253	3.86(+00)	2.01(-01)	1.34(-01)	8.0662(-02)	G'353-P 331	18
.93570	13.251	3.52(+00)	1.41(+00)	1.16(-01)	8.1476(-01)	G'355-P 333	19
.93571	13.250	8.55(+00)	2.34(-02)	8.63(-02)	6.0700(-03)	F'313-P 335	20
.93576	13.250	1.97(-01)	2.01(-01)	6.80(-03)	4.1086(-03)	G'353-P 333	21
.93581	13.249	2.07(+01)	7.79(-02)	2.07(-01)	1.1271(-01)	F'357-P 335	22
.93599	13.246	8.07(+00)	2.15(-02)	1.02(-01)	6.5985(-03)	F'133-P 331	23
.93619	13.244	6.37(+00)	2.15(-02)	8.09(-02)	5.2102(-03)	F'133-P 333	24
.93627	13.242	1.28(+01)	4.66(+00)	1.27(-01)	2.9642(+00)	F'335-P 335	25
.93630	13.242	1.49(+01)	2.75(-01)	1.87(-01)	5.1389(-02)	F'331-P 333	26
.93631	13.242	1.02(+01)	2.69(+00)	2.49(-01)	2.0112(+00)	C'133-S 111	27
.93641	13.240	1.20(+01)	8.11(+00)	1.14(-01)	4.6048(+00)	F'155-P 133	28
.93649	13.239	1.51(+01)	2.12(+00)	1.97(-01)	2.0888(+00)	F'355-P 333	29
.93650	13.239	1.09(+01)	1.29(-02)	1.10(-01)	4.2258(-03)	F'333-P 335	30
.93727	13.228	1.15(+01)	2.34(-02)	1.16(-01)	8.1589(-03)	F'313-P 133	31
.93759	13.224	1.37(+00)	1.50(+00)	3.93(-02)	1.7666(-01)	C'333-S 111	32
.93770	13.222	8.26(+00)	8.18(-03)	9.20(-02)	2.2569(-03)	F'353-P 331	33
.93783	13.220	5.60(+00)	4.66(+00)	5.57(-02)	1.2969(+00)	F'335-P 133	34
.93791	13.219	1.05(+01)	8.18(-03)	1.17(-01)	2.8739(-03)	F'353-P 333	35
.93792	13.219	1.61(-01)	4.65(-02)	8.92(-03)	2.0744(-03)	G'155-P 335	36
.93793	13.219	3.64(+00)	1.42(+01)	9.30(-02)	1.3205(+00)	E'111-P 333	37
.93805	13.217	8.13(+00)	1.29(-02)	8.14(-02)	3.1394(-03)	F'333-P 133	38
.93819	13.215	5.65(+00)	2.81(-02)	9.38(-02)	7.9160(-03)	B'333-S 111	39
.93858	13.210	2.23(+00)	5.62(-02)	1.72(-01)	2.8946(-02)	E'313-P 333	40
.93871	13.208	5.53(-01)	1.61(-01)	6.42(-02)	7.2362(-02)	G'357-P 335	41
.93948	13.197	6.81(-01)	4.65(-02)	3.77(-02)	8.7758(-03)	G'155-P 133	42
.93959	13.196	4.04(-01)	2.12(+00)	5.25(-03)	5.5655(-02)	F'355-P 335	43
.94036	13.185	3.12(-01)	1.41(+00)	1.03(-02)	7.2222(-02)	G'355-P 133	44
.94085	13.178	1.45(+00)	2.15(-02)	1.84(-02)	1.1866(-03)	F'133-P 133	45
.94170	13.166	4.56(-01)	5.62(-02)	3.51(-02)	5.9151(-03)	E'313-P 335	46
.94259	13.154	5.74(-01)	8.18(-03)	6.39(-03)	1.5684(-04)	F'353-P 133	47
.94261	13.153	7.40(-01)	1.42(+01)	1.89(-02)	2.6871(-01)	E'111-P 133	48
1.0961	11.312	7.84(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.1015	11.256	7.73(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 33;$							
.92700	13.375	2.08(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.92815	13.358	2.07(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.0954	11.319	2.02(+01)	1.70(+00)	2.17(-01)	2.5851(+00)	A'177-D'355	3
1.0955	11.318	7.48(+01)	5.70(-03)	8.73(-01)	1.4933(-02)	A'133-D'155	4
1.0957	11.316	7.62(+01)	3.00(+00)	7.72(-01)	2.3146(+00)	F'111-P'133	5

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.0958	11.314	2.24(+01)	1.70(+00)	2.41(-01)	2.8683(+00)	A'177-D'357	6
1.0959	11.314	3.58(+01)	1.70(+00)	3.85(-01)	4.5797(+00)	A'177-D'155	7
1.0961	11.312	7.84(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	8
1.0962	11.311	1.67(+01)	5.97(+00)	2.11(-01)	3.7795(+00)	B'133-S'313	9
1.0963	11.309	7.67(+01)	2.49(-02)	9.18(-01)	2.2820(-02)	A'331-D'353	10
1.0964	11.308	5.98(+01)	2.43(-02)	7.02(-01)	5.1160(-02)	A'333-D'353	11
1.0964	11.308	3.19(+01)	8.11(+00)	3.01(-01)	1.2212(+01)	F'155-P'335	12
1.0967	11.305	4.13(+01)	1.72(-02)	4.89(-01)	4.1943(-02)	A'335-D'155	13
1.0968	11.305	5.46(+01)	4.20(-01)	6.33(-01)	1.8609(+00)	A'357-D'355	14
1.0969	11.303	7.24(+01)	1.22(-01)	9.26(-01)	5.6420(-01)	B'335-S'313	15
1.0970	11.302	4.59(+01)	8.11(+00)	4.33(-01)	1.7547(+01)	F'155-P'133	16
1.0971	11.301	6.70(+01)	4.66(+00)	6.67(-01)	1.5529(+01)	F'335-P'333	17
1.0972	11.301	2.96(+01)	9.56(-02)	3.55(-01)	1.6964(-01)	A'155-D'355	18
1.0972	11.300	2.90(+01)	9.56(-02)	3.48(-01)	1.6617(-01)	A'155-D'353	19
1.0972	11.300	1.91(+01)	4.20(-01)	2.22(-01)	6.5262(-01)	A'357-D'357	20
1.0973	11.300	5.25(+01)	5.97(+00)	6.62(-01)	1.1868(+01)	B'133-S'111	21
1.0973	11.299	4.75(+01)	1.29(-02)	4.75(-01)	1.8328(-02)	F'333-P'331	22
1.0975	11.297	7.77(+01)	4.82(-01)	9.94(-01)	4.3123(+00)	A'379-D'357	23
1.0977	11.295	7.49(+01)	7.79(-02)	7.49(-01)	4.0862(-01)	F'357-P'335	24
1.0982	11.290	4.90(+01)	2.34(-02)	4.94(-01)	3.4737(-02)	F'313-P'133	25
1.0983	11.288	6.08(+00)	4.66(+00)	6.05(-02)	1.4094(+00)	F'335-P'335	26
1.1003	11.269	1.89(+01)	2.69(+00)	4.63(-01)	3.7368(+00)	C'133-S'313	27
1.1014	11.257	6.24(+01)	2.75(-01)	7.83(-01)	2.1529(-01)	F'331-P'333	28
1.1015	11.256	5.77(+01)	1.74(-03)	6.76(-01)	3.5294(-03)	A'353-D'355	29
1.1015	11.256	7.73(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	30
1.1016	11.255	6.59(+00)	2.12(+00)	8.58(-02)	9.0911(-01)	F'355-P'333	31
1.1017	11.254	2.00(+00)	1.61(-01)	2.32(-01)	2.6192(-01)	G'357-P'335	32
1.1018	11.253	7.16(+00)	1.41(+00)	2.35(-01)	1.6558(+00)	G'355-P'335	33
1.1019	11.252	1.13(+01)	2.01(-01)	3.91(-01)	2.3603(-01)	G'353-P'335	34
1.1020	11.251	2.15(+01)	1.38(-01)	5.73(-01)	7.9292(-02)	C'331-S'313	35
1.1020	11.251	1.44(+01)	1.50(+00)	4.11(-01)	1.8462(+00)	C'333-S'313	36
1.1020	11.251	4.70(+01)	3.78(-02)	5.89(-01)	1.1142(-01)	A'355-D'357	37
1.1021	11.249	3.61(+01)	7.26(-01)	4.39(-01)	2.2299(+00)	A'377-D'357	38
1.1022	11.249	3.75(+01)	7.26(-01)	4.56(-01)	2.3203(+00)	A'377-D'155	39
1.1024	11.247	8.25(+00)	1.41(+00)	2.71(-01)	1.9066(+00)	G'355-P'133	40
1.1025	11.246	4.25(+01)	2.15(-02)	5.40(-01)	3.4777(-02)	F'133-P'335	41
1.1026	11.245	5.52(+01)	5.18(-01)	8.95(-01)	4.6360(-01)	B'331-S'313	42
1.1028	11.242	2.69(+01)	2.81(-02)	4.47(-01)	3.7712(-02)	B'333-S'313	43
1.1029	11.242	3.54(+01)	3.73(-01)	4.57(-01)	8.5208(-01)	A'375-D'355	44
1.1029	11.242	2.90(+01)	2.12(+00)	3.78(-01)	4.0019(+00)	F'355-P'335	45
1.1029	11.241	4.00(+01)	3.73(-01)	5.17(-01)	9.6465(-01)	A'375-D'353	46
1.1035	11.236	2.27(+01)	2.12(+00)	2.96(-01)	3.1323(+00)	F'355-P'133	47
1.1036	11.234	1.55(+01)	1.42(+01)	3.97(-01)	5.6426(+00)	E'111-P'333	48
1.1041	11.229	5.89(+00)	5.18(-01)	2.19(-01)	5.6829(-01)	C'335-D'357	49
1.1055	11.215	3.16(+00)	1.42(+01)	8.08(-02)	1.1479(+00)	E'111-P'133	50
$n = 3 \rightarrow n = 1; Z = 34;$							
.87241	14.212	2.35(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.87356	14.193	2.34(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
.87649	14.146	1.61(-01)	7.87(+00)	1.35(-03)	5.3129(-02)	F'335-P 333	3
.87712	14.136	1.55(+00)	3.30(-02)	1.72(-02)	2.8385(-03)	A'355-S 313	4
.87727	14.133	7.80(-01)	2.36(-02)	6.94(-03)	4.9070(-04)	F'313-P 333	5
.87787	14.123	3.43(-02)	4.85(+00)	3.01(-04)	7.2951(-03)	F'155-P 333	6
.87803	14.121	2.73(-01)	3.74(-01)	3.13(-03)	5.8379(-03)	A'375-S 313	7
.87803	14.121	2.12(+00)	5.75(+00)	2.37(-02)	4.0941(-01)	B'133-S 111	8
.87820	14.118	5.25(+00)	2.86(+00)	1.19(-01)	1.0187(+00)	C'133-S 313	9
.87853	14.113	2.05(+01)	5.16(-01)	6.80(-01)	1.7547(+00)	C'335-S 313	10

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.87944	14.098	1.60(+01)	1.40(-01)	3.82(-01)	5.3319(-02)	C'331-S 313	11
.87946	14.098	1.57(+01)	1.57(+00)	3.96(-01)	1.8676(+00)	C'333-S 313	12
.87955	14.096	1.47(+00)	4.17(-02)	7.62(-02)	1.5884(-02)	G'155-P 333	13
.87960	14.096	7.14(+00)	7.87(+00)	5.99(-02)	2.3576(+00)	F'335-P 335	14
.87983	14.092	6.30(+00)	5.16(-01)	9.03(-02)	4.6556(-02)	B'331-S 313	15
.88000	14.089	1.21(+00)	2.25(-02)	1.77(-02)	1.1989(-03)	B'333-S 313	16
.88013	14.087	1.99(+01)	3.12(+00)	1.78(-01)	5.5428(-01)	F'111-P 133	17
.88026	14.085	4.27(+00)	2.02(-01)	1.32(-01)	7.9961(-02)	G'353-P 331	18
.88038	14.083	3.89(+00)	1.35(+00)	1.16(-01)	7.8519(-01)	G'355-P 333	19
.88038	14.083	8.95(+00)	2.36(-02)	7.96(-02)	5.6302(-03)	F'313-P 335	20
.88044	14.082	2.47(-01)	2.02(-01)	7.66(-03)	4.6304(-03)	G'353-P 333	21
.88046	14.082	2.34(+01)	7.46(-02)	2.07(-01)	1.0799(-01)	F'357-P 335	22
.88066	14.079	9.34(+00)	2.19(-02)	1.05(-01)	6.8827(-03)	F'133-P 331	23
.88084	14.076	7.28(+00)	2.19(-02)	8.15(-02)	5.3616(-03)	F'133-P 333	24
.88093	14.074	1.20(+01)	2.86(+00)	2.71(-01)	2.3249(+00)	C'133-S 111	25
.88099	14.073	1.42(+01)	4.85(+00)	1.25(-01)	3.0249(+00)	F'155-P 335	26
.88101	14.073	1.34(+01)	7.87(+00)	1.13(-01)	4.4315(+00)	F'335-P 133	27
.88101	14.073	1.67(+01)	2.67(-01)	1.88(-01)	5.0010(-02)	F'331-P 333	28
.88109	14.072	1.73(+01)	2.25(+00)	1.98(-01)	2.2310(+00)	F'355-P 333	29
.88118	14.070	1.32(+01)	1.29(-02)	1.17(-01)	4.4965(-03)	F'333-P 335	30
.88179	14.061	1.39(+01)	2.36(-02)	1.24(-01)	8.7574(-03)	F'313-P 133	31
.88220	14.054	1.66(+00)	1.57(+00)	4.20(-02)	1.9821(-01)	C'333-S 111	32
.88232	14.052	9.25(+00)	8.97(-03)	9.11(-02)	2.4510(-03)	F'353-P 331	33
.88240	14.051	6.80(+00)	4.85(+00)	5.97(-02)	1.4465(+00)	F'155-P 133	34
.88250	14.049	1.20(+01)	8.97(-03)	1.19(-01)	3.1910(-03)	F'353-P 333	35
.88251	14.049	4.28(+00)	1.41(+01)	1.01(-01)	1.4190(+00)	E'111-P 333	36
.88259	14.048	8.57(+00)	1.29(-02)	7.57(-02)	2.9225(-03)	F'333-P 133	37
.88268	14.046	1.39(-01)	4.17(-02)	7.24(-03)	1.5084(-03)	G'155-P 335	38
.88274	14.045	6.13(+00)	2.25(-02)	8.96(-02)	6.0587(-03)	B'333-S 111	39
.88310	14.040	2.52(+00)	5.54(-02)	1.76(-01)	2.9293(-02)	E'313-P 333	40
.88340	14.035	5.09(-01)	1.65(-01)	5.44(-02)	6.2827(-02)	G'357-P 335	41
.88409	14.024	6.21(-01)	4.17(-02)	3.23(-02)	6.7371(-03)	G'155-P 133	42
.88424	14.022	3.99(-01)	2.25(+00)	4.57(-03)	5.1559(-02)	F'355-P 335	43
.88493	14.011	3.03(-01)	1.35(+00)	9.06(-03)	6.1118(-02)	G'355-P 133	44
.88540	14.003	1.38(+00)	2.19(-02)	1.54(-02)	1.0141(-03)	F'133-P 133	45
.88626	13.990	4.52(-01)	5.54(-02)	3.17(-02)	5.2681(-03)	E'313-P 335	46
.88708	13.977	5.70(-01)	8.97(-03)	5.62(-03)	1.5109(-04)	F'353-P 133	47
.88709	13.977	7.36(-01)	1.41(+01)	1.73(-02)	2.4412(-01)	E'111-P 133	48
1.0314	12.021	8.87(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
1.0368	11.958	8.73(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 34;$							
.87241	14.212	2.35(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.87356	14.193	2.34(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
1.0307	12.029	2.17(+01)	1.66(+00)	2.07(-01)	2.4097(+00)	A'177-D'355	3
1.0309	12.027	8.49(+01)	7.58(-03)	8.75(-01)	1.9906(-02)	A'133-D'155	4
1.0310	12.026	8.66(+01)	3.12(+00)	7.73(-01)	2.4138(+00)	F'111-P'133	5
1.0312	12.024	2.69(+01)	1.66(+00)	2.56(-01)	2.9809(+00)	A'177-D'357	6
1.0312	12.023	4.01(+01)	1.66(+00)	3.82(-01)	4.4533(+00)	A'177-D'155	7
1.0314	12.021	8.87(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	8
1.0315	12.020	2.00(+01)	5.75(+00)	2.23(-01)	3.8521(+00)	B'133-S'313	9
1.0316	12.019	8.69(+01)	2.62(-02)	9.18(-01)	2.4080(-02)	A'331-D'353	10
1.0317	12.018	6.81(+01)	2.40(-02)	7.06(-01)	5.0929(-02)	A'333-D'353	11
1.0317	12.018	3.72(+01)	7.87(+00)	3.12(-01)	1.2275(+01)	F'335-P'335	12
1.0320	12.014	4.82(+01)	1.78(-02)	5.05(-01)	4.4839(-02)	A'335-D'155	13
1.0320	12.014	6.34(+01)	4.46(-01)	6.52(-01)	2.0348(+00)	A'357-D'355	14

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.0322	12.012	8.34(+01)	1.28(-01)	9.43(-01)	6.0302(-01)	B'335-S'313	15
1.0322	12.011	5.11(+01)	7.87(+00)	4.29(-01)	1.6894(+01)	F'335-P'133	16
1.0323	12.010	7.76(+01)	4.85(+00)	6.81(-01)	1.6505(+01)	F'155-P'333	17
1.0324	12.010	3.43(+01)	9.70(-02)	3.63(-01)	1.7584(-01)	A'155-D'355	18
1.0324	12.010	3.35(+01)	9.70(-02)	3.55(-01)	1.7196(-01)	A'155-D'353	19
1.0324	12.009	2.01(+01)	4.46(-01)	2.06(-01)	6.4361(-01)	A'357-D'357	20
1.0325	12.008	5.96(+01)	5.75(+00)	6.66(-01)	1.1486(+01)	B'133-S'111	21
1.0325	12.008	5.47(+01)	1.29(-02)	4.84(-01)	1.8659(-02)	F'333-P'331	22
1.0327	12.006	8.79(+01)	4.84(-01)	9.95(-01)	4.3284(+00)	A'379-D'357	23
1.0329	12.004	8.51(+01)	7.46(-02)	7.51(-01)	3.9214(-01)	F'357-P'335	24
1.0333	11.999	5.80(+01)	2.36(-02)	5.16(-01)	3.6511(-02)	F'313-P'133	25
1.0336	11.995	5.75(+00)	4.85(+00)	5.04(-02)	1.2226(+00)	F'155-P'335	26
1.0355	11.973	1.91(+01)	2.86(+00)	4.31(-01)	3.7038(+00)	C'133-S'313	27
1.0367	11.960	6.99(+01)	2.67(-01)	7.84(-01)	2.0886(-01)	F'331-P'333	28
1.0368	11.959	6.50(+00)	2.25(+00)	7.45(-02)	8.4012(-01)	F'355-P'333	29
1.0368	11.959	6.57(+01)	4.58(-04)	6.81(-01)	9.3571(-04)	A'353-D'355	30
1.0368	11.958	8.73(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	31
1.0371	11.955	7.81(+00)	1.35(+00)	2.34(-01)	1.5766(+00)	G'355-P'335	32
1.0372	11.954	1.27(+01)	2.02(-01)	3.93(-01)	2.3774(-01)	G'353-P'335	33
1.0372	11.954	2.40(+01)	1.40(-01)	5.72(-01)	7.9837(-02)	C'331-S'313	34
1.0373	11.953	1.64(+01)	1.57(+00)	4.13(-01)	1.9510(+00)	C'333-S'313	35
1.0373	11.953	5.45(+01)	3.30(-02)	6.04(-01)	9.9582(-02)	A'355-D'357	36
1.0374	11.952	4.08(+01)	7.45(-01)	4.39(-01)	2.2896(+00)	A'377-D'357	37
1.0374	11.951	4.29(+01)	7.45(-01)	4.61(-01)	2.4039(+00)	A'377-D'155	38
1.0376	11.949	8.96(+00)	1.35(+00)	2.68(-01)	1.8082(+00)	G'355-P'133	39
1.0377	11.948	4.92(+01)	2.19(-02)	5.51(-01)	3.6255(-02)	F'133-P'335	40
1.0378	11.947	6.26(+01)	5.16(-01)	8.97(-01)	4.6272(-01)	B'331-S'313	41
1.0380	11.945	3.15(+01)	2.25(-02)	4.60(-01)	3.1105(-02)	B'333-S'313	42
1.0381	11.944	3.32(+01)	2.25(+00)	3.80(-01)	4.2894(+00)	F'355-P'335	43
1.0381	11.944	4.01(+01)	3.74(-01)	4.59(-01)	8.5813(-01)	A'375-D'355	44
1.0381	11.943	4.50(+01)	3.74(-01)	5.15(-01)	9.6229(-01)	A'375-D'353	45
1.0386	11.938	2.67(+01)	2.25(+00)	3.06(-01)	3.4464(+00)	F'355-P'133	46
1.0387	11.936	4.73(+01)	8.97(-03)	4.65(-01)	1.2521(-02)	F'353-P'333	47
1.0387	11.936	1.82(+01)	1.41(+01)	4.28(-01)	6.0314(+00)	E'111-P'333	48
1.0392	11.930	6.40(+00)	5.16(-01)	2.13(-01)	5.4843(-01)	C'335-D'357	49
1.0406	11.915	3.13(+00)	1.41(+01)	7.37(-02)	1.0392(+00)	E'111-P'133	50
$n = 3 \rightarrow n = 1; Z = 35;$							
.82243	15.076	2.65(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.82358	15.054	2.63(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
.82587	15.013	1.61(-01)	7.66(+00)	1.21(-03)	4.6204(-02)	F'335-P 333	3
.82659	15.000	7.79(-01)	2.37(-02)	6.13(-03)	4.3512(-04)	F'313-P 333	4
.82672	14.997	1.75(+00)	2.92(-02)	1.72(-02)	2.5105(-03)	A'355-S 313	5
.82723	14.988	2.66(-02)	5.00(+00)	2.07(-04)	5.1710(-03)	F'155-P 333	6
.82740	14.985	2.07(+00)	5.54(+00)	2.06(-02)	3.4139(-01)	B'133-S 111	7
.82759	14.982	3.24(-01)	3.74(-01)	3.30(-03)	6.1640(-03)	A'375-S 313	8
.82774	14.979	6.07(+00)	3.01(+00)	1.27(-01)	1.1458(+00)	C'133-S 313	9
.82804	14.973	2.31(+01)	5.14(-01)	6.88(-01)	1.7690(+00)	C'335-S 313	10
.82895	14.957	1.62(+00)	5.01(-02)	7.88(-02)	1.9746(-02)	G'155-P 333	11
.82897	14.957	1.82(+01)	1.41(-01)	3.88(-01)	5.4634(-02)	C'331-S 313	12
.82898	14.956	1.74(+01)	1.65(+00)	3.89(-01)	1.9248(+00)	C'333-S 313	13
.82902	14.956	8.41(+00)	7.66(+00)	6.30(-02)	2.4117(+00)	F'335-P 335	14
.82933	14.950	7.02(+00)	5.14(-01)	8.91(-02)	4.5771(-02)	B'331-S 313	15
.82948	14.947	1.52(+00)	1.77(-02)	1.96(-02)	1.0426(-03)	B'333-S 313	16
.82951	14.947	2.26(+01)	3.24(+00)	1.79(-01)	5.7823(-01)	F'111-P 133	17
.82965	14.944	4.71(+00)	2.02(-01)	1.31(-01)	7.9220(-02)	G'353-P 331	18

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.82974	14.943	9.38(+00)	2.37(-02)	7.38(-02)	5.2410(-03)	F'313-P 335	19
.82975	14.943	4.27(+00)	1.29(+00)	1.17(-01)	7.5468(-01)	G'355-P 333	20
.82980	14.941	2.65(+01)	7.18(-02)	2.07(-01)	1.0392(-01)	F'357-P 335	21
.82981	14.941	3.07(-01)	2.02(-01)	8.55(-03)	5.1747(-03)	G'353-P 333	22
.83001	14.938	1.08(+01)	2.23(-02)	1.07(-01)	7.1430(-03)	F'133-P 331	23
.83018	14.935	8.26(+00)	2.23(-02)	8.18(-02)	5.4784(-03)	F'133-P 333	24
.83025	14.933	1.40(+01)	3.01(+00)	2.92(-01)	2.6390(+00)	C'133-S 111	25
.83030	14.933	1.49(+01)	7.66(+00)	1.12(-01)	4.2758(+00)	F'335-P 133	26
.83039	14.931	1.58(+01)	5.00(+00)	1.23(-01)	3.0646(+00)	F'155-P 335	27
.83040	14.931	1.96(+01)	2.39(+00)	1.99(-01)	2.3697(+00)	F'355-P 333	28
.83041	14.931	1.87(+01)	2.58(-01)	1.88(-01)	4.8574(-02)	F'331-P 333	29
.83055	14.928	1.56(+01)	1.30(-02)	1.23(-01)	4.7705(-03)	F'333-P 335	30
.83102	14.920	1.66(+01)	2.37(-02)	1.30(-01)	9.2576(-03)	F'313-P 133	31
.83150	14.911	2.00(+00)	1.65(+00)	4.46(-02)	2.2106(-01)	C'333-S 111	32
.83162	14.909	1.03(+01)	9.76(-03)	9.02(-02)	2.6416(-03)	F'353-P 331	33
.83167	14.908	8.14(+00)	5.00(+00)	6.31(-02)	1.5790(+00)	F'155-P 133	34
.83179	14.906	1.37(+01)	9.76(-03)	1.20(-01)	3.5131(-03)	F'353-P 333	35
.83179	14.906	4.98(+00)	1.40(+01)	1.08(-01)	1.5107(+00)	E'111-P 333	36
.83184	14.905	9.03(+00)	1.30(-02)	7.08(-02)	2.7557(-03)	F'333-P 133	37
.83200	14.902	6.63(+00)	1.77(-02)	8.58(-02)	4.5551(-03)	B'333-S 111	38
.83212	14.900	1.21(-01)	5.01(-02)	5.86(-03)	1.4689(-03)	G'155-P 335	39
.83233	14.896	2.82(+00)	5.46(-02)	1.81(-01)	2.9545(-02)	E'313-P 333	40
.83279	14.888	4.71(-01)	1.68(-01)	4.61(-02)	5.4324(-02)	G'357-P 335	41
.83341	14.877	5.67(-01)	5.01(-02)	2.76(-02)	6.9120(-03)	G'155-P 133	42
.83358	14.874	3.94(-01)	2.39(+00)	3.99(-03)	4.7590(-02)	F'355-P 335	43
.83421	14.863	2.93(-01)	1.29(+00)	8.00(-03)	5.1771(-02)	G'355-P 133	44
.83465	14.855	1.31(+00)	2.23(-02)	1.30(-02)	8.6718(-04)	F'133-P 133	45
.83552	14.839	4.47(-01)	5.46(-02)	2.86(-02)	4.6807(-03)	E'313-P 335	46
.83628	14.826	5.64(-01)	9.76(-03)	4.93(-03)	1.4440(-04)	F'353-P 133	47
.83628	14.826	7.28(-01)	1.40(+01)	1.57(-02)	2.2058(-01)	E'111-P 133	48
.97215	12.754	9.99(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
.97759	12.683	9.82(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 35;$							
.82243	15.076	2.65(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.82358	15.054	2.63(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
.97149	12.762	2.32(+01)	1.63(+00)	1.96(-01)	2.2366(+00)	A'177-D'355	3
.97168	12.760	9.60(+01)	9.66(-03)	8.77(-01)	2.5433(-02)	A'133-D'155	4
.97183	12.758	9.80(+01)	3.24(+00)	7.74(-01)	2.5076(+00)	F'111-P'133	5
.97195	12.756	3.19(+01)	1.63(+00)	2.70(-01)	3.0800(+00)	A'177-D'357	6
.97199	12.756	4.49(+01)	1.63(+00)	3.80(-01)	4.3350(+00)	A'177-D'155	7
.97215	12.754	9.99(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	8
.97229	12.752	2.36(+01)	5.54(+00)	2.35(-01)	3.8957(+00)	B'133-S'313	9
.97237	12.751	9.81(+01)	2.75(-02)	9.19(-01)	2.5273(-02)	A'331-D'353	10
.97243	12.750	7.73(+01)	2.39(-02)	7.10(-01)	5.0862(-02)	A'333-D'353	11
.97244	12.750	4.29(+01)	7.66(+00)	3.21(-01)	1.2295(+01)	F'335-P'335	12
.97270	12.746	7.33(+01)	4.72(-01)	6.70(-01)	2.2138(+00)	A'357-D'355	13
.97270	12.746	5.61(+01)	1.84(-02)	5.20(-01)	4.7722(-02)	A'335-D'155	14
.97288	12.744	9.53(+01)	1.33(-01)	9.54(-01)	6.3394(-01)	B'335-S'313	15
.97292	12.744	5.69(+01)	7.66(+00)	4.26(-01)	1.6317(+01)	F'335-P'133	16
.97302	12.742	8.93(+01)	5.00(+00)	6.92(-01)	1.7323(+01)	F'155-P'333	17
.97303	12.742	3.94(+01)	9.83(-02)	3.70(-01)	1.8184(-01)	A'155-D'355	18
.97305	12.742	3.85(+01)	9.83(-02)	3.61(-01)	1.7757(-01)	A'155-D'353	19
.97315	12.741	2.09(+01)	4.72(-01)	1.91(-01)	6.3205(-01)	A'357-D'357	20
.97318	12.740	6.25(+01)	1.30(-02)	4.90(-01)	1.9083(-02)	F'333-P'331	21
.97320	12.740	6.74(+01)	5.54(+00)	6.69(-01)	1.1106(+01)	B'133-S'111	22

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.97336	12.738	9.90(+01)	4.85(-01)	9.95(-01)	4.3434(+00)	A'379-D'357	23
.97352	12.736	9.64(+01)	7.18(-02)	7.52(-01)	3.7796(-01)	F'357-P'335	24
.97392	12.731	6.79(+01)	2.37(-02)	5.34(-01)	3.7927(-02)	F'313-P'133	25
.97432	12.725	5.45(+00)	5.00(+00)	4.23(-02)	1.0570(+00)	F'155-P'335	26
.97623	12.700	1.92(+01)	3.01(+00)	4.00(-01)	3.6209(+00)	C'133-S'313	27
.97741	12.685	6.39(+00)	2.39(+00)	6.47(-02)	7.7210(-01)	F'355-P'333	28
.97742	12.685	7.80(+01)	2.58(-01)	7.84(-01)	2.0227(-01)	F'331-P'333	29
.97756	12.683	7.46(+01)	9.22(-04)	6.86(-01)	1.8994(-03)	A'353-D'355	30
.97759	12.683	9.82(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	31
.97781	12.680	8.48(+00)	1.29(+00)	2.32(-01)	1.4993(+00)	G'355-P'335	32
.97790	12.679	1.42(+01)	2.02(-01)	3.95(-01)	2.3930(-01)	G'353-P'335	33
.97795	12.678	2.68(+01)	1.41(-01)	5.71(-01)	8.0319(-02)	C'331-S'313	34
.97796	12.678	1.86(+01)	1.65(+00)	4.16(-01)	2.0582(+00)	C'333-S'313	35
.97798	12.678	6.26(+01)	2.92(-02)	6.16(-01)	8.9950(-02)	A'355-D'357	36
.97808	12.676	4.60(+01)	7.63(-01)	4.39(-01)	2.3444(+00)	A'377-D'357	37
.97812	12.676	4.87(+01)	7.63(-01)	4.65(-01)	2.4832(+00)	A'377-D'155	38
.97830	12.674	9.70(+00)	1.29(+00)	2.65(-01)	1.7135(+00)	G'355-P'133	39
.97841	12.672	5.66(+01)	2.23(-02)	5.61(-01)	3.7556(-02)	F'133-P'335	40
.97846	12.672	7.08(+01)	5.14(-01)	8.99(-01)	4.6181(-01)	B'331-S'313	41
.97865	12.669	3.65(+01)	1.77(-02)	4.72(-01)	2.5054(-02)	B'333-S'313	42
.97872	12.668	3.78(+01)	2.39(+00)	3.83(-01)	4.5683(+00)	F'355-P'335	43
.97874	12.668	4.54(+01)	3.74(-01)	4.62(-01)	8.6363(-01)	A'375-D'355	44
.97876	12.668	5.05(+01)	3.74(-01)	5.13(-01)	9.6006(-01)	A'375-D'353	45
.97921	12.662	3.11(+01)	2.39(+00)	3.15(-01)	3.7544(+00)	F'355-P'133	46
.97933	12.660	5.37(+01)	9.76(-03)	4.69(-01)	1.3742(-02)	F'353-P'333	47
.97934	12.660	2.11(+01)	1.40(+01)	4.56(-01)	6.3893(+00)	E'111-P'333	48
.97983	12.654	6.91(+00)	5.14(-01)	2.06(-01)	5.2841(-01)	C'335-D'357	49
.98115	12.637	3.09(+00)	1.40(+01)	6.68(-02)	9.3630(-01)	E'111-P'133	50
$n = 3 \rightarrow n = 1; Z = 36;$							
.77655	15.966	2.97(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.77770	15.942	2.96(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
.77943	15.907	1.60(-01)	7.47(+00)	1.07(-03)	4.0030(-02)	F'335-P 333	3
.78009	15.894	7.70(-01)	2.37(-02)	5.38(-03)	3.8263(-04)	F'313-P 333	4
.78047	15.886	1.94(+00)	2.62(-02)	1.70(-02)	2.2288(-03)	A'355-S 313	5
.78077	15.880	2.06(-02)	5.12(+00)	1.42(-04)	3.6301(-03)	F'155-P 333	6
.78093	15.877	2.01(+00)	5.34(+00)	1.78(-02)	2.8479(-01)	B'133-S 111	7
.78130	15.869	3.82(-01)	3.75(-01)	3.46(-03)	6.4863(-03)	A'375-S 313	8
.78143	15.867	7.00(+00)	3.15(+00)	1.35(-01)	1.2737(+00)	C'133-S 313	9
.78171	15.861	2.61(+01)	5.12(-01)	6.96(-01)	1.7836(+00)	C'335-S 313	10
.78253	15.844	1.78(+00)	6.69(-02)	8.07(-02)	2.7009(-02)	G'155-P 333	11
.78261	15.843	9.82(+00)	7.47(+00)	6.57(-02)	2.4551(+00)	F'335-P 335	12
.78265	15.842	2.06(+01)	1.42(-01)	3.94(-01)	5.5905(-02)	C'331-S 313	13
.78266	15.842	1.93(+01)	1.73(+00)	3.82(-01)	1.9776(+00)	C'333-S 313	14
.78299	15.835	7.80(+00)	5.11(-01)	8.80(-02)	4.5017(-02)	B'331-S 313	15
.78306	15.833	2.56(+01)	3.35(+00)	1.79(-01)	6.0095(-01)	F'111-P 133	16
.78312	15.832	1.88(+00)	1.36(-02)	2.16(-02)	8.8051(-04)	B'333-S 313	17
.78321	15.830	5.18(+00)	2.02(-01)	1.29(-01)	7.8450(-02)	G'353-P 331	18
.78328	15.829	9.87(+00)	2.37(-02)	6.90(-02)	4.9026(-03)	F'313-P 335	19
.78329	15.829	4.67(+00)	1.24(+00)	1.17(-01)	7.2361(-01)	G'355-P 333	20
.78333	15.828	2.98(+01)	6.93(-02)	2.07(-01)	1.0040(-01)	F'357-P 335	21
.78335	15.828	3.78(-01)	2.02(-01)	9.46(-03)	5.7362(-03)	G'353-P 333	22
.78355	15.824	1.23(+01)	2.27(-02)	1.09(-01)	7.3820(-03)	F'133-P 331	23
.78369	15.821	9.31(+00)	2.27(-02)	8.19(-02)	5.5671(-03)	F'133-P 333	24
.78375	15.819	1.62(+01)	3.15(+00)	3.12(-01)	2.9476(+00)	C'133-S 111	25
.78378	15.819	1.65(+01)	7.47(+00)	1.11(-01)	4.1367(+00)	F'335-P 133	26

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.78388	15.817	2.22(+01)	2.52(+00)	1.99(-01)	2.5045(+00)	F'355-P 333	27
.78396	15.815	1.75(+01)	5.12(+00)	1.21(-01)	3.0889(+00)	F'155-P 335	28
.78398	15.815	2.09(+01)	2.50(-01)	1.89(-01)	4.7119(-02)	F'331-P 333	29
.78410	15.812	1.83(+01)	1.32(-02)	1.28(-01)	5.0426(-03)	F'333-P 335	30
.78445	15.805	1.95(+01)	2.37(-02)	1.36(-01)	9.6721(-03)	F'313-P 133	31
.78499	15.795	2.40(+00)	1.73(+00)	4.73(-02)	2.4508(-01)	C'333-S 111	32
.78512	15.792	1.15(+01)	1.06(-02)	8.93(-02)	2.8275(-03)	F'353-P 331	33
.78513	15.792	9.60(+00)	5.12(+00)	6.62(-02)	1.6957(+00)	F'155-P 133	34
.78526	15.789	1.56(+01)	1.06(-02)	1.21(-01)	3.8379(-03)	F'353-P 333	35
.78526	15.789	5.77(+00)	1.39(+01)	1.14(-01)	1.5952(+00)	E'111-P 333	36
.78527	15.789	9.53(+00)	1.32(-02)	6.65(-02)	2.6263(-03)	F'333-P 133	37
.78545	15.785	7.16(+00)	1.36(-02)	8.23(-02)	3.3589(-03)	B'333-S 111	38
.78574	15.779	1.05(-01)	6.69(-02)	4.74(-03)	1.5870(-03)	G'155-P 335	39
.78574	15.779	3.16(+00)	5.38(-02)	1.84(-01)	2.9706(-02)	E'313-P 333	40
.78635	15.767	4.37(-01)	1.71(-01)	3.91(-02)	4.6874(-02)	G'357-P 335	41
.78692	15.756	5.18(-01)	6.69(-02)	2.35(-02)	7.8556(-03)	G'155-P 133	42
.78710	15.752	3.88(-01)	2.52(+00)	3.48(-03)	4.3806(-02)	F'355-P 335	43
.78768	15.741	2.83(-01)	1.24(+00)	7.08(-03)	4.3905(-02)	G'355-P 133	44
.78809	15.732	1.24(+00)	2.27(-02)	1.09(-02)	7.4258(-04)	F'133-P 133	45
.78898	15.715	4.41(-01)	5.38(-02)	2.57(-02)	4.1503(-03)	E'313-P 335	46
.78967	15.701	5.56(-01)	1.06(-02)	4.33(-03)	1.3703(-04)	F'353-P 133	47
.78968	15.701	7.17(-01)	1.39(+01)	1.42(-02)	1.9843(-01)	E'111-P 133	48
.91777	13.509	1.12(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	49
.92322	13.430	1.10(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	50
$n = 2 \rightarrow n = 1; Z = 36;$							
.77655	15.966	2.97(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'234-Y 212	1
.77770	15.942	2.96(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'232-Y 212	2
.91715	13.519	2.45(+01)	1.59(+00)	1.86(-01)	2.0676(+00)	A'177-D'355	3
.91735	13.516	1.08(+02)	1.18(-02)	8.79(-01)	3.1236(-02)	A'133-D'155	4
.91750	13.513	1.10(+02)	3.35(+00)	7.75(-01)	2.5961(+00)	F'111-P'133	5
.91760	13.512	3.76(+01)	1.59(+00)	2.84(-01)	3.1662(+00)	A'177-D'357	6
.91764	13.511	5.01(+01)	1.59(+00)	3.79(-01)	4.2240(+00)	A'177-D'155	7
.91777	13.509	1.12(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 234-Y 212	8
.91793	13.507	2.77(+01)	5.34(+00)	2.44(-01)	3.9162(+00)	B'133-S'313	9
.91798	13.506	1.10(+02)	2.87(-02)	9.19(-01)	2.6400(-02)	A'331-D'353	10
.91804	13.505	8.74(+01)	2.38(-02)	7.13(-01)	5.0922(-02)	A'333-D'353	11
.91805	13.505	4.91(+01)	7.47(+00)	3.29(-01)	1.2285(+01)	F'335-P'335	12
.91828	13.502	8.43(+01)	4.99(-01)	6.87(-01)	2.3974(+00)	A'357-D'355	13
.91830	13.502	6.48(+01)	1.89(-02)	5.35(-01)	5.0604(-02)	A'335-D'155	14
.91845	13.499	1.08(+02)	1.37(-01)	9.63(-01)	6.5910(-01)	B'335-S'313	15
.91849	13.499	6.32(+01)	7.47(+00)	4.23(-01)	1.5807(+01)	F'335-P'133	16
.91858	13.498	4.52(+01)	9.94(-02)	3.78(-01)	1.8758(-01)	A'155-D'355	17
.91860	13.497	1.02(+02)	5.12(+00)	7.03(-01)	1.8007(+01)	F'155-P'333	18
.91860	13.497	4.41(+01)	9.94(-02)	3.68(-01)	1.8298(-01)	A'155-D'353	19
.91873	13.495	2.17(+01)	4.99(-01)	1.77(-01)	6.1819(-01)	A'357-D'357	20
.91873	13.495	7.10(+01)	1.32(-02)	4.95(-01)	1.9564(-02)	F'333-P'331	21
.91877	13.495	7.59(+01)	5.34(+00)	6.70(-01)	1.0738(+01)	B'133-S'111	22
.91888	13.493	1.11(+02)	4.86(-01)	9.96(-01)	4.3574(+00)	A'379-D'357	23
.91904	13.491	1.09(+02)	6.93(-02)	7.54(-01)	3.6570(-01)	F'357-P'335	24
.91941	13.485	7.86(+01)	2.37(-02)	5.49(-01)	3.9054(-02)	F'313-P'133	25
.91991	13.478	5.17(+00)	5.12(+00)	3.56(-02)	9.1273(-01)	F'155-P'335	26
.92183	13.450	1.92(+01)	3.15(+00)	3.70(-01)	3.4976(+00)	C'133-S'313	27
.92291	13.434	6.26(+00)	2.52(+00)	5.62(-02)	7.0641(-01)	F'355-P'333	28
.92305	13.432	8.69(+01)	2.50(-01)	7.84(-01)	1.9565(-01)	F'331-P'333	29
.92318	13.430	8.43(+01)	2.40(-03)	6.91(-01)	4.9640(-03)	A'353-D'355	30

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.92322	13.430	1.10(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 232-Y 212	31
.92341	13.427	9.18(+00)	1.24(+00)	2.30(-01)	1.4242(+00)	G'355-P'335	32
.92350	13.426	1.59(+01)	2.02(-01)	3.97(-01)	2.4071(-01)	G'353-P'335	33
.92354	13.425	2.97(+01)	1.42(-01)	5.69(-01)	8.0748(-02)	C'331-S'313	34
.92354	13.425	2.12(+01)	1.73(+00)	4.18(-01)	2.1667(+00)	C'333-S'313	35
.92357	13.425	7.15(+01)	2.62(-02)	6.26(-01)	8.2080(-02)	A'355-D'357	36
.92365	13.423	5.17(+01)	7.80(-01)	4.38(-01)	2.3946(+00)	A'377-D'357	37
.92369	13.423	5.52(+01)	7.80(-01)	4.68(-01)	2.5582(+00)	A'377-D'155	38
.92386	13.420	1.05(+01)	1.24(+00)	2.61(-01)	1.6224(+00)	G'355-P'133	39
.92397	13.419	6.47(+01)	2.27(-02)	5.69(-01)	3.8701(-02)	F'133-P'335	40
.92401	13.418	7.98(+01)	5.11(-01)	9.01(-01)	4.6089(-01)	B'331-S'313	41
.92418	13.416	4.20(+01)	1.36(-02)	4.82(-01)	1.9687(-02)	B'333-S'313	42
.92424	13.415	4.29(+01)	2.52(+00)	3.85(-01)	4.8381(+00)	F'355-P'335	43
.92427	13.414	5.11(+01)	3.75(-01)	4.64(-01)	8.6862(-01)	A'375-D'355	44
.92429	13.414	5.64(+01)	3.75(-01)	5.12(-01)	9.5797(-01)	A'375-D'353	45
.92469	13.408	3.59(+01)	2.52(+00)	3.22(-01)	4.0546(+00)	F'355-P'133	46
.92482	13.406	6.08(+01)	1.06(-02)	4.73(-01)	1.4964(-02)	F'353-P'333	47
.92482	13.406	2.43(+01)	1.39(+01)	4.82(-01)	6.7159(+00)	E'111-P'333	48
.92530	13.399	7.43(+00)	5.12(-01)	1.98(-01)	5.0830(-01)	C'335-D'357	49
.92660	13.381	3.04(+00)	1.39(+01)	6.03(-02)	8.4041(-01)	E'111-P'133	50

Table IIb. Transitions $1s2l'3l''-1s2.2l,1s2.3l$ in [Li] and $1s2p-1s2, 1s3p-1s2$ in [He] ions

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 3 \rightarrow n = 1; Z = 6;$							
34.970	.35454	2.64(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
35.066	.35357	8.82(-07)	0.00(+00)	9.89(-01)	0.0000(+00)	R'333-Y 111	2
35.572	.34855	3.13(-04)	9.07(-03)	3.33(-03)	1.2085(-04)	A'234-S 212	3
35.572	.34855	3.14(-04)	9.17(-03)	3.34(-03)	6.1295(-05)	A'232-S 212	4
35.880	.34555	6.68(-04)	2.43(-03)	5.17(-02)	2.5058(-04)	I'232-S 212	5
35.881	.34554	6.76(-04)	2.37(-03)	5.18(-02)	4.9136(-04)	I'234-S 212	6
36.149	.34298	1.54(-09)	1.70(-06)	5.53(-04)	3.7564(-09)	I'474-S 212	7
36.372	.34088	8.88(-03)	8.64(-02)	8.66(-02)	2.9935(-02)	C'234-S 212	8
36.373	.34087	8.89(-03)	8.68(-02)	8.64(-02)	1.5008(-02)	C'232-S 212	9
36.458	.34007	6.88(-07)	2.63(-07)	2.95(-03)	3.1023(-09)	J'434-S 212	10
36.724	.33762	1.84(-03)	7.98(-03)	1.78(-02)	5.6942(-04)	F'234-P 232	11
36.724	.33761	6.78(-03)	9.45(-08)	7.11(-02)	1.3444(-08)	F'232-P 232	12
36.725	.33760	8.43(-03)	7.98(-03)	8.17(-02)	2.6093(-03)	F'234-P 234	13
36.726	.33759	3.48(-03)	9.45(-08)	3.65(-02)	6.8968(-09)	F'232-P 234	14
36.728	.33758	1.01(-03)	2.10(+00)	4.64(-04)	3.9013(-03)	F'254-P 232	15
36.729	.33756	4.35(-04)	2.10(+00)	2.00(-04)	1.6798(-03)	F'254-P 234	16
36.730	.33756	1.48(-03)	2.08(+00)	6.85(-04)	8.5630(-03)	F'256-P 234	17
36.881	.33617	1.06(-06)	1.03(-05)	3.78(-02)	1.5605(-06)	K'434-S 212	18
36.882	.33617	3.22(-07)	3.73(-06)	1.57(-02)	1.1707(-07)	K'432-S 212	19
36.916	.33586	1.04(-02)	1.11(-01)	8.43(-02)	1.8680(-02)	K'232-S 212	20
36.916	.33585	1.04(-02)	1.11(-01)	8.41(-02)	3.7368(-02)	K'234-S 212	21
36.950	.33555	5.70(-03)	1.10(-01)	3.86(-02)	8.5247(-03)	M'212-P 232	22
36.952	.33553	1.14(-02)	1.10(-01)	7.71(-02)	1.7034(-02)	M'212-P 234	23
36.986	.33522	1.35(-02)	1.74(+00)	7.67(-03)	5.3439(-02)	M'254-P 232	24
36.986	.33522	1.63(-02)	1.77(+00)	9.10(-03)	9.6486(-02)	M'256-P 234	25
36.988	.33521	2.69(-03)	1.74(+00)	1.53(-03)	1.0643(-02)	M'254-P 234	26
37.059	.33456	1.13(-03)	1.20(-03)	6.85(-02)	3.2820(-04)	G'254-P 232	27
37.060	.33455	1.25(-03)	2.47(-03)	7.15(-02)	1.0611(-03)	G'256-P 234	28
37.060	.33455	2.38(-04)	1.20(-03)	1.44(-02)	6.9082(-05)	G'254-P 234	29
37.064	.33452	1.51(-06)	6.22(-07)	1.38(-03)	3.4293(-09)	M'434-P 232	30
37.065	.33450	3.54(-06)	2.15(-04)	2.62(-03)	3.3813(-06)	M'436-P 234	31
37.066	.33450	1.22(-06)	7.54(-06)	9.42(-04)	2.8415(-08)	M'414-P 232	32
37.068	.33448	6.72(-07)	7.54(-06)	5.19(-04)	1.5647(-08)	M'414-P 234	33
37.170	.33356	6.43(-03)	6.09(-06)	3.97(-01)	4.8334(-06)	M'232-P 232	34
37.170	.33356	1.62(-03)	1.22(-06)	9.98(-02)	4.8623(-07)	M'234-P 232	35
37.171	.33355	3.14(-03)	6.09(-06)	1.94(-01)	2.3614(-06)	M'232-P 234	36
37.172	.33355	7.87(-03)	1.22(-06)	4.85(-01)	2.3634(-06)	M'234-P 234	37
37.180	.33347	1.64(-05)	2.70(-06)	7.86(-03)	8.4938(-08)	M'454-P 232	38
37.180	.33347	2.54(-05)	2.24(-08)	1.26(-02)	5.6347(-10)	M'452-P 232	39
37.182	.33346	6.11(-05)	2.70(-06)	2.94(-02)	3.1714(-07)	M'454-P 234	40
37.182	.33346	1.34(-05)	2.24(-08)	6.64(-03)	2.9735(-10)	M'452-P 234	41
37.490	.33072	3.13(-04)	1.84(+00)	1.69(-04)	6.2223(-04)	E'212-P 232	42
37.491	.33071	6.13(-04)	1.84(+00)	3.31(-04)	1.2181(-03)	E'212-P 234	43
37.554	.33015	6.68(-04)	2.00(-01)	3.30(-03)	2.6415(-03)	N'254-P 232	44
37.556	.33014	1.32(-04)	2.00(-01)	6.52(-04)	5.2209(-04)	N'254-P 234	45
37.556	.33014	7.94(-04)	2.00(-01)	3.92(-03)	4.7080(-03)	N'256-P 234	46
37.951	.32670	5.39(-04)	2.95(+00)	1.83(-04)	1.0771(-03)	L'212-P 232	47
37.952	.32669	1.07(-03)	2.95(+00)	3.63(-04)	2.1409(-03)	L'212-P 234	48
40.281	.30780	9.07(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
40.716	.30451	2.99(-06)	0.00(+00)	9.97(-01)	0.0000(+00)	R 333-Y 111	50

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 2 \rightarrow n = 1; Z = 6;$							
34.970	.35454	2.64(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
35.066	.35357	8.82(-07)	0.00(+00)	9.89(-01)	0.0000(+00)	R'333-Y 111	2
40.175	.30861	1.84(-02)	3.80(-01)	4.21(-02)	3.1958(-02)	F'212-P'232	3
40.176	.30861	3.73(-02)	3.80(-01)	8.56(-02)	6.4957(-02)	F'212-P'234	4
40.200	.30842	8.12(-03)	9.07(-03)	8.65(-02)	3.1378(-03)	A'234-D'254	5
40.201	.30842	7.35(-02)	9.07(-03)	7.83(-01)	2.8405(-02)	A'234-D'256	6
40.201	.30841	8.17(-02)	9.17(-03)	8.68(-01)	1.5920(-02)	A'232-D'254	7
40.244	.30808	8.77(-03)	2.43(-03)	6.78(-01)	3.2886(-03)	I'232-S'212	8
40.245	.30808	8.92(-03)	2.37(-03)	6.84(-01)	6.4871(-03)	I'234-S'212	9
40.281	.30780	9.07(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	10
40.414	.30679	7.07(-02)	4.68(-01)	1.29(-01)	3.6173(-01)	A'276-D'254	11
40.414	.30679	7.96(-03)	4.68(-01)	1.45(-02)	4.0749(-02)	A'276-D'256	12
40.415	.30678	7.88(-02)	4.69(-01)	1.43(-01)	5.3800(-01)	A'278-D'256	13
40.421	.30674	8.65(-03)	1.61(-03)	9.36(-02)	9.0642(-04)	A'256-D'254	14
40.421	.30673	8.00(-02)	1.61(-03)	8.66(-01)	8.3848(-03)	A'256-D'256	15
40.421	.30673	7.99(-02)	2.49(-10)	8.80(-01)	8.7745(-10)	A'254-D'254	16
40.421	.30673	8.81(-03)	2.49(-10)	9.70(-02)	9.6742(-11)	A'254-D'256	17
40.456	.30647	6.35(-02)	5.52(-01)	1.03(-01)	1.1314(-01)	B'232-S'212	18
40.457	.30646	6.36(-02)	5.35(-01)	1.05(-01)	2.2591(-01)	B'234-S'212	19
40.484	.30626	1.09(-02)	7.98(-03)	1.05(-01)	3.3664(-03)	F'234-P'232	20
40.484	.30625	7.31(-02)	7.98(-03)	7.09(-01)	2.2627(-02)	F'234-P'234	21
40.485	.30625	5.65(-02)	9.45(-08)	5.92(-01)	1.1201(-07)	F'232-P'232	22
40.486	.30625	2.77(-02)	9.45(-08)	2.91(-01)	5.4926(-08)	F'232-P'234	23
40.489	.30622	6.19(-02)	2.10(+00)	2.85(-02)	2.3923(-01)	F'254-P'232	24
40.490	.30621	7.07(-02)	2.08(+00)	3.28(-02)	4.0970(-01)	F'256-P'234	25
40.657	.30495	9.41(-03)	2.53(+00)	3.70(-03)	3.7487(-02)	J'234-S'212	26
40.716	.30451	2.99(-06)	0.00(+00)	9.97(-01)	0.0000(+00)	R 333-Y 111	27
40.759	.30419	6.23(-03)	1.10(-01)	4.22(-02)	9.3203(-03)	M'212-P'232	28
40.760	.30418	1.31(-02)	1.10(-01)	8.89(-02)	1.9642(-02)	M'212-P'234	29
40.791	.30396	8.77(-03)	2.64(-03)	6.94(-01)	1.4676(-02)	I'278-D'256	30
40.793	.30394	8.33(-03)	2.36(-03)	6.64(-01)	9.3799(-03)	I'276-D'254	31
40.793	.30394	6.57(-04)	2.36(-03)	5.23(-02)	7.3932(-04)	I'276-D'256	32
40.854	.30349	1.01(-04)	4.23(-07)	9.46(-02)	2.4029(-07)	I'256-D'256	33
40.854	.30349	1.07(-04)	1.07(-04)	9.16(-02)	3.9153(-05)	I'254-D'254	34
40.864	.30341	3.55(-03)	8.64(-02)	3.46(-02)	1.1951(-02)	C'234-S'212	35
40.864	.30341	3.42(-03)	8.68(-02)	3.33(-02)	5.7804(-03)	C'232-S'212	36
40.892	.30320	1.06(-02)	1.20(-03)	6.43(-01)	3.0837(-03)	G'254-P'232	37
40.892	.30320	1.26(-02)	2.47(-03)	7.19(-01)	1.0668(-02)	G'256-P'234	38
40.892	.30320	2.16(-03)	1.20(-03)	1.31(-01)	6.2635(-04)	G'254-P'234	39
40.898	.30316	6.78(-05)	2.15(-04)	5.01(-02)	6.4830(-05)	M'436-P'234	40
40.939	.30285	1.10(-06)	5.95(-06)	1.51(-01)	7.2093(-06)	I'478-D'256	41
40.939	.30285	1.42(-06)	3.53(-06)	2.69(-01)	5.7052(-06)	I'476-D'254	42
40.940	.30285	9.01(-07)	1.70(-06)	3.23(-01)	2.1920(-06)	I'474-D'254	43
40.940	.30285	1.31(-07)	1.70(-06)	4.70(-02)	3.1903(-07)	I'474-D'256	44
41.027	.30220	4.12(-03)	6.09(-06)	2.54(-01)	3.0965(-06)	M'232-P'232	45
41.027	.30220	1.09(-03)	1.22(-06)	6.69(-02)	3.2609(-07)	M'234-P'232	46
41.027	.30220	1.98(-03)	6.09(-06)	1.22(-01)	1.4900(-06)	M'232-P'234	47
41.028	.30220	5.11(-03)	1.22(-06)	3.15(-01)	1.5349(-06)	M'234-P'234	48
41.226	.30074	3.20(-03)	8.64(-02)	3.12(-02)	1.0772(-02)	C'234-D'256	49
41.227	.30074	3.56(-03)	8.68(-02)	3.46(-02)	6.0095(-03)	C'232-D'254	50
$n = 3 \rightarrow n = 1; Z = 7;$							
24.900	.49793	5.28(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
24.961	.49671	4.32(-06)	0.00(+00)	9.98(-01)	0.0000(+00)	R'333-Y 111	2
25.240	.49123	5.51(-04)	5.91(-03)	3.09(-03)	7.3027(-05)	A'234-S 212	3
25.240	.49122	5.56(-04)	6.03(-03)	3.11(-03)	3.7529(-05)	A'232-S 212	4

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
25.433	.48749	1.41(−03)	3.49(−03)	5.58(−02)	3.8996(−04)	I'232-S 212	5
25.434	.48748	1.43(−03)	3.43(−03)	5.56(−02)	7.6390(−04)	I'234-S 212	6
25.640	.48357	2.41(−04)	2.80(+00)	8.52(−05)	9.5560(−04)	J'234-S 212	7
25.642	.48353	2.44(−04)	2.78(+00)	8.72(−05)	4.8415(−04)	J'232-S 212	8
25.737	.48173	1.85(−02)	4.98(−02)	2.26(−01)	4.5042(−02)	C'234-S 212	9
25.738	.48173	1.85(−02)	4.95(−02)	2.28(−01)	2.2607(−02)	C'232-S 212	10
25.803	.48052	2.82(−06)	7.53(−06)	4.78(−03)	1.4391(−07)	J'434-S 212	11
25.803	.48051	3.29(−07)	1.54(−06)	5.74(−04)	1.7641(−09)	J'432-S 212	12
25.952	.47775	3.97(−03)	2.74(−02)	1.80(−02)	1.9701(−03)	F'234-P 232	13
25.953	.47773	1.39(−02)	4.46(−08)	7.17(−02)	6.3878(−09)	F'232-P 232	14
25.954	.47771	1.72(−02)	2.74(−02)	7.78(−02)	8.5195(−03)	F'234-P 234	15
25.955	.47770	1.69(−03)	2.46(+00)	6.47(−04)	6.3704(−03)	F'254-P 232	16
25.955	.47770	7.28(−03)	4.46(−08)	3.75(−02)	3.3403(−09)	F'232-P 234	17
25.957	.47766	1.21(−03)	2.46(+00)	4.62(−04)	4.5506(−03)	F'254-P 234	18
25.957	.47766	2.89(−03)	2.44(+00)	1.12(−03)	1.6349(−02)	F'256-P 234	19
26.053	.47590	1.69(−05)	8.72(−05)	1.10(−01)	3.8551(−05)	K'434-S 212	20
26.053	.47590	5.55(−06)	3.14(−05)	6.79(−02)	4.2628(−06)	K'432-S 212	21
26.066	.47567	2.16(−02)	1.19(−01)	1.47(−01)	3.5193(−02)	K'232-S 212	22
26.066	.47566	2.16(−02)	1.20(−01)	1.47(−01)	7.0424(−02)	K'234-S 212	23
26.083	.47534	1.22(−02)	1.23(−01)	6.05(−02)	1.4888(−02)	M'212-P 232	24
26.085	.47531	2.42(−02)	1.23(−01)	1.20(−01)	2.9653(−02)	M'212-P 234	25
26.119	.47469	2.84(−02)	1.89(+00)	1.47(−02)	1.1132(−01)	M'254-P 232	26
26.119	.47469	3.44(−02)	1.93(+00)	1.74(−02)	2.0220(−01)	M'256-P 234	27
26.121	.47466	5.67(−03)	1.89(+00)	2.93(−03)	2.2182(−02)	M'254-P 234	28
26.153	.47408	2.24(−03)	3.69(−03)	6.09(−02)	8.9932(−04)	G'254-P 232	29
26.154	.47406	2.22(−03)	9.29(−03)	5.39(−02)	3.0058(−03)	G'256-P 234	30
26.155	.47405	4.78(−04)	3.69(−03)	1.30(−02)	1.9226(−04)	G'254-P 234	31
26.179	.47360	3.03(−06)	1.07(−05)	1.07(−03)	4.5667(−08)	M'414-P 232	32
26.181	.47357	5.89(−06)	1.07(−05)	2.07(−03)	8.8616(−08)	M'414-P 234	33
26.239	.47253	1.36(−02)	1.56(−05)	4.05(−01)	1.2597(−05)	M'232-P 232	34
26.239	.47253	3.44(−03)	7.18(−06)	1.02(−01)	2.9422(−06)	M'234-P 232	35
26.240	.47250	6.54(−03)	1.56(−05)	1.95(−01)	6.0779(−06)	M'232-P 234	36
26.240	.47250	1.64(−02)	7.18(−06)	4.89(−01)	1.4053(−05)	M'234-P 234	37
26.248	.47237	4.48(−05)	1.14(−05)	9.52(−03)	4.3527(−07)	M'454-P 232	38
26.248	.47236	8.57(−05)	3.86(−09)	1.87(−02)	1.4440(−10)	M'452-P 232	39
26.250	.47233	1.58(−04)	1.14(−05)	3.36(−02)	1.5370(−06)	M'454-P 234	40
26.250	.47233	4.45(−05)	3.86(−09)	9.70(−03)	7.4957(−11)	M'452-P 234	41
26.423	.46924	5.65(−04)	1.96(+00)	2.84(−04)	1.1169(−03)	E'212-P 232	42
26.425	.46921	1.09(−03)	1.96(+00)	5.48(−04)	2.1527(−03)	E'212-P 234	43
26.456	.46865	1.47(−03)	2.44(−01)	5.88(−03)	5.7454(−03)	N'254-P 232	44
26.458	.46862	2.87(−04)	2.44(−01)	1.15(−03)	1.1247(−03)	N'254-P 234	45
26.458	.46862	1.73(−03)	2.44(−01)	6.94(−03)	1.0165(−02)	N'256-P 234	46
26.701	.46435	1.05(−03)	3.20(+00)	3.27(−04)	2.0882(−03)	L'212-P 232	47
26.703	.46432	2.07(−03)	3.20(+00)	6.46(−04)	4.1315(−03)	L'212-P 234	48
28.793	.43060	1.84(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
29.079	.42637	1.42(−05)	0.00(+00)	9.99(−01)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 7;$							
24.900	.49793	5.28(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
24.961	.49671	4.32(−06)	0.00(+00)	9.98(−01)	0.0000(+00)	R'333-Y 111	2
28.738	.43144	3.78(−02)	4.86(−01)	6.27(−02)	6.0863(−02)	F'212-P'232	3
28.738	.43143	7.77(−02)	4.86(−01)	1.29(−01)	1.2520(−01)	F'212-P'234	4
28.748	.43129	1.64(−02)	5.91(−03)	9.21(−02)	2.1771(−03)	A'234-D'254	5
28.748	.43129	1.50(−01)	5.91(−03)	8.38(−01)	1.9812(−02)	A'234-D'256	6
28.748	.43128	1.66(−01)	6.03(−03)	9.30(−01)	1.1210(−02)	A'232-D'254	7
28.767	.43100	1.73(−02)	3.49(−03)	6.87(−01)	4.7985(−03)	I'232-S'212	8

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
28.768	.43099	1.79(−02)	3.43(−03)	6.93(−01)	9.5144(−03)	I'234-S'212	9
28.793	.43060	1.84(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	10
28.868	.42949	1.43(−01)	6.32(−01)	1.80(−01)	6.8151(−01)	A'276-D'254	11
28.868	.42949	1.36(−02)	6.32(−01)	1.71(−02)	6.5027(−02)	A'276-D'256	12
28.869	.42947	1.57(−01)	6.33(−01)	1.97(−01)	9.9885(−01)	A'278-D'256	13
28.881	.42930	1.53(−02)	7.94(−04)	8.25(−02)	3.9304(−04)	A'256-D'254	14
28.881	.42930	1.65(−01)	7.94(−04)	8.85(−01)	4.2206(−03)	A'256-D'256	15
28.881	.42929	1.62(−01)	2.10(−10)	8.76(−01)	7.3649(−10)	A'254-D'254	16
28.881	.42929	1.77(−02)	2.10(−10)	9.58(−02)	8.0552(−11)	A'254-D'256	17
28.900	.42902	1.30(−01)	6.56(−01)	1.64(−01)	2.1513(−01)	B'232-S'212	18
28.901	.42900	1.31(−01)	6.28(−01)	1.70(−01)	4.2771(−01)	B'234-S'212	19
28.917	.42876	1.80(−02)	2.74(−02)	8.13(−02)	8.8996(−03)	F'234-P'232	20
28.918	.42875	1.52(−01)	2.74(−02)	6.90(−01)	7.5531(−02)	F'234-P'234	21
28.918	.42874	1.15(−01)	4.46(−08)	5.94(−01)	5.2888(−08)	F'232-P'232	22
28.919	.42873	5.57(−02)	4.46(−08)	2.87(−01)	2.5556(−08)	F'232-P'234	23
28.921	.42871	1.29(−01)	2.46(+00)	4.94(−02)	4.8625(−01)	F'254-P'232	24
28.922	.42869	1.43(−01)	2.44(+00)	5.50(−02)	8.0674(−01)	F'256-P'234	25
29.031	.42708	1.93(−02)	2.80(+00)	6.82(−03)	7.6479(−02)	J'234-S'212	26
29.079	.42637	1.42(−05)	0.00(+00)	9.99(−01)	0.0000(+00)	R 333-Y 111	27
29.080	.42635	1.24(−02)	1.23(−01)	6.18(−02)	1.5208(−02)	M'212-P'232	28
29.081	.42634	2.71(−02)	1.23(−01)	1.35(−01)	3.3209(−02)	M'212-P'234	29
29.117	.42582	2.16(−02)	8.43(−04)	8.55(−01)	5.7660(−03)	I'278-D'256	30
29.119	.42578	2.06(−02)	6.06(−04)	8.02(−01)	2.9137(−03)	I'276-D'254	31
29.120	.42578	1.70(−03)	6.06(−04)	6.61(−02)	2.4043(−04)	I'276-D'256	32
29.156	.42525	6.53(−03)	4.98(−02)	7.97(−02)	1.5877(−02)	C'234-S'212	33
29.157	.42524	6.11(−03)	4.95(−02)	7.52(−02)	7.4459(−03)	C'232-S'212	34
29.167	.42509	2.28(−02)	3.69(−03)	6.21(−01)	9.1732(−03)	G'254-P'232	35
29.167	.42509	2.67(−02)	9.29(−03)	6.48(−01)	3.6147(−02)	G'256-P'234	36
29.167	.42508	4.65(−03)	3.69(−03)	1.27(−01)	1.8707(−03)	G'254-P'234	37
29.176	.42496	5.44(−04)	3.24(−06)	1.85(−01)	3.5917(−06)	I'256-D'256	38
29.176	.42495	5.58(−04)	1.44(−04)	1.83(−01)	1.0566(−04)	I'254-D'254	39
29.225	.42425	5.00(−06)	1.79(−05)	2.08(−01)	2.9818(−05)	I'478-D'256	40
29.225	.42424	6.52(−06)	1.15(−05)	3.24(−01)	2.2311(−05)	I'476-D'254	41
29.226	.42423	1.17(−06)	1.15(−05)	5.82(−02)	4.0071(−06)	I'476-D'256	42
29.226	.42423	4.70(−06)	3.26(−06)	5.22(−01)	6.8067(−06)	I'474-D'254	43
29.226	.42423	6.42(−07)	3.26(−06)	7.12(−02)	9.2878(−07)	I'474-D'256	44
29.273	.42354	8.19(−03)	1.56(−05)	2.45(−01)	7.6121(−06)	M'232-P'232	45
29.273	.42354	2.22(−03)	7.18(−06)	6.61(−02)	1.8993(−06)	M'234-P'232	46
29.274	.42353	3.86(−03)	1.56(−05)	1.15(−01)	3.5873(−06)	M'232-P'234	47
29.274	.42353	1.02(−02)	7.18(−06)	3.03(−01)	8.6925(−06)	M'234-P'234	48
29.395	.42179	6.05(−03)	4.98(−02)	7.39(−02)	1.4717(−02)	C'234-D'256	49
29.395	.42179	6.74(−03)	4.95(−02)	8.30(−02)	8.2217(−03)	C'232-D'254	50
$n = 3 \rightarrow n = 1; Z = 8;$							
18.628	.66558	9.53(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
18.670	.66411	1.70(−05)	0.00(+00)	9.99(−01)	0.0000(+00)	R'333-Y 111	2
18.838	.65818	9.05(−04)	3.89(−03)	2.84(−03)	4.4169(−05)	A'234-S 212	3
18.838	.65816	9.18(−04)	4.04(−03)	2.87(−03)	2.3164(−05)	A'232-S 212	4
18.967	.65370	2.61(−03)	4.15(−03)	5.89(−02)	4.8911(−04)	I'232-S 212	5
18.968	.65367	2.68(−03)	4.11(−03)	5.82(−02)	9.5718(−04)	I'234-S 212	6
19.104	.64899	5.97(−04)	3.01(+00)	1.96(−04)	2.3583(−03)	J'234-S 212	7
19.107	.64891	6.19(−04)	2.97(+00)	2.05(−04)	1.2206(−03)	J'232-S 212	8
19.168	.64685	3.44(−02)	2.93(−02)	3.95(−01)	4.6266(−02)	C'234-S 212	9
19.168	.64683	3.45(−02)	2.82(−02)	4.06(−01)	2.2897(−02)	C'232-S 212	10
19.216	.64522	1.05(−05)	3.44(−05)	8.24(−03)	1.1340(−06)	J'434-S 212	11
19.216	.64520	1.49(−06)	1.88(−07)	1.24(−03)	4.6615(−10)	J'432-S 212	12

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
19.308	.64214	7.68(−03)	7.05(−02)	1.82(−02)	5.1214(−03)	F'234-P 232	13
19.309	.64211	2.55(−02)	9.93(−10)	7.18(−02)	1.4250(−10)	F'232-P 232	14
19.310	.64207	2.42(−03)	2.73(+00)	8.09(−04)	8.8266(−03)	F'254-P 232	15
19.310	.64207	3.11(−02)	7.05(−02)	7.34(−02)	2.0718(−02)	F'234-P 234	16
19.311	.64204	1.37(−02)	9.93(−10)	3.86(−02)	7.6554(−11)	F'232-P 234	17
19.312	.64201	3.11(−03)	2.73(+00)	1.04(−03)	1.1323(−02)	F'254-P 234	18
19.312	.64200	5.17(−03)	2.73(+00)	1.72(−03)	2.8244(−02)	F'256-P 234	19
19.376	.63988	2.34(−04)	7.09(−04)	2.11(−01)	5.9852(−04)	K'434-S 212	20
19.376	.63988	9.07(−05)	2.86(−04)	1.83(−01)	1.0435(−04)	K'432-S 212	21
19.381	.63973	4.00(−02)	1.26(−01)	2.26(−01)	5.6921(−02)	K'232-S 212	22
19.381	.63972	3.99(−02)	1.27(−01)	2.25(−01)	1.1375(−01)	K'234-S 212	23
19.391	.63940	2.30(−02)	1.35(−01)	8.23(−02)	2.2180(−02)	M'212-P 232	24
19.393	.63933	4.55(−02)	1.35(−01)	1.63(−01)	4.3967(−02)	M'212-P 234	25
19.421	.63841	5.33(−02)	2.00(+00)	2.56(−02)	2.0514(−01)	M'254-P 232	26
19.421	.63841	6.51(−02)	2.06(+00)	3.05(−02)	3.7597(−01)	M'256-P 234	27
19.423	.63835	1.06(−02)	2.00(+00)	5.11(−03)	4.0932(−02)	M'254-P 234	28
19.438	.63785	3.98(−03)	6.46(−03)	5.76(−02)	1.4880(−03)	G'254-P 232	29
19.440	.63780	3.26(−03)	2.23(−02)	4.01(−02)	5.3632(−03)	G'256-P 234	30
19.440	.63778	8.72(−04)	6.46(−03)	1.26(−02)	3.2628(−04)	G'254-P 234	31
19.465	.63697	1.24(−05)	1.48(−05)	2.28(−03)	1.3467(−07)	M'414-P 232	32
19.467	.63690	3.00(−05)	1.48(−05)	5.48(−03)	3.2445(−07)	M'414-P 234	33
19.502	.63576	2.55(−02)	3.54(−05)	4.12(−01)	2.9166(−05)	M'232-P 232	34
19.502	.63576	6.51(−03)	2.64(−05)	1.05(−01)	1.1091(−05)	M'234-P 232	35
19.504	.63569	1.21(−02)	3.54(−05)	1.95(−01)	1.3834(−05)	M'232-P 234	36
19.504	.63569	3.04(−02)	2.64(−05)	4.90(−01)	5.1740(−05)	M'234-P 234	37
19.509	.63552	1.26(−04)	3.31(−05)	1.33(−02)	1.7649(−06)	M'454-P 232	38
19.510	.63551	2.72(−04)	2.43(−08)	2.96(−02)	1.4395(−09)	M'452-P 232	39
19.512	.63545	4.26(−04)	3.31(−05)	4.51(−02)	5.9612(−06)	M'454-P 234	40
19.512	.63544	1.38(−04)	2.43(−08)	1.50(−02)	7.3158(−10)	M'452-P 234	41
19.618	.63200	9.52(−04)	2.06(+00)	4.54(−04)	1.8681(−03)	E'212-P 232	42
19.620	.63193	1.80(−03)	2.06(+00)	8.56(−04)	3.5239(−03)	E'212-P 234	43
19.637	.63140	2.84(−03)	2.80(−01)	9.73(−03)	1.0920(−02)	N'254-P 232	44
19.639	.63133	5.48(−04)	2.80(−01)	1.88(−03)	2.1085(−03)	N'254-P 234	45
19.639	.63133	3.31(−03)	2.80(−01)	1.14(−02)	1.9122(−02)	N'256-P 234	46
19.798	.62625	1.85(−03)	3.38(+00)	5.46(−04)	3.6958(−03)	L'212-P 232	47
19.800	.62618	3.64(−03)	3.38(+00)	1.07(−03)	7.2646(−03)	L'212-P 234	48
21.605	.57387	3.35(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
21.802	.56870	5.48(−05)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 8;$							
18.628	.66558	9.53(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
18.670	.66411	1.70(−05)	0.00(+00)	9.99(−01)	0.0000(+00)	R'333-Y 111	2
21.573	.57473	6.93(−02)	5.74(−01)	8.75(−02)	1.0050(−01)	F'212-P'232	3
21.573	.57471	1.45(−01)	5.74(−01)	1.83(−01)	2.1024(−01)	F'212-P'234	4
21.576	.57463	2.98(−02)	3.89(−03)	9.34(−02)	1.4540(−03)	A'234-D'254	5
21.577	.57463	2.73(−01)	3.89(−03)	8.56(−01)	1.3332(−02)	A'234-D'256	6
21.577	.57462	3.04(−01)	4.04(−03)	9.49(−01)	7.6608(−03)	A'232-D'254	7
21.585	.57440	3.06(−02)	4.15(−03)	6.91(−01)	5.7314(−03)	I'232-S'212	8
21.586	.57437	3.21(−02)	4.11(−03)	6.97(−01)	1.1453(−02)	I'234-S'212	9
21.605	.57387	3.35(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	10
21.650	.57267	2.56(−01)	7.69(−01)	2.41(−01)	1.1124(+00)	A'276-D'254	11
21.651	.57266	2.50(−02)	7.69(−01)	2.35(−02)	1.0861(−01)	A'276-D'256	12
21.652	.57263	2.82(−01)	7.70(−01)	2.65(−01)	1.6356(+00)	A'278-D'256	13
21.663	.57233	2.85(−02)	1.12(−03)	8.40(−02)	5.6536(−04)	A'256-D'254	14
21.663	.57233	2.99(−01)	1.12(−03)	8.81(−01)	5.9314(−03)	A'256-D'256	15
21.663	.57232	2.96(−01)	2.83(−10)	8.74(−01)	9.9011(−10)	A'254-D'254	16

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
21.664	.57232	3.20(−02)	2.83(−10)	9.45(−02)	1.0705(−10)	A'254-D'256	17
21.674	.57204	2.40(−01)	7.44(−01)	2.40(−01)	3.5708(−01)	B'232-S'212	18
21.675	.57201	2.41(−01)	7.01(−01)	2.51(−01)	7.0404(−01)	B'234-S'212	19
21.686	.57174	2.43(−02)	7.05(−02)	5.75(−02)	1.6224(−02)	F'234-P'232	20
21.687	.57172	2.85(−01)	7.05(−02)	6.75(−01)	1.9036(−01)	F'234-P'234	21
21.687	.57170	2.12(−01)	9.93(−10)	5.96(−01)	1.1840(−09)	F'232-P'232	22
21.688	.57168	1.00(−01)	9.93(−10)	2.82(−01)	5.6029(−10)	F'232-P'234	23
21.688	.57167	2.42(−01)	2.73(+00)	8.08(−02)	8.8240(−01)	F'254-P'232	24
21.689	.57164	2.59(−01)	2.73(+00)	8.65(−02)	1.4159(+00)	F'256-P'234	25
21.764	.56969	3.51(−02)	3.01(+00)	1.15(−02)	1.3870(−01)	J'234-S'212	26
21.767	.56960	3.86(−02)	2.97(+00)	1.28(−02)	7.6190(−02)	J'232-S'212	27
21.790	.56899	2.18(−02)	1.35(−01)	7.82(−02)	2.1093(−02)	M'212-P'232	28
21.791	.56897	5.02(−02)	1.35(−01)	1.80(−01)	4.8434(−02)	M'212-P'234	29
21.802	.56870	5.48(−05)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
21.822	.56816	4.41(−02)	1.27(−04)	8.83(−01)	9.0054(−04)	I'278-D'256	31
21.825	.56808	4.20(−02)	2.47(−05)	8.19(−01)	1.2147(−04)	I'276-D'254	32
21.827	.56805	1.21(−02)	2.06(+00)	5.68(−03)	7.0053(−02)	M'256-P'234	33
21.846	.56754	1.11(−02)	2.93(−02)	1.28(−01)	1.4981(−02)	C'234-S'212	34
21.847	.56753	9.96(−03)	2.82(−02)	1.17(−01)	6.6130(−03)	C'232-S'212	35
21.850	.56744	4.30(−02)	6.46(−03)	6.23(−01)	1.6089(−02)	G'254-P'232	36
21.850	.56744	4.93(−02)	2.23(−02)	6.07(−01)	8.1176(−02)	G'256-P'234	37
21.851	.56742	8.81(−03)	6.46(−03)	1.28(−01)	3.2967(−03)	G'254-P'234	38
21.871	.56689	1.49(−03)	1.01(−05)	2.25(−01)	1.3593(−05)	I'256-D'256	39
21.871	.56689	1.53(−03)	2.56(−04)	2.29(−01)	2.3369(−04)	I'254-D'254	40
21.901	.56611	1.89(−05)	4.56(−05)	2.72(−01)	9.9220(−05)	I'478-D'256	41
21.902	.56609	2.52(−05)	3.03(−05)	3.81(−01)	6.9201(−05)	I'476-D'254	42
21.902	.56608	5.61(−06)	3.03(−05)	8.48(−02)	1.5414(−05)	I'476-D'256	43
21.902	.56608	2.01(−05)	5.63(−06)	6.54(−01)	1.4728(−05)	I'474-D'254	44
21.903	.56607	2.59(−06)	5.63(−06)	8.39(−02)	1.8905(−06)	I'474-D'256	45
21.931	.56535	1.47(−02)	3.54(−05)	2.38(−01)	1.6845(−05)	M'232-P'232	46
21.931	.56533	6.73(−03)	3.54(−05)	1.09(−01)	7.7134(−06)	M'232-P'234	47
21.931	.56533	1.82(−02)	2.64(−05)	2.94(−01)	3.1006(−05)	M'234-P'234	48
22.011	.56329	1.05(−02)	2.93(−02)	1.20(−01)	1.4100(−02)	C'234-D'256	49
22.011	.56328	1.17(−02)	2.82(−02)	1.38(−01)	7.7665(−03)	C'232-D'254	50
$n = 3 \rightarrow n = 1; Z = 9;$							
14.459	.85750	1.59(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
14.488	.85577	5.68(−05)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
14.596	.84943	1.40(−03)	2.55(−03)	2.63(−03)	2.6749(−05)	A'234-S 212	3
14.597	.84940	1.43(−03)	2.71(−03)	2.67(−03)	1.4469(−05)	A'232-S 212	4
14.686	.84422	4.43(−03)	4.47(−03)	6.10(−02)	5.4459(−04)	I'232-S 212	5
14.687	.84416	4.59(−03)	4.47(−03)	5.96(−02)	1.0664(−03)	I'234-S 212	6
14.783	.83871	1.21(−03)	3.18(+00)	3.73(−04)	4.7506(−03)	J'234-S 212	7
14.785	.83857	1.29(−03)	3.12(+00)	4.05(−04)	2.5259(−03)	J'232-S 212	8
14.827	.83624	5.88(−02)	1.79(−02)	5.12(−01)	3.6695(−02)	C'234-S 212	9
14.827	.83621	5.90(−02)	1.61(−02)	5.34(−01)	1.7179(−02)	C'232-S 212	10
14.863	.83420	3.45(−05)	1.03(−04)	1.40(−02)	5.7367(−06)	J'434-S 212	11
14.863	.83417	5.61(−06)	8.07(−07)	2.49(−03)	4.0163(−09)	J'432-S 212	12
14.923	.83083	1.35(−02)	1.43(−01)	1.84(−02)	1.0560(−02)	F'234-P 232	13
14.924	.83077	4.29(−02)	2.05(−07)	7.14(−02)	2.9219(−08)	F'232-P 232	14
14.925	.83074	3.08(−03)	2.92(+00)	9.11(−04)	1.0639(−02)	F'254-P 232	15
14.925	.83071	5.14(−02)	1.43(−01)	6.99(−02)	4.0093(−02)	F'234-P 234	16
14.926	.83065	2.39(−02)	2.05(−07)	3.98(−02)	1.6277(−08)	F'232-P 234	17
14.927	.83062	7.22(−03)	2.92(+00)	2.14(−03)	2.4981(−02)	F'254-P 234	18
14.927	.83061	8.67(−03)	2.96(+00)	2.54(−03)	4.5065(−02)	F'256-P 234	19
14.972	.82814	3.83(−03)	7.27(−03)	3.08(−01)	8.9623(−03)	K'434-S 212	20

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
14.972	.82813	2.73(-03)	5.21(-03)	3.06(-01)	3.1920(-03)	K'432-S 212	21
14.973	.82806	6.58(-02)	1.26(-01)	3.12(-01)	7.8860(-02)	K'232-S 212	22
14.973	.82804	6.49(-02)	1.26(-01)	3.09(-01)	1.5606(-01)	K'234-S 212	23
14.979	.82775	3.99(-02)	1.45(-01)	1.02(-01)	2.9576(-02)	M'212-P 232	24
14.981	.82762	7.85(-02)	1.45(-01)	2.00(-01)	5.8244(-02)	M'212-P 234	25
15.003	.82642	9.17(-02)	2.08(+00)	4.13(-02)	3.4385(-01)	M'254-P 232	26
15.003	.82640	1.13(-01)	2.15(+00)	4.95(-02)	6.3732(-01)	M'256-P 234	27
15.005	.82630	1.84(-02)	2.08(+00)	8.27(-03)	6.8779(-02)	M'254-P 234	28
15.012	.82590	6.71(-03)	8.14(-03)	5.74(-02)	1.8675(-03)	G'254-P 232	29
15.014	.82579	3.97(-03)	4.36(-02)	2.80(-02)	7.3191(-03)	G'256-P 234	30
15.014	.82577	1.52(-03)	8.14(-03)	1.30(-02)	4.2298(-04)	G'254-P 234	31
15.035	.82462	4.61(-05)	2.09(-05)	4.79(-03)	4.0001(-07)	M'414-P 232	32
15.038	.82450	1.22(-04)	2.09(-05)	1.27(-02)	1.0574(-06)	M'414-P 234	33
15.060	.82328	1.14(-02)	7.64(-05)	1.08(-01)	3.2946(-05)	M'234-P 232	34
15.060	.82328	4.39(-02)	7.27(-05)	4.20(-01)	6.1013(-05)	M'232-P 232	35
15.062	.82316	5.15(-02)	7.64(-05)	4.88(-01)	1.4904(-04)	M'234-P 234	36
15.062	.82316	2.04(-02)	7.27(-05)	1.95(-01)	2.8296(-05)	M'232-P 234	37
15.066	.82294	3.28(-04)	7.72(-05)	1.88(-02)	5.8036(-06)	M'454-P 232	38
15.066	.82292	7.55(-04)	3.29(-07)	4.44(-02)	2.9224(-08)	M'452-P 232	39
15.068	.82282	1.05(-03)	7.72(-05)	6.05(-02)	1.8678(-05)	M'454-P 234	40
15.069	.82280	3.75(-04)	3.29(-07)	2.20(-02)	1.4501(-08)	M'452-P 234	41
15.138	.81903	1.52(-03)	2.13(+00)	6.92(-04)	2.9521(-03)	E'212-P 232	42
15.140	.81891	2.79(-03)	2.13(+00)	1.27(-03)	5.4145(-03)	E'212-P 234	43
15.149	.81842	5.00(-03)	3.10(-01)	1.51(-02)	1.8763(-02)	N'254-P 232	44
15.152	.81830	9.48(-04)	3.10(-01)	2.87(-03)	3.5564(-03)	N'254-P 234	45
15.152	.81829	5.76(-03)	3.08(-01)	1.75(-02)	3.2408(-02)	N'256-P 234	46
15.262	.81240	3.06(-03)	3.53(+00)	8.63(-04)	6.0968(-03)	L'212-P 232	47
15.264	.81228	5.96(-03)	3.53(+00)	1.68(-03)	1.1880(-02)	L'212-P 234	48
16.809	.73763	5.65(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
16.949	.73151	1.81(-04)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 9;$							
14.459	.85750	1.59(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
14.488	.85577	5.68(-05)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
16.788	.73852	1.17(-01)	6.49(-01)	1.14(-01)	1.4828(-01)	F'212-P'232	3
16.789	.73849	2.49(-01)	6.49(-01)	2.44(-01)	3.1721(-01)	F'212-P'234	4
16.789	.73847	4.98(-02)	2.55(-03)	9.31(-02)	9.4855(-04)	A'234-D'254	5
16.790	.73846	4.61(-01)	2.55(-03)	8.63(-01)	8.7880(-03)	A'234-D'256	6
16.790	.73844	5.13(-01)	2.71(-03)	9.55(-01)	5.1773(-03)	A'232-D'254	7
16.793	.73830	4.98(-02)	4.47(-03)	6.85(-01)	6.1213(-03)	I'232-S'212	8
16.795	.73825	5.33(-02)	4.47(-03)	6.92(-01)	1.2386(-02)	I'234-S'212	9
16.809	.73763	5.65(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	10
16.838	.73634	4.24(-01)	8.84(-01)	3.09(-01)	1.6388(+00)	A'276-D'254	11
16.838	.73633	4.39(-02)	8.84(-01)	3.20(-02)	1.6952(-01)	A'276-D'256	12
16.839	.73628	4.72(-01)	8.86(-01)	3.42(-01)	2.4255(+00)	A'278-D'256	13
16.849	.73586	5.06(-02)	1.84(-03)	8.80(-02)	9.7440(-04)	A'256-D'254	14
16.849	.73585	5.02(-01)	1.84(-03)	8.74(-01)	9.6710(-03)	A'256-D'256	15
16.849	.73585	5.00(-01)	8.26(-09)	8.72(-01)	2.8833(-08)	A'254-D'254	16
16.850	.73584	5.32(-02)	8.26(-09)	9.28(-02)	3.0691(-09)	A'254-D'256	17
16.856	.73555	4.08(-01)	8.20(-01)	3.25(-01)	5.3294(-01)	B'232-S'212	18
16.857	.73551	4.09(-01)	7.55(-01)	3.43(-01)	1.0363(+00)	B'234-S'212	19
16.865	.73517	4.92(-01)	1.43(-01)	6.69(-01)	3.8391(-01)	F'234-P'234	20
16.865	.73515	3.61(-01)	2.05(-07)	6.01(-01)	2.4593(-07)	F'232-P'232	21
16.866	.73512	4.21(-01)	2.92(+00)	1.25(-01)	1.4547(+00)	F'254-P'232	22
16.866	.73511	1.66(-01)	2.05(-07)	2.76(-01)	1.1316(-07)	F'232-P'234	23
16.867	.73508	4.37(-01)	2.96(+00)	1.28(-01)	2.2714(+00)	F'256-P'234	24
16.920	.73279	5.86(-02)	3.18(+00)	1.80(-02)	2.2962(-01)	J'234-S'212	25

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
16.923	.73265	6.68(−02)	3.12(+00)	2.09(−02)	1.3064(−01)	J'232-S'212	26
16.935	.73213	3.50(−02)	1.45(−01)	8.94(−02)	2.5999(−02)	M'212-P'232	27
16.936	.73209	8.61(−02)	1.45(−01)	2.20(−01)	6.3886(−02)	M'212-P'234	28
16.949	.73151	1.81(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
16.961	.73099	8.00(−02)	7.63(−06)	8.86(−01)	5.4049(−05)	I'278-D'256	30
16.964	.73087	2.43(−02)	2.15(+00)	1.06(−02)	1.3644(−01)	M'256-P'234	31
16.964	.73086	7.63(−02)	1.28(−04)	8.15(−01)	6.2596(−04)	I'276-D'254	32
16.977	.73032	1.80(−02)	1.79(−02)	1.57(−01)	1.1255(−02)	C'234-S'212	33
16.977	.73030	1.52(−02)	1.61(−02)	1.37(−01)	4.4114(−03)	C'232-S'212	34
16.978	.73028	7.42(−02)	8.14(−03)	6.35(−01)	2.0668(−02)	G'254-P'232	35
16.978	.73026	8.20(−02)	4.36(−02)	5.78(−01)	1.5110(−01)	G'256-P'234	36
16.979	.73024	1.53(−02)	8.14(−03)	1.31(−01)	4.2631(−03)	G'254-P'234	37
17.000	.72932	3.12(−03)	2.39(−05)	2.42(−01)	3.4723(−05)	I'256-D'256	38
17.000	.72932	3.24(−03)	4.72(−04)	2.51(−01)	4.7348(−04)	I'254-D'254	39
17.020	.72846	6.17(−05)	1.02(−04)	3.38(−01)	2.7706(−04)	I'478-D'256	40
17.021	.72843	8.43(−05)	6.97(−05)	4.29(−01)	1.7965(−04)	I'476-D'254	41
17.021	.72842	2.15(−05)	6.97(−05)	1.10(−01)	4.5883(−05)	I'476-D'256	42
17.021	.72841	7.27(−05)	8.60(−06)	7.16(−01)	2.4623(−05)	I'474-D'254	43
17.022	.72840	8.75(−06)	8.60(−06)	8.62(−02)	2.9636(−06)	I'474-D'256	44
17.039	.72766	2.44(−02)	7.27(−05)	2.33(−01)	3.3875(−05)	M'232-P'232	45
17.040	.72762	3.02(−02)	7.64(−05)	2.86(−01)	8.7473(−05)	M'234-P'234	46
17.040	.72762	1.07(−02)	7.27(−05)	1.03(−01)	1.4925(−05)	M'232-P'234	47
17.095	.72527	1.70(−02)	1.79(−02)	1.48(−01)	1.0606(−02)	C'234-D'256	48
17.095	.72525	1.90(−02)	1.61(−02)	1.72(−01)	5.5233(−03)	C'232-D'254	49
17.140	.72337	3.82(−02)	2.13(+00)	1.74(−02)	7.4202(−02)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 10;$							
11.547	1.0737	2.51(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
11.568	1.0718	1.66(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
11.642	1.0650	2.14(−03)	1.79(−03)	2.51(−03)	9.0005(−06)	A'232-S 212	3
11.707	1.0591	7.00(−03)	4.52(−03)	6.22(−02)	5.6140(−04)	I'232-S 212	4
11.708	1.0590	7.33(−03)	4.59(−03)	6.00(−02)	1.1023(−03)	I'234-S 212	5
11.777	1.0528	2.15(−03)	3.32(+00)	6.27(−04)	8.3353(−03)	J'234-S 212	6
11.780	1.0525	2.37(−03)	3.24(+00)	7.08(−04)	4.5823(−03)	J'232-S 212	7
11.809	1.0499	9.42(−02)	1.18(−02)	5.71(−01)	2.6838(−02)	C'234-S 212	8
11.809	1.0499	9.47(−02)	9.18(−03)	6.04(−01)	1.1086(−02)	C'232-S 212	9
11.836	1.0475	1.01(−04)	2.48(−04)	2.27(−02)	2.2516(−05)	J'434-S 212	10
11.837	1.0475	1.82(−05)	8.10(−06)	4.65(−03)	7.5212(−08)	J'432-S 212	11
11.878	1.0438	2.20(−02)	2.42(−01)	1.87(−02)	1.8117(−02)	F'234-P 232	12
11.879	1.0438	6.73(−02)	1.16(−06)	7.05(−02)	1.6370(−07)	F'232-P 232	13
11.879	1.0437	3.56(−03)	3.05(+00)	9.42(−04)	1.1484(−02)	F'254-P 232	14
11.880	1.0436	7.97(−02)	2.42(−01)	6.77(−02)	6.5499(−02)	F'234-P 234	15
11.881	1.0435	3.93(−02)	1.16(−06)	4.12(−02)	9.5567(−08)	F'232-P 234	16
11.881	1.0435	1.49(−02)	3.05(+00)	3.95(−03)	4.8128(−02)	F'254-P 234	17
11.882	1.0435	1.38(−02)	3.15(+00)	3.57(−03)	6.7336(−02)	F'256-P 234	18
11.913	1.0407	9.41(−02)	1.16(−01)	3.96(−01)	9.2170(−02)	K'232-S 212	19
11.913	1.0407	5.47(−02)	6.85(−02)	3.91(−01)	1.0717(−01)	K'434-S 212	20
11.914	1.0407	1.59(−02)	1.97(−02)	3.94(−01)	1.5526(−02)	K'432-S 212	21
11.914	1.0407	5.57(−02)	7.09(−02)	3.89(−01)	1.1042(−01)	K'234-S 212	22
11.917	1.0404	6.48(−02)	1.55(−01)	1.18(−01)	3.6528(−02)	M'212-P 232	23
11.919	1.0402	1.27(−01)	1.55(−01)	2.30(−01)	7.1317(−02)	M'212-P 234	24
11.936	1.0387	1.47(−01)	2.14(+00)	6.24(−02)	5.3300(−01)	M'254-P 232	25
11.937	1.0387	1.85(−01)	2.21(+00)	7.53(−02)	1.0001(+00)	M'256-P 234	26
11.939	1.0385	2.96(−02)	2.14(+00)	1.25(−02)	1.0704(−01)	M'254-P 234	27
11.942	1.0383	1.11(−02)	7.47(−03)	6.03(−02)	1.8013(−03)	G'254-P 232	28
11.944	1.0381	4.03(−03)	7.36(−02)	1.78(−02)	7.8740(−03)	G'256-P 234	29

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
11.944	1.0380	2.62(−03)	7.47(−03)	1.42(−02)	4.2349(−04)	G'254-P 234	30
11.958	1.0368	5.49(−05)	2.88(−06)	4.24(−03)	2.4380(−08)	M'432-P 232	31
11.961	1.0366	1.54(−04)	3.03(−05)	9.60(−03)	1.1633(−06)	M'414-P 232	32
11.963	1.0364	4.20(−04)	3.03(−05)	2.63(−02)	3.1800(−06)	M'414-P 234	33
11.978	1.0351	1.87(−02)	1.90(−04)	1.11(−01)	8.4370(−05)	M'234-P 232	34
11.978	1.0351	7.12(−02)	1.37(−04)	4.28(−01)	1.1731(−04)	M'232-P 232	35
11.980	1.0349	8.13(−02)	1.90(−04)	4.84(−01)	3.6719(−04)	M'234-P 234	36
11.980	1.0349	3.21(−02)	1.37(−04)	1.93(−01)	5.2872(−05)	M'232-P 234	37
11.983	1.0347	7.75(−04)	1.56(−04)	2.56(−02)	1.5993(−05)	M'454-P 232	38
11.983	1.0346	1.83(−03)	1.58(−06)	6.19(−02)	1.9616(−07)	M'452-P 232	39
11.985	1.0345	2.36(−03)	1.56(−04)	7.77(−02)	4.8591(−05)	M'454-P 234	40
11.986	1.0344	8.81(−04)	1.58(−06)	2.99(−02)	9.4728(−08)	M'452-P 234	41
12.033	1.0304	2.32(−03)	2.19(+00)	1.01(−03)	4.4515(−03)	E'212-P 232	42
12.036	1.0302	4.12(−03)	2.19(+00)	1.80(−03)	7.8834(−03)	E'212-P 234	43
12.040	1.0297	8.21(−03)	3.33(−01)	2.23(−02)	2.9761(−02)	N'254-P 232	44
12.043	1.0295	1.52(−03)	3.33(−01)	4.13(−03)	5.5076(−03)	N'254-P 234	45
12.043	1.0295	9.29(−03)	3.31(−01)	2.55(−02)	5.0509(−02)	N'256-P 234	46
12.122	1.0229	4.78(−03)	3.65(+00)	1.30(−03)	9.5133(−03)	L'212-P 232	47
12.124	1.0226	9.21(−03)	3.65(+00)	2.51(−03)	1.8332(−02)	L'212-P 234	48
13.449	.92190	8.96(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
13.553	.91482	5.24(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 10;$							
11.547	1.0737	2.51(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
11.568	1.0718	1.66(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
13.435	.92284	1.83(−01)	7.14(−01)	1.40(−01)	1.9982(−01)	F'212-P'232	3
13.435	.92284	7.81(−02)	1.62(−03)	9.21(−02)	5.9622(−04)	A'234-D'254	4
13.435	.92282	7.34(−01)	1.62(−03)	8.65(−01)	5.5992(−03)	A'234-D'256	5
13.436	.92279	8.15(−01)	1.79(−03)	9.57(−01)	3.4335(−03)	A'232-D'254	6
13.436	.92278	4.04(−01)	7.14(−01)	3.08(−01)	4.3997(−01)	F'212-P'234	7
13.437	.92274	7.57(−02)	4.52(−03)	6.72(−01)	6.0716(−03)	I'232-S'212	8
13.438	.92264	8.32(−02)	4.59(−03)	6.81(−01)	1.2510(−02)	I'234-S'212	9
13.449	.92190	8.96(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	10
13.469	.92055	6.62(−01)	9.81(−01)	3.78(−01)	2.2234(+00)	A'276-D'254	11
13.469	.92053	7.40(−02)	9.81(−01)	4.22(−02)	2.4838(−01)	A'276-D'256	12
13.470	.92044	7.44(−01)	9.84(−01)	4.22(−01)	3.3205(+00)	A'278-D'256	13
13.478	.91991	8.58(−02)	3.08(−03)	9.38(−02)	1.7313(−03)	A'256-D'254	14
13.478	.91989	7.91(−01)	3.08(−03)	8.65(−01)	1.5964(−02)	A'256-D'256	15
13.478	.91989	7.95(−01)	5.02(−08)	8.71(−01)	1.7512(−07)	A'254-D'254	16
13.483	.91958	6.52(−01)	8.85(−01)	4.13(−01)	7.3098(−01)	B'232-S'212	17
13.484	.91952	6.54(−01)	7.93(−01)	4.39(−01)	1.3918(+00)	B'234-S'212	18
13.489	.91915	7.93(−01)	2.42(−01)	6.74(−01)	6.5194(−01)	F'234-P'234	19
13.490	.91911	5.80(−01)	1.16(−06)	6.07(−01)	1.4091(−06)	F'232-P'232	20
13.490	.91909	6.82(−01)	3.05(+00)	1.81(−01)	2.2027(+00)	F'254-P'232	21
13.491	.91905	2.57(−01)	1.16(−06)	2.69(−01)	6.2522(−07)	F'232-P'234	22
13.491	.91902	6.94(−01)	3.15(+00)	1.79(−01)	3.3843(+00)	F'256-P'234	23
13.529	.91641	9.09(−02)	3.32(+00)	2.66(−02)	3.5315(−01)	J'234-S'212	24
13.533	.91619	1.09(−01)	3.24(+00)	3.24(−02)	2.0969(−01)	J'232-S'212	25
13.539	.91578	5.21(−02)	1.55(−01)	9.47(−02)	2.9347(−02)	M'212-P'232	26
13.540	.91572	1.40(−01)	1.55(−01)	2.54(−01)	7.8800(−02)	M'212-P'234	27
13.553	.91482	5.24(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	28
13.560	.91435	1.34(−01)	1.94(−04)	8.84(−01)	1.3747(−03)	I'278-D'256	29
13.562	.91421	4.50(−02)	2.21(+00)	1.83(−02)	2.4340(−01)	M'256-P'234	30
13.563	.91415	1.27(−01)	6.28(−04)	8.07(−01)	3.0406(−03)	I'276-D'254	31
13.564	.91410	2.62(−02)	2.14(+00)	1.11(−02)	9.4883(−02)	M'254-P'232	32
13.570	.91365	3.25(−02)	7.93(−01)	2.18(−02)	6.9223(−02)	B'234-D'256	33

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
13.571	.91362	1.20(−01)	7.47(−03)	6.50(−01)	1.9416(−02)	G'254-P'232	34
13.571	.91361	2.81(−02)	1.18(−02)	1.70(−01)	7.9888(−03)	C'234-S'212	35
13.571	.91358	1.26(−01)	7.36(−02)	5.59(−01)	2.4667(−01)	G'256-P'234	36
13.572	.91356	2.18(−02)	9.18(−03)	1.39(−01)	2.5453(−03)	C'232-S'212	37
13.572	.91355	2.50(−02)	7.47(−03)	1.35(−01)	4.0449(−03)	G'254-P'234	38
13.591	.91227	5.62(−03)	4.89(−05)	2.46(−01)	7.2203(−05)	I'256-D'256	39
13.591	.91226	5.94(−03)	8.55(−04)	2.61(−01)	8.9450(−04)	I'254-D'254	40
13.605	.91132	1.79(−04)	2.10(−04)	4.00(−01)	6.7230(−04)	I'478-D'256	41
13.606	.91128	2.52(−04)	1.45(−04)	4.68(−01)	4.0853(−04)	I'476-D'254	42
13.606	.91126	6.95(−05)	1.45(−04)	1.29(−01)	1.1269(−04)	I'476-D'256	43
13.606	.91124	2.26(−04)	1.14(−05)	7.39(−01)	3.3696(−05)	I'474-D'254	44
13.617	.91049	3.80(−02)	1.37(−04)	2.29(−01)	6.2717(−05)	M'232-P'232	45
13.618	.91043	4.71(−02)	1.90(−04)	2.80(−01)	2.1273(−04)	M'234-P'234	46
13.618	.91043	1.59(−02)	1.37(−04)	9.58(−02)	2.6268(−05)	M'232-P'234	47
13.659	.90774	2.61(−02)	1.18(−02)	1.58(−01)	7.4385(−03)	C'234-D'256	48
13.659	.90771	2.92(−02)	9.18(−03)	1.86(−01)	3.4135(−03)	C'232-D'254	49
13.690	.90566	5.86(−02)	2.19(+00)	2.56(−02)	1.1227(−01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 11;$							
9.4335	1.3143	3.79(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
9.4496	1.3121	4.36(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
9.5496	1.2983	1.05(−02)	4.35(−03)	6.28(−02)	5.4670(−04)	I'232-S 212	3
9.5508	1.2982	1.11(−02)	4.52(−03)	5.97(−02)	1.0785(−03)	I'234-S 212	4
9.6025	1.2912	3.44(−03)	3.44(+00)	9.58(−04)	1.3195(−02)	J'234-S 212	5
9.6050	1.2908	3.98(−03)	3.33(+00)	1.13(−03)	7.5508(−03)	J'232-S 212	6
9.6261	1.2880	1.44(−01)	8.65(−03)	5.97(−01)	2.0651(−02)	C'234-S 212	7
9.6267	1.2879	1.45(−01)	5.33(−03)	6.40(−01)	6.8274(−03)	C'232-S 212	8
9.6475	1.2852	2.70(−04)	5.23(−04)	3.51(−02)	7.3429(−05)	J'434-S 212	9
9.6481	1.2851	5.19(−05)	3.00(−05)	8.10(−03)	4.8604(−07)	J'432-S 212	10
9.6770	1.2812	3.35(−02)	3.54(−01)	1.90(−02)	2.6987(−02)	F'234-P 232	11
9.6781	1.2811	1.00(−01)	3.70(−06)	6.92(−02)	5.1198(−07)	F'232-P 232	12
9.6782	1.2811	3.87(−03)	3.14(+00)	9.10(−04)	1.1423(−02)	F'254-P 232	13
9.6795	1.2809	1.18(−01)	3.54(−01)	6.70(−02)	9.4909(−02)	F'234-P 234	14
9.6806	1.2808	6.20(−02)	3.70(−06)	4.28(−02)	3.1701(−07)	F'232-P 234	15
9.6807	1.2807	2.76(−02)	3.14(+00)	6.50(−03)	8.1577(−02)	F'254-P 234	16
9.6808	1.2807	2.11(−02)	3.30(+00)	4.81(−03)	9.5174(−02)	F'256-P 234	17
9.7037	1.2777	1.62(−01)	1.35(−01)	4.71(−01)	1.2700(−01)	K'232-S 212	18
9.7039	1.2777	1.38(−01)	1.18(−01)	4.63(−01)	2.1806(−01)	K'234-S 212	19
9.7049	1.2775	3.11(−02)	2.74(−02)	4.58(−01)	5.0220(−02)	K'434-S 212	20
9.7050	1.2775	6.39(−03)	5.40(−03)	4.56(−01)	4.9275(−03)	K'432-S 212	21
9.7056	1.2775	1.00(−01)	1.63(−01)	1.31(−01)	4.2790(−02)	M'212-P 232	22
9.7082	1.2771	1.94(−01)	1.63(−01)	2.53(−01)	8.2645(−02)	M'212-P 234	23
9.7213	1.2754	2.24(−01)	2.17(+00)	8.88(−02)	7.7209(−01)	M'254-P 232	24
9.7217	1.2753	2.86(−01)	2.26(+00)	1.08(−01)	1.4675(+00)	M'256-P 234	25
9.7238	1.2751	4.52(−02)	2.17(+00)	1.79(−02)	1.5596(−01)	M'254-P 234	26
9.7247	1.2749	1.88(−02)	4.20(−03)	6.69(−02)	1.1243(−03)	G'254-P 232	27
9.7269	1.2747	3.39(−03)	1.09(−01)	1.02(−02)	6.6940(−03)	G'256-P 234	28
9.7273	1.2746	4.60(−03)	4.20(−03)	1.64(−02)	2.7480(−04)	G'254-P 234	29
9.7383	1.2732	1.60(−04)	9.81(−06)	7.92(−03)	1.5528(−07)	M'432-P 232	30
9.7392	1.2731	7.86(−05)	6.10(−03)	2.94(−03)	1.0760(−04)	M'436-P 234	31
9.7401	1.2729	4.66(−04)	4.67(−05)	1.82(−02)	3.4066(−06)	M'414-P 232	32
9.7426	1.2726	1.27(−03)	4.67(−05)	4.96(−02)	9.2682(−06)	M'414-P 234	33
9.7523	1.2713	2.92(−02)	4.24(−04)	1.15(−01)	1.9480(−04)	M'234-P 232	34
9.7523	1.2713	1.10(−01)	2.41(−04)	4.37(−01)	2.1029(−04)	M'232-P 232	35
9.7548	1.2710	1.21(−01)	4.24(−04)	4.77(−01)	8.0824(−04)	M'234-P 234	36
9.7549	1.2710	4.77(−02)	2.41(−04)	1.90(−01)	9.1470(−05)	M'232-P 234	37

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
9.7568	1.2708	1.68(−03)	2.85(−04)	3.34(−02)	3.8084(−05)	M'454-P 232	38
9.7573	1.2707	3.91(−03)	5.14(−06)	8.04(−02)	8.2690(−07)	M'452-P 232	39
9.7594	1.2704	4.75(−03)	2.85(−04)	9.46(−02)	1.0796(−04)	M'454-P 234	40
9.7598	1.2704	1.83(−03)	5.14(−06)	3.76(−02)	3.8708(−07)	M'452-P 234	41
9.7934	1.2660	3.43(−03)	2.24(+00)	1.44(−03)	6.4519(−03)	E'212-P 232	42
9.7959	1.2657	5.82(−03)	2.24(+00)	2.44(−03)	1.0953(−02)	E'212-P 234	43
9.7981	1.2654	1.28(−02)	3.52(−01)	3.13(−02)	4.4175(−02)	N'254-P 232	44
9.8007	1.2651	2.30(−03)	3.52(−01)	5.63(−03)	7.9341(−03)	N'254-P 234	45
9.8007	1.2651	1.41(−02)	3.48(−01)	3.51(−02)	7.3350(−02)	N'256-P 234	46
9.8587	1.2576	7.14(−03)	3.75(+00)	1.89(−03)	1.4190(−02)	L'212-P 232	47
9.8613	1.2573	1.36(−02)	3.75(+00)	3.59(−03)	2.6967(−02)	L'212-P 234	48
11.004	1.1267	1.35(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
11.083	1.1187	1.37(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 11;$							
9.4335	1.3143	3.79(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
9.4496	1.3121	4.36(−04)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
10.994	1.1278	1.09(−01)	4.35(−03)	6.54(−01)	5.6934(−03)	I'232-S'212	3
10.994	1.1277	1.11(+00)	9.65(−04)	8.67(−01)	3.3444(−03)	A'234-D'256	4
10.994	1.1277	2.73(−01)	7.71(−01)	1.62(−01)	2.5032(−01)	F'212-P'232	5
10.995	1.1277	1.23(+00)	1.14(−03)	9.58(−01)	2.1909(−03)	A'232-D'254	6
10.995	1.1276	6.24(−01)	7.71(−01)	3.71(−01)	5.7139(−01)	F'212-P'234	7
10.996	1.1276	1.24(−01)	4.52(−03)	6.65(−01)	1.2016(−02)	I'234-S'212	8
11.004	1.1267	1.35(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
11.018	1.1253	9.86(−01)	1.06(+00)	4.43(−01)	2.8208(+00)	A'276-D'254	10
11.018	1.1253	1.21(−01)	1.06(+00)	5.42(−02)	3.4528(−01)	A'276-D'256	11
11.019	1.1251	1.12(+00)	1.07(+00)	4.99(−01)	4.2615(+00)	A'278-D'256	12
11.026	1.1245	1.40(−01)	5.02(−03)	1.01(−01)	3.0460(−03)	A'256-D'254	13
11.026	1.1245	1.19(+00)	5.02(−03)	8.55(−01)	2.5737(−02)	A'256-D'256	14
11.026	1.1245	1.20(+00)	1.91(−07)	8.71(−01)	6.6615(−07)	A'254-D'254	15
11.029	1.1242	9.94(−01)	9.43(−01)	4.97(−01)	9.3775(−01)	B'232-S'212	16
11.030	1.1241	9.98(−01)	8.18(−01)	5.30(−01)	1.7339(+00)	B'234-S'212	17
11.034	1.1237	1.21(+00)	3.54(−01)	6.87(−01)	9.7423(−01)	F'234-P'234	18
11.034	1.1236	8.90(−01)	3.70(−06)	6.15(−01)	4.5524(−06)	F'232-P'232	19
11.035	1.1236	1.05(+00)	3.14(+00)	2.47(−01)	3.0962(+00)	F'254-P'232	20
11.035	1.1235	3.77(−01)	3.70(−06)	2.61(−01)	1.9293(−06)	F'232-P'234	21
11.036	1.1235	1.05(+00)	3.30(+00)	2.39(−01)	4.7357(+00)	F'256-P'234	22
11.064	1.1206	1.33(−01)	3.44(+00)	3.71(−02)	5.1052(−01)	J'234-S'212	23
11.068	1.1203	1.68(−01)	3.33(+00)	4.79(−02)	3.1894(−01)	J'232-S'212	24
11.070	1.1200	7.25(−02)	1.63(−01)	9.46(−02)	3.0932(−02)	M'212-P'232	25
11.071	1.1199	2.18(−01)	1.63(−01)	2.84(−01)	9.3012(−02)	M'212-P'234	26
11.083	1.1187	1.37(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	27
11.087	1.1183	2.10(−01)	5.24(−04)	8.82(−01)	3.6941(−03)	I'278-D'256	28
11.089	1.1181	7.75(−02)	2.26(+00)	2.93(−02)	3.9816(−01)	M'256-P'234	29
11.090	1.1180	1.99(−01)	1.36(−03)	7.98(−01)	6.4964(−03)	I'276-D'254	30
11.091	1.1179	3.88(−02)	2.17(+00)	1.54(−02)	1.3378(−01)	M'254-P'232	31
11.095	1.1175	1.85(−01)	4.20(−03)	6.59(−01)	1.1081(−02)	G'254-P'232	32
11.095	1.1174	4.23(−02)	8.65(−03)	1.76(−01)	6.0840(−03)	C'234-S'212	33
11.096	1.1174	1.83(−01)	1.09(−01)	5.50(−01)	3.6068(−01)	G'256-P'234	34
11.096	1.1174	3.92(−02)	4.20(−03)	1.40(−01)	2.3462(−03)	G'254-P'234	35
11.096	1.1174	4.88(−02)	8.18(−01)	2.59(−02)	8.4776(−02)	B'234-D'256	36
11.096	1.1174	2.97(−02)	5.33(−03)	1.31(−01)	1.4003(−03)	C'232-S'212	37
11.112	1.1158	4.18(−03)	9.02(−05)	1.10(−01)	5.9675(−05)	I'256-D'254	38
11.112	1.1158	9.15(−03)	9.02(−05)	2.41(−01)	1.3057(−04)	I'256-D'256	39
11.112	1.1158	9.86(−03)	1.50(−03)	2.64(−01)	1.5858(−03)	I'254-D'254	40
11.122	1.1147	4.72(−04)	4.01(−04)	4.55(−01)	1.4589(−03)	I'478-D'256	41

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
11.123	1.1147	6.84(−04)	2.81(−04)	5.00(−01)	8.4307(−04)	I'476-D'254	42
11.123	1.1146	1.94(−04)	2.81(−04)	1.42(−01)	2.3925(−04)	I'476-D'256	43
11.124	1.1146	6.22(−04)	1.27(−05)	7.45(−01)	3.7786(−05)	I'474-D'254	44
11.124	1.1146	8.22(−04)	5.23(−04)	1.07(−01)	2.2326(−04)	J'434-S'212	45
11.131	1.1139	5.64(−02)	2.41(−04)	2.25(−01)	1.0816(−04)	M'232-P'232	46
11.132	1.1138	6.98(−02)	4.24(−04)	2.75(−01)	4.6542(−04)	M'234-P'234	47
11.162	1.1107	3.85(−02)	8.65(−03)	1.60(−01)	5.5307(−03)	C'234-D'256	48
11.163	1.1107	4.30(−02)	5.33(−03)	1.90(−01)	2.0270(−03)	C'232-D'254	49
11.185	1.1084	8.60(−02)	2.24(+00)	3.61(−02)	1.6168(−01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 12;$							
7.8508	1.5793	5.48(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
7.8633	1.5768	1.05(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
7.9376	1.5620	1.49(−02)	4.02(−03)	6.31(−02)	5.0777(−04)	I'232-S 212	3
7.9388	1.5618	1.61(−02)	4.29(−03)	5.88(−02)	1.0081(−03)	I'234-S 212	4
7.9785	1.5540	5.09(−03)	3.55(+00)	1.35(−03)	1.9247(−02)	J'234-S 212	5
7.9810	1.5535	6.24(−03)	3.40(+00)	1.70(−03)	1.1545(−02)	J'232-S 212	6
7.9966	1.5505	2.10(−01)	7.46(−03)	6.08(−01)	1.8134(−02)	C'234-S 212	7
7.9973	1.5503	2.12(−01)	3.24(−03)	6.63(−01)	4.2970(−03)	C'232-S 212	8
8.0135	1.5472	6.62(−04)	1.00(−03)	5.13(−02)	2.0601(−04)	J'434-S 212	9
8.0142	1.5471	1.34(−04)	7.83(−05)	1.33(−02)	2.0766(−06)	J'432-S 212	10
8.0351	1.5430	4.81(−02)	4.71(−01)	1.92(−02)	3.6178(−02)	F'234-P 232	11
8.0363	1.5428	4.04(−03)	3.21(+00)	8.34(−04)	1.0706(−02)	F'254-P 232	12
8.0363	1.5428	1.42(−01)	8.99(−06)	6.73(−02)	1.2105(−06)	F'232-P 232	13
8.0377	1.5425	1.68(−01)	4.71(−01)	6.73(−02)	1.2664(−01)	F'234-P 234	14
8.0389	1.5423	4.68(−02)	3.21(+00)	9.67(−03)	1.2406(−01)	F'254-P 234	15
8.0389	1.5423	3.14(−02)	3.42(+00)	6.25(−03)	1.2826(−01)	F'256-P 234	16
8.0389	1.5423	9.46(−02)	8.99(−06)	4.48(−02)	8.0559(−07)	F'232-P 234	17
8.0558	1.5391	2.40(−01)	1.40(−01)	5.34(−01)	1.4978(−01)	K'232-S 212	18
8.0560	1.5390	2.18(−01)	1.32(−01)	5.23(−01)	2.7521(−01)	K'234-S 212	19
8.0568	1.5389	1.49(−01)	1.71(−01)	1.41(−01)	4.8315(−02)	M'212-P 232	20
8.0573	1.5388	3.07(−02)	1.94(−02)	5.15(−01)	4.0012(−02)	K'434-S 212	21
8.0573	1.5388	6.48(−03)	3.89(−03)	5.06(−01)	3.9375(−03)	K'432-S 212	22
8.0594	1.5384	2.84(−01)	1.71(−01)	2.69(−01)	9.2104(−02)	M'212-P 234	23
8.0696	1.5364	3.24(−01)	2.20(+00)	1.20(−01)	1.0522(+00)	M'254-P 232	24
8.0700	1.5364	4.22(−01)	2.31(+00)	1.47(−01)	2.0310(+00)	M'256-P 234	25
8.0718	1.5360	3.28(−02)	4.57(−04)	7.81(−02)	1.4278(−04)	G'254-P 232	26
8.0722	1.5359	6.59(−02)	2.20(+00)	2.44(−02)	2.1425(−01)	M'254-P 234	27
8.0741	1.5356	2.40(−03)	1.44(−01)	5.25(−03)	4.5424(−03)	G'256-P 234	28
8.0745	1.5355	8.32(−03)	4.57(−04)	1.98(−02)	3.6220(−05)	G'254-P 234	29
8.0829	1.5339	4.27(−04)	2.67(−05)	1.41(−02)	7.5159(−07)	M'432-P 232	30
8.0838	1.5337	2.12(−04)	1.06(−02)	5.06(−03)	3.2136(−04)	M'436-P 234	31
8.0842	1.5337	1.30(−03)	8.06(−05)	3.26(−02)	1.0489(−05)	M'414-P 232	32
8.0868	1.5332	3.42(−03)	8.06(−05)	8.55(−02)	2.7566(−05)	M'414-P 234	33
8.0932	1.5320	4.40(−02)	8.69(−04)	1.20(−01)	4.1599(−04)	M'234-P 232	34
8.0932	1.5320	1.63(−01)	3.97(−04)	4.48(−01)	3.5551(−04)	M'232-P 232	35
8.0958	1.5315	1.72(−01)	8.69(−04)	4.68(−01)	1.6288(−03)	M'234-P 234	36
8.0959	1.5315	6.78(−02)	3.97(−04)	1.87(−01)	1.4808(−04)	M'232-P 234	37
8.0972	1.5312	3.35(−03)	4.80(−04)	4.19(−02)	8.0468(−05)	M'454-P 232	38
8.0977	1.5311	7.55(−03)	1.32(−05)	9.83(−02)	2.6047(−06)	M'452-P 232	39
8.0999	1.5307	8.76(−03)	4.80(−04)	1.09(−01)	2.1011(−04)	M'454-P 234	40
8.1003	1.5306	3.41(−03)	1.32(−05)	4.44(−02)	1.1763(−06)	M'452-P 234	41
8.1247	1.5260	4.92(−03)	2.28(+00)	1.98(−03)	9.0356(−03)	E'212-P 232	42
8.1273	1.5255	7.94(−03)	2.28(+00)	3.20(−03)	1.4598(−02)	E'212-P 234	43
8.1279	1.5254	1.90(−02)	3.68(−01)	4.21(−02)	6.1936(−02)	N'254-P 232	44
8.1306	1.5249	3.30(−03)	3.68(−01)	7.30(−03)	1.0728(−02)	N'254-P 234	45

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
8.1306	1.5249	2.05(−02)	3.61(−01)	4.62(−02)	1.0015(−01)	N'256-P 234	46
8.1744	1.5167	1.03(−02)	3.83(+00)	2.66(−03)	2.0389(−02)	L'212-P 232	47
8.1771	1.5162	1.92(−02)	3.83(+00)	4.97(−03)	3.8103(−02)	L'212-P 234	48
9.1696	1.3521	1.97(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
9.2314	1.3431	3.28(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 12;$							
7.8508	1.5793	5.48(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
7.8633	1.5768	1.05(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
9.1611	1.3534	1.50(−01)	4.02(−03)	6.33(−01)	5.0891(−03)	I'232-S'212	3
9.1623	1.3532	1.62(+00)	5.09(−04)	8.68(−01)	1.7675(−03)	A'234-D'256	4
9.1626	1.3532	3.89(−01)	8.22(−01)	1.80(−01)	2.9579(−01)	F'212-P'232	5
9.1627	1.3531	1.77(−01)	4.29(−03)	6.45(−01)	1.1066(−02)	I'234-S'212	6
9.1627	1.3531	1.80(+00)	6.79(−04)	9.57(−01)	1.3003(−03)	A'232-D'254	7
9.1636	1.3530	9.27(−01)	8.22(−01)	4.29(−01)	7.0548(−01)	F'212-P'234	8
9.1696	1.3521	1.97(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
9.1796	1.3507	1.41(+00)	1.13(+00)	4.99(−01)	3.3890(+00)	A'276-D'254	10
9.1799	1.3506	1.91(−01)	1.13(+00)	6.78(−02)	4.5997(−01)	A'276-D'256	11
9.1811	1.3504	1.62(+00)	1.14(+00)	5.70(−01)	5.1936(+00)	A'278-D'256	12
9.1864	1.3497	1.71(+00)	7.92(−03)	8.44(−01)	4.0103(−02)	A'256-D'256	13
9.1865	1.3497	1.76(+00)	5.70(−07)	8.72(−01)	1.9897(−06)	A'254-D'254	14
9.1886	1.3493	1.46(+00)	9.95(−01)	5.73(−01)	1.1416(+00)	B'232-S'212	15
9.1894	1.3492	1.46(+00)	8.29(−01)	6.13(−01)	2.0310(+00)	B'234-S'212	16
9.1923	1.3488	1.77(+00)	4.71(−01)	7.05(−01)	1.3276(+00)	F'234-P'234	17
9.1928	1.3487	1.54(+00)	3.21(+00)	3.18(−01)	4.0857(+00)	F'254-P'232	18
9.1928	1.3487	1.32(+00)	8.99(−06)	6.25(−01)	1.1234(−05)	F'232-P'232	19
9.1938	1.3486	1.54(+00)	3.42(+00)	3.06(−01)	6.2761(+00)	F'256-P'234	20
9.1938	1.3486	5.28(−01)	8.99(−06)	2.50(−01)	4.4994(−06)	F'232-P'234	21
9.2157	1.3454	1.85(−01)	3.55(+00)	4.92(−02)	6.9920(−01)	J'234-S'212	22
9.2191	1.3449	2.50(−01)	3.40(+00)	6.82(−02)	4.6356(−01)	J'232-S'212	23
9.2197	1.3448	9.49(−02)	1.71(−01)	8.99(−02)	3.0777(−02)	M'212-P'232	24
9.2207	1.3446	3.29(−01)	1.71(−01)	3.12(−01)	1.0671(−01)	M'212-P'234	25
9.2314	1.3431	3.28(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	26
9.2334	1.3428	3.13(−01)	9.02(−04)	8.80(−01)	6.3510(−03)	I'278-D'256	27
9.2346	1.3426	1.24(−01)	2.31(+00)	4.32(−02)	5.9754(−01)	M'256-P'234	28
9.2364	1.3424	2.97(−01)	2.21(−03)	7.88(−01)	1.0434(−02)	I'276-D'254	29
9.2364	1.3424	5.18(−02)	2.20(+00)	1.92(−02)	1.6830(−01)	M'254-P'232	30
9.2394	1.3419	2.76(−01)	4.57(−04)	6.58(−01)	1.2028(−03)	G'254-P'232	31
9.2399	1.3418	6.22(−02)	7.46(−03)	1.80(−01)	5.3709(−03)	C'234-S'212	32
9.2400	1.3418	2.53(−01)	1.44(−01)	5.53(−01)	4.7859(−01)	G'256-P'234	33
9.2404	1.3418	6.01(−02)	4.57(−04)	1.43(−01)	2.6163(−04)	G'254-P'234	34
9.2408	1.3417	3.86(−02)	3.24(−03)	1.21(−01)	7.8222(−04)	C'232-S'212	35
9.2412	1.3417	7.01(−02)	8.29(−01)	2.94(−02)	9.7369(−02)	B'234-D'256	36
9.2534	1.3399	8.44(−03)	1.53(−04)	1.41(−01)	1.3002(−04)	I'256-D'254	37
9.2537	1.3398	1.37(−02)	1.53(−04)	2.30(−01)	2.1152(−04)	I'256-D'256	38
9.2538	1.3398	1.52(−02)	2.54(−03)	2.61(−01)	2.6442(−03)	I'254-D'254	39
9.2614	1.3387	1.15(−03)	7.23(−04)	5.01(−01)	2.8979(−03)	I'478-D'256	40
9.2622	1.3386	1.71(−03)	5.10(−04)	5.29(−01)	1.6188(−03)	I'476-D'254	41
9.2625	1.3386	4.80(−04)	5.10(−04)	1.48(−01)	4.5373(−04)	I'476-D'256	42
9.2625	1.3386	1.96(−03)	1.00(−03)	1.52(−01)	6.1071(−04)	J'434-S'212	43
9.2628	1.3385	1.53(−03)	1.09(−05)	7.47(−01)	3.2541(−05)	I'474-D'254	44
9.2674	1.3379	8.03(−02)	3.97(−04)	2.21(−01)	1.7545(−04)	M'232-P'232	45
9.2684	1.3377	9.92(−02)	8.69(−04)	2.70(−01)	9.3871(−04)	M'234-P'234	46
9.2922	1.3343	5.47(−02)	7.46(−03)	1.58(−01)	4.7193(−03)	C'234-D'256	47
9.2928	1.3342	6.10(−02)	3.24(−03)	1.91(−01)	1.2356(−03)	C'232-D'254	48
9.3087	1.3319	6.36(−02)	2.28(+00)	2.56(−02)	1.1690(−01)	E'212-P'232	49
9.3098	1.3318	1.21(−01)	2.28(+00)	4.89(−02)	2.2312(−01)	E'212-P'234	50

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
$n = 3 \rightarrow n = 1; Z = 13;$							
6.6350	1.8686	7.70(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
6.6450	1.8659	2.33(-03)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
6.7013	1.8502	2.05(-02)	3.57(-03)	6.32(-02)	4.5160(-04)	I'232-S 212	3
6.7025	1.8498	2.26(-02)	3.94(-03)	5.74(-02)	9.0294(-04)	I'234-S 212	4
6.7336	1.8413	7.05(-03)	3.65(+00)	1.80(-03)	2.6232(-02)	J'234-S 212	5
6.7361	1.8406	9.24(-03)	3.46(+00)	2.40(-03)	1.6603(-02)	J'232-S 212	6
6.7480	1.8374	2.97(-01)	7.69(-03)	6.12(-01)	1.8814(-02)	C'234-S 212	7
6.7487	1.8372	3.01(-01)	2.17(-03)	6.80(-01)	2.9453(-03)	C'232-S 212	8
6.7615	1.8337	1.51(-03)	1.79(-03)	7.10(-02)	5.0807(-04)	J'434-S 212	9
6.7622	1.8335	3.15(-04)	1.69(-04)	2.05(-02)	6.9136(-06)	J'432-S 212	10
6.7777	1.8293	6.59(-02)	5.84(-01)	1.92(-02)	4.4867(-02)	F'234-P 232	11
6.7788	1.8290	4.09(-03)	3.27(+00)	7.33(-04)	9.5824(-03)	F'254-P 232	12
6.7789	1.8290	1.94(-01)	1.84(-05)	6.50(-02)	2.3961(-06)	F'232-P 232	13
6.7804	1.8286	2.35(-01)	5.84(-01)	6.83(-02)	1.5975(-01)	F'234-P 234	14
6.7815	1.8283	4.55(-02)	3.52(+00)	7.86(-03)	1.6590(-01)	F'256-P 234	15
6.7815	1.8283	7.39(-02)	3.27(+00)	1.32(-02)	1.7304(-01)	F'254-P 234	16
6.7816	1.8283	1.40(-01)	1.84(-05)	4.72(-02)	1.7391(-06)	F'232-P 234	17
6.7942	1.8249	3.42(-01)	1.44(-01)	5.85(-01)	1.6881(-01)	K'232-S 212	18
6.7944	1.8248	3.15(-01)	1.39(-01)	5.71(-01)	3.1708(-01)	K'234-S 212	19
6.7945	1.8248	2.14(-01)	1.78(-01)	1.49(-01)	5.3139(-02)	M'212-P 232	20
6.7957	1.8245	3.89(-02)	1.83(-02)	5.62(-01)	4.1063(-02)	K'434-S 212	21
6.7958	1.8244	8.38(-03)	3.68(-03)	5.50(-01)	4.0457(-03)	K'432-S 212	22
6.7972	1.8241	4.02(-01)	1.78(-01)	2.80(-01)	9.9762(-02)	M'212-P 234	23
6.8052	1.8219	4.47(-01)	2.20(+00)	1.54(-01)	1.3545(+00)	M'254-P 232	24
6.8057	1.8218	6.01(-01)	2.35(+00)	1.90(-01)	2.6756(+00)	M'256-P 234	25
6.8067	1.8215	5.87(-02)	2.09(-03)	9.41(-02)	7.8714(-04)	G'254-P 232	26
6.8079	1.8212	9.20(-02)	2.20(+00)	3.17(-02)	2.7880(-01)	M'254-P 234	27
6.8091	1.8209	1.48(-03)	1.72(-01)	2.47(-03)	2.5470(-03)	G'256-P 234	28
6.8094	1.8208	1.54(-02)	2.09(-03)	2.47(-02)	2.0673(-04)	G'254-P 234	29
6.8157	1.8191	1.06(-03)	6.38(-05)	2.40(-02)	3.0616(-06)	M'432-P 232	30
6.8167	1.8189	3.41(-03)	1.60(-04)	5.45(-02)	3.4866(-05)	M'414-P 232	31
6.8167	1.8189	5.22(-04)	1.76(-02)	8.19(-03)	8.6532(-04)	M'436-P 234	32
6.8194	1.8181	8.42(-03)	1.60(-04)	1.35(-01)	8.6166(-05)	M'414-P 234	33
6.8235	1.8170	6.41(-02)	1.67(-03)	1.25(-01)	8.3423(-04)	M'234-P 232	34
6.8235	1.8170	2.34(-01)	6.20(-04)	4.61(-01)	5.7194(-04)	M'232-P 232	35
6.8262	1.8163	2.34(-01)	1.67(-03)	4.57(-01)	3.0476(-03)	M'234-P 234	36
6.8262	1.8163	9.26(-02)	6.20(-04)	1.82(-01)	2.2613(-04)	M'232-P 234	37
6.8271	1.8161	6.28(-03)	7.58(-04)	5.09(-02)	1.5423(-04)	M'454-P 232	38
6.8276	1.8159	1.34(-02)	2.91(-05)	1.15(-01)	6.6671(-06)	M'452-P 232	39
6.8298	1.8154	1.49(-02)	7.58(-04)	1.21(-01)	3.6597(-04)	M'454-P 234	40
6.8303	1.8152	5.81(-03)	2.91(-05)	4.97(-02)	2.8894(-06)	M'452-P 234	41
6.8483	1.8104	6.87(-03)	2.31(+00)	2.65(-03)	1.2275(-02)	E'212-P 232	42
6.8505	1.8099	2.74(-02)	3.79(-01)	5.44(-02)	8.2601(-02)	N'254-P 232	43
6.8511	1.8097	1.05(-02)	2.31(+00)	4.05(-03)	1.8742(-02)	E'212-P 234	44
6.8532	1.8091	4.54(-03)	3.79(-01)	9.03(-03)	1.3705(-02)	N'254-P 234	45
6.8533	1.8091	2.85(-02)	3.71(-01)	5.81(-02)	1.2941(-01)	N'256-P 234	46
6.8871	1.8003	1.44(-02)	3.90(+00)	3.64(-03)	2.8389(-02)	L'212-P 232	47
6.8898	1.7995	2.64(-02)	3.90(+00)	6.66(-03)	5.2007(-02)	L'212-P 234	48
7.7579	1.5982	2.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
7.8072	1.5881	7.29(-03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 13;$							
6.6350	1.8686	7.70(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
6.6450	1.8659	2.33(-03)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
7.7507	1.5997	1.98(-01)	3.57(-03)	6.08(-01)	4.3502(-03)	I'232-S'212	3

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
7.7523	1.5993	2.29(+00)	2.08(-04)	8.70(-01)	7.2448(-04)	A'234-D'256	4
7.7523	1.5993	2.45(-01)	3.94(-03)	6.22(-01)	9.7965(-03)	I'234-S'212	5
7.7526	1.5993	5.31(-01)	8.69(-01)	1.92(-01)	3.3356(-01)	F'212-P'232	6
7.7528	1.5992	2.54(+00)	3.52(-04)	9.57(-01)	6.7340(-04)	A'232-D'254	7
7.7537	1.5991	1.34(+00)	8.69(-01)	4.82(-01)	8.3839(-01)	F'212-P'234	8
7.7579	1.5982	2.78(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
7.7653	1.5967	1.95(+00)	1.19(+00)	5.46(-01)	3.8958(+00)	A'276-D'254	10
7.7656	1.5966	2.96(-01)	1.19(+00)	8.30(-02)	5.9215(-01)	A'276-D'256	11
7.7669	1.5963	2.28(+00)	1.20(+00)	6.32(-01)	6.0755(+00)	A'278-D'256	12
7.7708	1.5955	3.45(-01)	1.21(-02)	1.21(-01)	8.7765(-03)	A'256-D'254	13
7.7711	1.5955	2.37(+00)	1.21(-02)	8.31(-01)	6.0261(-02)	A'256-D'256	14
7.7712	1.5955	2.48(+00)	1.46(-06)	8.74(-01)	5.1016(-06)	A'254-D'254	15
7.7727	1.5951	2.07(+00)	1.04(+00)	6.40(-01)	1.3345(+00)	B'232-S'212	16
7.7735	1.5950	2.08(+00)	8.27(-01)	6.84(-01)	2.2611(+00)	B'234-S'212	17
7.7756	1.5945	2.49(+00)	5.84(-01)	7.25(-01)	1.6945(+00)	F'234-P'234	18
7.7760	1.5945	2.18(+00)	3.27(+00)	3.91(-01)	5.1161(+00)	F'254-P'232	19
7.7761	1.5944	1.90(+00)	1.84(-05)	6.37(-01)	2.3468(-05)	F'232-P'232	20
7.7770	1.5942	2.18(+00)	3.52(+00)	3.76(-01)	7.9325(+00)	F'256-P'234	21
7.7772	1.5942	7.09(-01)	1.84(-05)	2.38(-01)	8.7781(-06)	F'232-P'234	22
7.7934	1.5909	5.31(-02)	3.94(-03)	1.35(-01)	2.1246(-03)	I'234-D'256	23
7.7940	1.5908	2.45(-01)	3.65(+00)	6.24(-02)	9.1212(-01)	J'234-S'212	24
7.7974	1.5901	3.61(-01)	3.46(+00)	9.36(-02)	6.4766(-01)	J'232-S'212	25
7.7978	1.5900	4.84(-01)	1.78(-01)	3.37(-01)	1.2019(-01)	M'212-P'234	26
7.8072	1.5881	7.29(-03)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	27
7.8078	1.5880	4.50(-01)	1.28(-03)	8.78(-01)	8.9689(-03)	I'278-D'256	28
7.8089	1.5877	1.86(-01)	2.35(+00)	5.86(-02)	8.2738(-01)	M'256-P'234	29
7.8107	1.5874	6.18(-02)	2.20(+00)	2.13(-02)	1.8726(-01)	M'254-P'232	30
7.8109	1.5873	4.23(-01)	3.10(-03)	7.75(-01)	1.4412(-02)	I'276-D'254	31
7.8128	1.5870	4.00(-01)	2.09(-03)	6.41(-01)	5.3581(-03)	G'254-P'232	32
7.8133	1.5869	8.95(-02)	7.69(-03)	1.84(-01)	5.6695(-03)	C'234-S'212	33
7.8134	1.5868	3.39(-01)	1.72(-01)	5.66(-01)	5.8264(-01)	G'256-P'234	34
7.8138	1.5867	9.07(-02)	2.09(-03)	1.46(-01)	1.2170(-03)	G'254-P'234	35
7.8148	1.5865	9.72(-02)	8.27(-01)	3.20(-02)	1.0582(-01)	B'234-D'256	36
7.8244	1.5846	1.64(-02)	2.44(-04)	1.80(-01)	2.6434(-04)	I'256-D'254	37
7.8247	1.5845	1.93(-02)	2.44(-04)	2.12(-01)	3.1130(-04)	I'256-D'256	38
7.8247	1.5845	2.21(-02)	4.13(-03)	2.51(-01)	4.1414(-03)	I'254-D'254	39
7.8306	1.5833	2.62(-03)	1.25(-03)	5.38(-01)	5.3667(-03)	I'478-D'256	40
7.8314	1.5832	4.00(-03)	8.81(-04)	5.56(-01)	2.9398(-03)	I'476-D'254	41
7.8315	1.5832	4.38(-03)	1.79(-03)	2.06(-01)	1.4766(-03)	J'434-S'212	42
7.8318	1.5831	1.07(-03)	8.81(-04)	1.49(-01)	7.8600(-04)	I'476-D'256	43
7.8321	1.5830	3.44(-03)	5.68(-06)	7.47(-01)	1.6966(-05)	I'474-D'254	44
7.8349	1.5825	1.10(-01)	6.20(-04)	2.17(-01)	2.6985(-04)	M'232-P'232	45
7.8359	1.5823	1.36(-01)	1.67(-03)	2.66(-01)	1.7721(-03)	M'234-P'234	46
7.8550	1.5784	7.54(-02)	7.69(-03)	1.55(-01)	4.7785(-03)	C'234-D'256	47
7.8556	1.5783	8.41(-02)	2.17(-03)	1.90(-01)	8.2269(-04)	C'232-D'254	48
7.8677	1.5759	8.82(-02)	2.31(+00)	3.40(-02)	1.5746(-01)	E'212-P'232	49
7.8688	1.5757	1.66(-01)	2.31(+00)	6.41(-02)	2.9660(-01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 14;$							
5.6809	2.1825	1.05(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
5.6889	2.1794	4.87(-03)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
5.7324	2.1629	2.73(-02)	3.06(-03)	6.30(-02)	3.8488(-04)	I'232-S 212	3
5.7336	2.1624	3.05(-02)	3.49(-03)	5.55(-02)	7.7454(-04)	I'234-S 212	4
5.7524	2.1554	5.38(-04)	6.48(-03)	4.12(-03)	1.0676(-04)	I'254-S 212	5
5.7585	2.1531	9.22(-03)	3.75(+00)	2.25(-03)	3.3719(-02)	J'234-S 212	6
5.7610	2.1521	1.31(-02)	3.51(+00)	3.23(-03)	2.2668(-02)	J'232-S 212	7

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
5.7701	2.1487	4.08(−01)	9.30(−03)	6.12(−01)	2.2777(−02)	C'234-S 212	8
5.7709	2.1485	4.15(−01)	1.69(−03)	6.95(−01)	2.3467(−03)	C'232-S 212	9
5.7812	2.1446	3.21(−03)	3.01(−03)	9.29(−02)	1.1190(−03)	J'434-S 212	10
5.7819	2.1444	6.88(−04)	3.20(−04)	3.00(−02)	1.9232(−05)	J'432-S 212	11
5.7934	2.1401	8.66(−02)	6.94(−01)	1.89(−02)	5.2520(−02)	F'234-P 232	12
5.7945	2.1397	4.04(−03)	3.32(+00)	6.20(−04)	8.2394(−03)	F'254-P 232	13
5.7946	2.1397	2.54(−01)	3.35(−05)	6.22(−02)	4.1619(−06)	F'232-P 232	14
5.7962	2.1391	3.20(−01)	6.94(−01)	6.99(−02)	1.9392(−01)	F'234-P 234	15
5.7972	2.1387	6.47(−02)	3.60(+00)	9.60(−03)	2.0721(−01)	F'256-P 234	16
5.7973	2.1387	1.11(−01)	3.32(+00)	1.70(−02)	2.2570(−01)	F'254-P 234	17
5.7974	2.1386	2.04(−01)	3.35(−05)	5.00(−02)	3.3467(−06)	F'232-P 234	18
5.8068	2.1352	2.99(−01)	1.84(−01)	1.55(−01)	5.7311(−02)	M'212-P 232	19
5.8069	2.1351	4.73(−01)	1.48(−01)	6.25(−01)	1.8506(−01)	K'232-S 212	20
5.8071	2.1351	4.37(−01)	1.44(−01)	6.08(−01)	3.5114(−01)	K'234-S 212	21
5.8084	2.1346	5.40(−02)	1.94(−02)	6.01(−01)	4.6522(−02)	K'434-S 212	22
5.8086	2.1345	1.17(−02)	3.88(−03)	5.88(−01)	4.5618(−03)	K'432-S 212	23
5.8096	2.1342	5.52(−01)	1.84(−01)	2.87(−01)	1.0574(−01)	M'212-P 234	24
5.8158	2.1319	5.91(−01)	2.17(+00)	1.90(−01)	1.6516(+00)	M'254-P 232	25
5.8163	2.1317	8.30(−01)	2.40(+00)	2.35(−01)	3.3858(+00)	M'256-P 234	26
5.8169	2.1315	1.05(−01)	1.78(−02)	1.14(−01)	8.1150(−03)	G'254-P 232	27
5.8185	2.1309	1.23(−01)	2.17(+00)	3.97(−02)	3.4492(−01)	M'254-P 234	28
5.8196	2.1305	2.86(−02)	1.78(−02)	3.10(−02)	2.2079(−03)	G'254-P 234	29
5.8243	2.1288	2.50(−03)	1.39(−04)	3.95(−02)	1.1018(−05)	M'432-P 232	30
5.8249	2.1285	8.39(−03)	3.62(−04)	8.50(−02)	1.2328(−04)	M'414-P 232	31
5.8252	2.1284	1.20(−03)	2.82(−02)	1.26(−02)	2.1322(−03)	M'436-P 234	32
5.8277	2.1275	1.90(−02)	3.62(−04)	1.92(−01)	2.7893(−04)	M'414-P 234	33
5.8301	2.1266	3.29(−01)	9.26(−04)	4.76(−01)	8.8153(−04)	M'232-P 232	34
5.8302	2.1266	9.06(−02)	3.01(−03)	1.31(−01)	1.5839(−03)	M'234-P 232	35
5.8329	2.1256	1.22(−01)	9.26(−04)	1.77(−01)	3.2764(−04)	M'232-P 234	36
5.8329	2.1256	3.05(−01)	3.01(−03)	4.42(−01)	5.3319(−03)	M'234-P 234	37
5.8335	2.1254	1.11(−02)	1.13(−03)	6.01(−02)	2.7284(−04)	M'454-P 232	38
5.8340	2.1252	2.22(−02)	5.67(−05)	1.29(−01)	1.4602(−05)	M'452-P 232	39
5.8363	2.1244	2.37(−02)	1.13(−03)	1.28(−01)	5.8047(−04)	M'454-P 234	40
5.8368	2.1242	9.16(−03)	5.67(−05)	5.33(−02)	6.0380(−06)	M'452-P 234	41
5.8503	2.1193	9.40(−03)	2.34(+00)	3.47(−03)	1.6223(−02)	E'212-P 232	42
5.8517	2.1188	3.82(−02)	3.88(−01)	6.79(−02)	1.0538(−01)	N'254-P 232	43
5.8531	2.1183	1.35(−02)	2.34(+00)	4.97(−03)	2.3258(−02)	E'212-P 234	44
5.8545	2.1178	6.03(−03)	3.88(−01)	1.07(−02)	1.6633(−02)	N'254-P 234	45
5.8546	2.1177	3.84(−02)	3.77(−01)	7.03(−02)	1.5911(−01)	N'256-P 234	46
5.8810	2.1082	1.96(−02)	3.96(+00)	4.86(−03)	3.8477(−02)	L'212-P 232	47
5.8839	2.1072	3.51(−02)	3.96(+00)	8.70(−03)	6.8870(−02)	L'212-P 234	48
6.6484	1.8649	3.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
6.6884	1.8537	1.52(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 14;$							
5.6809	2.1825	1.05(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
5.6889	2.1794	4.87(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
6.6421	1.8667	2.52(−01)	3.06(−03)	5.82(−01)	3.5577(−03)	I'232-S'212	3
6.6438	1.8662	3.28(−01)	3.49(−03)	5.97(−01)	8.3306(−03)	I'234-S'212	4
6.6440	1.8661	3.15(+00)	4.16(−05)	8.72(−01)	1.4514(−04)	A'234-D'256	5
6.6443	1.8660	7.01(−01)	9.13(−01)	1.98(−01)	3.6226(−01)	F'212-P'232	6
6.6445	1.8660	3.49(+00)	1.37(−04)	9.57(−01)	2.6150(−04)	A'232-D'254	7
6.6454	1.8657	1.87(+00)	9.13(−01)	5.30(−01)	9.6833(−01)	F'212-P'234	8
6.6484	1.8649	3.80(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
6.6539	1.8633	2.61(+00)	1.24(+00)	5.82(−01)	4.3208(+00)	A'276-D'254	10
6.6543	1.8632	4.48(−01)	1.24(+00)	9.99(−02)	7.4153(−01)	A'276-D'256	11

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
6.6555	1.8629	3.13(+00)	1.26(+00)	6.85(-01)	6.8818(+00)	A'278-D'256	12
6.6586	1.8620	5.24(-01)	1.78(-02)	1.34(-01)	1.4299(-02)	A'256-D'254	13
6.6589	1.8619	3.20(+00)	1.78(-02)	8.17(-01)	8.7379(-02)	A'256-D'256	14
6.6590	1.8619	3.41(+00)	3.35(-06)	8.76(-01)	1.1739(-05)	A'254-D'254	15
6.6602	1.8616	2.86(+00)	1.09(+00)	6.96(-01)	1.5120(+00)	B'232-S'212	16
6.6609	1.8614	2.86(+00)	8.12(-01)	7.43(-01)	2.4120(+00)	B'234-S'212	17
6.6624	1.8610	3.41(+00)	6.94(-01)	7.44(-01)	2.0647(+00)	F'234-P'234	18
6.6628	1.8609	3.01(+00)	3.32(+00)	4.62(-01)	6.1379(+00)	F'254-P'232	19
6.6630	1.8608	2.66(+00)	3.35(-05)	6.50(-01)	4.3527(-05)	F'232-P'232	20
6.6638	1.8606	3.01(+00)	3.60(+00)	4.46(-01)	9.6203(+00)	F'256-P'234	21
6.6641	1.8605	9.17(-01)	3.35(-05)	2.24(-01)	1.5006(-05)	F'232-P'234	22
6.6772	1.8568	8.60(-02)	3.49(-03)	1.56(-01)	2.1822(-03)	I'234-D'256	23
6.6772	1.8568	3.11(-01)	3.75(+00)	7.58(-02)	1.1373(+00)	J'234-S'212	24
6.6802	1.8560	6.98(-01)	1.84(-01)	3.63(-01)	1.3374(-01)	M'212-P'234	25
6.6806	1.8559	5.05(-01)	3.51(+00)	1.25(-01)	8.7355(-01)	J'232-S'212	26
6.6881	1.8538	6.27(-01)	1.62(-03)	8.77(-01)	1.1334(-02)	I'278-D'256	27
6.6884	1.8537	1.52(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	28
6.6891	1.8536	2.62(-01)	2.40(+00)	7.40(-02)	1.0680(+00)	M'256-P'234	29
6.6909	1.8530	6.54(-02)	2.17(+00)	2.11(-02)	1.8283(-01)	M'254-P'232	30
6.6912	1.8530	5.79(-01)	3.95(-03)	7.59(-01)	1.8000(-02)	I'276-D'254	31
6.6920	1.8527	5.44(-02)	2.17(+00)	1.75(-02)	1.5225(-01)	M'254-P'234	32
6.6924	1.8526	5.62(-01)	1.78(-02)	6.09(-01)	4.3371(-02)	G'254-P'232	33
6.6928	1.8525	1.26(-01)	9.30(-03)	1.89(-01)	7.0430(-03)	C'234-S'212	34
6.6930	1.8525	4.43(-01)	1.86(-01)	5.86(-01)	6.5604(-01)	G'256-P'234	35
6.6935	1.8523	1.36(-01)	1.78(-02)	1.48(-01)	1.0505(-02)	G'254-P'234	36
6.7020	1.8500	3.07(-02)	3.68(-04)	2.28(-01)	5.0442(-04)	I'256-D'254	37
6.7023	1.8499	3.06(-02)	6.48(-03)	2.34(-01)	6.0640(-03)	I'254-D'254	38
6.7023	1.8499	2.54(-02)	3.68(-04)	1.89(-01)	4.1854(-04)	I'256-D'256	39
6.7070	1.8486	5.62(-03)	2.06(-03)	5.69(-01)	9.3970(-03)	I'478-D'256	40
6.7077	1.8484	9.20(-03)	3.01(-03)	2.66(-01)	3.2054(-03)	J'434-S'212	41
6.7078	1.8484	8.80(-03)	1.46(-03)	5.84(-01)	5.1009(-03)	I'476-D'254	42
6.7085	1.8482	7.11(-03)	2.76(-07)	7.49(-01)	8.2635(-07)	I'474-D'254	43
6.7087	1.8481	3.34(-03)	3.20(-04)	1.46(-01)	9.3395(-05)	J'432-S'212	44
6.7100	1.8478	1.48(-01)	9.26(-04)	2.14(-01)	3.9593(-04)	M'232-P'232	45
6.7111	1.8475	1.81(-01)	3.01(-03)	2.62(-01)	3.1607(-03)	M'234-P'234	46
6.7267	1.8432	1.01(-01)	9.30(-03)	1.52(-01)	5.6664(-03)	C'234-D'256	47
6.7274	1.8430	1.13(-01)	1.69(-03)	1.89(-01)	6.3785(-04)	C'232-D'254	48
6.7367	1.8404	1.19(-01)	2.34(+00)	4.39(-02)	2.0548(-01)	E'212-P'232	49
6.7378	1.8401	2.21(-01)	2.34(+00)	8.15(-02)	3.8135(-01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 15;$							
4.9184	2.5209	1.40(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
4.9250	2.5175	9.60(-03)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
4.9589	2.5002	3.52(-02)	2.51(-03)	6.25(-02)	3.1390(-04)	I'232-S 212	3
4.9602	2.4996	4.02(-02)	2.98(-03)	5.32(-02)	6.3407(-04)	I'234-S 212	4
4.9755	2.4919	1.07(-03)	9.79(-03)	5.59(-03)	2.1899(-04)	I'254-S 212	5
4.9804	2.4895	1.14(-02)	3.84(+00)	2.68(-03)	4.1151(-02)	J'234-S 212	6
4.9830	2.4882	1.79(-02)	3.55(+00)	4.17(-03)	2.9575(-02)	J'232-S 212	7
4.9900	2.4847	5.46(-01)	1.26(-02)	6.10(-01)	3.0820(-02)	C'234-S 212	8
4.9908	2.4843	5.59(-01)	1.60(-03)	7.09(-01)	2.2711(-03)	C'232-S 212	9
4.9991	2.4801	6.47(-03)	4.82(-03)	1.16(-01)	2.2304(-03)	J'434-S 212	10
4.9999	2.4798	1.41(-03)	5.55(-04)	4.18(-02)	4.6419(-05)	J'432-S 212	11
5.0085	2.4755	1.10(-01)	7.99(-01)	1.84(-02)	5.8847(-02)	F'234-P 232	12
5.0096	2.4750	3.87(-03)	3.37(+00)	5.05(-04)	6.8097(-03)	F'254-P 232	13
5.0097	2.4749	3.23(-01)	5.52(-05)	5.89(-02)	6.5033(-06)	F'232-P 232	14
5.0113	2.4741	4.28(-01)	7.99(-01)	7.17(-02)	2.2917(-01)	F'234-P 234	15

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
5.0123	2.4736	9.06(−02)	3.65(+00)	1.15(−02)	2.5128(−01)	F'256-P 234	16
5.0124	2.4736	1.59(−01)	3.37(+00)	2.07(−02)	2.7965(−01)	F'254-P 234	17
5.0126	2.4735	2.93(−01)	5.52(−05)	5.33(−02)	5.8923(−06)	F'232-P 234	18
5.0194	2.4701	4.07(−01)	1.90(−01)	1.60(−01)	6.0851(−02)	M'212-P 232	19
5.0198	2.4699	6.38(−01)	1.51(−01)	6.57(−01)	1.9914(−01)	K'232-S 212	20
5.0200	2.4698	5.87(−01)	1.49(−01)	6.36(−01)	3.7988(−01)	K'234-S 212	21
5.0213	2.4692	7.75(−02)	2.17(−02)	6.32(−01)	5.4816(−02)	K'434-S 212	22
5.0214	2.4691	1.68(−02)	4.29(−03)	6.21(−01)	5.3351(−03)	K'432-S 212	23
5.0222	2.4687	7.37(−01)	1.90(−01)	2.90(−01)	1.1015(−01)	M'212-P 234	24
5.0270	2.4664	7.51(−01)	2.11(+00)	2.27(−01)	1.9135(+00)	M'254-P 232	25
5.0276	2.4661	1.12(+00)	2.47(+00)	2.80(−01)	4.1485(+00)	M'256-P 234	26
5.0279	2.4660	1.81(−01)	5.36(−02)	1.35(−01)	2.8922(−02)	G'254-P 232	27
5.0299	2.4650	1.60(−01)	2.11(+00)	4.83(−02)	4.0792(−01)	M'254-P 234	28
5.0307	2.4646	5.15(−02)	5.36(−02)	3.83(−02)	8.2156(−03)	G'254-P 234	29
5.0340	2.4630	5.62(−03)	2.85(−04)	6.30(−02)	3.5973(−05)	M'432-P 232	30
5.0343	2.4628	1.96(−02)	8.93(−04)	1.24(−01)	4.4175(−04)	M'414-P 232	31
5.0350	2.4625	2.58(−03)	4.37(−02)	1.85(−02)	4.8532(−03)	M'436-P 234	32
5.0372	2.4614	3.95(−02)	8.93(−04)	2.49(−01)	8.8882(−04)	M'414-P 234	33
5.0385	2.4608	4.52(−01)	1.32(−03)	4.94(−01)	1.3075(−03)	M'232-P 232	34
5.0385	2.4607	1.24(−01)	5.15(−03)	1.38(−01)	2.8544(−03)	M'234-P 232	35
5.0413	2.4594	1.56(−01)	1.32(−03)	1.71(−01)	4.5202(−04)	M'232-P 234	36
5.0414	2.4594	3.81(−01)	5.15(−03)	4.24(−01)	8.7382(−03)	M'234-P 234	37
5.0416	2.4593	1.89(−02)	1.62(−03)	6.95(−02)	4.5145(−04)	M'454-P 232	38
5.0421	2.4590	3.46(−02)	1.01(−04)	1.41(−01)	2.8347(−05)	M'452-P 232	39
5.0444	2.4579	3.55(−02)	1.62(−03)	1.31(−01)	8.4966(−04)	M'454-P 234	40
5.0449	2.4576	1.36(−02)	1.01(−04)	5.52(−02)	1.1115(−05)	M'452-P 234	41
5.0551	2.4527	1.26(−02)	2.36(+00)	4.43(−03)	2.0907(−02)	E'212-P 232	42
5.0561	2.4522	5.20(−02)	3.95(−01)	8.19(−02)	1.2925(−01)	N'254-P 232	43
5.0580	2.4513	1.69(−02)	2.36(+00)	5.93(−03)	2.7979(−02)	E'212-P 234	44
5.0590	2.4508	7.75(−03)	3.95(−01)	1.22(−02)	1.9270(−02)	N'254-P 234	45
5.0590	2.4508	5.00(−02)	3.81(−01)	8.19(−02)	1.8700(−01)	N'256-P 234	46
5.0800	2.4407	2.61(−02)	4.01(+00)	6.36(−03)	5.0941(−02)	L'212-P 232	47
5.0829	2.4393	4.55(−02)	4.01(+00)	1.11(−02)	8.8788(−02)	L'212-P 234	48
5.7606	2.1523	5.09(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
5.7936	2.1400	3.00(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 15;$							
4.9184	2.5209	1.40(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
4.9250	2.5175	9.60(−03)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
5.7549	2.1544	3.11(−01)	2.51(−03)	5.54(−01)	2.7796(−03)	I'232-S'212	3
5.7566	2.1538	4.30(−01)	2.98(−03)	5.68(−01)	6.7806(−03)	I'234-S'212	4
5.7571	2.1536	4.23(+00)	2.35(−06)	8.74(−01)	8.2278(−06)	A'234-D'256	5
5.7573	2.1535	8.96(−01)	9.55(−01)	2.00(−01)	3.8151(−01)	F'212-P'232	6
5.7576	2.1534	4.69(+00)	2.20(−05)	9.56(−01)	4.2080(−05)	A'232-D'254	7
5.7584	2.1531	2.57(+00)	9.55(−01)	5.73(−01)	1.0950(+00)	F'212-P'234	8
5.7606	2.1523	5.09(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
5.7648	2.1507	3.42(+00)	1.28(+00)	6.07(−01)	4.6540(+00)	A'276-D'254	10
5.7651	2.1506	6.66(−01)	1.28(+00)	1.18(−01)	9.0767(−01)	A'276-D'256	11
5.7663	2.1502	4.18(+00)	1.30(+00)	7.29(−01)	7.6009(+00)	A'278-D'256	12
5.7688	2.1492	7.78(−01)	2.55(−02)	1.48(−01)	2.2661(−02)	A'256-D'254	13
5.7691	2.1491	4.20(+00)	2.55(−02)	8.01(−01)	1.2246(−01)	A'256-D'256	14
5.7691	2.1491	4.58(+00)	7.08(−06)	8.78(−01)	2.4858(−05)	A'254-D'254	15
5.7700	2.1488	3.85(+00)	1.12(+00)	7.44(−01)	1.6723(+00)	B'232-S'212	16
5.7707	2.1485	3.85(+00)	7.84(−01)	7.91(−01)	2.4795(+00)	B'234-S'212	17
5.7719	2.1481	4.55(+00)	7.99(−01)	7.61(−01)	2.4338(+00)	F'234-P'234	18
5.7722	2.1480	4.05(+00)	3.37(+00)	5.27(−01)	7.1127(+00)	F'254-P'232	19
5.7724	2.1479	3.65(+00)	5.52(−05)	6.66(−01)	7.3534(−05)	F'232-P'232	20

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
5.7732	2.1476	4.06(+00)	3.65(+00)	5.14(-01)	1.1256(+01)	F'256-P'234	21
5.7735	2.1475	1.14(+00)	5.52(-05)	2.08(-01)	2.3028(-05)	F'232-P'234	22
5.7839	2.1436	3.78(-01)	3.84(+00)	8.83(-02)	1.3579(+00)	J'234-S'212	23
5.7843	2.1435	1.35(-01)	2.98(-03)	1.78(-01)	2.1273(-03)	I'234-D'256	24
5.7863	2.1427	9.88(-01)	1.90(-01)	3.88(-01)	1.4755(-01)	M'212-P'234	25
5.7873	2.1424	6.92(-01)	3.55(+00)	1.61(-01)	1.1411(+00)	J'232-S'212	26
5.7926	2.1404	8.49(-01)	1.90(-03)	8.75(-01)	1.3329(-02)	I'278-D'256	27
5.7935	2.1401	3.50(-01)	2.47(+00)	8.78(-02)	1.3004(+00)	M'256-P'234	28
5.7936	2.1400	3.00(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
5.7953	2.1394	6.18(-02)	2.11(+00)	1.86(-02)	1.5746(-01)	M'254-P'232	30
5.7957	2.1393	7.63(-01)	4.67(-03)	7.39(-01)	2.0710(-02)	I'276-D'254	31
5.7965	2.1390	7.67(-02)	2.11(+00)	2.32(-02)	1.9564(-01)	M'254-P'234	32
5.7965	2.1390	7.65(-01)	5.36(-02)	5.70(-01)	1.2219(-01)	G'254-P'232	33
5.7968	2.1389	1.74(-01)	1.26(-02)	1.94(-01)	9.8280(-03)	C'234-S'212	34
5.7971	2.1387	5.66(-01)	1.87(-01)	6.10(-01)	6.8580(-01)	G'256-P'234	35
5.7976	2.1386	2.02(-01)	5.36(-02)	1.51(-01)	3.2283(-02)	G'254-P'234	36
5.8044	2.1361	5.56(-02)	5.28(-04)	2.85(-01)	9.0460(-04)	I'256-D'254	37
5.8047	2.1360	4.04(-02)	9.79(-03)	2.10(-01)	8.2353(-03)	I'254-D'254	38
5.8047	2.1359	3.16(-02)	5.28(-04)	1.62(-01)	5.1373(-04)	I'256-D'256	39
5.8084	2.1346	1.15(-02)	3.30(-03)	5.95(-01)	1.5722(-02)	I'478-D'256	40
5.8092	2.1343	1.84(-02)	4.82(-03)	3.28(-01)	6.3295(-03)	J'434-S'212	41
5.8094	2.1342	1.83(-02)	2.31(-03)	6.14(-01)	8.5067(-03)	I'476-D'254	42
5.8100	2.1340	1.37(-02)	7.52(-06)	7.53(-01)	2.2657(-05)	I'474-D'254	43
5.8101	2.1339	6.50(-03)	5.55(-04)	1.92(-01)	2.1379(-04)	J'432-S'212	44
5.8106	2.1338	1.92(-01)	1.32(-03)	2.10(-01)	5.5657(-04)	M'232-P'232	45
5.8118	2.1333	2.33(-01)	5.15(-03)	2.60(-01)	5.3540(-03)	M'234-P'234	46
5.8147	2.1323	4.33(-02)	1.62(-03)	1.59(-01)	1.0355(-03)	M'454-P'232	47
5.8255	2.1283	1.48(-01)	1.60(-03)	1.88(-01)	6.0131(-04)	C'232-D'254	48
5.8328	2.1257	1.57(-01)	2.36(+00)	5.52(-02)	2.6066(-01)	E'212-P'232	49
5.8339	2.1253	2.87(-01)	2.36(+00)	1.01(-01)	4.7583(-01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 16;$							
4.2993	2.8838	1.84(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
4.3049	2.8801	1.80(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
4.3317	2.8623	4.42(-02)	1.98(-03)	6.18(-02)	2.4420(-04)	I'232-S 212	3
4.3330	2.8614	5.15(-02)	2.44(-03)	5.04(-02)	4.9232(-04)	I'234-S 212	4
4.3456	2.8531	2.03(-03)	1.42(-02)	7.15(-03)	4.0572(-04)	I'254-S 212	5
4.3497	2.8505	1.35(-02)	3.93(+00)	3.04(-03)	4.7906(-02)	J'234-S 212	6
4.3522	2.8488	2.38(-02)	3.58(+00)	5.18(-03)	3.7055(-02)	J'232-S 212	7
4.3577	2.8452	7.15(-01)	1.83(-02)	6.06(-01)	4.4422(-02)	C'234-S 212	8
4.3585	2.8447	7.38(-01)	1.84(-03)	7.23(-01)	2.6561(-03)	C'232-S 212	9
4.3654	2.8402	1.24(-02)	7.40(-03)	1.38(-01)	4.0715(-03)	J'434-S 212	10
4.3661	2.8397	2.73(-03)	8.97(-04)	5.55(-02)	9.9554(-05)	J'432-S 212	11
4.3725	2.8355	1.35(-01)	9.01(-01)	1.77(-02)	6.3728(-02)	F'234-P 232	12
4.3738	2.8347	3.97(-01)	8.41(-05)	5.51(-02)	9.2709(-06)	F'232-P 232	13
4.3754	2.8337	5.65(-01)	9.01(-01)	7.37(-02)	2.6570(-01)	F'234-P 234	14
4.3764	2.8331	1.25(-01)	3.69(+00)	1.34(-02)	2.9727(-01)	F'256-P 234	15
4.3765	2.8330	2.22(-01)	3.42(+00)	2.43(-02)	3.3313(-01)	F'254-P 234	16
4.3767	2.8329	4.13(-01)	8.41(-05)	5.73(-02)	9.6354(-06)	F'232-P 234	17
4.3816	2.8297	5.43(-01)	1.95(-01)	1.63(-01)	6.3737(-02)	M'212-P 232	18
4.3822	2.8293	8.43(-01)	1.55(-01)	6.83(-01)	2.1155(-01)	K'232-S 212	19
4.3824	2.8292	7.71(-01)	1.54(-01)	6.58(-01)	4.0470(-01)	K'234-S 212	20
4.3837	2.8283	1.12(-01)	2.49(-02)	6.58(-01)	6.5465(-02)	K'434-S 212	21
4.3838	2.8283	2.41(-02)	4.85(-03)	6.51(-01)	6.3174(-03)	K'432-S 212	22
4.3845	2.8278	9.63(-01)	1.95(-01)	2.90(-01)	1.1308(-01)	M'212-P 234	23
4.3881	2.8255	9.26(-01)	2.02(+00)	2.62(-01)	2.1193(+00)	M'254-P 232	24

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
4.3888	2.8251	1.47(+00)	2.54(+00)	3.25(-01)	4.9529(+00)	M'256-P 234	25
4.3888	2.8250	2.90(-01)	1.05(-01)	1.53(-01)	6.4504(-02)	G'254-P 232	26
4.3910	2.8236	2.04(-01)	2.02(+00)	5.76(-02)	4.6611(-01)	M'254-P 234	27
4.3917	2.8232	8.74(-02)	1.05(-01)	4.63(-02)	1.9458(-02)	G'254-P 234	28
4.3925	2.8227	1.41(-03)	4.89(-03)	1.14(-02)	2.2276(-04)	M'434-P 232	29
4.3939	2.8218	1.22(-02)	5.55(-04)	9.75(-02)	1.0821(-04)	M'432-P 232	30
4.3940	2.8217	4.36(-02)	2.26(-03)	1.69(-01)	1.5229(-03)	M'414-P 232	31
4.3949	2.8211	5.28(-03)	6.58(-02)	2.60(-02)	1.0258(-02)	M'436-P 234	32
4.3969	2.8198	7.54(-02)	2.26(-03)	2.92(-01)	2.6356(-03)	M'414-P 234	33
4.3973	2.8195	6.12(-01)	1.82(-03)	5.13(-01)	1.8699(-03)	M'232-P 232	34
4.3975	2.8195	1.66(-01)	8.34(-03)	1.46(-01)	4.8734(-03)	M'234-P 232	35
4.4003	2.8177	1.94(-01)	1.82(-03)	1.63(-01)	5.9448(-04)	M'232-P 234	36
4.4003	2.8177	3.08(-02)	2.23(-03)	7.89(-02)	7.0541(-04)	M'454-P 232	37
4.4004	2.8176	4.55(-01)	8.34(-03)	4.01(-01)	1.3385(-02)	M'234-P 234	38
4.4008	2.8173	5.15(-02)	1.66(-04)	1.51(-01)	5.0024(-05)	M'452-P 232	39
4.4032	2.8158	5.07(-02)	2.23(-03)	1.30(-01)	1.1594(-03)	M'454-P 234	40
4.4037	2.8155	1.90(-02)	1.66(-04)	5.57(-02)	1.8481(-05)	M'452-P 234	41
4.4114	2.8106	1.66(-02)	2.38(+00)	5.54(-03)	2.6321(-02)	E'212-P 232	42
4.4120	2.8102	6.93(-02)	3.99(-01)	9.59(-02)	1.5312(-01)	N'254-P 232	43
4.4143	2.8087	2.06(-02)	2.38(+00)	6.88(-03)	3.2717(-02)	E'212-P 234	44
4.4149	2.8083	9.69(-03)	3.99(-01)	1.34(-02)	2.1409(-02)	N'254-P 234	45
4.4149	2.8083	6.35(-02)	3.82(-01)	9.21(-02)	2.1101(-01)	N'256-P 234	46
4.4318	2.7976	3.41(-02)	4.05(+00)	8.16(-03)	6.6065(-02)	L'212-P 232	47
4.4347	2.7958	5.76(-02)	4.05(+00)	1.38(-02)	1.1174(-01)	L'212-P 234	48
5.0391	2.4605	6.68(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
5.0667	2.4471	5.63(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 16;$							
4.2993	2.8838	1.84(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
4.3049	2.8801	1.80(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
5.0339	2.4630	3.75(-01)	1.98(-03)	5.24(-01)	2.0685(-03)	I'232-S'212	3
5.0357	2.4621	5.49(-01)	2.44(-03)	5.38(-01)	5.2500(-03)	I'234-S'212	4
5.0362	2.4619	5.58(+00)	9.30(-05)	8.76(-01)	3.2594(-04)	A'234-D'256	5
5.0363	2.4618	1.11(+00)	9.96(-01)	1.97(-01)	3.9157(-01)	F'212-P'232	6
5.0367	2.4616	6.18(+00)	5.64(-06)	9.56(-01)	1.0776(-05)	A'232-D'254	7
5.0374	2.4613	3.46(+00)	9.96(-01)	6.12(-01)	1.2190(+00)	F'212-P'234	8
5.0391	2.4605	6.68(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
5.0422	2.4589	4.36(+00)	1.31(+00)	6.23(-01)	4.8932(+00)	A'276-D'254	10
5.0426	2.4588	9.72(-01)	1.31(+00)	1.39(-01)	1.0898(+00)	A'276-D'256	11
5.0438	2.4582	5.49(+00)	1.34(+00)	7.66(-01)	8.2305(+00)	A'278-D'256	12
5.0457	2.4572	1.14(+00)	3.54(-02)	1.65(-01)	3.4943(-02)	A'256-D'254	13
5.0461	2.4571	5.40(+00)	3.54(-02)	7.83(-01)	1.6617(-01)	A'256-D'256	14
5.0461	2.4571	6.02(+00)	1.40(-05)	8.81(-01)	4.9193(-05)	A'254-D'254	15
5.0467	2.4567	5.09(+00)	1.16(+00)	7.83(-01)	1.8155(+00)	B'232-S'212	16
5.0474	2.4564	5.07(+00)	7.44(-01)	8.29(-01)	2.4669(+00)	B'234-S'212	17
5.0481	2.4561	1.05(-01)	7.33(-03)	2.08(-01)	6.1024(-03)	I'454-S'212	18
5.0482	2.4560	5.95(+00)	9.01(-01)	7.77(-01)	2.8005(+00)	F'234-P'234	19
5.0485	2.4559	5.33(+00)	3.42(+00)	5.86(-01)	8.0151(+00)	F'254-P'232	20
5.0488	2.4558	4.92(+00)	8.41(-05)	6.83(-01)	1.1484(-04)	F'232-P'232	21
5.0495	2.4554	5.38(+00)	3.69(+00)	5.77(-01)	1.2769(+01)	F'256-P'234	22
5.0499	2.4552	1.38(+00)	8.41(-05)	1.91(-01)	3.2146(-05)	F'232-P'234	23
5.0527	2.4539	5.32(-02)	1.42(-02)	1.88(-01)	1.0667(-02)	I'254-S'212	24
5.0581	2.4512	4.39(-01)	3.93(+00)	9.87(-02)	1.5530(+00)	J'234-S'212	25
5.0588	2.4509	2.05(-01)	2.44(-03)	2.01(-01)	1.9605(-03)	I'234-D'256	26
5.0603	2.4502	1.38(+00)	1.95(-01)	4.14(-01)	1.6169(-01)	M'212-P'234	27
5.0616	2.4495	9.28(-01)	3.58(+00)	2.02(-01)	1.4473(+00)	J'232-S'212	28

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
5.0652	2.4478	1.12(+00)	2.13(-03)	8.73(-01)	1.4897(-02)	I'278-D'256	29
5.0660	2.4474	4.48(-01)	2.54(+00)	9.91(-02)	1.5099(+00)	M'256-P'234	30
5.0667	2.4471	5.63(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	31
5.0682	2.4463	9.67(-01)	5.13(-03)	7.14(-01)	2.1991(-02)	I'276-D'254	32
5.0688	2.4460	1.01(+00)	1.05(-01)	5.33(-01)	2.2382(-01)	G'254-P'232	33
5.0690	2.4459	2.35(-01)	1.83(-02)	2.00(-01)	1.4631(-02)	C'234-S'212	34
5.0690	2.4459	1.08(-01)	2.02(+00)	3.06(-02)	2.4798(-01)	M'254-P'234	35
5.0694	2.4457	7.06(-01)	1.75(-01)	6.32(-01)	6.6431(-01)	G'256-P'234	36
5.0700	2.4455	2.95(-01)	1.05(-01)	1.56(-01)	6.5739(-02)	G'254-P'234	37
5.0753	2.4429	9.76(-02)	7.25(-04)	3.49(-01)	1.5207(-03)	I'256-D'254	38
5.0756	2.4428	5.13(-02)	1.42(-02)	1.81(-01)	1.0267(-02)	I'254-D'254	39
5.0787	2.4413	2.24(-02)	5.14(-03)	6.16(-01)	2.5328(-02)	I'478-D'256	40
5.0794	2.4409	3.50(-02)	7.40(-03)	3.89(-01)	1.1503(-02)	J'434-S'212	41
5.0797	2.4408	3.61(-02)	3.54(-03)	6.44(-01)	1.3683(-02)	I'476-D'254	42
5.0802	2.4406	2.46(-01)	1.82(-03)	2.06(-01)	7.5155(-04)	M'232-P'232	43
5.0803	2.4405	2.48(-02)	7.53(-05)	7.58(-01)	2.2836(-04)	I'474-D'254	44
5.0804	2.4405	1.20(-02)	8.97(-04)	2.44(-01)	4.3844(-04)	J'432-S'212	45
5.0815	2.4399	2.93(-01)	8.34(-03)	2.59(-01)	8.6323(-03)	M'234-P'234	46
5.0841	2.4387	7.62(-02)	2.23(-03)	1.95(-01)	1.7444(-03)	M'454-P'232	47
5.0932	2.4343	1.90(-01)	1.84(-03)	1.87(-01)	6.8525(-04)	C'232-D'254	48
5.0990	2.4316	2.03(-01)	2.38(+00)	6.78(-02)	3.2236(-01)	E'212-P'232	49
5.1001	2.4310	3.64(-01)	2.38(+00)	1.22(-01)	5.7788(-01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 17;$							
3.7900	3.2714	2.36(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
3.7947	3.2674	3.22(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
3.8160	3.2491	5.44(-02)	1.48(-03)	6.08(-02)	1.8030(-04)	I'232-S 212	3
3.8174	3.2479	6.44(-02)	1.90(-03)	4.73(-02)	3.5904(-04)	I'234-S 212	4
3.8279	3.2390	3.63(-03)	1.96(-02)	8.58(-03)	6.7329(-04)	I'254-S 212	5
3.8312	3.2362	1.53(-02)	4.02(+00)	3.32(-03)	5.3366(-02)	J'234-S 212	6
3.8338	3.2340	3.06(-02)	3.61(+00)	6.21(-03)	4.4766(-02)	J'232-S 212	7
3.8381	3.2304	9.17(-01)	2.73(-02)	6.02(-01)	6.5717(-02)	C'234-S 212	8
3.8389	3.2297	9.56(-01)	2.42(-03)	7.37(-01)	3.5693(-03)	C'232-S 212	9
3.8446	3.2249	2.26(-02)	1.09(-02)	1.57(-01)	6.8839(-03)	J'434-S 212	10
3.8453	3.2243	5.03(-03)	1.37(-03)	7.05(-02)	1.9300(-04)	J'432-S 212	11
3.8501	3.2203	1.62(-01)	1.00(+00)	1.68(-02)	6.7141(-02)	F'234-P 232	12
3.8513	3.2193	4.73(-01)	1.19(-04)	5.09(-02)	1.2153(-05)	F'232-P 232	13
3.8530	3.2179	7.33(-01)	1.00(+00)	7.58(-02)	3.0373(-01)	F'234-P 234	14
3.8540	3.2171	1.71(-01)	3.71(+00)	1.55(-02)	3.4454(-01)	F'256-P 234	15
3.8541	3.2170	3.01(-01)	3.47(+00)	2.78(-02)	3.8502(-01)	F'254-P 234	16
3.8543	3.2168	5.75(-01)	1.19(-04)	6.19(-02)	1.4764(-05)	F'232-P 234	17
3.8577	3.2140	7.08(-01)	2.00(-01)	1.65(-01)	6.5905(-02)	M'212-P 232	18
3.8585	3.2133	1.09(+00)	1.58(-01)	7.04(-01)	2.2272(-01)	K'232-S 212	19
3.8587	3.2132	9.92(-01)	1.58(-01)	6.74(-01)	4.2652(-01)	K'234-S 212	20
3.8599	3.2121	1.59(-01)	2.88(-02)	6.80(-01)	7.8293(-02)	K'434-S 212	21
3.8601	3.2120	3.43(-02)	5.53(-03)	6.77(-01)	7.4893(-03)	K'432-S 212	22
3.8606	3.2115	1.23(+00)	2.00(-01)	2.87(-01)	1.1457(-01)	M'212-P 234	23
3.8634	3.2092	1.13(+00)	1.92(+00)	2.94(-01)	2.2647(+00)	M'254-P 232	24
3.8640	3.2087	4.21(-01)	1.57(-01)	1.66(-01)	1.0401(-01)	G'254-P 232	25
3.8641	3.2087	1.90(+00)	2.62(+00)	3.68(-01)	5.7893(+00)	M'256-P 234	26
3.8664	3.2068	2.60(-01)	1.92(+00)	6.80(-02)	5.2332(-01)	M'254-P 234	27
3.8668	3.2064	5.06(-03)	8.95(-03)	2.99(-02)	1.0692(-03)	M'434-P 232	28
3.8670	3.2063	1.39(-01)	1.57(-01)	5.47(-02)	3.4273(-02)	G'254-P 234	29
3.8682	3.2053	9.20(-02)	5.60(-03)	2.18(-01)	4.8869(-03)	M'414-P 232	30
3.8683	3.2052	2.58(-02)	1.03(-03)	1.46(-01)	3.0261(-04)	M'432-P 232	31
3.8693	3.2043	1.03(-02)	9.63(-02)	3.49(-02)	2.0169(-02)	M'436-P 234	32

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.8709	3.2030	8.15(−01)	2.41(−03)	5.34(−01)	2.5756(−03)	M'232-P 232	33
3.8711	3.2029	2.13(−01)	1.28(−02)	1.54(−01)	7.8491(−03)	M'234-P 232	34
3.8711	3.2028	1.31(−01)	5.60(−03)	3.12(−01)	6.9864(−03)	M'414-P 234	35
3.8737	3.2007	4.88(−02)	2.97(−03)	8.82(−02)	1.0483(−03)	M'454-P 232	36
3.8739	3.2006	2.35(−01)	2.41(−03)	1.54(−01)	7.4408(−04)	M'232-P 234	37
3.8740	3.2004	5.19(−01)	1.28(−02)	3.74(−01)	1.9093(−02)	M'234-P 234	38
3.8742	3.2003	7.37(−02)	2.57(−04)	1.59(−01)	8.1748(−05)	M'452-P 232	39
3.8767	3.1982	6.91(−02)	2.97(−03)	1.25(−01)	1.4864(−03)	M'454-P 234	40
3.8772	3.1978	2.55(−02)	2.57(−04)	5.50(−02)	2.8269(−05)	M'452-P 234	41
3.8829	3.1931	2.15(−02)	2.39(+00)	6.78(−03)	3.2423(−02)	E'212-P 232	42
3.8833	3.1928	9.07(−02)	4.01(−01)	1.10(−01)	1.7598(−01)	N'254-P 232	43
3.8859	3.1906	2.47(−02)	2.39(+00)	7.80(−03)	3.7279(−02)	E'212-P 234	44
3.8862	3.1904	1.18(−02)	4.01(−01)	1.43(−02)	2.2912(−02)	N'254-P 234	45
3.8863	3.1903	7.87(−02)	3.81(−01)	1.01(−01)	2.2955(−01)	N'256-P 234	46
3.8999	3.1792	4.37(−02)	4.08(+00)	1.03(−02)	8.4120(−02)	L'212-P 232	47
3.9029	3.1768	7.15(−02)	4.08(+00)	1.69(−02)	1.3759(−01)	L'212-P 234	48
4.4447	2.7895	8.60(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
4.4682	2.7748	1.01(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 17;$							
3.7900	3.2714	2.36(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
3.7947	3.2674	3.22(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
4.4399	2.7925	4.40(−01)	1.48(−03)	4.92(−01)	1.4592(−03)	I'232-S'212	3
4.4417	2.7914	6.87(−01)	1.90(−03)	5.04(−01)	3.8295(−03)	I'234-S'212	4
4.4424	2.7910	7.22(+00)	3.22(−04)	8.79(−01)	1.1331(−03)	A'234-D'256	5
4.4424	2.7910	1.34(+00)	1.04(+00)	1.90(−01)	3.9311(−01)	F'212-P'232	6
4.4428	2.7907	7.99(+00)	9.22(−05)	9.56(−01)	1.7617(−04)	A'232-D'254	7
4.4435	2.7902	4.58(+00)	1.04(+00)	6.48(−01)	1.3412(+00)	F'212-P'234	8
4.4447	2.7895	8.60(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
4.4471	2.7880	5.46(+00)	1.33(+00)	6.30(−01)	5.0412(+00)	A'276-D'254	10
4.4475	2.7878	1.39(+00)	1.33(+00)	1.61(−01)	1.2865(+00)	A'276-D'256	11
4.4487	2.7870	7.08(+00)	1.38(+00)	7.95(−01)	8.7741(+00)	A'278-D'256	12
4.4502	2.7861	1.63(+00)	4.78(−02)	1.83(−01)	5.2449(−02)	A'256-D'254	13
4.4505	2.7859	7.78(+00)	2.60(−05)	8.85(−01)	9.1881(−05)	A'254-D'254	14
4.4505	2.7858	6.79(+00)	4.78(−02)	7.63(−01)	2.1876(−01)	A'256-D'256	15
4.4511	2.7855	6.60(+00)	1.19(+00)	8.15(−01)	1.9423(+00)	B'232-S'212	16
4.4517	2.7851	6.56(+00)	6.93(−01)	8.61(−01)	2.3861(+00)	B'234-S'212	17
4.4522	2.7848	1.74(−01)	7.66(−03)	2.48(−01)	7.5991(−03)	I'454-S'212	18
4.4523	2.7848	7.64(+00)	1.00(+00)	7.90(−01)	3.1648(+00)	F'234-P'234	19
4.4526	2.7846	6.90(+00)	3.47(+00)	6.37(−01)	8.8310(+00)	F'254-P'232	20
4.4528	2.7844	6.51(+00)	1.19(−04)	7.01(−01)	1.6724(−04)	F'232-P'232	21
4.4535	2.7840	7.01(+00)	3.71(+00)	6.33(−01)	1.4104(+01)	F'256-P'234	22
4.4560	2.7824	1.07(−01)	1.96(−02)	2.53(−01)	1.9851(−02)	I'254-S'212	23
4.4606	2.7796	4.86(−01)	4.02(+00)	1.06(−01)	1.6988(+00)	J'234-S'212	24
4.4614	2.7791	3.04(−01)	1.90(−03)	2.23(−01)	1.6938(−03)	I'234-D'256	25
4.4624	2.7784	1.89(+00)	2.00(−01)	4.41(−01)	1.7604(−01)	M'212-P'234	26
4.4641	2.7774	1.22(+00)	3.61(+00)	2.48(−01)	1.7864(+00)	J'232-S'212	27
4.4663	2.7760	1.46(+00)	2.30(−03)	8.72(−01)	1.6020(−02)	I'278-D'256	28
4.4671	2.7755	5.54(−01)	2.62(+00)	1.07(−01)	1.6864(+00)	M'256-P'234	29
4.4682	2.7748	1.01(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
4.4692	2.7742	1.17(+00)	5.20(−03)	6.84(−01)	2.1322(−02)	I'276-D'254	31
4.4696	2.7740	3.28(−01)	5.20(−03)	1.92(−01)	5.9886(−03)	I'276-D'256	32
4.4697	2.7739	1.27(+00)	1.57(−01)	5.02(−01)	3.1447(−01)	G'254-P'232	33
4.4698	2.7738	3.11(−01)	2.73(−02)	2.04(−01)	2.2311(−02)	C'234-S'212	34
4.4701	2.7737	1.59(−01)	1.92(+00)	4.14(−02)	3.1879(−01)	M'254-P'234	35
4.4704	2.7735	8.57(−01)	1.51(−01)	6.50(−01)	5.9007(−01)	G'256-P'234	36

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
4.4709	2.7732	4.20(-01)	1.57(-01)	1.66(-01)	1.0393(-01)	G'254-P'234	37
4.4741	2.7712	4.33(-02)	9.63(-02)	1.47(-01)	8.5082(-02)	M'436-P'234	38
4.4752	2.7705	1.66(-01)	9.52(-04)	4.17(-01)	2.3826(-03)	I'256-D'254	39
4.4780	2.7688	4.21(-02)	7.77(-03)	6.35(-01)	3.9499(-02)	I'478-D'256	40
4.4787	2.7683	6.39(-02)	1.09(-02)	4.44(-01)	1.9454(-02)	J'434-S'212	41
4.4789	2.7682	3.09(-01)	2.41(-03)	2.02(-01)	9.7526(-04)	M'232-P'232	42
4.4790	2.7682	6.80(-02)	5.25(-03)	6.75(-01)	2.1270(-02)	I'476-D'254	43
4.4796	2.7677	4.26(-02)	5.50(-04)	7.62(-01)	1.6762(-03)	I'474-D'254	44
4.4797	2.7677	2.13(-02)	1.37(-03)	2.99(-01)	8.1830(-04)	J'432-S'212	45
4.4804	2.7673	3.60(-01)	1.28(-02)	2.60(-01)	1.3259(-02)	M'234-P'234	46
4.4821	2.7662	6.01(-02)	2.25(-02)	1.74(-01)	2.3548(-02)	M'456-P'234	47
4.4827	2.7659	1.29(-01)	2.97(-03)	2.34(-01)	2.7813(-03)	M'454-P'232	48
4.4951	2.7582	2.58(-01)	2.39(+00)	8.15(-02)	3.8962(-01)	E'212-P'232	49
4.4963	2.7575	4.54(-01)	2.39(+00)	1.43(-01)	6.8484(-01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 18;$							
3.3658	3.6837	2.98(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
3.3698	3.6793	5.52(-02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
3.3869	3.6607	6.55(-02)	1.05(-03)	5.95(-02)	1.2535(-04)	I'232-S 212	3
3.3883	3.6593	7.86(-02)	1.38(-03)	4.39(-02)	2.4222(-04)	I'234-S 212	4
3.3972	3.6497	6.19(-03)	2.57(-02)	9.69(-03)	9.9462(-04)	I'254-S 212	5
3.4000	3.6467	1.55(-02)	3.62(+00)	3.69(-03)	5.3368(-02)	J'234-S 212	6
3.4026	3.6439	3.86(-02)	3.63(+00)	7.21(-03)	5.2320(-02)	J'232-S 212	7
3.4059	3.6403	1.16(+00)	4.08(-02)	5.97(-01)	9.7483(-02)	C'234-S 212	8
3.4068	3.6394	1.22(+00)	3.44(-03)	7.51(-01)	5.1739(-03)	C'232-S 212	9
3.4115	3.6344	3.95(-02)	1.57(-02)	1.74(-01)	1.0891(-02)	J'434-S 212	10
3.4122	3.6336	8.85(-03)	1.99(-03)	8.62(-02)	3.4284(-04)	J'432-S 212	11
3.4156	3.6299	1.89(-01)	1.10(+00)	1.57(-02)	6.9125(-02)	F'234-P 232	12
3.4169	3.6286	5.47(-01)	1.59(-04)	4.64(-02)	1.4710(-05)	F'232-P 232	13
3.4186	3.6268	9.40(-01)	1.10(+00)	7.80(-02)	3.4337(-01)	F'234-P 234	14
3.4195	3.6258	2.32(-01)	3.71(+00)	1.76(-02)	3.9255(-01)	F'256-P 234	15
3.4197	3.6256	4.00(-01)	3.51(+00)	3.10(-02)	4.3471(-01)	F'254-P 234	16
3.4199	3.6254	7.93(-01)	1.59(-04)	6.72(-02)	2.1300(-05)	F'232-P 234	17
3.4221	3.6230	9.04(-01)	2.04(-01)	1.65(-01)	6.7251(-02)	M'212-P 232	18
3.4231	3.6220	1.40(+00)	1.62(-01)	7.21(-01)	2.3295(-01)	K'232-S 212	19
3.4233	3.6218	1.25(+00)	1.63(-01)	6.86(-01)	4.4595(-01)	K'234-S 212	20
3.4245	3.6205	2.25(-01)	3.34(-02)	6.98(-01)	9.3224(-02)	K'434-S 212	21
3.4246	3.6204	4.81(-02)	6.31(-03)	7.00(-01)	8.8415(-03)	K'432-S 212	22
3.4251	3.6199	1.54(+00)	2.04(-01)	2.82(-01)	1.1465(-01)	M'212-P 234	23
3.4272	3.6177	1.37(+00)	1.83(+00)	3.22(-01)	2.3539(+00)	M'254-P 232	24
3.4277	3.6171	5.45(-01)	1.88(-01)	1.69(-01)	1.2772(-01)	G'254-P 232	25
3.4279	3.6169	2.41(+00)	2.70(+00)	4.10(-01)	6.6477(+00)	M'256-P 234	26
3.4297	3.6150	1.59(-02)	1.71(-02)	6.77(-02)	4.6369(-03)	M'434-P 232	27
3.4302	3.6145	3.42(-01)	1.83(+00)	8.05(-02)	5.8893(-01)	M'254-P 234	28
3.4307	3.6140	2.05(-01)	1.88(-01)	6.37(-02)	4.8010(-02)	G'254-P 234	29
3.4310	3.6136	1.85(-01)	1.33(-02)	2.71(-01)	1.4427(-02)	M'414-P 232	30
3.4313	3.6134	5.33(-02)	1.86(-03)	2.13(-01)	7.9050(-04)	M'432-P 232	31
3.4324	3.6122	1.90(-02)	1.37(-01)	4.47(-02)	3.6793(-02)	M'436-P 234	32
3.4333	3.6112	1.07(+00)	3.06(-03)	5.56(-01)	3.3984(-03)	M'232-P 232	33
3.4336	3.6110	2.65(-01)	1.84(-02)	1.61(-01)	1.1885(-02)	M'234-P 232	34
3.4340	3.6105	2.07(-01)	1.33(-02)	3.05(-01)	1.6193(-02)	M'414-P 234	35
3.4360	3.6084	7.51(-02)	3.83(-03)	9.74(-02)	1.4895(-03)	M'454-P 232	36
3.4363	3.6081	2.77(-01)	3.06(-03)	1.44(-01)	8.8152(-04)	M'232-P 234	37
3.4365	3.6079	1.02(-01)	3.79(-04)	1.66(-01)	1.2544(-04)	M'452-P 232	38
3.4366	3.6078	5.65(-01)	1.84(-02)	3.43(-01)	2.5306(-02)	M'234-P 234	39
3.4390	3.6052	9.08(-02)	3.83(-03)	1.18(-01)	1.8014(-03)	M'454-P 234	40

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.4395	3.6047	3.29(−02)	3.79(−04)	5.33(−02)	4.0335(−05)	M'452-P 234	41
3.4438	3.6002	2.74(−02)	2.40(+00)	8.15(−03)	3.9130(−02)	E'212-P 232	42
3.4439	3.6001	1.17(−01)	4.02(−01)	1.22(−01)	1.9704(−01)	N'254-P 232	43
3.4468	3.5971	2.91(−02)	2.40(+00)	8.64(−03)	4.1489(−02)	E'212-P 234	44
3.4469	3.5970	1.41(−02)	4.02(−01)	1.47(−02)	2.3721(−02)	N'254-P 234	45
3.4470	3.5969	9.55(−02)	3.78(−01)	1.07(−01)	2.4172(−01)	N'256-P 234	46
3.4580	3.5854	5.52(−02)	4.11(+00)	1.28(−02)	1.0535(−01)	L'212-P 232	47
3.4611	3.5823	8.71(−02)	4.11(+00)	2.02(−02)	1.6606(−01)	L'212-P 234	48
3.9493	3.1394	1.09(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
3.9695	3.1234	1.74(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 18;$							
3.3658	3.6837	2.98(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
3.3698	3.6793	5.52(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
3.9449	3.1430	5.06(−01)	1.05(−03)	4.60(−01)	9.6861(−04)	I'232-S'212	3
3.9467	3.1415	8.41(−01)	1.38(−03)	4.70(−01)	2.5916(−03)	I'234-S'212	4
3.9473	3.1410	1.58(+00)	1.07(+00)	1.80(−01)	3.8699(−01)	F'212-P'232	5
3.9474	3.1409	9.20(+00)	7.02(−04)	8.82(−01)	2.4786(−03)	A'234-D'256	6
3.9478	3.1406	1.02(+01)	2.91(−04)	9.55(−01)	5.5602(−04)	A'232-D'254	7
3.9485	3.1401	5.96(+00)	1.07(+00)	6.80(−01)	1.4623(+00)	F'212-P'234	8
3.9493	3.1394	1.09(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
3.9512	3.1379	6.71(+00)	1.35(+00)	6.30(−01)	5.1042(+00)	A'276-D'254	10
3.9515	3.1376	1.97(+00)	1.35(+00)	1.85(−01)	1.4957(+00)	A'276-D'256	11
3.9527	3.1367	8.99(+00)	1.41(+00)	8.19(−01)	9.2375(+00)	A'278-D'256	12
3.9539	3.1358	2.29(+00)	6.29(−02)	2.03(−01)	7.6676(−02)	A'256-D'254	13
3.9542	3.1355	9.88(+00)	4.59(−05)	8.88(−01)	1.6304(−04)	A'254-D'254	14
3.9542	3.1355	8.37(+00)	6.29(−02)	7.42(−01)	2.7991(−01)	A'256-D'256	15
3.9546	3.1352	8.43(+00)	1.22(+00)	8.42(−01)	2.0544(+00)	B'232-S'212	16
3.9552	3.1348	8.40(+00)	6.35(−01)	8.86(−01)	2.2519(+00)	B'234-S'212	17
3.9556	3.1344	9.66(+00)	1.10(+00)	8.01(−01)	3.5270(+00)	F'234-P'234	18
3.9556	3.1344	2.12(−01)	4.65(−03)	2.38(−01)	4.4352(−03)	I'454-S'212	19
3.9559	3.1342	8.80(+00)	3.51(+00)	6.80(−01)	9.5547(+00)	F'254-P'232	20
3.9561	3.1340	8.49(+00)	1.59(−04)	7.20(−01)	2.2817(−04)	F'232-P'232	21
3.9568	3.1334	9.01(+00)	3.71(+00)	6.83(−01)	1.5224(+01)	F'256-P'234	22
3.9588	3.1319	2.05(−01)	2.57(−02)	3.22(−01)	3.2996(−02)	I'254-S'212	23
3.9626	3.1289	4.76(−02)	4.90(−01)	7.52(−02)	1.4741(−01)	I'474-S'212	24
3.9626	3.1289	4.63(−01)	3.62(+00)	1.10(−01)	1.5975(+00)	J'234-S'212	25
3.9636	3.1281	4.39(−01)	1.38(−03)	2.45(−01)	1.3521(−03)	I'234-D'256	26
3.9643	3.1275	2.56(+00)	2.04(−01)	4.68(−01)	1.9036(−01)	M'212-P'234	27
3.9661	3.1261	1.59(+00)	3.63(+00)	2.96(−01)	2.1500(+00)	J'232-S'212	28
3.9673	3.1252	1.86(+00)	2.40(−03)	8.69(−01)	1.6706(−02)	I'278-D'256	29
3.9680	3.1246	6.62(−01)	2.70(+00)	1.12(−01)	1.8241(+00)	M'256-P'234	30
3.9695	3.1234	1.74(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	31
3.9702	3.1229	1.33(+00)	4.78(−03)	6.47(−01)	1.8555(−02)	I'276-D'254	32
3.9705	3.1226	4.36(−01)	4.78(−03)	2.12(−01)	6.0893(−03)	I'276-D'256	33
3.9706	3.1226	1.55(+00)	1.88(−01)	4.81(−01)	3.6235(−01)	G'254-P'232	34
3.9707	3.1225	4.03(−01)	4.08(−02)	2.08(−01)	3.3928(−02)	C'234-S'212	35
3.9711	3.1222	2.45(−01)	1.83(+00)	5.78(−02)	4.2259(−01)	M'254-P'234	36
3.9712	3.1221	1.01(+00)	1.18(−01)	6.61(−01)	4.6779(−01)	G'256-P'234	37
3.9718	3.1216	5.77(−01)	1.88(−01)	1.79(−01)	1.3514(−01)	G'254-P'234	38
3.9741	3.1199	7.92(−02)	1.37(−01)	1.87(−01)	1.5365(−01)	M'436-P'234	39
3.9752	3.1190	2.70(−01)	1.19(−03)	4.83(−01)	3.4520(−03)	I'256-D'254	40
3.9776	3.1171	7.61(−02)	1.15(−02)	6.52(−01)	5.9852(−02)	I'478-D'256	41
3.9783	3.1166	1.12(−01)	1.57(−02)	4.94(−01)	3.0920(−02)	J'434-S'212	42
3.9786	3.1163	1.23(−01)	7.56(−03)	7.06(−01)	3.2003(−02)	I'476-D'254	43
3.9792	3.1158	6.91(−02)	4.90(−01)	1.09(−01)	2.1414(−01)	I'474-D'254	44
3.9793	3.1158	3.63(−02)	1.99(−03)	3.54(−01)	1.4073(−03)	J'432-S'212	45

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.9797	3.1155	4.34(−01)	1.84(−02)	2.63(−01)	1.9435(−02)	M'234-P'234	46
3.9811	3.1143	1.07(−01)	3.35(−02)	2.26(−01)	4.5361(−02)	M'456-P'234	47
3.9817	3.1138	2.13(−01)	3.83(−03)	2.75(−01)	4.2152(−03)	M'454-P'232	48
3.9923	3.1056	3.23(−01)	2.40(+00)	9.61(−02)	4.6128(−01)	E'212-P'232	49
3.9935	3.1047	5.56(−01)	2.40(+00)	1.65(−01)	7.9388(−01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 19;$							
3.0088	4.1208	3.72(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
3.0123	4.1160	9.12(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
3.0260	4.0973	7.74(−02)	6.99(−04)	5.80(−02)	8.1043(−05)	I'232-S 212	3
3.0274	4.0955	9.36(−02)	9.12(−04)	4.04(−02)	1.4738(−04)	I'234-S 212	4
3.0374	4.0820	1.66(−02)	4.19(+00)	3.43(−03)	5.7446(−02)	J'234-S 212	5
3.0400	4.0785	4.76(−02)	3.65(+00)	8.14(−03)	5.9339(−02)	J'232-S 212	6
3.0426	4.0750	1.43(+00)	6.04(−02)	5.92(−01)	1.4315(−01)	C'234-S 212	7
3.0434	4.0738	1.53(+00)	5.04(−03)	7.64(−01)	7.6955(−03)	C'232-S 212	8
3.0474	4.0686	6.64(−02)	2.17(−02)	1.87(−01)	1.6273(−02)	J'434-S 212	9
3.0481	4.0676	1.50(−02)	2.77(−03)	1.02(−01)	5.6447(−04)	J'432-S 212	10
3.0505	4.0644	2.16(−01)	1.20(+00)	1.45(−02)	6.9762(−02)	F'234-P 232	11
3.0518	4.0627	6.14(−01)	1.98(−04)	4.16(−02)	1.6459(−05)	F'232-P 232	12
3.0535	4.0604	1.19(+00)	1.20(+00)	8.02(−02)	3.8467(−01)	F'234-P 234	13
3.0544	4.0592	3.12(−01)	3.69(+00)	1.99(−02)	4.4086(−01)	F'256-P 234	14
3.0546	4.0589	5.23(−01)	3.55(+00)	3.39(−02)	4.8190(−01)	F'254-P 234	15
3.0548	4.0587	1.08(+00)	1.98(−04)	7.33(−02)	2.8985(−05)	F'232-P 234	16
3.0561	4.0569	1.13(+00)	2.07(−01)	1.64(−01)	6.7652(−02)	M'212-P 232	17
3.0572	4.0555	1.76(+00)	1.65(−01)	7.36(−01)	2.4243(−01)	K'232-S 212	18
3.0574	4.0553	1.56(+00)	1.67(−01)	6.95(−01)	4.6333(−01)	K'234-S 212	19
3.0586	4.0537	3.12(−01)	3.87(−02)	7.13(−01)	1.1020(−01)	K'434-S 212	20
3.0587	4.0536	6.65(−02)	7.19(−03)	7.21(−01)	1.0368(−02)	K'432-S 212	21
3.0592	4.0529	1.90(+00)	2.07(−01)	2.74(−01)	1.1337(−01)	M'212-P 234	22
3.0606	4.0510	1.67(+00)	1.75(+00)	3.41(−01)	2.3832(+00)	M'254-P 232	23
3.0611	4.0503	6.13(−01)	1.84(−01)	1.60(−01)	1.1747(−01)	G'254-P 232	24
3.0614	4.0500	3.02(+00)	2.79(+00)	4.49(−01)	7.5164(+00)	M'256-P 234	25
3.0625	4.0484	4.62(−02)	3.45(−02)	1.36(−01)	1.8732(−02)	M'434-P 232	26
3.0637	4.0470	4.73(−01)	1.75(+00)	9.68(−02)	6.7625(−01)	M'254-P 234	27
3.0637	4.0469	3.56(−01)	2.98(−02)	3.29(−01)	3.9236(−02)	M'414-P 232	28
3.0642	4.0463	2.82(−01)	1.84(−01)	7.34(−02)	5.3945(−02)	G'254-P 234	29
3.0642	4.0463	1.09(−01)	3.24(−03)	2.98(−01)	1.9323(−03)	M'432-P 232	30
3.0653	4.0448	3.33(−02)	1.90(−01)	5.41(−02)	6.1679(−02)	M'436-P 234	31
3.0657	4.0443	1.38(+00)	3.68(−03)	5.76(−01)	4.2429(−03)	M'232-P 232	32
3.0660	4.0438	3.20(−01)	2.53(−02)	1.67(−01)	1.6928(−02)	M'234-P 232	33
3.0668	4.0429	2.93(−01)	2.98(−02)	2.71(−01)	3.2373(−02)	M'414-P 234	34
3.0672	4.0423	4.94(−03)	3.24(−03)	1.35(−02)	8.7612(−05)	M'432-P 234	35
3.0683	4.0409	1.13(−01)	4.79(−03)	1.06(−01)	2.0319(−03)	M'454-P 232	36
3.0687	4.0403	3.17(−01)	3.68(−03)	1.33(−01)	9.7733(−04)	M'232-P 234	37
3.0688	4.0402	1.38(−01)	5.34(−04)	1.71(−01)	1.8263(−04)	M'452-P 232	38
3.0691	4.0398	5.91(−01)	2.53(−02)	3.09(−01)	3.1245(−02)	M'234-P 234	39
3.0713	4.0369	1.15(−01)	4.79(−03)	1.08(−01)	2.0744(−03)	M'454-P 234	40
3.0718	4.0362	4.11(−02)	5.34(−04)	5.08(−02)	5.4251(−05)	M'452-P 234	41
3.0749	4.0322	1.48(−01)	4.02(−01)	1.34(−01)	2.1578(−01)	N'254-P 232	42
3.0749	4.0321	3.45(−02)	2.41(+00)	9.63(−03)	4.6327(−02)	E'212-P 232	43
3.0779	4.0282	1.64(−02)	4.02(−01)	1.48(−02)	2.3854(−02)	N'254-P 234	44
3.0780	4.0282	1.13(−01)	3.73(−01)	1.10(−01)	2.4735(−01)	N'256-P 234	45
3.0780	4.0281	3.36(−02)	2.41(+00)	9.39(−03)	4.5203(−02)	E'212-P 234	46
3.0870	4.0164	6.89(−02)	4.13(+00)	1.57(−02)	1.2998(−01)	L'212-P 232	47
3.0901	4.0123	1.04(−01)	4.13(+00)	2.38(−02)	1.9676(−01)	L'212-P 234	48
3.5320	3.5103	1.36(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.5497	3.4929	2.89(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 19;$							
3.0088	4.1208	3.72(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
3.0123	4.1160	9.12(−02)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
3.5279	3.5144	5.71(−01)	6.99(−04)	4.28(−01)	5.9789(−04)	I'232-S'212	3
3.5297	3.5126	1.01(+00)	9.12(−04)	4.35(−01)	1.5861(−03)	I'234-S'212	4
3.5303	3.5121	1.81(+00)	1.11(+00)	1.68(−01)	3.7424(−01)	F'212-P'232	5
3.5304	3.5119	1.16(+01)	1.25(−03)	8.86(−01)	4.4175(−03)	A'234-D'256	6
3.5309	3.5114	1.28(+01)	6.15(−04)	9.55(−01)	1.1741(−03)	A'232-D'254	7
3.5315	3.5109	7.66(+00)	1.11(+00)	7.10(−01)	1.5829(+00)	F'212-P'234	8
3.5320	3.5103	1.36(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
3.5335	3.5089	8.10(+00)	1.36(+00)	6.24(−01)	5.0903(+00)	A'276-D'254	10
3.5338	3.5085	2.73(+00)	1.36(+00)	2.10(−01)	1.7145(+00)	A'276-D'256	11
3.5350	3.5074	1.13(+01)	1.43(+00)	8.39(−01)	9.6272(+00)	A'278-D'256	12
3.5359	3.5065	3.18(+00)	8.08(−02)	2.25(−01)	1.0924(−01)	A'256-D'254	13
3.5362	3.5062	1.24(+01)	7.74(−05)	8.92(−01)	2.7615(−04)	A'254-D'254	14
3.5362	3.5061	1.01(+01)	8.08(−02)	7.19(−01)	3.4869(−01)	A'256-D'256	15
3.5365	3.5058	1.06(+01)	1.24(+00)	8.65(−01)	2.1534(+00)	B'232-S'212	16
3.5370	3.5053	1.07(+01)	5.70(−01)	9.07(−01)	2.0685(+00)	B'234-S'212	17
3.5373	3.5050	1.20(+01)	1.20(+00)	8.10(−01)	3.8864(+00)	F'234-P'234	18
3.5376	3.5047	1.11(+01)	3.55(+00)	7.17(−01)	1.0186(+01)	F'254-P'232	19
3.5379	3.5045	1.09(+01)	1.98(−04)	7.39(−01)	2.9222(−04)	F'232-P'232	20
3.5386	3.5038	1.14(+01)	3.69(+00)	7.27(−01)	1.6108(+01)	F'256-P'234	21
3.5401	3.5023	3.73(−01)	3.14(−02)	3.85(−01)	4.8299(−02)	I'254-S'212	22
3.5433	3.4991	5.01(−01)	4.19(+00)	1.04(−01)	1.7364(+00)	J'234-S'212	23
3.5443	3.4981	6.18(−01)	9.12(−04)	2.67(−01)	9.7270(−04)	I'234-D'256	24
3.5449	3.4975	3.42(+00)	2.07(−01)	4.94(−01)	2.0419(−01)	M'212-P'234	25
3.5469	3.4956	2.03(+00)	3.65(+00)	3.47(−01)	2.5286(+00)	J'232-S'212	26
3.5472	3.4953	2.33(+00)	2.45(−03)	8.67(−01)	1.6982(−02)	I'278-D'256	27
3.5479	3.4946	7.70(−01)	2.79(+00)	1.15(−01)	1.9201(+00)	M'256-P'234	28
3.5497	3.4929	2.89(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
3.5499	3.4926	1.42(+00)	3.98(−03)	6.03(−01)	1.4391(−02)	I'276-D'254	30
3.5503	3.4923	5.39(−01)	3.98(−03)	2.29(−01)	5.4534(−03)	I'276-D'256	31
3.5504	3.4922	5.07(−01)	6.04(−02)	2.10(−01)	5.0618(−02)	C'234-S'212	32
3.5504	3.4921	1.80(+00)	1.84(−01)	4.69(−01)	3.4473(−01)	G'254-P'232	33
3.5510	3.4916	4.03(−01)	1.75(+00)	8.27(−02)	5.7742(−01)	M'254-P'234	34
3.5510	3.4915	1.14(+00)	7.78(−02)	6.63(−01)	3.0951(−01)	G'256-P'234	35
3.5513	3.4912	3.07(−01)	3.55(−03)	2.41(−01)	5.1386(−03)	I'456-D'254	36
3.5516	3.4909	7.51(−01)	1.84(−01)	1.96(−01)	1.4386(−01)	G'254-P'234	37
3.5517	3.4908	3.21(−01)	3.55(−03)	2.52(−01)	5.3641(−03)	I'456-D'256	38
3.5531	3.4895	1.44(−01)	1.90(−01)	2.34(−01)	2.6641(−01)	M'436-P'234	39
3.5543	3.4883	4.22(−01)	1.42(−03)	5.40(−01)	4.5897(−03)	I'256-D'254	40
3.5564	3.4863	1.33(−01)	1.65(−02)	6.69(−01)	8.8328(−02)	I'478-D'256	41
3.5570	3.4857	1.90(−01)	2.17(−02)	5.37(−01)	4.6596(−02)	J'434-S'212	42
3.5573	3.4853	2.13(−01)	1.06(−02)	7.36(−01)	4.6662(−02)	I'476-D'254	43
3.5580	3.4847	5.97(−02)	2.77(−03)	4.06(−01)	2.2539(−03)	J'432-S'212	44
3.5580	3.4847	1.09(−01)	6.50(−04)	7.67(−01)	1.9956(−03)	I'474-D'254	45
3.5582	3.4845	5.16(−01)	2.53(−02)	2.70(−01)	2.7289(−02)	M'234-P'234	46
3.5594	3.4833	1.84(−01)	4.86(−02)	2.83(−01)	8.2642(−02)	M'456-P'234	47
3.5601	3.4827	3.39(−01)	4.79(−03)	3.18(−01)	6.0935(−03)	M'454-P'232	48
3.5690	3.4739	3.99(−01)	2.41(+00)	1.11(−01)	5.3608(−01)	E'212-P'232	49
3.5703	3.4727	6.71(−01)	2.41(+00)	1.87(−01)	9.0216(−01)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 20;$							
2.7055	4.5827	4.57(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
2.7086	4.5774	1.45(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.7196	4.5589	8.99(−02)	4.26(−04)	5.61(−02)	4.7715(−05)	I'232-S 212	3
2.7209	4.5567	1.09(−01)	5.24(−04)	3.68(−02)	7.7190(−05)	I'234-S 212	4
2.7296	4.5423	1.59(−02)	4.26(+00)	3.25(−03)	5.5449(−02)	J'234-S 212	5
2.7322	4.5379	5.75(−02)	3.66(+00)	8.94(−03)	6.5489(−02)	J'232-S 212	6
2.7342	4.5346	1.75(+00)	8.78(−02)	5.89(−01)	2.0676(−01)	C'234-S 212	7
2.7351	4.5331	1.91(+00)	7.33(−03)	7.76(−01)	1.1385(−02)	C'232-S 212	8
2.7384	4.5276	1.07(−01)	2.93(−02)	1.98(−01)	2.3145(−02)	J'434-S 212	9
2.7391	4.5264	2.44(−02)	3.73(−03)	1.17(−01)	8.7008(−04)	J'432-S 212	10
2.7407	4.5239	2.41(−01)	1.30(+00)	1.33(−02)	6.9164(−02)	F'234-P 232	11
2.7419	4.5218	6.68(−01)	2.32(−04)	3.67(−02)	1.7003(−05)	F'232-P 232	12
2.7437	4.5189	1.49(+00)	1.30(+00)	8.25(−02)	4.2753(−01)	F'234-P 234	13
2.7446	4.5174	4.17(−01)	3.66(+00)	2.23(−02)	4.8900(−01)	F'256-P 234	14
2.7448	4.5170	6.74(−01)	3.58(+00)	3.67(−02)	5.2650(−01)	F'254-P 234	15
2.7450	4.5168	1.46(+00)	2.32(−04)	8.02(−02)	3.7175(−05)	F'232-P 234	16
2.7456	4.5158	1.39(+00)	2.09(−01)	1.60(−01)	6.6992(−02)	M'212-P 232	17
2.7468	4.5138	2.18(+00)	1.68(−01)	7.48(−01)	2.5129(−01)	K'232-S 212	18
2.7469	4.5136	1.92(+00)	1.71(−01)	7.01(−01)	4.7885(−01)	K'234-S 212	19
2.7481	4.5117	4.26(−01)	4.45(−02)	7.25(−01)	1.2917(−01)	K'434-S 212	20
2.7482	4.5115	9.04(−02)	8.16(−03)	7.39(−01)	1.2063(−02)	K'432-S 212	21
2.7487	4.5107	2.29(+00)	2.09(−01)	2.65(−01)	1.1078(−01)	M'212-P 234	22
2.7496	4.5091	2.02(+00)	1.67(+00)	3.47(−01)	2.3148(+00)	M'254-P 232	23
2.7501	4.5084	5.55(−01)	1.33(−01)	1.32(−01)	7.0333(−02)	G'254-P 232	24
2.7504	4.5078	3.71(+00)	2.87(+00)	4.86(−01)	8.3814(+00)	M'256-P 234	25
2.7510	4.5069	1.26(−01)	7.24(−02)	2.34(−01)	6.7901(−02)	M'434-P 232	26
2.7521	4.5050	6.60(−01)	6.33(−02)	3.89(−01)	9.8483(−02)	M'414-P 232	27
2.7527	4.5041	6.95(−01)	1.67(+00)	1.19(−01)	7.9776(−01)	M'254-P 234	28
2.7527	4.5041	2.21(−01)	5.48(−03)	4.03(−01)	4.4145(−03)	M'432-P 232	29
2.7532	4.5034	3.51(−01)	1.33(−01)	8.34(−02)	4.4469(−02)	G'254-P 234	30
2.7539	4.5022	5.49(−02)	2.54(−01)	6.09(−02)	9.2817(−02)	M'436-P 234	31
2.7539	4.5022	1.73(+00)	4.13(−03)	5.92(−01)	4.8912(−03)	M'232-P 232	32
2.7543	4.5015	3.76(−01)	3.31(−02)	1.72(−01)	2.2793(−02)	M'234-P 232	33
2.7552	4.5000	3.67(−01)	6.33(−02)	2.16(−01)	5.4761(−02)	M'414-P 234	34
2.7558	4.4991	9.76(−03)	5.48(−03)	1.78(−02)	1.9486(−04)	M'432-P 234	35
2.7564	4.4981	1.66(−01)	5.84(−03)	1.14(−01)	2.6710(−03)	M'454-P 232	36
2.7568	4.4974	1.83(−01)	7.26(−04)	1.75(−01)	2.5436(−04)	M'452-P 232	37
2.7569	4.4972	3.52(−01)	4.13(−03)	1.20(−01)	9.9217(−04)	M'232-P 234	38
2.7574	4.4965	5.97(−01)	3.31(−02)	2.74(−01)	3.6200(−02)	M'234-P 234	39
2.7595	4.4931	1.42(−01)	5.84(−03)	9.77(−02)	2.2810(−03)	M'454-P 234	40
2.7599	4.4924	4.98(−02)	7.26(−04)	4.78(−02)	6.9351(−05)	M'452-P 234	41
2.7619	4.4891	1.86(−01)	4.00(−01)	1.45(−01)	2.3198(−01)	N'254-P 232	42
2.7621	4.4888	4.27(−02)	2.41(+00)	1.12(−02)	5.3869(−02)	E'212-P 232	43
2.7650	4.4841	1.88(−02)	4.00(−01)	1.46(−02)	2.3386(−02)	N'254-P 234	44
2.7650	4.4841	1.32(−01)	3.67(−01)	1.12(−01)	2.4682(−01)	N'256-P 234	45
2.7652	4.4838	3.83(−02)	2.41(+00)	1.00(−02)	4.8318(−02)	E'212-P 234	46
2.7724	4.4721	8.48(−02)	4.15(+00)	1.91(−02)	1.5817(−01)	L'212-P 232	47
2.7756	4.4670	1.23(−01)	4.15(+00)	2.76(−02)	2.2918(−01)	L'212-P 234	48
3.1773	3.9022	1.68(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
3.1928	3.8832	4.63(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 20;$							
2.7055	4.5827	4.57(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
2.7086	4.5774	1.45(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
3.1734	3.9071	6.33(−01)	4.26(−04)	3.95(−01)	3.3623(−04)	I'232-S'212	3
3.1752	3.9048	1.18(+00)	5.24(−04)	4.00(−01)	8.3756(−04)	I'234-S'212	4
3.1757	3.9042	2.03(+00)	1.15(+00)	1.54(−01)	3.5599(−01)	F'212-P'232	5
3.1760	3.9039	1.44(+01)	1.97(−03)	8.89(−01)	7.0037(−03)	A'234-D'256	6

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
3.1764	3.9033	1.58(+01)	1.08(-03)	9.55(-01)	2.0572(-03)	A'232-D'254	7
3.1769	3.9027	9.70(+00)	1.15(+00)	7.39(-01)	1.7032(+00)	F'212-P'234	8
3.1773	3.9022	1.68(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
3.1784	3.9009	9.62(+00)	1.36(+00)	6.12(-01)	5.0090(+00)	A'276-D'254	10
3.1788	3.9004	3.73(+00)	1.36(+00)	2.37(-01)	1.9393(+00)	A'276-D'256	11
3.1799	3.8990	1.39(+01)	1.46(+00)	8.55(-01)	9.9496(+00)	A'278-D'256	12
3.1805	3.8982	4.34(+00)	1.02(-01)	2.49(-01)	1.5180(-01)	A'256-D'254	13
3.1808	3.8979	1.53(+01)	1.25(-04)	8.96(-01)	4.4801(-04)	A'254-D'254	14
3.1809	3.8978	1.21(+01)	1.02(-01)	6.95(-01)	4.2365(-01)	A'256-D'256	15
3.1811	3.8975	1.32(+01)	1.27(+00)	8.84(-01)	2.2407(+00)	B'232-S'212	16
3.1816	3.8970	1.34(+01)	4.95(-01)	9.25(-01)	1.8317(+00)	B'234-S'212	17
3.1818	3.8967	1.48(+01)	1.30(+00)	8.18(-01)	4.2417(+00)	F'234-P'234	18
3.1821	3.8963	1.37(+01)	3.58(+00)	7.48(-01)	1.0730(+01)	F'254-P'232	19
3.1823	3.8961	1.38(+01)	2.32(-04)	7.58(-01)	3.5106(-04)	F'232-P'232	20
3.1830	3.8952	1.43(+01)	3.66(+00)	7.63(-01)	1.6748(+01)	F'256-P'234	21
3.1842	3.8937	6.38(-01)	3.53(-02)	4.36(-01)	6.1526(-02)	I'254-S'212	22
3.1870	3.8904	4.57(-01)	4.26(+00)	9.33(-02)	1.5914(+00)	J'234-S'212	23
3.1880	3.8891	8.49(-01)	5.24(-04)	2.87(-01)	6.0207(-04)	I'234-D'256	24
3.1885	3.8886	4.49(+00)	2.09(-01)	5.18(-01)	2.1697(-01)	M'212-P'234	25
3.1902	3.8865	2.88(+00)	2.44(-03)	8.65(-01)	1.6887(-02)	I'278-D'256	26
3.1906	3.8860	2.56(+00)	3.66(+00)	3.98(-01)	2.9119(+00)	J'232-S'212	27
3.1908	3.8857	8.75(-01)	2.87(+00)	1.14(-01)	1.9743(+00)	M'256-P'234	28
3.1927	3.8834	1.45(+00)	3.05(-03)	5.55(-01)	1.0161(-02)	I'276-D'254	29
3.1928	3.8832	4.63(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
3.1931	3.8829	6.28(-01)	3.05(-03)	2.41(-01)	4.4106(-03)	I'276-D'256	31
3.1932	3.8828	6.22(-01)	8.78(-02)	2.09(-01)	7.3372(-02)	C'234-S'212	32
3.1933	3.8827	1.97(+00)	1.33(-01)	4.68(-01)	2.4972(-01)	G'254-P'232	33
3.1939	3.8819	6.94(-01)	1.67(+00)	1.19(-01)	7.9692(-01)	M'254-P'234	34
3.1939	3.8819	1.22(+00)	3.58(-02)	6.51(-01)	1.3995(-01)	G'256-P'234	35
3.1942	3.8816	5.25(-01)	4.49(-03)	2.80(-01)	7.5565(-03)	I'456-D'254	36
3.1945	3.8812	8.95(-01)	1.33(-01)	2.13(-01)	1.1333(-01)	G'254-P'234	37
3.1946	3.8811	6.07(-01)	4.49(-03)	3.24(-01)	8.7363(-03)	I'456-D'256	38
3.1955	3.8800	2.62(-01)	2.54(-01)	2.90(-01)	4.4273(-01)	M'436-P'234	39
3.1967	3.8785	6.26(-01)	1.58(-03)	5.86(-01)	5.5675(-03)	I'256-D'254	40
3.1984	3.8764	2.25(-01)	2.32(-02)	6.84(-01)	1.2713(-01)	I'478-D'256	41
3.1991	3.8757	3.11(-01)	2.93(-02)	5.73(-01)	6.7086(-02)	J'434-S'212	42
3.1994	3.8753	3.55(-01)	1.44(-02)	7.65(-01)	6.6009(-02)	I'476-D'254	43
3.2000	3.8745	9.52(-02)	3.73(-03)	4.55(-01)	3.3926(-03)	J'432-S'212	44
3.2000	3.8745	1.66(-01)	8.75(-05)	7.83(-01)	2.7393(-04)	I'474-D'254	45
3.2002	3.8743	6.09(-01)	3.31(-02)	2.79(-01)	3.6928(-02)	M'234-P'234	46
3.2011	3.8732	3.05(-01)	6.90(-02)	3.44(-01)	1.4262(-01)	M'456-P'234	47
3.2018	3.8724	5.25(-01)	5.84(-03)	3.61(-01)	8.4312(-03)	M'454-P'232	48
3.2095	3.8630	4.86(-01)	2.41(+00)	1.27(-01)	6.1278(-01)	E'212-P'232	49
3.2107	3.8616	7.98(-01)	2.41(+00)	2.09(-01)	1.0071(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 21;$							
2.4457	5.0696	5.56(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
2.4485	5.0638	2.25(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
2.4572	5.0457	1.03(-01)	2.28(-04)	5.39(-02)	2.4589(-05)	I'232-S 212	3
2.4586	5.0430	1.23(-01)	2.36(-04)	3.33(-02)	3.1439(-05)	I'234-S 212	4
2.4661	5.0276	1.42(-02)	4.33(+00)	2.89(-03)	5.0059(-02)	J'234-S 212	5
2.4687	5.0222	6.83(-02)	3.68(+00)	9.59(-03)	7.0510(-02)	J'232-S 212	6
2.4702	5.0192	2.11(+00)	1.25(-01)	5.86(-01)	2.9292(-01)	C'234-S 212	7
2.4711	5.0173	2.34(+00)	1.05(-02)	7.87(-01)	1.6477(-02)	C'232-S 212	8
2.4740	5.0115	1.68(-01)	3.85(-02)	2.05(-01)	3.1552(-02)	J'434-S 212	9
2.4747	5.0101	3.85(-02)	4.85(-03)	1.30(-01)	1.2667(-03)	J'432-S 212	10

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.4755	5.0085	2.64(−01)	1.39(+00)	1.21(−02)	6.7477(−02)	F'234-P 232	11
2.4768	5.0059	7.04(−01)	2.54(−04)	3.18(−02)	1.6146(−05)	F'232-P 232	12
2.4786	5.0023	1.85(+00)	1.39(+00)	8.47(−02)	4.7170(−01)	F'234-P 234	13
2.4794	5.0005	5.54(−01)	3.60(+00)	2.48(−02)	5.3642(−01)	F'256-P 234	14
2.4797	5.0000	8.58(−01)	3.61(+00)	3.93(−02)	5.6849(−01)	F'254-P 234	15
2.4798	4.9997	1.95(+00)	2.54(−04)	8.80(−02)	4.4760(−05)	F'232-P 234	16
2.4799	4.9996	1.66(+00)	2.11(−01)	1.55(−01)	6.5196(−02)	M'212-P 232	17
2.4812	4.9970	2.68(+00)	1.71(−01)	7.59(−01)	2.5959(−01)	K'232-S 212	18
2.4813	4.9968	2.33(+00)	1.74(−01)	7.06(−01)	4.9251(−01)	K'234-S 212	19
2.4824	4.9945	5.73(−01)	5.10(−02)	7.36(−01)	1.5004(−01)	K'434-S 212	20
2.4825	4.9943	1.21(−01)	9.22(−03)	7.55(−01)	1.3921(−02)	K'432-S 212	21
2.4830	4.9934	2.73(+00)	2.11(−01)	2.54(−01)	1.0696(−01)	M'212-P 234	22
2.4835	4.9924	2.33(+00)	1.55(+00)	3.30(−01)	2.0517(+00)	M'254-P 232	23
2.4840	4.9914	3.29(−01)	5.16(−02)	8.01(−02)	1.6523(−02)	G'254-P 232	24
2.4844	4.9906	4.51(+00)	2.95(+00)	5.21(−01)	9.2249(+00)	M'256-P 234	25
2.4845	4.9903	3.15(−01)	1.52(−01)	3.22(−01)	1.9593(−01)	M'434-P 232	26
2.4856	4.9882	1.19(+00)	1.27(−01)	4.45(−01)	2.2579(−01)	M'414-P 232	27
2.4863	4.9868	4.48(−01)	9.03(−03)	5.19(−01)	9.3753(−03)	M'432-P 232	28
2.4866	4.9861	1.07(+00)	1.55(+00)	1.52(−01)	9.4312(−01)	M'254-P 234	29
2.4871	4.9852	3.70(−01)	5.16(−02)	9.00(−02)	1.8570(−02)	G'254-P 234	30
2.4871	4.9851	2.11(+00)	4.15(−03)	5.98(−01)	4.9560(−03)	M'232-P 232	31
2.4874	4.9845	8.25(−02)	3.21(−01)	6.16(−02)	1.1869(−01)	M'436-P 234	32
2.4876	4.9842	4.34(−01)	4.17(−02)	1.75(−01)	2.9233(−02)	M'234-P 232	33
2.4876	4.9841	1.54(−02)	1.52(−01)	1.57(−02)	9.5618(−03)	M'434-P 234	34
2.4887	4.9820	3.97(−01)	1.27(−01)	1.49(−01)	7.5427(−02)	M'414-P 234	35
2.4895	4.9803	2.40(−01)	6.95(−03)	1.22(−01)	3.3953(−03)	M'454-P 232	36
2.4900	4.9794	2.37(−01)	9.55(−04)	1.79(−01)	3.4102(−04)	M'452-P 232	37
2.4902	4.9789	3.75(−01)	4.15(−03)	1.06(−01)	8.8316(−04)	M'232-P 234	38
2.4907	4.9780	5.90(−01)	4.17(−02)	2.39(−01)	3.9751(−02)	M'234-P 234	39
2.4926	4.9741	1.70(−01)	6.95(−03)	8.66(−02)	2.4065(−03)	M'454-P 234	40
2.4931	4.9732	5.89(−02)	9.55(−04)	4.44(−02)	8.4809(−05)	M'452-P 234	41
2.4942	4.9710	2.31(−01)	3.97(−01)	1.54(−01)	2.4561(−01)	N'254-P 232	42
2.4945	4.9703	5.22(−02)	2.41(+00)	1.28(−02)	6.1587(−02)	E'212-P 232	43
2.4973	4.9648	2.11(−02)	3.97(−01)	1.41(−02)	2.2426(−02)	N'254-P 234	44
2.4973	4.9647	1.52(−01)	3.61(−01)	1.11(−01)	2.4096(−01)	N'256-P 234	45
2.4976	4.9641	4.30(−02)	2.41(+00)	1.05(−02)	5.0777(−02)	E'212-P 234	46
2.5034	4.9526	1.03(−01)	4.17(+00)	2.28(−02)	1.9005(−01)	L'212-P 232	47
2.5066	4.9464	1.43(−01)	4.17(+00)	3.15(−02)	2.6273(−01)	L'212-P 234	48
2.8732	4.3152	2.05(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
2.8870	4.2945	7.18(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 21;$							
2.4457	5.0696	5.56(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
2.4485	5.0638	2.25(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
2.8694	4.3209	6.93(−01)	2.28(−04)	3.63(−01)	1.6567(−04)	I'232-S'212	3
2.8712	4.3182	1.35(+00)	2.36(−04)	3.65(−01)	3.4456(−04)	I'234-S'212	4
2.8717	4.3174	2.22(+00)	1.19(+00)	1.40(−01)	3.3342(−01)	F'212-P'232	5
2.8721	4.3169	1.76(+01)	2.88(−03)	8.93(−01)	1.0282(−02)	A'234-D'256	6
2.8725	4.3163	1.94(+01)	1.69(−03)	9.55(−01)	3.2318(−03)	A'232-D'254	7
2.8730	4.3156	1.21(+01)	1.19(+00)	7.65(−01)	1.8230(+00)	F'212-P'234	8
2.8732	4.3152	2.05(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
2.8740	4.3140	1.13(+01)	1.36(+00)	5.96(−01)	4.8702(+00)	A'276-D'254	10
2.8744	4.3134	5.01(+00)	1.36(+00)	2.65(−01)	2.1661(+00)	A'276-D'256	11
2.8755	4.3118	1.70(+01)	1.47(+00)	8.68(−01)	1.0210(+01)	A'278-D'256	12
2.8759	4.3111	5.82(+00)	1.25(−01)	2.74(−01)	2.0593(−01)	A'256-D'254	13
2.8762	4.3107	1.86(+01)	1.94(−04)	9.01(−01)	6.9813(−04)	A'254-D'254	14
2.8763	4.3105	1.42(+01)	1.25(−01)	6.69(−01)	5.0282(−01)	A'256-D'256	15

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.8765	4.3103	1.63(+01)	1.29(+00)	9.00(-01)	2.3171(+00)	B'232-S'212	16
2.8769	4.3097	1.64(+01)	4.14(-01)	9.40(-01)	1.5544(+00)	B'234-S'212	17
2.8770	4.3095	1.80(+01)	1.39(+00)	8.25(-01)	4.5909(+00)	F'234-P'234	18
2.8773	4.3091	1.69(+01)	3.61(+00)	7.74(-01)	1.1190(+01)	F'254-P'232	19
2.8775	4.3088	1.72(+01)	2.54(-04)	7.75(-01)	3.9417(-04)	F'232-P'232	20
2.8782	4.3077	1.77(+01)	3.60(+00)	7.94(-01)	1.7145(+01)	F'256-P'234	21
2.8792	4.3062	1.01(+00)	3.58(-02)	4.71(-01)	6.7405(-02)	I'254-S'212	22
2.8816	4.3027	3.76(-01)	4.33(+00)	7.65(-02)	1.3232(+00)	J'234-S'212	23
2.8826	4.3012	1.14(+00)	2.36(-04)	3.07(-01)	2.8973(-04)	I'234-D'256	24
2.8830	4.3006	5.81(+00)	2.11(-01)	5.41(-01)	2.2804(-01)	M'212-P'234	25
2.8842	4.2988	3.52(+00)	2.39(-03)	8.62(-01)	1.6469(-02)	I'278-D'256	26
2.8848	4.2978	9.72(-01)	2.95(+00)	1.12(-01)	1.9893(+00)	M'256-P'234	27
2.8852	4.2974	3.19(+00)	3.68(+00)	4.47(-01)	3.2903(+00)	J'232-S'212	28
2.8865	4.2953	1.43(+00)	2.23(-03)	5.06(-01)	6.7877(-03)	I'276-D'254	29
2.8870	4.2945	7.18(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
2.8871	4.2944	7.40(-01)	1.25(-01)	2.06(-01)	1.0269(-01)	C'234-S'212	31
2.8873	4.2942	1.97(+00)	5.16(-02)	4.78(-01)	9.8570(-02)	G'254-P'232	32
2.8878	4.2934	1.19(+00)	1.55(+00)	1.69(-01)	1.0522(+00)	M'254-P'234	33
2.8879	4.2933	1.19(+00)	3.86(-03)	6.16(-01)	1.4268(-02)	G'256-P'234	34
2.8881	4.2930	7.65(-01)	5.13(-03)	2.90(-01)	8.9234(-03)	I'456-D'254	35
2.8885	4.2924	9.06(-01)	5.16(-02)	2.20(-01)	4.5412(-02)	G'254-P'234	36
2.8885	4.2924	1.03(+00)	5.13(-03)	3.88(-01)	1.1960(-02)	I'456-D'256	37
2.8890	4.2917	4.81(-01)	3.21(-01)	3.59(-01)	6.9224(-01)	M'436-P'234	38
2.8894	4.2910	5.78(-01)	1.27(-01)	2.17(-01)	1.0993(-01)	M'414-P'232	39
2.8903	4.2898	8.84(-01)	1.65(-03)	6.19(-01)	6.1381(-03)	I'256-D'254	40
2.8917	4.2876	3.68(-01)	3.19(-02)	6.99(-01)	1.7862(-01)	I'478-D'256	41
2.8923	4.2867	4.94(-01)	3.85(-02)	6.03(-01)	9.2869(-02)	J'434-S'212	42
2.8927	4.2862	5.74(-01)	1.91(-02)	7.92(-01)	9.0706(-02)	I'476-D'254	43
2.8933	4.2853	1.47(-01)	4.85(-03)	4.98(-01)	4.8388(-03)	J'432-S'212	44
2.8933	4.2852	2.45(-01)	9.38(-06)	7.92(-01)	2.9717(-05)	I'474-D'254	45
2.8934	4.2852	7.19(-01)	4.17(-02)	2.91(-01)	4.8478(-02)	M'234-P'234	46
2.8941	4.2840	4.92(-01)	9.58(-02)	4.07(-01)	2.3357(-01)	M'456-P'234	47
2.8947	4.2831	7.93(-01)	6.95(-03)	4.03(-01)	1.1206(-02)	M'454-P'232	48
2.9015	4.2731	5.85(-01)	2.41(+00)	1.43(-01)	6.9020(-01)	E'212-P'232	49
2.9027	4.2713	9.37(-01)	2.41(+00)	2.29(-01)	1.1065(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 22;$							
2.2214	5.5814	6.69(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
2.2239	5.5751	3.36(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
2.2309	5.5577	1.16(-01)	9.89(-05)	5.14(-02)	1.0164(-05)	I'232-S 212	3
2.2321	5.5545	1.36(-01)	6.12(-05)	2.99(-02)	7.3214(-06)	I'234-S 212	4
2.2388	5.5380	1.15(-02)	4.37(+00)	2.36(-03)	4.1292(-02)	J'234-S 212	5
2.2414	5.5315	7.98(-02)	3.69(+00)	1.01(-02)	7.4230(-02)	J'232-S 212	6
2.2425	5.5289	2.51(+00)	1.74(-01)	5.85(-01)	4.0653(-01)	C'234-S 212	7
2.2435	5.5265	2.85(+00)	1.45(-02)	7.96(-01)	2.3153(-02)	C'232-S 212	8
2.2459	5.5205	2.53(-01)	4.94(-02)	2.10(-01)	4.1476(-02)	J'434-S 212	9
2.2466	5.5188	5.90(-02)	6.14(-03)	1.43(-01)	1.7550(-03)	J'432-S 212	10
2.2468	5.5183	2.84(-01)	1.48(+00)	1.09(-02)	6.4869(-02)	F'234-P 232	11
2.2499	5.5107	2.27(+00)	1.48(+00)	8.70(-02)	5.1685(-01)	F'234-P 234	12
2.2507	5.5087	1.95(+00)	2.12(-01)	1.47(-01)	6.2259(-02)	M'212-P 232	13
2.2508	5.5086	7.29(-01)	3.52(+00)	2.75(-02)	5.8240(-01)	F'256-P 234	14
2.2510	5.5079	1.08(+00)	3.64(+00)	4.18(-02)	6.0788(-01)	F'254-P 234	15
2.2512	5.5076	2.58(+00)	2.59(-04)	9.67(-02)	5.0159(-05)	F'232-P 234	16
2.2521	5.5053	3.26(+00)	1.74(-01)	7.68(-01)	2.6729(-01)	K'232-S 212	17
2.2522	5.5050	2.81(+00)	1.78(-01)	7.08(-01)	5.0420(-01)	K'234-S 212	18
2.2533	5.5023	7.58(-01)	5.79(-02)	7.46(-01)	1.7271(-01)	K'434-S 212	19

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.2534	5.5021	1.60(−01)	1.04(−02)	7.70(−01)	1.5934(−02)	K'432-S 212	20
2.2538	5.5010	3.19(+00)	2.12(−01)	2.41(−01)	1.0204(−01)	M'212-P 234	21
2.2540	5.5008	2.33(+00)	1.31(+00)	2.88(−01)	1.5130(+00)	M'254-P 232	22
2.2547	5.4989	6.52(−01)	2.78(−01)	3.32(−01)	3.6991(−01)	M'434-P 232	23
2.2549	5.4984	5.41(+00)	3.02(+00)	5.54(−01)	1.0026(+01)	M'256-P 234	24
2.2557	5.4964	2.05(+00)	2.36(−01)	4.87(−01)	4.5890(−01)	M'414-P 232	25
2.2565	5.4946	9.03(−01)	1.44(−02)	6.35(−01)	1.8273(−02)	M'432-P 232	26
2.2571	5.4932	1.59(+00)	1.31(+00)	1.96(−01)	1.0330(+00)	M'254-P 234	27
2.2571	5.4930	2.41(+00)	3.38(−03)	5.86(−01)	3.9609(−03)	M'232-P 232	28
2.2571	5.4930	7.62(−02)	1.42(−02)	4.22(−02)	3.5935(−03)	G'256-P 234	29
2.2576	5.4919	2.80(−01)	1.04(−04)	8.01(−02)	3.3302(−05)	G'254-P 234	30
2.2576	5.4918	4.93(−01)	5.09(−02)	1.77(−01)	3.5990(−02)	M'234-P 232	31
2.2577	5.4916	1.06(−01)	3.63(−01)	5.26(−02)	1.1440(−01)	M'436-P 234	32
2.2579	5.4913	1.38(−01)	2.78(−01)	7.02(−02)	7.8159(−02)	M'434-P 234	33
2.2589	5.4888	3.55(−01)	2.36(−01)	8.42(−02)	7.9369(−02)	M'414-P 234	34
2.2595	5.4874	3.41(−01)	8.10(−03)	1.29(−01)	4.1887(−03)	M'454-P 232	35
2.2596	5.4870	3.83(−02)	1.44(−02)	2.69(−02)	7.7431(−04)	M'432-P 234	36
2.2599	5.4864	3.02(−01)	1.22(−03)	1.81(−01)	4.4229(−04)	M'452-P 232	37
2.2603	5.4854	3.81(−01)	3.38(−03)	9.26(−02)	6.2607(−04)	M'232-P 234	38
2.2608	5.4842	5.73(−01)	5.09(−02)	2.05(−01)	4.1791(−02)	M'234-P 234	39
2.2626	5.4798	1.99(−01)	8.10(−03)	7.55(−02)	2.4482(−03)	M'454-P 234	40
2.2630	5.4788	6.81(−02)	1.22(−03)	4.09(−02)	9.9737(−05)	M'452-P 234	41
2.2634	5.4778	2.85(−01)	3.94(−01)	1.63(−01)	2.5682(−01)	N'254-P 232	42
2.2638	5.4768	6.29(−02)	2.41(+00)	1.44(−02)	6.9301(−02)	E'212-P 232	43
2.2666	5.4702	2.34(−02)	3.94(−01)	1.34(−02)	2.1096(−02)	N'254-P 234	44
2.2666	5.4701	1.72(−01)	3.53(−01)	1.09(−01)	2.3082(−01)	N'256-P 234	45
2.2670	5.4692	4.77(−02)	2.41(+00)	1.09(−02)	5.2566(−02)	E'212-P 234	46
2.2716	5.4581	1.24(−01)	4.18(+00)	2.70(−02)	2.2569(−01)	L'212-P 232	47
2.2747	5.4505	1.64(−01)	4.18(+00)	3.55(−02)	2.9676(−01)	L'212-P 234	48
2.6105	4.7495	2.47(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
2.6230	4.7269	1.08(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 22;$							
2.2214	5.5814	6.69(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
2.2239	5.5751	3.36(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
2.6069	4.7560	7.49(−01)	9.89(−05)	3.32(−01)	6.5580(−05)	I'232-S'212	3
2.6087	4.7528	1.50(+00)	6.12(−05)	3.31(−01)	8.1133(−05)	I'234-S'212	4
2.6092	4.7519	2.38(+00)	1.23(+00)	1.25(−01)	3.0773(−01)	F'212-P'232	5
2.6095	4.7512	2.14(+01)	3.98(−03)	8.97(−01)	1.4281(−02)	A'234-D'256	6
2.6100	4.7504	2.35(+01)	2.47(−03)	9.54(−01)	4.7207(−03)	A'232-D'254	7
2.6104	4.7497	1.50(+01)	1.23(+00)	7.89(−01)	1.9419(+00)	F'212-P'234	8
2.6105	4.7495	2.47(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
2.6111	4.7484	1.30(+01)	1.36(+00)	5.76(−01)	4.6842(+00)	A'276-D'254	10
2.6115	4.7477	6.64(+00)	1.36(+00)	2.94(−01)	2.3905(+00)	A'276-D'256	11
2.6126	4.7457	2.06(+01)	1.48(+00)	8.78(−01)	1.0414(+01)	A'278-D'256	12
2.6129	4.7452	7.69(+00)	1.51(−01)	3.00(−01)	2.7298(−01)	A'256-D'254	13
2.6131	4.7447	2.25(+01)	2.89(−04)	9.05(−01)	1.0475(−03)	A'254-D'254	14
2.6133	4.7445	1.65(+01)	1.51(−01)	6.42(−01)	5.8395(−01)	A'256-D'256	15
2.6134	4.7442	1.99(+01)	1.30(+00)	9.13(−01)	2.3830(+00)	B'232-S'212	16
2.6137	4.7437	2.00(+01)	3.33(−01)	9.52(−01)	1.2667(+00)	B'234-S'212	17
2.6138	4.7435	2.16(+01)	1.48(+00)	8.30(−01)	4.9314(+00)	F'234-P'234	18
2.6141	4.7429	2.05(+01)	3.64(+00)	7.96(−01)	1.1573(+01)	F'254-P'232	19
2.6143	4.7426	2.11(+01)	2.59(−04)	7.91(−01)	4.1016(−04)	F'232-P'232	20
2.6149	4.7414	2.17(+01)	3.52(+00)	8.19(−01)	1.7311(+01)	F'256-P'234	21
2.6159	4.7397	1.49(+00)	3.20(−02)	4.88(−01)	6.2462(−02)	I'254-S'212	22
2.6178	4.7362	2.66(−01)	4.37(+00)	5.44(−02)	9.5061(−01)	J'234-S'212	23

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.6188	4.7344	1.48(+00)	6.12(-05)	3.25(-01)	7.9702(-05)	I'234-D'256	24
2.6191	4.7338	7.40(+00)	2.12(-01)	5.59(-01)	2.3675(-01)	M'212-P'234	25
2.6199	4.7324	4.25(+00)	2.30(-03)	8.59(-01)	1.5781(-02)	I'278-D'256	26
2.6206	4.7312	1.06(+00)	3.02(+00)	1.09(-01)	1.9694(+00)	M'256-P'234	27
2.6214	4.7297	3.93(+00)	3.69(+00)	4.95(-01)	3.6559(+00)	J'232-S'212	28
2.6221	4.7285	1.41(+00)	1.61(-03)	4.59(-01)	4.4246(-03)	I'276-D'254	29
2.6228	4.7271	8.53(-01)	1.74(-01)	1.99(-01)	1.3815(-01)	C'234-S'212	30
2.6230	4.7269	1.67(+00)	1.04(-04)	4.79(-01)	1.9909(-04)	G'254-P'232	31
2.6230	4.7269	1.08(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	32
2.6233	4.7263	3.05(-01)	2.78(-01)	1.55(-01)	1.7283(-01)	M'434-P'232	33
2.6235	4.7260	1.85(+00)	1.31(+00)	2.29(-01)	1.2035(+00)	M'254-P'234	34
2.6236	4.7258	9.53(-01)	1.42(-02)	5.28(-01)	4.4910(-02)	G'256-P'234	35
2.6238	4.7253	9.99(-01)	5.41(-03)	2.79(-01)	9.0748(-03)	I'456-D'254	36
2.6242	4.7246	1.60(+00)	5.41(-03)	4.47(-01)	1.4507(-02)	I'456-D'256	37
2.6244	4.7244	8.76(-01)	3.63(-01)	4.36(-01)	9.5005(-01)	M'436-P'234	38
2.6247	4.7239	1.01(+00)	2.36(-01)	2.38(-01)	2.2488(-01)	M'414-P'232	39
2.6257	4.7220	1.19(+00)	1.59(-03)	6.40(-01)	6.1265(-03)	I'256-D'254	40
2.6269	4.7198	5.85(-01)	4.29(-02)	7.14(-01)	2.4507(-01)	I'478-D'256	41
2.6275	4.7187	7.59(-01)	4.94(-02)	6.29(-01)	1.2428(-01)	J'434-S'212	42
2.6279	4.7181	8.97(-01)	2.48(-02)	8.16(-01)	1.2123(-01)	I'476-D'254	43
2.6284	4.7171	2.21(-01)	6.14(-03)	5.37(-01)	6.5865(-03)	J'432-S'212	44
2.6285	4.7170	3.51(-01)	8.06(-08)	8.01(-01)	2.5820(-07)	I'474-D'254	45
2.6285	4.7170	8.51(-01)	5.09(-02)	3.05(-01)	6.2091(-02)	M'234-P'234	46
2.6291	4.7160	7.70(-01)	1.30(-01)	4.67(-01)	3.6391(-01)	M'456-P'234	47
2.6297	4.7148	1.17(+00)	8.10(-03)	4.43(-01)	1.4362(-02)	M'454-P'232	48
2.6356	4.7042	6.96(-01)	2.41(+00)	1.59(-01)	7.6735(-01)	E'212-P'232	49
2.6369	4.7020	1.09(+00)	2.41(+00)	2.48(-01)	1.1985(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 23;$							
2.0264	6.1184	7.96(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
2.0287	6.1115	4.89(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
2.0342	6.0951	1.29(-01)	2.67(-05)	4.87(-02)	2.6049(-06)	I'232-S 212	3
2.0354	6.0914	1.46(-01)	2.79(-07)	2.67(-02)	2.9700(-08)	I'234-S 212	4
2.0414	6.0737	8.18(-03)	4.40(+00)	1.69(-03)	2.9718(-02)	J'234-S 212	5
2.0440	6.0658	9.17(-02)	3.70(+00)	1.03(-02)	7.6555(-02)	J'232-S 212	6
2.0447	6.0637	2.95(+00)	2.36(-01)	5.86(-01)	5.5243(-01)	C'234-S 212	7
2.0457	6.0607	3.43(+00)	1.96(-02)	8.02(-01)	3.1504(-02)	C'232-S 212	8
2.0478	6.0545	3.70(-01)	6.21(-02)	2.13(-01)	5.2850(-02)	J'434-S 212	9
2.0482	6.0534	3.01(-01)	1.58(+00)	9.77(-03)	6.1526(-02)	F'234-P 232	10
2.0485	6.0526	8.80(-02)	7.56(-03)	1.54(-01)	2.3297(-03)	J'432-S 212	11
2.0513	6.0442	2.75(+00)	1.58(+00)	8.93(-02)	5.6257(-01)	F'234-P 234	12
2.0517	6.0429	2.22(+00)	2.11(-01)	1.38(-01)	5.8276(-02)	M'212-P 232	13
2.0521	6.0418	9.53(-01)	3.43(+00)	3.04(-02)	6.2607(-01)	F'256-P 234	14
2.0525	6.0408	1.34(+00)	3.65(+00)	4.41(-02)	6.4472(-01)	F'254-P 234	15
2.0526	6.0405	3.38(+00)	2.42(-04)	1.06(-01)	5.1429(-05)	F'232-P 234	16
2.0532	6.0386	3.92(+00)	1.77(-01)	7.77(-01)	2.7435(-01)	K'232-S 212	17
2.0533	6.0383	3.34(+00)	1.81(-01)	7.09(-01)	5.1373(-01)	K'234-S 212	18
2.0544	6.0351	9.88(-01)	6.54(-02)	7.54(-01)	1.9705(-01)	K'434-S 212	19
2.0545	6.0348	2.08(-01)	1.16(-02)	7.82(-01)	1.8091(-02)	K'432-S 212	20
2.0546	6.0346	1.92(+00)	9.77(-01)	2.27(-01)	8.8693(-01)	M'254-P 232	21
2.0549	6.0337	3.67(+00)	2.11(-01)	2.28(-01)	9.6165(-02)	M'212-P 234	22
2.0552	6.0327	4.29(-01)	2.47(-01)	1.98(-01)	1.9550(-01)	G'254-P 232	23
2.0553	6.0326	4.94(-01)	1.61(-01)	1.21(-01)	7.8420(-02)	M'434-P 232	24
2.0557	6.0312	6.41(+00)	3.07(+00)	5.84(-01)	1.0763(+01)	M'256-P 234	25
2.0562	6.0297	3.32(+00)	3.92(-01)	5.07(-01)	7.9549(-01)	M'234-P 232	26
2.0570	6.0275	1.78(+00)	2.18(-02)	7.30(-01)	3.1860(-02)	M'432-P 232	27

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.0575	6.0261	2.49(+00)	1.72(-03)	5.44(-01)	1.8761(-03)	M'232-P 232	28
2.0577	6.0254	2.11(+00)	9.77(-01)	2.50(-01)	9.7620(-01)	M'254-P 234	29
2.0578	6.0250	1.85(-01)	1.21(-01)	1.18(-01)	8.6040(-02)	M'436-P 234	30
2.0580	6.0245	5.55(-01)	6.06(-02)	1.77(-01)	4.2796(-02)	M'414-P 232	31
2.0583	6.0236	1.02(-01)	3.26(-01)	3.57(-02)	6.9858(-02)	G'256-P 234	32
2.0584	6.0233	5.92(-01)	1.61(-01)	1.46(-01)	9.4019(-02)	M'434-P 234	33
2.0594	6.0205	2.47(-01)	3.92(-01)	3.78(-02)	5.9274(-02)	M'234-P 234	34
2.0597	6.0195	4.74(-01)	9.28(-03)	1.36(-01)	5.0342(-03)	M'454-P 232	35
2.0601	6.0184	3.80(-01)	1.52(-03)	1.83(-01)	5.5716(-04)	M'452-P 232	36
2.0602	6.0183	7.32(-02)	2.18(-02)	3.00(-02)	1.3101(-03)	M'432-P 234	37
2.0606	6.0168	3.60(-01)	1.72(-03)	7.89(-02)	2.7173(-04)	M'232-P 234	38
2.0612	6.0153	5.51(-01)	6.06(-02)	1.75(-01)	4.2423(-02)	M'414-P 234	39
2.0629	6.0103	2.28(-01)	9.28(-03)	6.50(-02)	2.4144(-03)	M'454-P 234	40
2.0631	6.0098	3.48(-01)	3.90(-01)	1.70(-01)	2.6591(-01)	N'254-P 232	41
2.0633	6.0092	7.73(-02)	1.52(-03)	3.73(-02)	1.1328(-04)	M'452-P 234	42
2.0636	6.0083	7.48(-02)	2.41(+00)	1.59(-02)	7.6823(-02)	E'212-P 232	43
2.0662	6.0005	2.55(-02)	3.90(-01)	1.25(-02)	1.9513(-02)	N'254-P 234	44
2.0663	6.0004	1.92(-01)	3.45(-01)	1.05(-01)	2.1752(-01)	N'256-P 234	45
2.0667	5.9991	5.23(-02)	2.41(+00)	1.11(-02)	5.3705(-02)	E'212-P 234	46
2.0703	5.9886	1.49(-01)	4.18(+00)	3.17(-02)	2.6509(-01)	L'212-P 232	47
2.0735	5.9794	1.85(-01)	4.18(+00)	3.95(-02)	3.3057(-01)	L'212-P 234	48
2.3820	5.2050	2.94(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
2.3934	5.1803	1.59(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 23;$							
2.0264	6.1184	7.96(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
2.0287	6.1115	4.89(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
2.3786	5.2125	8.02(-01)	2.67(-05)	3.02(-01)	1.6126(-05)	I'232-S'212	3
2.3803	5.2088	1.63(+00)	2.79(-07)	2.99(-01)	3.3292(-07)	I'234-S'212	4
2.3808	5.2078	2.49(+00)	1.27(+00)	1.10(-01)	2.8011(-01)	F'212-P'232	5
2.3812	5.2068	2.57(+01)	5.27(-03)	9.01(-01)	1.9008(-02)	A'234-D'256	6
2.3817	5.2058	2.82(+01)	3.43(-03)	9.54(-01)	6.5399(-03)	A'232-D'254	7
2.3820	5.2050	1.83(+01)	1.27(+00)	8.10(-01)	2.0592(+00)	F'212-P'234	8
2.3820	5.2050	2.94(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	9
2.3825	5.2041	1.48(+01)	1.34(+00)	5.54(-01)	4.4610(+00)	A'276-D'254	10
2.3829	5.2032	8.68(+00)	1.34(+00)	3.24(-01)	2.6082(+00)	A'276-D'256	11
2.3839	5.2010	2.46(+01)	1.49(+00)	8.87(-01)	1.0565(+01)	A'278-D'256	12
2.3841	5.2006	1.00(+01)	1.80(-01)	3.28(-01)	3.5405(-01)	A'256-D'254	13
2.3843	5.2001	2.69(+01)	4.17(-04)	9.09(-01)	1.5167(-03)	A'254-D'254	14
2.3845	5.1997	1.88(+01)	1.80(-01)	6.15(-01)	6.6464(-01)	A'256-D'256	15
2.3846	5.1995	2.41(+01)	1.32(+00)	9.25(-01)	2.4382(+00)	B'232-S'212	16
2.3848	5.1989	2.40(+01)	2.58(-01)	9.62(-01)	9.9400(-01)	B'234-S'212	17
2.3849	5.1988	2.58(+01)	1.58(+00)	8.35(-01)	5.2605(+00)	F'234-P'234	18
2.3852	5.1981	2.47(+01)	3.65(+00)	8.14(-01)	1.1885(+01)	F'254-P'232	19
2.3853	5.1978	2.56(+01)	2.42(-04)	8.03(-01)	3.8892(-04)	F'232-P'232	20
2.3860	5.1964	2.63(+01)	3.43(+00)	8.39(-01)	1.7262(+01)	F'256-P'234	21
2.3869	5.1945	2.03(+00)	2.43(-02)	4.88(-01)	4.7406(-02)	I'254-S'212	22
2.3885	5.1910	1.46(-01)	4.40(+00)	3.01(-02)	5.2918(-01)	J'234-S'212	23
2.3894	5.1890	1.87(+00)	2.79(-07)	3.43(-01)	3.8184(-07)	I'234-D'256	24
2.3897	5.1883	9.25(+00)	2.11(-01)	5.74(-01)	2.4253(-01)	M'212-P'234	25
2.3902	5.1872	5.09(+00)	2.17(-03)	8.56(-01)	1.4878(-02)	I'278-D'256	26
2.3908	5.1859	1.14(+00)	3.07(+00)	1.04(-01)	1.9212(+00)	M'256-P'234	27
2.3921	5.1832	4.80(+00)	3.70(+00)	5.40(-01)	4.0024(+00)	J'232-S'212	28
2.3922	5.1830	1.38(+00)	1.15(-03)	4.15(-01)	2.8587(-03)	I'276-D'254	29
2.3931	5.1810	9.51(-01)	2.36(-01)	1.89(-01)	1.7798(-01)	C'234-S'212	30
2.3932	5.1807	1.47(+00)	1.61(-01)	3.62(-01)	2.3403(-01)	M'434-P'232	31

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.3934	5.1803	1.59(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	32
2.3935	5.1800	2.42(+00)	9.77(-01)	2.86(-01)	1.1182(+00)	M'254-P'234	33
2.3937	5.1797	5.24(-01)	1.21(-01)	3.34(-01)	2.4334(-01)	M'436-P'234	34
2.3943	5.1784	6.61(-01)	2.07(-02)	2.78(-01)	2.3103(-02)	I'454-D'254	35
2.3944	5.1782	1.43(+00)	3.26(-01)	5.02(-01)	9.8272(-01)	G'256-P'234	36
2.3945	5.1779	2.34(+00)	5.39(-03)	5.00(-01)	1.6164(-02)	I'456-D'256	37
2.3945	5.1779	8.13(-01)	1.61(-01)	2.00(-01)	1.2923(-01)	M'434-P'234	38
2.3945	5.1778	1.62(+00)	3.92(-01)	2.48(-01)	3.8834(-01)	M'234-P'232	39
2.3957	5.1754	1.52(+00)	1.41(-03)	6.51(-01)	5.4931(-03)	I'256-D'254	40
2.3967	5.1731	9.04(-01)	5.64(-02)	7.28(-01)	3.2847(-01)	I'478-D'256	41
2.3973	5.1718	1.13(+00)	6.21(-02)	6.50(-01)	1.6153(-01)	J'434-S'212	42
2.3977	5.1711	1.36(+00)	3.14(-02)	8.38(-01)	1.5780(-01)	I'476-D'254	43
2.3982	5.1699	3.25(-01)	7.56(-03)	5.69(-01)	8.6090(-03)	J'432-S'212	44
2.3982	5.1699	1.01(+00)	6.06(-02)	3.22(-01)	7.7909(-02)	M'414-P'234	45
2.3982	5.1699	4.92(-01)	3.59(-06)	8.09(-01)	1.1632(-05)	I'474-D'254	46
2.3986	5.1690	1.17(+00)	1.72(-01)	5.24(-01)	5.4090(-01)	M'456-P'234	47
2.3993	5.1676	1.68(+00)	9.28(-03)	4.80(-01)	1.7829(-02)	M'454-P'232	48
2.4045	5.1564	8.21(-01)	2.41(+00)	1.75(-01)	8.4337(-01)	E'212-P'232	49
2.4058	5.1537	1.25(+00)	2.41(+00)	2.66(-01)	1.2820(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 24;$							
1.8559	6.6806	9.40(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.8580	6.6730	6.94(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.8622	6.6580	1.43(-01)	6.32(-07)	4.59(-02)	5.8052(-08)	I'232-S 212	3
1.8634	6.6538	1.52(-01)	3.92(-05)	2.36(-02)	3.7107(-06)	I'234-S 212	4
1.8714	6.6253	1.04(-01)	3.72(+00)	1.04(-02)	7.7455(-02)	J'232-S 212	5
1.8718	6.6237	3.44(+00)	3.12(-01)	5.88(-01)	7.3470(-01)	C'234-S 212	6
1.8729	6.6201	4.10(+00)	2.57(-02)	8.06(-01)	4.1515(-02)	C'232-S 212	7
1.8746	6.6140	3.15(-01)	1.66(+00)	8.67(-03)	5.7641(-02)	F'234-P 232	8
1.8747	6.6136	5.26(-01)	7.66(-02)	2.14(-01)	6.5593(-02)	J'434-S 212	9
1.8753	6.6115	1.28(-01)	9.09(-03)	1.64(-01)	2.9800(-03)	J'432-S 212	10
1.8758	6.6096	6.80(-01)	2.00(-04)	1.81(-02)	7.2352(-06)	F'232-P 232	11
1.8777	6.6029	3.32(+00)	1.66(+00)	9.15(-02)	6.0838(-01)	F'234-P 234	12
1.8778	6.6026	2.48(+00)	2.10(-01)	1.27(-01)	5.3440(-02)	M'212-P 232	13
1.8785	6.6001	1.23(+00)	3.32(+00)	3.35(-02)	6.6648(-01)	F'256-P 234	14
1.8789	6.5988	1.65(+00)	3.66(+00)	4.64(-02)	6.7901(-01)	F'254-P 234	15
1.8790	6.5985	4.38(+00)	2.00(-04)	1.17(-01)	4.6609(-05)	F'232-P 234	16
1.8794	6.5972	4.68(+00)	1.79(-01)	7.84(-01)	2.8067(-01)	K'232-S 212	17
1.8795	6.5968	3.94(+00)	1.84(-01)	7.08(-01)	5.2080(-01)	K'234-S 212	18
1.8803	6.5940	1.41(+00)	6.90(-01)	1.67(-01)	4.5943(-01)	M'414-P 232	19
1.8805	6.5931	1.27(+00)	7.32(-02)	7.61(-01)	2.2287(-01)	K'434-S 212	20
1.8806	6.5928	2.67(-01)	1.28(-02)	7.94(-01)	2.0381(-02)	K'432-S 212	21
1.8809	6.5917	1.04(+00)	4.58(-01)	2.83(-01)	5.1854(-01)	M'434-P 232	22
1.8810	6.5915	4.15(+00)	2.10(-01)	2.13(-01)	8.9489(-02)	M'212-P 234	23
1.8816	6.5893	7.50(+00)	3.11(+00)	6.12(-01)	1.1414(+01)	M'256-P 234	24
1.8819	6.5882	4.90(+00)	5.69(-01)	5.10(-01)	1.1603(+00)	M'254-P 232	25
1.8827	6.5856	3.28(+00)	3.04(-02)	7.88(-01)	4.7941(-02)	M'432-P 232	26
1.8831	6.5842	2.17(+00)	1.31(-04)	4.58(-01)	1.2045(-04)	M'232-P 232	27
1.8834	6.5829	2.55(+00)	6.90(-01)	3.02(-01)	8.3288(-01)	M'414-P 234	28
1.8836	6.5824	6.20(-01)	7.06(-02)	1.75(-01)	4.9366(-02)	M'234-P 232	29
1.8836	6.5823	3.65(-01)	3.19(-01)	2.37(-01)	4.5430(-01)	M'436-P 234	30
1.8841	6.5806	7.26(-01)	4.58(-01)	1.97(-01)	3.6122(-01)	M'434-P 234	31
1.8841	6.5804	7.22(-02)	2.20(-01)	2.03(-02)	2.6839(-02)	G'256-P 234	32
1.8843	6.5799	2.25(-01)	1.55(-02)	6.48(-02)	4.0131(-03)	G'254-P 234	33
1.8851	6.5771	1.25(-01)	5.69(-01)	1.30(-02)	2.9647(-02)	M'254-P 234	34
1.8852	6.5768	6.49(-01)	1.05(-02)	1.41(-01)	5.9182(-03)	M'454-P 232	35

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.8856	6.5755	4.72(−01)	1.85(−03)	1.85(−01)	6.8387(−04)	M'452-P 232	36
1.8858	6.5745	1.27(−01)	3.04(−02)	3.06(−02)	1.8593(−03)	M'432-P 234	37
1.8862	6.5731	3.09(−01)	1.31(−04)	6.53(−02)	1.7162(−05)	M'232-P 234	38
1.8868	6.5713	5.26(−01)	7.06(−02)	1.48(−01)	4.1854(−02)	M'234-P 234	39
1.8880	6.5669	4.22(−01)	3.85(−01)	1.77(−01)	2.7318(−01)	N'254-P 232	40
1.8884	6.5657	2.54(−01)	1.05(−02)	5.54(−02)	2.3209(−03)	M'454-P 234	41
1.8886	6.5649	8.79(−02)	2.41(+00)	1.74(−02)	8.3965(−02)	E'212-P 232	42
1.8887	6.5644	8.61(−02)	1.85(−03)	3.37(−02)	1.2472(−04)	M'452-P 234	43
1.8912	6.5558	2.75(−02)	3.85(−01)	1.15(−02)	1.7780(−02)	N'254-P 234	44
1.8913	6.5557	2.11(−01)	3.37(−01)	1.00(−01)	2.0210(−01)	N'256-P 234	45
1.8918	6.5538	5.68(−02)	2.41(+00)	1.13(−02)	5.4245(−02)	E'212-P 234	46
1.8946	6.5442	1.76(−01)	4.19(+00)	3.68(−02)	3.0817(−01)	L'212-P 232	47
1.8978	6.5331	2.08(−01)	4.19(+00)	4.34(−02)	3.6347(−01)	L'212-P 234	48
2.1821	5.6819	3.48(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
2.1925	5.6549	2.27(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 24;$							
1.8559	6.6806	9.40(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.8580	6.6730	6.94(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
2.1809	5.6851	2.56(+00)	1.31(+00)	9.61(−02)	2.5169(−01)	F'212-P'232	3
2.1814	5.6837	3.06(+01)	6.75(−03)	9.05(−01)	2.4445(−02)	A'234-D'256	4
2.1818	5.6826	3.36(+01)	4.56(−03)	9.54(−01)	8.6951(−03)	A'232-D'254	5
2.1821	5.6819	3.48(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	6
2.1822	5.6818	2.21(+01)	1.31(+00)	8.30(−01)	2.1742(+00)	F'212-P'234	7
2.1824	5.6812	1.67(+01)	1.33(+00)	5.29(−01)	4.2103(+00)	A'276-D'254	8
2.1828	5.6801	1.12(+01)	1.33(+00)	3.54(−01)	2.8151(+00)	A'276-D'256	9
2.1838	5.6775	2.92(+01)	1.49(+00)	8.94(−01)	1.0669(+01)	A'278-D'256	10
2.1839	5.6773	1.29(+01)	2.11(−01)	3.55(−01)	4.4983(−01)	A'256-D'254	11
2.1841	5.6768	3.18(+01)	5.82(−04)	9.12(−01)	2.1238(−03)	A'254-D'254	12
2.1843	5.6763	2.13(+01)	2.11(−01)	5.87(−01)	7.4252(−01)	A'256-D'256	13
2.1843	5.6761	2.88(+01)	1.33(+00)	9.34(−01)	2.4827(+00)	B'232-S'212	14
2.1845	5.6756	2.86(+01)	1.93(−01)	9.70(−01)	7.4986(−01)	B'234-S'212	15
2.1846	5.6755	3.04(+01)	1.66(+00)	8.39(−01)	5.5755(+00)	F'234-P'234	16
2.1849	5.6747	2.96(+01)	3.66(+00)	8.28(−01)	1.2134(+01)	F'254-P'232	17
2.1850	5.6743	3.05(+01)	2.00(−04)	8.13(−01)	3.2466(−04)	F'232-P'232	18
2.1857	5.6727	3.15(+01)	3.32(+00)	8.55(−01)	1.7022(+01)	F'256-P'234	19
2.1865	5.6705	2.57(+00)	1.44(−02)	4.72(−01)	2.7215(−02)	I'254-S'212	20
2.1887	5.6649	2.30(+00)	3.92(−05)	3.59(−01)	5.6316(−05)	I'234-D'256	21
2.1890	5.6641	1.14(+01)	2.10(−01)	5.84(−01)	2.4502(−01)	M'212-P'234	22
2.1892	5.6635	6.02(+00)	2.03(−03)	8.52(−01)	1.3816(−02)	I'278-D'256	23
2.1898	5.6619	1.22(+00)	3.11(+00)	9.94(−02)	1.8521(+00)	M'256-P'234	24
2.1910	5.6589	1.37(+00)	8.17(−04)	3.75(−01)	1.8400(−03)	I'456-D'254	25
2.1914	5.6577	5.80(+00)	3.72(+00)	5.82(−01)	4.3261(+00)	J'232-S'212	26
2.1920	5.6562	1.02(+00)	3.12(−01)	1.75(−01)	2.1885(−01)	C'234-S'212	27
2.1922	5.6558	1.37(+00)	1.55(−02)	3.95(−01)	2.4437(−02)	G'254-P'232	28
2.1923	5.6555	2.78(+00)	6.90(−01)	3.30(−01)	9.1021(−01)	M'414-P'234	29
2.1925	5.6549	2.27(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
2.1925	5.6549	1.60(−01)	3.19(−01)	1.04(−01)	1.9855(−01)	M'436-P'234	31
2.1932	5.6532	5.68(−01)	4.58(−01)	1.54(−01)	2.8237(−01)	M'434-P'234	32
2.1932	5.6531	1.05(+00)	2.68(−02)	3.37(−01)	3.6042(−02)	I'454-D'254	33
2.1933	5.6530	1.87(+00)	2.20(−01)	5.27(−01)	6.9547(−01)	G'256-P'234	34
2.1933	5.6529	2.35(+00)	5.69(−01)	2.45(−01)	5.5706(−01)	M'254-P'232	35
2.1934	5.6526	1.35(+00)	6.91(−03)	3.37(−01)	4.6543(−03)	I'452-D'254	36
2.1935	5.6524	3.30(+00)	5.12(−03)	5.49(−01)	1.6887(−02)	I'276-D'256	37
2.1945	5.6499	1.87(+00)	1.11(−03)	6.52(−01)	4.3470(−03)	I'256-D'254	38
2.1946	5.6497	1.16(+00)	5.69(−01)	1.20(−01)	2.7407(−01)	M'254-P'234	39
2.1954	5.6476	1.36(+00)	7.25(−02)	7.42(−01)	4.3027(−01)	I'478-D'256	40

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.1959	5.6461	1.64(+00)	7.66(-02)	6.68(-01)	2.0470(-01)	J'434-S'212	41
2.1963	5.6452	2.00(+00)	3.89(-02)	8.58(-01)	2.0033(-01)	I'476-D'254	42
2.1968	5.6440	4.67(-01)	9.09(-03)	5.97(-01)	1.0863(-02)	J'432-S'212	43
2.1968	5.6439	1.21(+00)	7.06(-02)	3.40(-01)	9.6030(-02)	M'234-P'234	44
2.1968	5.6439	6.75(-01)	4.47(-06)	8.17(-01)	1.4592(-05)	I'474-D'254	45
2.1971	5.6432	1.73(+00)	2.22(-01)	5.77(-01)	7.6947(-01)	M'456-P'234	46
2.1977	5.6416	2.36(+00)	1.05(-02)	5.14(-01)	2.1538(-02)	M'454-P'232	47
2.2003	5.6348	8.25(-01)	3.12(-01)	1.41(-01)	1.7652(-01)	C'234-D'256	48
2.2023	5.6297	9.61(-01)	2.41(+00)	1.91(-01)	9.1759(-01)	E'212-P'232	49
2.2036	5.6264	1.42(+00)	2.41(+00)	2.82(-01)	1.3562(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 25;$							
1.7059	7.2681	1.10(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.7078	7.2598	9.61(-01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.7110	7.2465	1.56(-01)	1.02(-05)	4.30(-02)	8.7745(-07)	I'232-S 212	3
1.7121	7.2417	1.54(-01)	1.52(-04)	2.08(-02)	1.2674(-05)	I'234-S 212	4
1.7196	7.2099	1.15(-01)	3.73(+00)	1.03(-02)	7.6937(-02)	J'232-S 212	5
1.7199	7.2091	3.96(+00)	4.04(-01)	5.92(-01)	9.5584(-01)	C'234-S 212	6
1.7209	7.2047	4.87(+00)	3.28(-02)	8.08(-01)	5.3067(-02)	C'232-S 212	7
1.7220	7.2001	3.24(-01)	1.74(+00)	7.65(-03)	5.3401(-02)	F'234-P 232	8
1.7225	7.1980	7.27(-01)	9.29(-02)	2.14(-01)	7.9635(-02)	J'434-S 212	9
1.7231	7.1956	1.83(-01)	1.07(-02)	1.72(-01)	3.6908(-03)	J'432-S 212	10
1.7236	7.1932	1.36(-01)	1.35(+00)	4.35(-03)	1.1741(-02)	F'212-P 234	11
1.7249	7.1878	2.70(+00)	2.07(-01)	1.16(-01)	4.8026(-02)	M'212-P 232	12
1.7252	7.1869	3.97(+00)	1.74(+00)	9.37(-02)	6.5381(-01)	F'234-P 234	13
1.7259	7.1837	1.59(+00)	3.19(+00)	3.67(-02)	7.0266(-01)	F'256-P 234	14
1.7263	7.1820	2.02(+00)	3.67(+00)	4.85(-02)	7.1077(-01)	F'254-P 234	15
1.7264	7.1817	5.63(+00)	1.35(-04)	1.28(-01)	3.4554(-05)	F'232-P 234	16
1.7266	7.1810	5.54(+00)	1.81(-01)	7.91(-01)	2.8609(-01)	K'232-S 212	17
1.7267	7.1806	4.60(+00)	1.86(-01)	7.06(-01)	5.2509(-01)	K'234-S 212	18
1.7270	7.1791	1.03(+00)	5.07(-01)	1.19(-01)	2.4024(-01)	M'414-P 232	19
1.7277	7.1763	8.90(-01)	4.08(-01)	2.06(-01)	3.3613(-01)	M'434-P 232	20
1.7277	7.1762	1.61(+00)	8.15(-02)	7.67(-01)	2.4999(-01)	K'434-S 212	21
1.7278	7.1759	3.40(-01)	1.42(-02)	8.03(-01)	2.2790(-02)	K'432-S 212	22
1.7281	7.1747	2.15(-01)	4.95(-02)	5.97(-02)	1.1810(-02)	G'254-P 232	23
1.7281	7.1745	4.61(+00)	2.07(-01)	1.98(-01)	8.2149(-02)	M'212-P 234	24
1.7286	7.1726	8.70(+00)	3.12(+00)	6.38(-01)	1.1962(+01)	M'256-P 234	25
1.7288	7.1718	6.63(+00)	7.29(-01)	5.04(-01)	1.4686(+00)	M'254-P 232	26
1.7294	7.1691	5.38(+00)	3.80(-02)	8.06(-01)	6.1180(-02)	M'232-P 232	27
1.7298	7.1676	1.51(+00)	8.66(-04)	3.25(-01)	5.6356(-04)	M'432-P 232	28
1.7302	7.1658	2.99(+00)	5.07(-01)	3.46(-01)	7.0037(-01)	M'414-P 234	29
1.7303	7.1656	6.86(-01)	8.08(-02)	1.71(-01)	5.5393(-02)	M'234-P 232	30
1.7305	7.1648	6.01(-01)	5.31(-01)	3.24(-01)	1.0324(+00)	M'436-P 234	31
1.7309	7.1630	1.23(+00)	4.08(-01)	2.83(-01)	4.6295(-01)	M'434-P 234	32
1.7311	7.1623	4.43(-02)	1.19(-01)	1.11(-02)	7.9423(-03)	G'256-P 234	33
1.7313	7.1614	1.24(-01)	4.95(-02)	3.43(-02)	6.7822(-03)	G'254-P 234	34
1.7318	7.1593	8.72(-01)	1.17(-02)	1.46(-01)	6.8340(-03)	M'454-P 232	35
1.7321	7.1579	5.80(-01)	2.21(-03)	1.86(-01)	8.1999(-04)	M'452-P 232	36
1.7326	7.1559	1.88(-01)	3.80(-02)	2.81(-02)	2.1342(-03)	M'232-P 234	37
1.7330	7.1543	2.40(-01)	8.66(-04)	5.16(-02)	8.9397(-05)	M'432-P 234	38
1.7335	7.1524	5.00(-01)	8.08(-02)	1.25(-01)	4.0329(-02)	M'234-P 234	39
1.7342	7.1493	5.09(-01)	3.80(-01)	1.83(-01)	2.7901(-01)	N'254-P 232	40
1.7348	7.1468	1.02(-01)	2.40(+00)	1.89(-02)	9.0544(-02)	E'212-P 232	41
1.7350	7.1461	2.79(-01)	1.17(-02)	4.68(-02)	2.1873(-03)	M'454-P 234	42
1.7354	7.1447	9.45(-02)	2.21(-03)	3.02(-02)	1.3350(-04)	M'452-P 234	43
1.7374	7.1361	2.92(-02)	3.80(-01)	1.05(-02)	1.5982(-02)	N'254-P 234	44

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.7375	7.1359	2.29(−01)	3.28(−01)	9.41(−02)	1.8550(−01)	N'256-P 234	45
1.7381	7.1335	6.11(−02)	2.40(+00)	1.13(−02)	5.4255(−02)	E'212-P 234	46
1.7401	7.1250	2.07(−01)	4.19(+00)	4.23(−02)	3.5481(−01)	L'212-P 232	47
1.7434	7.1118	2.30(−01)	4.19(+00)	4.71(−02)	3.9480(−01)	L'212-P 234	48
2.0061	6.1803	4.08(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
2.0158	6.1507	3.16(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 25;$							
1.7059	7.2681	1.10(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.7078	7.2598	9.61(−01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
2.0055	6.1821	3.62(+01)	8.41(−03)	9.08(−01)	3.0544(−02)	A'234-D'256	3
2.0059	6.1809	3.96(+01)	5.86(−03)	9.54(−01)	1.1180(−02)	A'232-D'254	4
2.0061	6.1803	4.08(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
2.0062	6.1800	2.65(+01)	1.35(+00)	8.48(−01)	2.2861(+00)	F'212-P'234	6
2.0063	6.1798	1.86(+01)	1.30(+00)	5.04(−01)	3.9409(+00)	A'276-D'254	7
2.0067	6.1785	1.42(+01)	1.30(+00)	3.84(−01)	3.0078(+00)	A'276-D'256	8
2.0077	6.1756	1.63(+01)	2.43(−01)	3.84(−01)	5.6062(−01)	A'256-D'254	9
2.0077	6.1756	3.44(+01)	1.49(+00)	9.00(−01)	1.0728(+01)	A'278-D'256	10
2.0079	6.1750	3.73(+01)	7.87(−04)	9.16(−01)	2.8822(−03)	A'254-D'254	11
2.0081	6.1743	2.37(+01)	2.43(−01)	5.58(−01)	8.1545(−01)	A'256-D'256	12
2.0081	6.1742	3.43(+01)	1.34(+00)	9.42(−01)	2.5166(+00)	B'232-S'212	13
2.0083	6.1737	3.41(+01)	1.38(−01)	9.76(−01)	5.3977(−01)	B'234-S'212	14
2.0083	6.1737	3.56(+01)	1.74(+00)	8.42(−01)	5.8741(+00)	F'234-P'234	15
2.0086	6.1727	3.50(+01)	3.67(+00)	8.41(−01)	1.2325(+01)	F'254-P'232	16
2.0087	6.1724	3.59(+01)	1.35(−04)	8.18(−01)	2.2075(−04)	F'232-P'232	17
2.0093	6.1705	3.75(+01)	3.19(+00)	8.68(−01)	1.6620(+01)	F'256-P'234	18
2.0102	6.1679	3.04(+00)	5.12(−03)	4.42(−01)	9.0537(−03)	I'254-S'212	19
2.0120	6.1623	2.76(+00)	1.52(−04)	3.73(−01)	2.2687(−04)	I'234-D'256	20
2.0123	6.1613	1.37(+01)	2.07(−01)	5.89(−01)	2.4405(−01)	M'212-P'234	21
2.0124	6.1612	7.07(+00)	1.86(−03)	8.49(−01)	1.2647(−02)	I'278-D'256	22
2.0129	6.1594	1.29(+00)	3.12(+00)	9.44(−02)	1.7700(+00)	M'256-P'234	23
2.0139	6.1564	1.36(+00)	5.78(−04)	3.40(−01)	1.1791(−03)	I'256-D'254	24
2.0149	6.1535	6.94(+00)	3.73(+00)	6.20(−01)	4.6249(+00)	J'232-S'212	25
2.0151	6.1527	1.06(+00)	4.04(−01)	1.59(−01)	2.5600(−01)	C'234-S'212	26
2.0152	6.1526	3.10(+00)	5.07(−01)	3.58(−01)	7.2611(−01)	M'414-P'234	27
2.0153	6.1521	1.09(+00)	4.95(−02)	3.03(−01)	5.9973(−02)	G'254-P'232	28
2.0158	6.1507	3.16(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
2.0161	6.1498	8.25(−01)	4.08(−01)	1.91(−01)	3.1154(−01)	M'434-P'234	30
2.0163	6.1493	3.08(+00)	7.29(−01)	2.34(−01)	6.8276(−01)	M'254-P'232	31
2.0163	6.1491	2.04(+00)	1.19(−01)	5.13(−01)	3.6586(−01)	G'256-P'234	32
2.0163	6.1490	1.60(+00)	3.25(−02)	3.94(−01)	5.1244(−02)	I'454-D'254	33
2.0165	6.1484	1.92(+00)	5.25(−03)	3.85(−01)	4.0440(−03)	I'452-D'254	34
2.0167	6.1480	4.50(+00)	4.69(−03)	5.94(−01)	1.6728(−02)	I'276-D'256	35
2.0175	6.1456	2.22(+00)	7.53(−04)	6.47(−01)	2.9207(−03)	I'456-D'254	36
2.0175	6.1454	2.12(+00)	7.29(−01)	1.61(−01)	4.7048(−01)	M'254-P'234	37
2.0176	6.1451	1.83(+00)	8.66(−04)	3.93(−01)	6.8141(−04)	M'432-P'232	38
2.0177	6.1449	2.18(+00)	5.12(−03)	3.18(−01)	6.5124(−03)	I'254-D'256	39
2.0182	6.1433	1.99(+00)	9.13(−02)	7.55(−01)	5.5111(−01)	I'478-D'256	40
2.0188	6.1417	2.32(+00)	9.29(−02)	6.83(−01)	2.5381(−01)	J'434-S'212	41
2.0191	6.1406	2.87(+00)	4.73(−02)	8.76(−01)	2.4837(−01)	I'476-D'254	42
2.0196	6.1392	6.57(−01)	1.07(−02)	6.21(−01)	1.3291(−02)	J'432-S'212	43
2.0196	6.1392	1.44(+00)	8.08(−02)	3.60(−01)	1.1647(−01)	M'234-P'234	44
2.0196	6.1391	9.09(−01)	1.18(−06)	8.24(−01)	3.8778(−06)	I'474-D'254	45
2.0198	6.1386	2.49(+00)	2.81(−01)	6.24(−01)	1.0513(+00)	M'456-P'234	46
2.0204	6.1368	3.25(+00)	1.17(−02)	5.44(−01)	2.5446(−02)	M'454-P'232	47
2.0227	6.1297	9.64(−01)	4.04(−01)	1.44(−01)	2.3247(−01)	C'234-D'256	48

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
2.0245	6.1242	1.11(+00)	2.40(+00)	2.06(-01)	9.8946(-01)	E'212-P'232	49
2.0258	6.1203	1.60(+00)	2.40(+00)	2.96(-01)	1.4206(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 26;$							
1.5732	7.8810	1.28(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.5751	7.8718	1.30(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.5773	7.8608	1.69(-01)	4.67(-05)	3.99(-02)	3.7348(-06)	I'232-S 212	3
1.5783	7.8555	1.54(-01)	3.08(-04)	1.83(-02)	2.2493(-05)	I'234-S 212	4
1.5823	7.8360	1.15(-01)	7.02(-05)	1.37(-02)	3.8610(-06)	I'254-S 212	5
1.5855	7.8199	1.26(-01)	3.74(+00)	1.00(-02)	7.5030(-02)	J'232-S 212	6
1.5855	7.8199	4.54(+00)	5.09(-01)	5.97(-01)	1.2159(+00)	C'234-S 212	7
1.5866	7.8146	5.74(+00)	4.09(-02)	8.07(-01)	6.5964(-02)	C'232-S 212	8
1.5871	7.8119	3.30(-01)	1.82(+00)	6.72(-03)	4.8979(-02)	F'234-P 232	9
1.5880	7.8078	9.82(-01)	1.11(-01)	2.14(-01)	9.4951(-02)	J'434-S 212	10
1.5885	7.8050	2.55(-01)	1.24(-02)	1.80(-01)	4.4447(-03)	J'432-S 212	11
1.5890	7.8026	1.96(-01)	1.39(+00)	5.41(-03)	1.4995(-02)	F'212-P 234	12
1.5898	7.7986	2.87(+00)	2.04(-01)	1.04(-01)	4.2342(-02)	M'212-P 232	13
1.5903	7.7962	4.71(+00)	1.82(+00)	9.58(-02)	6.9842(-01)	F'234-P 234	14
1.5911	7.7927	2.02(+00)	3.06(+00)	4.00(-02)	7.3379(-01)	F'256-P 234	15
1.5915	7.7905	2.45(+00)	3.66(+00)	5.05(-02)	7.4004(-01)	F'254-P 234	16
1.5915	7.7902	6.50(+00)	1.82(-01)	7.96(-01)	2.9046(-01)	K'232-S 212	17
1.5915	7.7902	7.15(+00)	5.98(-05)	1.41(-01)	1.6794(-05)	F'232-P 234	18
1.5916	7.7899	7.79(-01)	3.98(-01)	8.42(-02)	1.3385(-01)	M'414-P 232	19
1.5916	7.7898	5.34(+00)	1.87(-01)	7.02(-01)	5.2621(-01)	K'234-S 212	20
1.5923	7.7865	6.84(-01)	3.44(-01)	1.47(-01)	2.0263(-01)	M'434-P 232	21
1.5927	7.7847	2.02(+00)	9.00(-02)	7.73(-01)	2.7819(-01)	K'434-S 212	22
1.5928	7.7843	4.27(-01)	1.56(-02)	8.12(-01)	2.5300(-02)	K'432-S 212	23
1.5929	7.7837	4.31(-01)	6.45(-02)	1.07(-01)	2.7583(-02)	G'254-P 232	24
1.5930	7.7829	5.03(+00)	2.04(-01)	1.82(-01)	7.4252(-02)	M'212-P 234	25
1.5934	7.7814	9.98(+00)	3.12(+00)	6.61(-01)	1.2393(+01)	M'256-P 234	26
1.5935	7.7808	8.41(+00)	8.56(-01)	4.96(-01)	1.6960(+00)	M'254-P 232	27
1.5940	7.7781	7.78(+00)	4.28(-02)	7.97(-01)	6.8269(-02)	M'232-P 232	28
1.5944	7.7762	8.28(-01)	5.43(-03)	1.78(-01)	1.9353(-03)	M'432-P 232	29
1.5948	7.7742	7.54(-01)	9.11(-02)	1.66(-01)	6.0558(-02)	M'234-P 232	30
1.5948	7.7742	3.51(+00)	3.98(-01)	3.79(-01)	6.0361(-01)	M'414-P 234	31
1.5951	7.7727	8.96(-01)	7.27(-01)	3.71(-01)	1.6197(+00)	M'436-P 234	32
1.5955	7.7708	1.64(+00)	3.44(-01)	3.54(-01)	4.8637(-01)	M'434-P 234	33
1.5961	7.7680	7.64(-02)	6.45(-02)	1.89(-02)	4.8854(-03)	G'254-P 234	34
1.5963	7.7671	1.15(+00)	1.29(-02)	1.50(-01)	7.7856(-03)	M'454-P 232	35
1.5966	7.7656	7.06(-01)	2.58(-03)	1.86(-01)	9.6249(-04)	M'452-P 232	36
1.5973	7.7624	2.32(-01)	4.28(-02)	2.37(-02)	2.0329(-03)	M'232-P 234	37
1.5976	7.7606	1.77(-01)	5.43(-03)	3.81(-02)	4.1320(-04)	M'432-P 234	38
1.5980	7.7586	4.74(-01)	9.11(-02)	1.05(-01)	3.8092(-02)	M'234-P 234	39
1.5983	7.7571	6.12(-01)	3.75(-01)	1.89(-01)	2.8377(-01)	N'254-P 232	40
1.5990	7.7539	1.17(-01)	2.39(+00)	2.01(-02)	9.6379(-02)	E'212-P 232	41
1.5995	7.7515	3.01(-01)	1.29(-02)	3.93(-02)	2.0326(-03)	M'454-P 234	42
1.5998	7.7499	1.02(-01)	2.58(-03)	2.70(-02)	1.3927(-04)	M'452-P 234	43
1.6016	7.7415	3.06(-02)	3.75(-01)	9.46(-03)	1.4182(-02)	N'254-P 234	44
1.6016	7.7413	2.46(-01)	3.20(-01)	8.78(-02)	1.6850(-01)	N'256-P 234	45
1.6022	7.7382	6.52(-02)	2.39(+00)	1.12(-02)	5.3817(-02)	E'212-P 234	46
1.6037	7.7311	2.41(-01)	4.20(+00)	4.82(-02)	4.0478(-01)	L'212-P 232	47
1.6070	7.7154	2.52(-01)	4.20(+00)	5.05(-02)	4.2393(-01)	L'212-P 234	48
1.8504	6.7003	4.75(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.8595	6.6678	4.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 26;$							
1.5732	7.8810	1.28(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.5751	7.8718	1.30(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.8499	6.7021	4.24(+01)	1.02(-02)	9.12(-01)	3.7233(-02)	A'234-D'256	3
1.8503	6.7007	4.63(+01)	7.33(-03)	9.53(-01)	1.3975(-02)	A'232-D'254	4
1.8504	6.7003	4.75(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
1.8505	6.7000	2.06(+01)	1.28(+00)	4.77(-01)	3.6606(+00)	A'276-D'254	6
1.8506	6.6998	3.14(+01)	1.39(+00)	8.63(-01)	2.3942(+00)	F'212-P'234	7
1.8509	6.6985	1.79(+01)	1.28(+00)	4.15(-01)	3.1833(+00)	A'276-D'256	8
1.8518	6.6954	2.04(+01)	2.77(-01)	4.12(-01)	6.8629(-01)	A'256-D'254	9
1.8519	6.6952	4.02(+01)	1.48(+00)	9.05(-01)	1.0747(+01)	A'278-D'256	10
1.8520	6.6948	4.34(+01)	1.03(-03)	9.19(-01)	3.7987(-03)	A'254-D'254	11
1.8522	6.6939	2.62(+01)	2.77(-01)	5.30(-01)	8.8160(-01)	A'256-D'256	12
1.8522	6.6939	4.05(+01)	1.34(+00)	9.49(-01)	2.5404(+00)	B'232-S'212	13
1.8523	6.6934	4.15(+01)	1.82(+00)	8.45(-01)	6.1545(+00)	F'234-P'234	14
1.8523	6.6934	4.03(+01)	9.32(-02)	9.81(-01)	3.6551(-01)	B'234-S'212	15
1.8526	6.6923	4.12(+01)	3.66(+00)	8.51(-01)	1.2465(+01)	F'254-P'232	16
1.8527	6.6920	4.17(+01)	5.98(-05)	8.19(-01)	9.7931(-05)	F'232-P'232	17
1.8533	6.6898	4.42(+01)	3.06(+00)	8.77(-01)	1.6089(+01)	F'256-P'234	18
1.8542	6.6867	3.37(+00)	7.02(-05)	4.01(-01)	1.1266(-04)	I'254-S'212	19
1.8557	6.6814	3.24(+00)	3.08(-04)	3.85(-01)	4.7426(-04)	I'234-D'256	20
1.8559	6.6805	8.23(+00)	1.69(-03)	8.45(-01)	1.1420(-02)	I'278-D'256	21
1.8560	6.6801	1.62(+01)	2.04(-01)	5.88(-01)	2.3968(-01)	M'212-P'234	22
1.8565	6.6785	1.36(+00)	3.12(+00)	8.98(-02)	1.6823(+00)	M'256-P'234	23
1.8573	6.6754	1.37(+00)	4.04(-04)	3.09(-01)	7.4898(-04)	I'256-D'254	24
1.8585	6.6714	3.47(+00)	3.98(-01)	3.75(-01)	5.9630(-01)	M'414-P'234	25
1.8587	6.6706	8.25(+00)	3.74(+00)	6.55(-01)	4.8983(+00)	J'232-S'212	26
1.8587	6.6706	1.06(+00)	5.09(-01)	1.40(-01)	2.8404(-01)	C'234-S'212	27
1.8594	6.6680	9.25(-01)	3.44(-01)	1.99(-01)	2.7378(-01)	M'434-P'234	28
1.8595	6.6678	4.31(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
1.8597	6.6669	3.73(+00)	8.56(-01)	2.20(-01)	7.5149(-01)	M'254-P'232	30
1.8599	6.6664	2.02(+00)	5.20(-02)	4.74(-01)	1.4786(-01)	G'256-P'234	31
1.8599	6.6662	2.35(+00)	3.95(-02)	4.47(-01)	7.0585(-02)	I'454-D'254	32
1.8601	6.6656	2.70(+00)	3.81(-03)	4.33(-01)	3.3027(-03)	I'452-D'254	33
1.8602	6.6650	5.98(+00)	4.15(-03)	6.35(-01)	1.5809(-02)	I'276-D'256	34
1.8609	6.6627	2.56(+00)	3.99(-04)	6.35(-01)	1.5203(-03)	I'456-D'254	35
1.8610	6.6624	2.38(+00)	5.43(-03)	5.13(-01)	5.5621(-03)	M'432-P'232	36
1.8610	6.6623	3.36(+00)	8.56(-01)	1.98(-01)	6.7668(-01)	M'254-P'234	37
1.8611	6.6619	3.04(+00)	7.02(-05)	3.62(-01)	1.0155(-04)	I'254-D'256	38
1.8615	6.6604	2.84(+00)	1.13(-01)	7.67(-01)	6.9074(-01)	I'478-D'256	39
1.8621	6.6585	3.19(+00)	1.11(-01)	6.96(-01)	3.0881(-01)	J'434-S'212	40
1.8624	6.6573	4.01(+00)	5.64(-02)	8.91(-01)	3.0122(-01)	I'476-D'254	41
1.8628	6.6558	9.08(-01)	1.24(-02)	6.40(-01)	1.5829(-02)	J'432-S'212	42
1.8628	6.6558	1.73(+00)	9.11(-02)	3.82(-01)	1.3915(-01)	M'234-P'234	43
1.8628	6.6557	1.20(+00)	1.14(-06)	8.32(-01)	3.7809(-06)	I'474-D'254	44
1.8630	6.6553	3.49(+00)	3.47(-01)	6.65(-01)	1.3843(+00)	M'456-P'234	45
1.8635	6.6533	4.38(+00)	1.29(-02)	5.71(-01)	2.9553(-02)	M'454-P'232	46
1.8640	6.6517	1.13(+00)	2.58(-03)	2.97(-01)	1.5346(-03)	M'452-P'232	47
1.8656	6.6458	1.12(+00)	5.09(-01)	1.47(-01)	2.9963(-01)	C'234-D'256	48
1.8672	6.6400	1.28(+00)	2.39(+00)	2.21(-01)	1.0585(+00)	E'212-P'232	49
1.8685	6.6354	1.79(+00)	2.39(+00)	3.08(-01)	1.4755(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 27;$							
1.4553	8.5194	1.48(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.4571	8.5093	1.72(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.4585	8.5009	1.81(-01)	1.04(-04)	3.69(-02)	7.6457(-06)	I'232-S 212	3
1.4595	8.4951	1.51(-01)	4.79(-04)	1.59(-02)	3.0537(-05)	I'234-S 212	4
1.4632	8.4733	1.46(-01)	6.12(-03)	1.46(-02)	3.5708(-04)	I'254-S 212	5

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.4662	8.4562	5.16(+00)	6.26(-01)	6.04(-01)	1.5117(+00)	C'234-S 212	6
1.4664	8.4553	1.35(-01)	3.76(+00)	9.56(-03)	7.1761(-02)	J'232-S 212	7
1.4673	8.4500	6.73(+00)	4.97(-02)	8.04(-01)	7.9982(-02)	C'232-S 212	8
1.4674	8.4496	3.33(-01)	1.89(+00)	5.88(-03)	4.4525(-02)	F'234-P 232	9
1.4685	8.4429	1.30(+00)	1.31(-01)	2.13(-01)	1.1158(-01)	J'434-S 212	10
1.4690	8.4399	3.50(-01)	1.40(-02)	1.86(-01)	5.2233(-03)	J'432-S 212	11
1.4695	8.4375	2.76(-01)	1.42(+00)	6.57(-03)	1.8728(-02)	F'212-P 234	12
1.4699	8.4352	2.98(+00)	2.00(-01)	9.18(-02)	3.6681(-02)	M'212-P 232	13
1.4706	8.4311	5.55(+00)	1.89(+00)	9.79(-02)	7.4180(-01)	F'234-P 234	14
1.4713	8.4271	2.54(+00)	2.91(+00)	4.34(-02)	7.5927(-01)	F'256-P 234	15
1.4714	8.4265	6.15(-01)	3.31(-01)	6.04(-02)	7.9868(-02)	M'414-P 232	16
1.4716	8.4249	7.57(+00)	1.83(-01)	8.02(-01)	2.9359(-01)	K'232-S 212	17
1.4717	8.4245	6.15(+00)	1.88(-01)	6.97(-01)	5.2376(-01)	K'234-S 212	18
1.4717	8.4244	2.94(+00)	3.66(+00)	5.24(-02)	7.6687(-01)	F'254-P 234	19
1.4718	8.4242	9.02(+00)	4.56(-06)	1.54(-01)	1.4054(-06)	F'232-P 234	20
1.4721	8.4224	5.12(-01)	2.89(-01)	1.04(-01)	1.2079(-01)	M'434-P 232	21
1.4728	8.4186	2.51(+00)	9.87(-02)	7.78(-01)	3.0722(-01)	K'434-S 212	22
1.4728	8.4182	6.40(-01)	6.49(-02)	1.39(-01)	3.6035(-02)	G'254-P 232	23
1.4728	8.4181	5.31(-01)	1.70(-02)	8.19(-01)	2.7893(-02)	K'432-S 212	24
1.4731	8.4168	5.36(+00)	2.00(-01)	1.65(-01)	6.5866(-02)	M'212-P 234	25
1.4733	8.4156	1.14(+01)	3.11(+00)	6.82(-01)	1.2706(+01)	M'256-P 234	26
1.4733	8.4152	1.03(+01)	9.52(-01)	4.88(-01)	1.8599(+00)	M'254-P 232	27
1.4738	8.4125	1.03(+01)	4.51(-02)	7.76(-01)	7.0032(-02)	M'232-P 232	28
1.4742	8.4103	3.33(-01)	1.34(-02)	6.67(-02)	1.7908(-03)	M'432-P 232	29
1.4746	8.4083	8.20(-01)	1.01(-01)	1.60(-01)	6.4557(-02)	M'234-P 232	30
1.4746	8.4081	4.13(+00)	3.31(-01)	4.05(-01)	5.3600(-01)	M'414-P 234	31
1.4750	8.4060	1.27(+00)	9.06(-01)	4.03(-01)	2.1934(+00)	M'436-P 234	32
1.4753	8.4040	2.01(+00)	2.89(-01)	4.09(-01)	4.7344(-01)	M'434-P 234	33
1.4760	8.4003	1.50(+00)	1.43(-02)	1.54(-01)	8.7890(-03)	M'454-P 232	34
1.4762	8.3987	8.51(-01)	2.97(-03)	1.87(-01)	1.1078(-03)	M'452-P 232	35
1.4770	8.3941	2.51(-01)	4.51(-02)	1.89(-02)	1.7070(-03)	M'232-P 234	36
1.4774	8.3919	1.31(-01)	1.34(-02)	2.62(-02)	7.0494(-04)	M'432-P 234	37
1.4777	8.3905	7.32(-01)	3.69(-01)	1.95(-01)	2.8781(-01)	N'254-P 232	38
1.4778	8.3899	4.49(-01)	1.01(-01)	8.75(-02)	3.5364(-02)	M'234-P 234	39
1.4784	8.3864	1.32(-01)	2.39(+00)	2.12(-02)	1.0129(-01)	E'212-P 232	40
1.4791	8.3824	3.33(-02)	9.97(-06)	1.68(-02)	6.6875(-07)	N'454-P 232	41
1.4792	8.3819	3.19(-01)	1.43(-02)	3.28(-02)	1.8737(-03)	M'454-P 234	42
1.4795	8.3803	1.09(-01)	2.97(-03)	2.39(-02)	1.4191(-04)	M'452-P 234	43
1.4809	8.3721	3.16(-02)	3.69(-01)	8.41(-03)	1.2426(-02)	N'254-P 234	44
1.4810	8.3718	2.62(-01)	3.12(-01)	8.11(-02)	1.5169(-01)	N'256-P 234	45
1.4817	8.3680	6.91(-02)	2.39(+00)	1.11(-02)	5.3022(-02)	E'212-P 234	46
1.4826	8.3625	2.79(-01)	4.19(+00)	5.46(-02)	4.5779(-01)	L'212-P 232	47
1.4859	8.3441	2.74(-01)	4.19(+00)	5.37(-02)	4.5034(-01)	L'212-P 234	48
1.7120	7.2420	5.49(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.7205	7.2063	5.75(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 27;$							
1.4553	8.5194	1.48(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.4571	8.5093	1.72(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.7116	7.2438	4.94(+01)	1.21(-02)	9.15(-01)	4.4418(-02)	A'234-D'256	3
1.7120	7.2423	5.37(+01)	8.95(-03)	9.53(-01)	1.7047(-02)	A'232-D'254	4
1.7120	7.2420	5.49(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
1.7120	7.2420	2.25(+01)	1.25(+00)	4.49(-01)	3.3765(+00)	A'276-D'254	6
1.7122	7.2413	3.68(+01)	1.42(+00)	8.77(-01)	2.4980(+00)	F'212-P'234	7
1.7125	7.2402	2.23(+01)	1.25(+00)	4.45(-01)	3.3394(+00)	A'276-D'256	8
1.7132	7.2370	2.53(+01)	3.12(-01)	4.41(-01)	8.2635(-01)	A'256-D'254	9
1.7133	7.2365	4.66(+01)	1.48(+00)	9.09(-01)	1.0731(+01)	A'278-D'256	10

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.7134	7.2363	5.03(+01)	1.32(-03)	9.21(-01)	4.8727(-03)	A'254-D'254	11
1.7136	7.2353	4.74(+01)	1.34(+00)	9.55(-01)	2.5549(+00)	B'232-S'212	12
1.7136	7.2352	2.87(+01)	3.12(-01)	5.01(-01)	9.3956(-01)	A'256-D'256	13
1.7137	7.2349	4.80(+01)	1.89(+00)	8.47(-01)	6.4155(+00)	F'234-P'234	14
1.7137	7.2348	4.73(+01)	5.77(-02)	9.84(-01)	2.2718(-01)	B'234-S'212	15
1.7140	7.2336	4.82(+01)	3.66(+00)	8.59(-01)	1.2559(+01)	F'254-P'232	16
1.7141	7.2334	4.77(+01)	4.56(-06)	8.15(-01)	7.4370(-06)	F'232-P'232	17
1.7147	7.2309	5.17(+01)	2.91(+00)	8.84(-01)	1.5464(+01)	F'256-P'234	18
1.7156	7.2271	3.51(+00)	6.12(-03)	3.50(-01)	8.5650(-03)	I'254-S'212	19
1.7161	7.2248	2.84(-01)	4.20(+00)	5.56(-02)	9.3345(-01)	J'234-S'212	20
1.7167	7.2221	3.74(+00)	4.79(-04)	3.95(-01)	7.5704(-04)	I'234-D'256	21
1.7169	7.2216	9.51(+00)	1.51(-03)	8.41(-01)	1.0180(-02)	I'278-D'256	22
1.7171	7.2206	1.89(+01)	2.00(-01)	5.81(-01)	2.3207(-01)	M'212-P'234	23
1.7174	7.2194	1.43(+00)	3.11(+00)	8.56(-02)	1.5950(+00)	M'256-P'234	24
1.7192	7.2119	3.92(+00)	3.31(-01)	3.84(-01)	5.0812(-01)	M'414-P'234	25
1.7196	7.2100	1.02(+00)	6.26(-01)	1.19(-01)	2.9817(-01)	C'234-S'212	26
1.7198	7.2091	9.72(+00)	3.76(+00)	6.85(-01)	5.1472(+00)	J'232-S'212	27
1.7202	7.2078	9.48(-01)	2.89(-01)	1.93(-01)	2.2351(-01)	M'434-P'234	28
1.7205	7.2063	5.75(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
1.7206	7.2060	4.28(+00)	9.52(-01)	2.03(-01)	7.7421(-01)	M'254-P'232	30
1.7208	7.2051	1.88(+00)	1.50(-02)	4.19(-01)	3.7819(-02)	G'256-P'234	31
1.7209	7.2048	3.33(+00)	5.02(-02)	4.94(-01)	9.9155(-02)	I'454-D'254	32
1.7210	7.2042	3.72(+00)	2.67(-03)	4.79(-01)	2.5583(-03)	I'452-D'254	33
1.7212	7.2033	7.78(+00)	3.55(-03)	6.72(-01)	1.4297(-02)	I'276-D'256	34
1.7217	7.2012	2.86(+00)	1.24(-04)	6.19(-01)	4.6164(-04)	I'456-D'254	35
1.7218	7.2011	3.11(+00)	1.34(-02)	6.23(-01)	1.6724(-02)	M'432-P'232	36
1.7219	7.2006	4.84(+00)	9.52(-01)	2.30(-01)	8.7554(-01)	M'254-P'234	37
1.7219	7.2003	4.11(+00)	6.12(-03)	4.10(-01)	1.0032(-02)	I'254-D'256	38
1.7223	7.1988	3.96(+00)	1.36(-01)	7.78(-01)	8.4801(-01)	I'478-D'256	39
1.7228	7.1967	4.30(+00)	1.31(-01)	7.06(-01)	3.6964(-01)	J'434-S'212	40
1.7231	7.1954	5.47(+00)	6.60(-02)	9.04(-01)	3.5792(-01)	I'476-D'254	41
1.7235	7.1937	1.23(+00)	1.40(-02)	6.56(-01)	1.8410(-02)	J'432-S'212	42
1.7235	7.1937	2.08(+00)	1.01(-01)	4.06(-01)	1.6386(-01)	M'234-P'234	43
1.7235	7.1936	1.57(+00)	1.76(-05)	8.39(-01)	5.8884(-05)	I'474-D'254	44
1.7236	7.1934	4.78(+00)	4.20(-01)	7.00(-01)	1.7634(+00)	M'456-P'234	45
1.7241	7.1911	5.78(+00)	1.43(-02)	5.94(-01)	3.3917(-02)	M'454-P'232	46
1.7245	7.1895	1.41(+00)	2.97(-03)	3.09(-01)	1.8334(-03)	M'452-P'232	47
1.7260	7.1833	1.29(+00)	6.26(-01)	1.51(-01)	3.7747(-01)	C'234-D'256	48
1.7275	7.1772	1.47(+00)	2.39(+00)	2.35(-01)	1.1242(+00)	E'212-P'232	49
1.7288	7.1718	1.98(+00)	2.39(+00)	3.19(-01)	1.5210(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 28;$							
1.3501	9.1835	1.69(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.3517	9.1723	2.24(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.3525	9.1671	1.93(-01)	1.76(-04)	3.40(-02)	1.1938(-05)	I'232-S 212	3
1.3534	9.1608	1.46(-01)	6.47(-04)	1.38(-02)	3.5796(-05)	I'234-S 212	4
1.3571	9.1362	1.78(-01)	4.97(-02)	1.53(-02)	3.0475(-03)	I'254-S 212	5
1.3573	9.1346	9.45(-03)	4.02(+00)	1.66(-03)	2.6650(-02)	J'234-S 212	6
1.3598	9.1182	5.84(+00)	7.52(-01)	6.11(-01)	1.8370(+00)	C'234-S 212	7
1.3600	9.1162	1.42(-01)	3.77(+00)	8.91(-03)	6.7149(-02)	J'232-S 212	8
1.3605	9.1132	3.33(-01)	1.96(+00)	5.12(-03)	4.0161(-02)	F'234-P 232	9
1.3608	9.1109	7.85(+00)	5.94(-02)	8.00(-01)	9.4924(-02)	C'232-S 212	10
1.3619	9.1036	1.68(+00)	1.53(-01)	2.13(-01)	1.2966(-01)	J'434-S 212	11
1.3624	9.1003	4.73(-01)	1.56(-02)	1.92(-01)	6.0084(-03)	J'432-S 212	12
1.3628	9.0980	3.78(-01)	1.46(+00)	7.83(-03)	2.2905(-02)	F'212-P 234	13
1.3628	9.0978	3.05(+00)	1.95(-01)	8.02(-02)	3.1276(-02)	M'212-P 232	14

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.3637	9.0917	6.49(+00)	1.96(+00)	9.99(-02)	7.8361(-01)	F'234-P 234	15
1.3641	9.0892	5.02(-01)	2.88(-01)	4.40(-02)	5.0587(-02)	M'414-P 232	16
1.3644	9.0872	3.16(+00)	2.77(+00)	4.69(-02)	7.7884(-01)	F'256-P 234	17
1.3647	9.0853	8.75(+00)	1.83(-01)	8.06(-01)	2.9528(-01)	K'232-S 212	18
1.3648	9.0847	7.02(+00)	1.88(-01)	6.90(-01)	5.1729(-01)	K'234-S 212	19
1.3648	9.0843	3.86(-01)	2.48(-01)	7.39(-02)	7.3401(-02)	M'434-P 232	20
1.3649	9.0838	3.51(+00)	3.64(+00)	5.43(-02)	7.9135(-01)	F'254-P 234	21
1.3649	9.0837	1.13(+01)	3.13(-05)	1.69(-01)	1.0595(-05)	F'232-P 234	22
1.3657	9.0784	8.33(-01)	5.70(-02)	1.57(-01)	3.5852(-02)	G'254-P 232	23
1.3658	9.0780	3.08(+00)	1.08(-01)	7.82(-01)	3.3686(-01)	K'434-S 212	24
1.3659	9.0775	6.54(-01)	1.85(-02)	8.26(-01)	3.0552(-02)	K'432-S 212	25
1.3660	9.0763	5.56(+00)	1.95(-01)	1.46(-01)	5.7027(-02)	M'212-P 234	26
1.3662	9.0755	1.28(+01)	3.07(+00)	7.00(-01)	1.2905(+01)	M'256-P 234	27
1.3662	9.0752	1.22(+01)	1.03(+00)	4.83(-01)	1.9829(+00)	M'254-P 232	28
1.3666	9.0726	1.29(+01)	4.56(-02)	7.48(-01)	6.8266(-02)	M'232-P 232	29
1.3673	9.0680	8.84(-01)	1.11(-01)	1.52(-01)	6.7129(-02)	M'234-P 232	30
1.3673	9.0677	4.85(+00)	2.88(-01)	4.24(-01)	4.8828(-01)	M'414-P 234	31
1.3678	9.0649	1.72(+00)	1.07(+00)	4.30(-01)	2.7688(+00)	M'436-P 234	32
1.3681	9.0628	2.35(+00)	2.48(-01)	4.51(-01)	4.4802(-01)	M'434-P 234	33
1.3686	9.0590	1.92(+00)	1.58(-02)	1.57(-01)	9.8756(-03)	M'454-P 232	34
1.3689	9.0573	1.02(+00)	3.36(-03)	1.86(-01)	1.2519(-03)	M'452-P 232	35
1.3698	9.0511	2.51(-01)	4.56(-02)	1.45(-02)	1.3248(-03)	M'232-P 234	36
1.3701	9.0494	8.74(-01)	3.64(-01)	2.00(-01)	2.9151(-01)	N'254-P 232	37
1.3703	9.0483	1.01(-01)	2.40(-02)	1.73(-02)	8.2935(-04)	M'432-P 234	38
1.3705	9.0465	4.26(-01)	1.11(-01)	7.32(-02)	3.2339(-02)	M'234-P 234	39
1.3709	9.0444	1.47(-01)	2.38(+00)	2.21(-02)	1.0506(-01)	E'212-P 232	40
1.3714	9.0409	4.89(-02)	1.57(-05)	2.06(-02)	1.2961(-06)	N'454-P 232	41
1.3719	9.0375	3.34(-01)	1.58(-02)	2.73(-02)	1.7235(-03)	M'454-P 234	42
1.3722	9.0358	1.15(-01)	3.36(-03)	2.11(-02)	1.4149(-04)	M'452-P 234	43
1.3734	9.0279	3.22(-02)	3.64(-01)	7.38(-03)	1.0739(-02)	N'254-P 234	44
1.3734	9.0277	2.76(-01)	3.04(-01)	7.44(-02)	1.3551(-01)	N'256-P 234	45
1.3741	9.0229	7.28(-02)	2.38(+00)	1.09(-02)	5.1963(-02)	E'212-P 234	46
1.3746	9.0195	3.20(-01)	4.19(+00)	6.12(-02)	5.1350(-01)	L'212-P 232	47
1.3779	8.9980	2.95(-01)	4.19(+00)	5.65(-02)	4.7356(-01)	L'212-P 234	48
1.5884	7.8055	6.31(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.5965	7.7662	7.54(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 28;$							
1.3501	9.1835	1.69(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.3517	9.1723	2.24(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.5881	7.8074	5.71(+01)	1.42(-02)	9.18(-01)	5.1987(-02)	A'234-D'256	3
1.5884	7.8058	2.44(+01)	1.22(+00)	4.22(-01)	3.0942(+00)	A'276-D'254	4
1.5884	7.8056	6.19(+01)	1.07(-02)	9.52(-01)	2.0352(-02)	A'232-D'254	5
1.5884	7.8055	6.31(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	6
1.5886	7.8046	4.28(+01)	1.46(+00)	8.88(-01)	2.5970(+00)	F'212-P'234	7
1.5888	7.8037	2.74(+01)	1.22(+00)	4.74(-01)	3.4745(+00)	A'276-D'256	8
1.5895	7.8004	3.09(+01)	3.48(-01)	4.69(-01)	9.7996(-01)	A'256-D'254	9
1.5896	7.7997	5.78(+01)	1.65(-03)	9.24(-01)	6.0957(-03)	A'254-D'254	10
1.5896	7.7996	5.36(+01)	1.46(+00)	9.13(-01)	1.0685(+01)	A'278-D'256	11
1.5899	7.7984	5.51(+01)	1.33(+00)	9.60(-01)	2.5609(+00)	B'232-S'212	12
1.5899	7.7983	3.12(+01)	3.48(-01)	4.73(-01)	9.8831(-01)	A'256-D'256	13
1.5899	7.7982	5.51(+01)	1.96(+00)	8.48(-01)	6.6565(+00)	F'234-P'234	14
1.5899	7.7981	5.52(+01)	3.14(-02)	9.87(-01)	1.2392(-01)	B'234-S'212	15
1.5902	7.7968	5.59(+01)	3.64(+00)	8.66(-01)	1.2615(+01)	F'254-P'232	16
1.5902	7.7966	5.38(+01)	3.13(-05)	8.06(-01)	5.0507(-05)	F'232-P'232	17
1.5908	7.7938	6.00(+01)	2.77(+00)	8.89(-01)	1.4778(+01)	F'256-P'234	18

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.5918	7.7890	3.36(+00)	4.97(-02)	2.89(-01)	5.7408(-02)	I'254-S'212	19
1.5921	7.7874	7.93(-01)	4.02(+00)	1.39(-01)	2.2361(+00)	J'234-S'212	20
1.5927	7.7847	4.25(+00)	6.47(-04)	4.02(-01)	1.0412(-03)	I'234-D'256	21
1.5927	7.7844	1.09(+01)	1.34(-03)	8.37(-01)	8.9629(-03)	I'278-D'256	22
1.5931	7.7828	2.16(+01)	1.95(-01)	5.67(-01)	2.2141(-01)	M'212-P'234	23
1.5932	7.7820	1.51(+00)	3.07(+00)	8.21(-02)	1.5126(+00)	M'256-P'234	24
1.5948	7.7743	4.44(+00)	2.88(-01)	3.89(-01)	4.4733(-01)	M'414-P'234	25
1.5955	7.7710	9.40(-01)	7.52(-01)	9.83(-02)	2.9556(-01)	C'234-S'212	26
1.5958	7.7693	9.39(-01)	2.48(-01)	1.80(-01)	1.7873(-01)	M'434-P'234	27
1.5959	7.7691	1.14(+01)	3.77(+00)	7.13(-01)	5.3732(+00)	J'232-S'212	28
1.5964	7.7666	4.73(+00)	1.03(+00)	1.86(-01)	7.6615(-01)	M'254-P'232	29
1.5965	7.7662	7.54(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
1.5967	7.7653	1.67(+00)	7.20(-04)	3.55(-01)	1.5338(-03)	G'256-P'234	31
1.5968	7.7648	4.56(+00)	7.10(-02)	5.33(-01)	1.5132(-01)	I'454-D'254	32
1.5969	7.7643	5.03(+00)	1.82(-03)	5.21(-01)	1.8998(-03)	I'452-D'254	33
1.5971	7.7631	9.93(+00)	2.93(-03)	7.04(-01)	1.2387(-02)	I'456-D'256	34
1.5975	7.7612	4.08(+00)	2.40(-02)	7.01(-01)	3.3603(-02)	M'432-P'232	35
1.5975	7.7611	3.13(+00)	1.56(-06)	5.98(-01)	5.5901(-06)	I'276-D'254	36
1.5977	7.7603	6.56(+00)	1.03(+00)	2.59(-01)	1.0630(+00)	M'254-P'234	37
1.5977	7.7602	5.41(+00)	4.97(-02)	4.64(-01)	9.2349(-02)	I'254-D'256	38
1.5980	7.7588	5.40(+00)	1.62(-01)	7.89(-01)	1.0209(+00)	I'478-D'256	39
1.5980	7.7586	1.22(-01)	4.02(+00)	2.14(-02)	3.4391(-01)	J'234-D'256	40
1.5985	7.7564	5.66(+00)	1.53(-01)	7.15(-01)	4.3618(-01)	J'434-S'212	41
1.5988	7.7549	7.29(+00)	7.60(-02)	9.15(-01)	4.1738(-01)	I'476-D'254	42
1.5992	7.7532	1.65(+00)	1.56(-02)	6.70(-01)	2.0966(-02)	J'432-S'212	43
1.5992	7.7531	2.51(+00)	1.11(-01)	4.30(-01)	1.9025(-01)	M'234-P'234	44
1.5992	7.7530	2.01(+00)	6.57(-05)	8.45(-01)	2.2230(-04)	I'474-D'254	45
1.5992	7.7530	6.40(+00)	4.97(-01)	7.31(-01)	2.1807(+00)	M'456-P'234	46
1.5997	7.7504	7.50(+00)	1.58(-02)	6.13(-01)	3.8670(-02)	M'454-P'232	47
1.6014	7.7422	1.48(+00)	7.52(-01)	1.54(-01)	4.6432(-01)	C'234-D'256	48
1.6027	7.7358	1.66(+00)	2.38(+00)	2.49(-01)	1.1857(+00)	E'212-P'232	49
1.6041	7.7295	2.18(+00)	2.38(+00)	3.27(-01)	1.5580(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 29;$							
1.2558	9.8734	1.93(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.2573	9.8610	2.87(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.2575	9.8594	2.04(-01)	2.61(-04)	3.10(-02)	1.6196(-05)	I'232-S 212	3
1.2584	9.8527	1.41(-01)	8.00(-04)	1.20(-02)	3.8311(-05)	I'234-S 212	4
1.2619	9.8251	1.89(-01)	3.77(-01)	1.54(-02)	2.3209(-02)	I'254-S 212	5
1.2621	9.8241	4.61(-02)	3.52(+00)	5.96(-03)	8.3858(-02)	J'234-S 212	6
1.2644	9.8060	6.58(+00)	8.83(-01)	6.18(-01)	2.1826(+00)	C'234-S 212	7
1.2648	9.8029	3.30(-01)	2.02(+00)	4.44(-03)	3.5979(-02)	F'234-P 232	8
1.2648	9.8028	1.45(-01)	3.79(+00)	8.09(-03)	6.1206(-02)	J'232-S 212	9
1.2655	9.7975	9.13(+00)	6.97(-02)	7.94(-01)	1.1068(-01)	C'232-S 212	10
1.2665	9.7900	2.15(+00)	1.76(-01)	2.12(-01)	1.4941(-01)	J'434-S 212	11
1.2669	9.7864	3.07(+00)	1.90(-01)	6.91(-02)	2.6276(-02)	M'212-P 232	12
1.2669	9.7864	6.30(-01)	1.72(-02)	1.97(-01)	6.7832(-03)	J'432-S 212	13
1.2672	9.7843	5.05(-01)	1.50(+00)	9.16(-03)	2.7473(-02)	F'212-P 234	14
1.2680	9.7780	4.21(-01)	2.59(-01)	3.26(-02)	3.3672(-02)	M'414-P 232	15
1.2680	9.7780	7.55(+00)	2.02(+00)	1.02(-01)	8.2360(-01)	F'234-P 234	16
1.2686	9.7731	3.89(+00)	2.62(+00)	5.03(-02)	7.9257(-01)	F'256-P 234	17
1.2688	9.7722	2.95(-01)	2.18(-01)	5.27(-02)	4.5983(-02)	M'434-P 232	18
1.2689	9.7713	1.00(+01)	1.82(-01)	8.09(-01)	2.9530(-01)	K'232-S 212	19
1.2689	9.7707	7.97(+00)	1.86(-01)	6.81(-01)	5.0638(-01)	K'234-S 212	20
1.2692	9.7689	1.40(+01)	2.55(-04)	1.86(-01)	9.4715(-05)	F'232-P 234	21
1.2692	9.7689	4.16(+00)	3.63(+00)	5.61(-02)	8.1363(-01)	F'254-P 234	22

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.2698	9.7642	1.01(+00)	4.54(-02)	1.66(-01)	3.0179(-02)	G'254-P 232	23
1.2700	9.7630	3.75(+00)	1.17(-01)	7.86(-01)	3.6686(-01)	K'434-S 212	24
1.2700	9.7625	7.99(-01)	2.00(-02)	8.31(-01)	3.3255(-02)	K'432-S 212	25
1.2702	9.7615	5.57(+00)	1.90(-01)	1.26(-01)	4.7768(-02)	M'212-P 234	26
1.2702	9.7611	1.44(+01)	3.03(+00)	7.16(-01)	1.3000(+01)	M'256-P 234	27
1.2702	9.7610	1.44(+01)	1.09(+00)	4.78(-01)	2.0812(+00)	M'254-P 232	28
1.2705	9.7585	1.57(+01)	4.47(-02)	7.18(-01)	6.4201(-02)	M'232-P 232	29
1.2712	9.7535	9.43(-01)	1.19(-01)	1.43(-01)	6.8087(-02)	M'234-P 232	30
1.2712	9.7531	5.67(+00)	2.59(-01)	4.39(-01)	4.5396(-01)	M'414-P 234	31
1.2717	9.7493	2.28(+00)	1.23(+00)	4.55(-01)	3.3494(+00)	M'436-P 234	32
1.2720	9.7472	2.70(+00)	2.18(-01)	4.82(-01)	4.2112(-01)	M'434-P 234	33
1.2725	9.7434	2.41(+00)	1.75(-02)	1.59(-01)	1.1096(-02)	M'454-P 232	34
1.2727	9.7415	1.21(+00)	3.74(-03)	1.86(-01)	1.3904(-03)	M'452-P 232	35
1.2737	9.7341	1.04(+00)	3.58(-01)	2.06(-01)	2.9522(-01)	N'254-P 232	36
1.2738	9.7335	2.38(-01)	4.47(-02)	1.09(-02)	9.7576(-04)	M'232-P 234	37
1.2743	9.7300	8.03(-02)	3.63(-02)	1.12(-02)	8.1735(-04)	M'432-P 234	38
1.2745	9.7285	4.04(-01)	1.19(-01)	6.11(-02)	2.9180(-02)	M'234-P 234	39
1.2745	9.7280	1.62(-01)	2.37(+00)	2.27(-02)	1.0744(-01)	E'212-P 232	40
1.2749	9.7250	7.11(-02)	2.30(-05)	2.53(-02)	2.3207(-06)	N'454-P 232	41
1.2758	9.7184	3.46(-01)	1.75(-02)	2.28(-02)	1.5918(-03)	M'454-P 234	42
1.2760	9.7166	1.20(-01)	3.74(-03)	1.85(-02)	1.3821(-04)	M'452-P 234	43
1.2770	9.7092	3.23(-02)	3.58(-01)	6.38(-03)	9.1359(-03)	N'254-P 234	44
1.2770	9.7088	2.88(-01)	2.96(-01)	6.78(-02)	1.2028(-01)	N'256-P 234	45
1.2778	9.7031	7.64(-02)	2.37(+00)	1.07(-02)	5.0743(-02)	E'212-P 234	46
1.2779	9.7020	3.66(-01)	4.19(+00)	6.82(-02)	5.7148(-01)	L'212-P 232	47
1.2812	9.6770	3.16(-01)	4.19(+00)	5.89(-02)	4.9326(-01)	L'212-P 234	48
1.4776	8.3910	7.21(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.4853	8.3477	9.71(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 29;$							
1.2558	9.8734	1.93(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.2573	9.8610	2.87(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.4773	8.3928	6.56(+01)	1.62(-02)	9.21(-01)	5.9820(-02)	A'234-D'256	3
1.4775	8.3915	2.62(+01)	1.19(+00)	3.95(-01)	2.8184(+00)	A'276-D'254	4
1.4776	8.3910	7.21(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
1.4776	8.3909	7.09(+01)	1.25(-02)	9.51(-01)	2.3838(-02)	A'232-D'254	6
1.4778	8.3898	4.95(+01)	1.50(+00)	8.98(-01)	2.6910(+00)	F'212-P'234	7
1.4779	8.3892	3.33(+01)	1.19(+00)	5.03(-01)	3.5878(+00)	A'276-D'256	8
1.4785	8.3857	3.74(+01)	3.85(-01)	4.97(-01)	1.1460(+00)	A'256-D'254	9
1.4787	8.3849	6.60(+01)	2.01(-03)	9.25(-01)	7.4520(-03)	A'254-D'254	10
1.4787	8.3847	6.14(+01)	1.45(+00)	9.16(-01)	1.0614(+01)	A'278-D'256	11
1.4789	8.3835	6.36(+01)	1.33(+00)	9.64(-01)	2.5598(+00)	B'232-S'212	12
1.4789	8.3835	6.31(+01)	2.02(+00)	8.50(-01)	6.8776(+00)	F'234-P'234	13
1.4789	8.3833	3.36(+01)	3.85(-01)	4.45(-01)	1.0273(+00)	A'256-D'256	14
1.4790	8.3832	6.40(+01)	1.36(-02)	9.89(-01)	5.3817(-02)	B'234-S'212	15
1.4792	8.3818	5.97(+01)	2.55(-04)	7.91(-01)	4.0300(-04)	F'232-P'232	16
1.4792	8.3818	6.46(+01)	3.63(+00)	8.71(-01)	1.2636(+01)	F'254-P'232	17
1.4798	8.3786	6.91(+01)	2.62(+00)	8.93(-01)	1.4063(+01)	F'256-P'234	18
1.4808	8.3727	2.39(+00)	3.77(-01)	1.95(-01)	2.9368(-01)	I'254-S'212	19
1.4810	8.3718	2.13(+00)	3.52(+00)	2.75(-01)	3.8718(+00)	J'234-S'212	20
1.4814	8.3693	4.80(+00)	8.00(-04)	4.08(-01)	1.3042(-03)	I'234-D'256	21
1.4814	8.3692	1.25(+01)	1.17(-03)	8.32(-01)	7.7993(-03)	I'278-D'256	22
1.4818	8.3670	2.42(+01)	1.90(-01)	5.47(-01)	2.0780(-01)	M'212-P'234	23
1.4819	8.3666	1.60(+00)	3.03(+00)	7.92(-02)	1.4379(+00)	M'256-P'234	24
1.4833	8.3586	5.05(+00)	2.59(-01)	3.91(-01)	4.0447(-01)	M'414-P'234	25
1.4840	8.3549	3.14(-01)	1.23(+00)	6.28(-02)	4.6176(-01)	M'436-P'234	26

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.4842	8.3536	8.33(−01)	8.83(−01)	7.82(−02)	2.7629(−01)	C'234-S'212	27
1.4848	8.3506	1.32(+01)	3.79(+00)	7.37(−01)	5.5781(+00)	J'232-S'212	28
1.4851	8.3489	5.11(+00)	1.09(+00)	1.70(−01)	7.3905(−01)	M'254-P'232	29
1.4853	8.3477	9.71(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
1.4855	8.3464	6.03(+00)	1.25(−01)	5.62(−01)	2.8078(−01)	I'454-D'254	31
1.4856	8.3459	6.68(+00)	1.22(−03)	5.59(−01)	1.3707(−03)	I'452-D'254	32
1.4858	8.3445	1.25(+01)	2.34(−03)	7.33(−01)	1.0279(−02)	I'456-D'256	33
1.4861	8.3432	3.04(−01)	3.52(+00)	3.93(−02)	5.5334(−01)	J'234-D'254	34
1.4861	8.3429	5.33(+00)	3.63(−02)	7.47(−01)	5.4273(−02)	M'432-P'232	35
1.4861	8.3427	3.36(+00)	8.87(−05)	5.73(−01)	3.0523(−04)	I'276-D'254	36
1.4863	8.3417	6.49(+00)	3.77(−01)	5.29(−01)	7.9697(−01)	I'254-D'256	37
1.4864	8.3415	8.57(+00)	1.09(+00)	2.85(−01)	1.2395(+00)	M'254-P'234	38
1.4865	8.3408	7.30(−01)	3.52(+00)	9.43(−02)	1.3266(+00)	J'234-D'256	39
1.4866	8.3402	7.20(+00)	1.89(−01)	7.98(−01)	1.2067(+00)	I'478-D'256	40
1.4870	8.3377	7.30(+00)	1.76(−01)	7.22(−01)	5.0827(−01)	J'434-S'212	41
1.4874	8.3359	9.50(+00)	8.62(−02)	9.25(−01)	4.7842(−01)	I'476-D'254	42
1.4877	8.3341	2.18(+00)	1.72(−02)	6.81(−01)	2.3436(−02)	J'432-S'212	43
1.4877	8.3341	8.39(+00)	5.79(−01)	7.57(−01)	2.6272(+00)	M'456-P'234	44
1.4877	8.3340	3.02(+00)	1.19(−01)	4.56(−01)	2.1783(−01)	M'234-P'234	45
1.4877	8.3340	2.56(+00)	1.59(−04)	8.52(−01)	5.4298(−04)	I'474-D'254	46
1.4882	8.3313	9.56(+00)	1.75(−02)	6.30(−01)	4.4039(−02)	M'454-P'232	47
1.4897	8.3226	1.68(+00)	8.83(−01)	1.58(−01)	5.5738(−01)	C'234-D'256	48
1.4909	8.3160	1.87(+00)	2.37(+00)	2.62(−01)	1.2417(+00)	E'212-P'232	49
1.4922	8.3086	2.39(+00)	2.37(+00)	3.35(−01)	1.5873(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 30;$							
1.1709	10.589	2.19(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.1721	10.578	2.15(−01)	3.57(−04)	2.82(−02)	2.0189(−05)	I'232-S 212	2
1.1724	10.575	3.61(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	3
1.1761	10.542	9.07(−02)	3.68(−01)	6.97(−03)	1.0269(−02)	I'454-S 212	4
1.1763	10.540	4.50(−02)	2.66(+00)	6.46(−03)	6.8807(−02)	J'234-S 212	5
1.1764	10.539	2.45(−01)	8.55(−01)	1.48(−02)	5.0519(−02)	I'254-S 212	6
1.1786	10.520	7.39(+00)	1.01(+00)	6.25(−01)	2.5378(+00)	C'234-S 212	7
1.1787	10.519	3.25(−01)	2.08(+00)	3.85(−03)	3.2045(−02)	F'234-P 232	8
1.1791	10.515	1.43(−01)	3.80(+00)	7.10(−03)	5.3956(−02)	J'232-S 212	9
1.1797	10.510	1.06(+01)	8.08(−02)	7.88(−01)	1.2730(−01)	C'232-S 212	10
1.1806	10.502	2.70(+00)	2.01(−01)	2.12(−01)	1.7117(−01)	J'434-S 212	11
1.1807	10.501	3.04(+00)	1.85(−01)	5.89(−02)	2.1747(−02)	M'212-P 232	12
1.1810	10.498	8.30(−01)	1.87(−02)	2.02(−01)	7.5333(−03)	J'432-S 212	13
1.1812	10.496	6.61(−01)	1.54(+00)	1.05(−02)	3.2367(−02)	F'212-P 234	14
1.1816	10.493	3.59(−01)	2.38(−01)	2.45(−02)	2.3359(−02)	M'414-P 232	15
1.1819	10.490	8.74(+00)	2.08(+00)	1.04(−01)	8.6157(−01)	F'234-P 234	16
1.1824	10.486	2.30(−01)	1.96(−01)	3.79(−02)	2.9766(−02)	M'434-P 232	17
1.1825	10.485	4.74(+00)	2.48(+00)	5.37(−02)	8.0087(−01)	F'256-P 234	18
1.1827	10.483	1.14(+01)	1.81(−01)	8.12(−01)	2.9343(−01)	K'232-S 212	19
1.1828	10.483	8.98(+00)	1.83(−01)	6.69(−01)	4.9059(−01)	K'234-S 212	20
1.1831	10.480	1.73(+01)	8.70(−04)	2.05(−01)	3.5632(−04)	F'232-P 234	21
1.1831	10.480	4.89(+00)	3.60(+00)	5.78(−02)	8.3388(−01)	F'254-P 234	22
1.1835	10.476	1.16(+00)	3.32(−02)	1.68(−01)	2.2346(−02)	G'254-P 232	23
1.1838	10.474	4.52(+00)	1.26(−01)	7.90(−01)	3.9699(−01)	K'434-S 212	24
1.1838	10.473	9.68(−01)	2.15(−02)	8.36(−01)	3.5983(−02)	K'432-S 212	25
1.1839	10.473	1.61(+01)	2.97(+00)	7.29(−01)	1.3006(+01)	M'256-P 234	26
1.1839	10.473	1.67(+01)	1.14(+00)	4.74(−01)	2.1643(+00)	M'254-P 232	27
1.1839	10.472	5.34(+00)	1.85(−01)	1.03(−01)	3.8181(−02)	M'212-P 234	28
1.1842	10.470	1.86(+01)	4.27(−02)	6.88(−01)	5.8653(−02)	M'232-P 232	29
1.1847	10.466	1.32(−01)	5.00(−02)	1.47(−02)	1.4707(−03)	M'432-P 232	30

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.1848	10.465	9.95(−01)	1.27(−01)	1.32(−01)	6.7342(−02)	M'234-P 232	31
1.1848	10.464	6.60(+00)	2.38(−01)	4.50(−01)	4.2899(−01)	M'414-P 234	32
1.1854	10.460	2.95(+00)	1.37(+00)	4.79(−01)	3.9306(+00)	M'436-P 234	33
1.1856	10.457	3.06(+00)	1.96(−01)	5.06(−01)	3.9694(−01)	M'434-P 234	34
1.1861	10.453	2.98(+00)	1.96(−02)	1.60(−01)	1.2529(−02)	M'454-P 232	35
1.1863	10.452	1.42(+00)	4.10(−03)	1.85(−01)	1.5186(−03)	M'452-P 232	36
1.1871	10.445	1.25(+00)	3.52(−01)	2.13(−01)	2.9932(−01)	N'254-P 232	37
1.1879	10.437	1.74(−01)	2.36(+00)	2.29(−02)	1.0799(−01)	E'212-P 232	38
1.1881	10.436	3.85(−01)	1.27(−01)	5.11(−02)	2.6014(−02)	M'234-P 234	39
1.1882	10.435	1.03(−01)	3.15(−05)	3.08(−02)	3.8812(−06)	N'454-P 232	40
1.1882	10.434	4.03(−02)	7.54(−03)	1.44(−02)	2.1663(−04)	N'452-P 232	41
1.1893	10.425	3.54(−01)	1.96(−02)	1.90(−02)	1.4865(−03)	M'454-P 234	42
1.1896	10.423	1.24(−01)	4.10(−03)	1.61(−02)	1.3241(−04)	M'452-P 234	43
1.1904	10.416	3.18(−02)	3.52(−01)	5.42(−03)	7.6170(−03)	N'254-P 234	44
1.1904	10.415	2.98(−01)	2.88(−01)	6.13(−02)	1.0617(−01)	N'256-P 234	45
1.1910	10.410	4.16(−01)	4.19(+00)	7.54(−02)	6.3126(−01)	L'212-P 232	46
1.1912	10.409	8.00(−02)	2.36(+00)	1.05(−02)	4.9483(−02)	E'212-P 234	47
1.1943	10.381	3.36(−01)	4.19(+00)	6.08(−02)	5.0919(−01)	L'212-P 234	48
1.3778	8.9985	8.20(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.3852	8.9508	1.23(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 30;$							
1.1709	10.589	2.19(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.1724	10.575	3.61(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.3776	9.0003	7.50(+01)	1.84(−02)	9.23(−01)	6.7797(−02)	A'234-D'256	3
1.3777	8.9994	2.79(+01)	1.16(+00)	3.68(−01)	2.5530(+00)	A'276-D'254	4
1.3778	8.9985	8.20(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
1.3779	8.9983	8.07(+01)	1.44(−02)	9.51(−01)	2.7447(−02)	A'232-D'254	6
1.3781	8.9971	5.68(+01)	1.54(+00)	9.05(−01)	2.7800(+00)	F'212-P'234	7
1.3781	8.9967	4.02(+01)	1.16(+00)	5.30(−01)	3.6791(+00)	A'276-D'256	8
1.3787	8.9931	4.49(+01)	4.21(−01)	5.24(−01)	1.3231(+00)	A'256-D'254	9
1.3788	8.9923	7.51(+01)	2.41(−03)	9.27(−01)	8.9202(−03)	A'254-D'254	10
1.3789	8.9918	6.99(+01)	1.43(+00)	9.18(−01)	1.0522(+01)	A'278-D'256	11
1.3790	8.9908	7.18(+01)	2.08(+00)	8.51(−01)	7.0791(+00)	F'234-P'234	12
1.3790	8.9907	7.31(+01)	1.32(+00)	9.67(−01)	2.5527(+00)	B'232-S'212	13
1.3791	8.9905	7.36(+01)	3.50(−03)	9.90(−01)	1.3848(−02)	B'234-S'212	14
1.3791	8.9904	3.58(+01)	4.21(−01)	4.18(−01)	1.0563(+00)	A'256-D'256	15
1.3793	8.9891	6.51(+01)	8.70(−04)	7.68(−01)	1.3372(−03)	F'232-P'232	16
1.3793	8.9889	7.41(+01)	3.60(+00)	8.76(−01)	1.2630(+01)	F'254-P'232	17
1.3798	8.9855	7.90(+01)	2.48(+00)	8.95(−01)	1.3344(+01)	F'256-P'234	18
1.3804	8.9817	1.48(+01)	1.85(−01)	2.86(−01)	1.0565(−01)	M'212-P'232	19
1.3810	8.9779	4.85(+00)	8.55(−01)	2.93(−01)	1.0019(+00)	I'254-S'212	20
1.3813	8.9761	1.41(+01)	1.01(−03)	8.28(−01)	6.7118(−03)	I'278-D'256	21
1.3813	8.9760	5.40(+00)	9.34(−04)	4.11(−01)	1.5340(−03)	I'234-D'256	22
1.3817	8.9732	1.70(+00)	2.97(+00)	7.70(−02)	1.3720(+00)	M'256-P'234	23
1.3817	8.9732	2.67(+01)	1.85(−01)	5.18(−01)	1.9120(−01)	M'212-P'234	24
1.3830	8.9650	5.75(+00)	2.38(−01)	3.92(−01)	3.7378(−01)	M'414-P'234	25
1.3837	8.9603	4.56(−01)	1.37(+00)	7.41(−02)	6.0720(−01)	M'436-P'234	26
1.3847	8.9537	1.52(+01)	3.80(+00)	7.58(−01)	5.7642(+00)	J'232-S'212	27
1.3849	8.9529	5.41(+00)	1.14(+00)	1.54(−01)	7.0076(−01)	M'254-P'232	28
1.3852	8.9508	1.23(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
1.3854	8.9496	7.42(+00)	3.68(−01)	5.70(−01)	8.3988(−01)	I'454-D'254	30
1.3854	8.9491	8.74(+00)	8.24(−04)	5.94(−01)	9.7758(−04)	I'452-D'254	31
1.3856	8.9480	2.58(−01)	2.66(+00)	3.71(−02)	3.9490(−01)	J'234-D'254	32
1.3857	8.9475	1.54(+01)	1.79(−03)	7.58(−01)	8.1556(−03)	I'456-D'256	33
1.3859	8.9462	6.92(+00)	5.00(−02)	7.69(−01)	7.6940(−02)	M'432-P'232	34
1.3859	8.9460	3.55(+00)	4.20(−04)	5.46(−01)	1.3769(−03)	I'276-D'254	35

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.3860	8.9453	2.53(+00)	2.66(+00)	3.64(-01)	3.8767(+00)	J'234-D'256	36
1.3862	8.9445	6.79(+00)	8.55(-01)	4.10(-01)	1.4030(+00)	I'254-D'256	37
1.3862	8.9443	1.09(+01)	1.14(+00)	3.08(-01)	1.4065(+00)	M'254-P'234	38
1.3863	8.9434	9.43(+00)	2.17(-01)	8.07(-01)	1.4024(+00)	I'478-D'256	39
1.3868	8.9406	9.25(+00)	2.01(-01)	7.27(-01)	5.8569(-01)	J'434-S'212	40
1.3871	8.9386	1.21(+01)	9.64(-02)	9.33(-01)	5.3952(-01)	I'476-D'254	41
1.3873	8.9368	1.08(+01)	6.62(-01)	7.79(-01)	3.0934(+00)	M'456-P'234	42
1.3874	8.9368	2.84(+00)	1.87(-02)	6.90(-01)	2.5761(-02)	J'432-S'212	43
1.3874	8.9366	3.64(+00)	1.27(-01)	4.84(-01)	2.4597(-01)	M'234-P'234	44
1.3874	8.9366	3.21(+00)	3.08(-04)	8.58(-01)	1.0555(-03)	I'474-D'254	45
1.3878	8.9338	1.20(+01)	1.96(-02)	6.44(-01)	5.0398(-02)	M'454-P'232	46
1.3881	8.9319	2.60(+00)	4.10(-03)	3.38(-01)	2.7753(-03)	M'452-P'232	47
1.3892	8.9247	1.90(+00)	1.01(+00)	1.61(-01)	6.5304(-01)	C'234-D'256	48
1.3903	8.9178	2.08(+00)	2.36(+00)	2.73(-01)	1.2889(+00)	E'212-P'232	49
1.3916	8.9093	2.60(+00)	2.36(+00)	3.42(-01)	1.6105(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 31;$							
1.0942	11.331	2.48(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.0949	11.323	2.25(-01)	4.66(-04)	2.56(-02)	2.3822(-05)	I'232-S 212	2
1.0957	11.316	4.49(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	3
1.0989	11.283	7.41(-02)	2.45(+00)	7.09(-03)	6.9551(-02)	J'234-S 212	4
1.0990	11.282	6.64(-02)	1.16(+00)	5.40(-03)	2.5115(-02)	I'234-S 212	5
1.0991	11.280	3.26(-01)	1.30(-01)	1.58(-02)	8.2498(-03)	I'254-S 212	6
1.1010	11.261	3.18(-01)	2.13(+00)	3.33(-03)	2.8400(-02)	F'234-P 232	7
1.1012	11.259	8.28(+00)	1.14(+00)	6.32(-01)	2.8920(+00)	C'234-S 212	8
1.1018	11.253	1.34(-01)	3.82(+00)	5.95(-03)	4.5460(-02)	J'232-S 212	9
1.1023	11.248	1.22(+01)	9.27(-02)	7.82(-01)	1.4503(-01)	C'232-S 212	10
1.1028	11.243	2.98(+00)	1.79(-01)	4.95(-02)	1.7696(-02)	F'232-P 232	11
1.1031	11.240	3.37(+00)	2.29(-01)	2.14(-01)	1.9543(-01)	J'434-S 212	12
1.1035	11.236	1.08(+00)	2.00(-02)	2.06(-01)	8.2465(-03)	J'432-S 212	13
1.1036	11.235	3.12(-01)	2.24(-01)	1.87(-02)	1.6784(-02)	M'414-P 232	14
1.1036	11.235	8.48(-01)	1.57(+00)	1.19(-02)	3.7510(-02)	F'212-P 234	15
1.1042	11.228	1.01(+01)	2.13(+00)	1.05(-01)	8.9739(-01)	F'234-P 234	16
1.1044	11.227	1.83(-01)	1.80(-01)	2.76(-02)	1.9879(-02)	M'434-P 232	17
1.1048	11.223	5.72(+00)	2.35(+00)	5.70(-02)	8.0434(-01)	F'256-P 234	18
1.1049	11.221	1.29(+01)	1.78(-01)	8.14(-01)	2.8944(-01)	K'232-S 212	19
1.1050	11.220	1.00(+01)	1.79(-01)	6.56(-01)	4.6951(-01)	K'234-S 212	20
1.1053	11.217	2.13(+01)	2.18(-03)	2.26(-01)	9.8669(-04)	M'212-P 234	21
1.1054	11.216	5.73(+00)	3.58(+00)	5.95(-02)	8.5235(-01)	F'254-P 234	22
1.1057	11.214	1.30(+00)	2.20(-02)	1.66(-01)	1.4644(-02)	G'254-P 232	23
1.1060	11.210	5.41(+00)	1.35(-01)	7.93(-01)	4.2704(-01)	K'434-S 212	24
1.1060	11.210	1.93(+01)	1.19(+00)	4.71(-01)	2.2378(+00)	M'254-P 232	25
1.1060	11.210	1.79(+01)	2.91(+00)	7.41(-01)	1.2940(+01)	M'256-P 234	26
1.1060	11.210	1.16(+00)	2.31(-02)	8.39(-01)	3.8718(-02)	K'432-S 212	27
1.1061	11.209	4.81(+00)	1.79(-01)	7.97(-02)	2.8512(-02)	F'232-P 234	28
1.1062	11.208	2.17(+01)	3.97(-02)	6.58(-01)	5.2261(-02)	M'232-P 232	29
1.1068	11.203	4.43(-01)	6.45(-02)	3.88(-02)	5.0047(-03)	M'432-P 232	30
1.1068	11.202	1.04(+00)	1.34(-01)	1.21(-01)	6.4916(-02)	M'234-P 232	31
1.1069	11.202	7.63(+00)	2.24(-01)	4.58(-01)	4.1089(-01)	M'414-P 234	32
1.1074	11.196	3.74(+00)	1.49(+00)	5.03(-01)	4.5044(+00)	M'436-P 234	33
1.1077	11.193	3.46(+00)	1.80(-01)	5.24(-01)	3.7660(-01)	M'434-P 234	34
1.1081	11.189	3.63(+00)	2.22(-02)	1.61(-01)	1.4299(-02)	M'454-P 232	35
1.1082	11.187	1.66(+00)	4.44(-03)	1.84(-01)	1.6317(-03)	M'452-P 232	36
1.1089	11.181	1.51(+00)	3.45(-01)	2.20(-01)	3.0421(-01)	N'254-P 232	37
1.1093	11.177	1.01(-01)	1.19(+00)	2.47(-03)	1.1721(-02)	M'254-P 234	38
1.1097	11.173	1.83(-01)	2.34(+00)	2.26(-02)	1.0578(-01)	E'212-P 232	39

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.1099	11.171	1.47(−01)	4.08(−05)	3.73(−02)	6.0995(−06)	N'454-P 232	40
1.1100	11.170	6.11(−02)	1.59(−02)	1.87(−02)	5.9307(−04)	N'452-P 232	41
1.1101	11.169	3.67(−01)	1.34(−01)	4.28(−02)	2.2939(−02)	M'234-P 234	42
1.1113	11.156	3.59(−01)	2.22(−02)	1.59(−02)	1.4150(−03)	M'454-P 234	43
1.1115	11.154	1.27(−01)	4.44(−03)	1.40(−02)	1.2451(−04)	M'452-P 234	44
1.1122	11.148	3.06(−01)	2.82(−01)	5.52(−02)	9.3276(−02)	N'256-P 234	45
1.1125	11.144	4.70(−01)	4.18(+00)	8.28(−02)	6.9231(−01)	L'212-P 232	46
1.1130	11.139	8.37(−02)	2.34(+00)	1.03(−02)	4.8347(−02)	E'212-P 234	47
1.1159	11.111	3.54(−01)	4.18(+00)	6.23(−02)	5.2123(−01)	L'212-P 234	48
1.2877	9.6283	9.29(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.2948	9.5756	1.54(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 31;$							
1.0942	11.331	2.48(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.0957	11.316	4.49(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.2875	9.6300	8.52(+01)	2.05(−02)	9.25(−01)	7.5802(−02)	A'234-D'256	3
1.2875	9.6296	2.96(+01)	1.12(+00)	3.42(−01)	2.3006(+00)	A'276-D'254	4
1.2877	9.6283	9.29(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
1.2878	9.6278	9.14(+01)	1.64(−02)	9.50(−01)	3.1118(−02)	A'232-D'254	6
1.2879	9.6266	6.47(+01)	1.57(+00)	9.12(−01)	2.8640(+00)	F'212-P'234	7
1.2880	9.6264	4.82(+01)	1.12(+00)	5.57(−01)	3.7487(+00)	A'276-D'256	8
1.2885	9.6227	5.34(+01)	4.57(−01)	5.50(−01)	1.5098(+00)	A'256-D'254	9
1.2886	9.6219	8.50(+01)	2.82(−03)	9.28(−01)	1.0475(−02)	A'254-D'254	10
1.2887	9.6211	7.92(+01)	1.41(+00)	9.21(−01)	1.0415(+01)	A'278-D'256	11
1.2888	9.6203	8.14(+01)	2.13(+00)	8.52(−01)	7.2619(+00)	F'234-P'234	12
1.2888	9.6201	8.36(+01)	1.31(+00)	9.70(−01)	2.5407(+00)	B'232-S'212	13
1.2888	9.6199	8.41(+01)	2.56(−05)	9.91(−01)	1.0151(−04)	B'234-S'212	14
1.2889	9.6196	3.80(+01)	4.57(−01)	3.92(−01)	1.0754(+00)	A'256-D'256	15
1.2890	9.6187	6.94(+01)	2.18(−03)	7.38(−01)	3.2175(−03)	M'212-P'232	16
1.2891	9.6182	8.47(+01)	3.58(+00)	8.80(−01)	1.2599(+01)	F'254-P'232	17
1.2896	9.6146	8.99(+01)	2.35(+00)	8.96(−01)	1.2643(+01)	F'256-P'234	18
1.2900	9.6113	2.16(+01)	1.79(−01)	3.58(−01)	1.2807(−01)	F'232-P'232	19
1.2905	9.6078	1.35(+00)	2.45(+00)	1.29(−01)	1.2687(+00)	J'234-S'212	20
1.2908	9.6051	1.59(+01)	8.68(−04)	8.23(−01)	5.7160(−03)	I'278-D'256	21
1.2909	9.6048	6.05(+00)	1.05(−03)	4.12(−01)	1.7248(−03)	I'434-D'256	22
1.2912	9.6021	1.82(+00)	2.91(+00)	7.53(−02)	1.3154(+00)	M'256-P'234	23
1.2913	9.6015	2.89(+01)	1.79(−01)	4.79(−01)	1.7149(−01)	F'232-P'234	24
1.2924	9.5936	6.53(+00)	2.24(−01)	3.92(−01)	3.5178(−01)	M'414-P'234	25
1.2932	9.5877	6.02(−01)	1.49(+00)	8.10(−02)	7.2556(−01)	M'436-P'234	26
1.2944	9.5787	5.65(+00)	1.19(+00)	1.38(−01)	6.5642(−01)	M'254-P'232	27
1.2944	9.5786	1.75(+01)	3.82(+00)	7.77(−01)	5.9333(+00)	J'232-S'212	28
1.2948	9.5756	1.54(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
1.2949	9.5751	3.82(+00)	2.45(+00)	3.66(−01)	3.5860(+00)	J'234-D'254	30
1.2950	9.5741	1.12(+01)	5.65(−04)	6.23(−01)	7.0448(−04)	I'452-D'254	31
1.2950	9.5740	6.04(+00)	1.16(+00)	4.91(−01)	2.2864(+00)	I'234-D'254	32
1.2953	9.5723	1.87(+01)	1.32(−03)	7.80(−01)	6.1758(−03)	I'456-D'256	33
1.2954	9.5713	8.88(+00)	6.45(−02)	7.78(−01)	1.0039(−01)	M'432-P'232	34
1.2954	9.5712	3.72(+00)	9.97(−04)	5.17(−01)	3.0951(−03)	I'276-D'254	35
1.2954	9.5709	1.37(+00)	1.16(+00)	1.11(−01)	5.1793(−01)	I'234-D'256	36
1.2956	9.5694	1.07(+01)	1.30(−01)	5.21(−01)	2.7174(−01)	I'254-D'256	37
1.2957	9.5689	1.35(+01)	1.19(+00)	3.29(−01)	1.5648(+00)	M'254-P'234	38
1.2958	9.5682	1.21(+01)	2.46(−01)	8.15(−01)	1.6048(+00)	I'478-D'256	39
1.2962	9.5653	1.15(+01)	2.29(−01)	7.30(−01)	6.6808(−01)	J'434-S'212	40
1.2965	9.5631	1.50(+01)	1.05(−01)	9.41(−01)	5.9484(−01)	I'476-D'254	41
1.2967	9.5613	1.36(+01)	7.46(−01)	7.98(−01)	3.5707(+00)	M'456-P'234	42
1.2968	9.5612	3.66(+00)	2.00(−02)	6.97(−01)	2.7893(−02)	J'432-S'212	43

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.2968	9.5610	3.99(+00)	5.14(-04)	8.64(-01)	1.7748(-03)	I'474-D'254	44
1.2968	9.5610	4.38(+00)	1.34(-01)	5.11(-01)	2.7393(-01)	M'234-P'234	45
1.2972	9.5581	1.48(+01)	2.22(-02)	6.56(-01)	5.8365(-02)	M'454-P'232	46
1.2985	9.5484	2.14(+00)	1.14(+00)	1.63(-01)	7.4739(-01)	C'234-D'256	47
1.2989	9.5455	3.25(+00)	1.79(-01)	2.12(-01)	1.5189(-01)	K'234-S'212	48
1.2994	9.5414	2.28(+00)	2.34(+00)	2.82(-01)	1.3197(+00)	E'212-P'232	49
1.3008	9.5316	2.82(+00)	2.34(+00)	3.48(-01)	1.6293(+00)	E'212-P'234	50
$n = 3 \rightarrow n = 1; Z = 32;$							
1.0248	12.099	2.80(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.0251	12.095	2.35(-01)	5.88(-04)	2.30(-02)	2.7081(-05)	I'232-S 212	2
1.0262	12.082	5.50(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	3
1.0288	12.051	4.93(-02)	3.46(+00)	6.15(-03)	8.5113(-02)	J'234-S 212	4
1.0290	12.049	1.46(-01)	1.05(-01)	7.58(-03)	3.1821(-03)	I'234-S 212	5
1.0292	12.047	3.67(-01)	3.96(-02)	1.53(-02)	2.4198(-03)	I'254-S 212	6
1.0306	12.031	3.10(-01)	2.18(+00)	2.88(-03)	2.5066(-02)	F'234-P 232	7
1.0310	12.025	9.26(+00)	1.27(+00)	6.38(-01)	3.2360(+00)	C'234-S 212	8
1.0317	12.018	1.17(-01)	3.84(+00)	4.68(-03)	3.5884(-02)	J'232-S 212	9
1.0321	12.012	1.41(+01)	1.06(-01)	7.78(-01)	1.6434(-01)	C'232-S 212	10
1.0323	12.010	2.90(+00)	1.72(-01)	4.09(-02)	1.4100(-02)	F'232-P 232	11
1.0329	12.004	4.16(+00)	2.58(-01)	2.16(-01)	2.2282(-01)	J'434-S 212	12
1.0330	12.003	2.74(-01)	2.15(-01)	1.45(-02)	1.2436(-02)	M'234-P 232	13
1.0332	12.000	1.40(+00)	2.12(-02)	2.10(-01)	8.9129(-03)	J'432-S 212	14
1.0333	11.999	1.07(+00)	1.60(+00)	1.33(-02)	4.2825(-02)	F'212-P 234	15
1.0338	11.994	1.48(-01)	1.67(-01)	2.04(-02)	1.3656(-02)	M'434-P 232	16
1.0338	11.993	1.15(+01)	2.18(+00)	1.07(-01)	9.3100(-01)	F'234-P 234	17
1.0344	11.987	6.83(+00)	2.23(+00)	6.02(-02)	8.0374(-01)	F'256-P 234	18
1.0345	11.985	1.45(+01)	1.74(-01)	8.15(-01)	2.8311(-01)	K'232-S 212	19
1.0346	11.984	1.12(+01)	1.73(-01)	6.39(-01)	4.4281(-01)	K'234-S 212	20
1.0349	11.980	2.59(+01)	4.60(-03)	2.51(-01)	2.3081(-03)	M'212-P 234	21
1.0350	11.979	6.67(+00)	3.55(+00)	6.11(-02)	8.6936(-01)	F'254-P 234	22
1.0351	11.978	1.43(+00)	1.29(-02)	1.61(-01)	8.3052(-03)	G'254-P 232	23
1.0355	11.974	2.21(+01)	1.23(+00)	4.69(-01)	2.3050(+00)	M'254-P 232	24
1.0355	11.974	1.99(+01)	2.85(+00)	7.50(-01)	1.2819(+01)	M'256-P 234	25
1.0355	11.973	6.42(+00)	1.43(-01)	7.96(-01)	4.5681(-01)	K'434-S 212	26
1.0356	11.973	3.95(+00)	1.72(-01)	5.59(-02)	1.9252(-02)	F'232-P 234	27
1.0356	11.972	1.39(+00)	2.46(-02)	8.42(-01)	4.1440(-02)	K'432-S 212	28
1.0357	11.972	2.49(+01)	3.61(-02)	6.30(-01)	4.5549(-02)	M'232-P 232	29
1.0362	11.966	1.07(+00)	1.39(-01)	1.09(-01)	6.0942(-02)	M'414-P 232	30
1.0362	11.965	9.31(-01)	7.95(-02)	6.44(-02)	1.0240(-02)	M'432-P 232	31
1.0362	11.965	8.77(+00)	2.15(-01)	4.64(-01)	3.9820(-01)	M'234-P 234	32
1.0369	11.958	4.66(+00)	1.61(+00)	5.26(-01)	5.0631(+00)	M'436-P 234	33
1.0370	11.956	3.89(+00)	1.67(-01)	5.37(-01)	3.6001(-01)	M'434-P 234	34
1.0374	11.951	4.33(+00)	2.59(-02)	1.60(-01)	1.6622(-02)	M'454-P 232	35
1.0376	11.949	1.93(+00)	4.73(-03)	1.82(-01)	1.7247(-03)	M'452-P 232	36
1.0381	11.944	1.83(+00)	3.38(-01)	2.30(-01)	3.1026(-01)	N'254-P 232	37
1.0388	11.936	1.26(-01)	1.23(+00)	2.67(-03)	1.3156(-02)	M'254-P 234	38
1.0389	11.934	1.82(-01)	2.30(+00)	2.13(-02)	9.8189(-02)	E'212-P 232	39
1.0390	11.933	2.11(-01)	5.00(-05)	4.51(-02)	9.0251(-06)	N'454-P 232	40
1.0391	11.932	9.64(-02)	4.05(-02)	2.51(-02)	2.0346(-03)	N'452-P 232	41
1.0395	11.928	3.51(-01)	1.39(-01)	3.59(-02)	2.0024(-02)	M'414-P 234	42
1.0407	11.913	3.62(-01)	2.59(-02)	1.34(-02)	1.3886(-03)	M'454-P 234	43
1.0409	11.912	1.29(-01)	4.73(-03)	1.22(-02)	1.1493(-04)	M'452-P 234	44
1.0414	11.906	3.12(-01)	2.75(-01)	4.94(-02)	8.1634(-02)	N'256-P 234	45
1.0415	11.904	5.28(-01)	4.17(+00)	9.03(-02)	7.5409(-01)	L'212-P 232	46
1.0423	11.896	8.81(-02)	2.30(+00)	1.03(-02)	4.7594(-02)	E'212-P 234	47

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.0448	11.866	3.71(-01)	4.17(+00)	6.34(-02)	5.2935(-01)	L'212-P 234	48
1.2060	10.280	1.05(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.2129	10.222	1.90(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 32;$							
1.0248	12.099	2.80(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
1.0262	12.082	5.50(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.2058	10.282	9.65(+01)	2.26(-02)	9.27(-01)	8.3731(-02)	A'234-D'256	3
1.2058	10.282	3.11(+01)	1.09(+00)	3.17(-01)	2.0632(+00)	A'276-D'254	4
1.2060	10.280	1.05(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
1.2061	10.280	1.03(+02)	1.83(-02)	9.49(-01)	3.4794(-02)	A'232-D'254	6
1.2063	10.278	7.34(+01)	1.60(+00)	9.17(-01)	2.9432(+00)	F'212-P'234	7
1.2063	10.278	5.72(+01)	1.09(+00)	5.83(-01)	3.7972(+00)	A'276-D'256	8
1.2067	10.275	6.30(+01)	4.93(-01)	5.76(-01)	1.7044(+00)	A'256-D'254	9
1.2068	10.274	9.58(+01)	3.26(-03)	9.28(-01)	1.2090(-02)	A'254-D'254	10
1.2069	10.273	8.94(+01)	1.40(+00)	9.23(-01)	1.0296(+01)	A'278-D'256	11
1.2070	10.272	9.19(+01)	2.18(+00)	8.52(-01)	7.4270(+00)	F'234-P'234	12
1.2071	10.272	9.50(+01)	1.30(+00)	9.73(-01)	2.5247(+00)	B'232-S'212	13
1.2071	10.272	9.55(+01)	2.05(-03)	9.92(-01)	8.1321(-03)	B'234-S'212	14
1.2071	10.271	4.01(+01)	4.93(-01)	3.67(-01)	1.0850(+00)	A'256-D'256	15
1.2072	10.271	7.21(+01)	4.60(-03)	6.97(-01)	6.4227(-03)	M'212-P'232	16
1.2073	10.270	9.63(+01)	3.55(+00)	8.83(-01)	1.2548(+01)	F'254-P'232	17
1.2077	10.266	1.02(+02)	2.23(+00)	8.97(-01)	1.1974(+01)	F'256-P'234	18
1.2080	10.263	3.10(+01)	1.72(-01)	4.39(-01)	1.5113(-01)	F'232-P'232	19
1.2086	10.259	2.57(+00)	3.46(+00)	3.21(-01)	4.4467(+00)	J'234-S'212	20
1.2088	10.256	1.79(+01)	7.37(-04)	8.18(-01)	4.8209(-03)	I'278-D'256	21
1.2089	10.256	6.77(+00)	1.14(-03)	4.11(-01)	1.8747(-03)	I'434-D'256	22
1.2092	10.253	1.97(+00)	2.85(+00)	7.42(-02)	1.2674(+00)	M'256-P'234	23
1.2094	10.252	3.05(+01)	1.72(-01)	4.32(-01)	1.4876(-01)	F'232-P'234	24
1.2103	10.245	7.41(+00)	2.15(-01)	3.92(-01)	3.3643(-01)	M'234-P'234	25
1.2111	10.237	7.48(-01)	1.61(+00)	8.44(-02)	8.1343(-01)	M'436-P'234	26
1.2124	10.227	5.84(+00)	1.23(+00)	1.24(-01)	6.0943(-01)	M'254-P'232	27
1.2125	10.225	1.99(+01)	3.84(+00)	7.94(-01)	6.0869(+00)	J'232-S'212	28
1.2127	10.224	5.99(-01)	3.46(+00)	7.48(-02)	1.0341(+00)	J'234-D'254	29
1.2129	10.222	1.90(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
1.2130	10.221	1.15(+01)	1.05(-01)	5.98(-01)	2.5120(-01)	I'234-D'254	31
1.2131	10.221	1.42(+01)	4.06(-04)	6.49(-01)	5.2697(-04)	I'452-D'254	32
1.2133	10.219	2.23(+01)	9.30(-04)	8.00(-01)	4.4622(-03)	I'456-D'256	33
1.2134	10.218	3.88(+00)	1.78(-03)	4.87(-01)	5.1910(-03)	I'276-D'254	34
1.2134	10.218	1.13(+01)	7.95(-02)	7.79(-01)	1.2387(-01)	M'432-P'232	35
1.2136	10.216	1.34(+01)	3.96(-02)	5.59(-01)	8.8676(-02)	I'254-D'256	36
1.2137	10.215	1.64(+01)	1.23(+00)	3.49(-01)	1.7147(+00)	M'254-P'234	37
1.2138	10.215	1.54(+01)	2.76(-01)	8.21(-01)	1.8106(+00)	I'478-D'256	38
1.2141	10.212	1.41(+01)	2.58(-01)	7.31(-01)	7.5496(-01)	J'434-S'212	39
1.2144	10.210	1.31(+01)	8.78(-02)	9.24(-01)	4.8683(-01)	I'476-D'254	40
1.2145	10.209	6.02(+00)	2.93(-02)	7.39(-01)	1.3002(-01)	J'436-D'254	41
1.2146	10.208	1.70(+01)	8.29(-01)	8.14(-01)	4.0515(+00)	M'456-P'234	42
1.2147	10.207	4.68(+00)	2.12(-02)	7.03(-01)	2.9789(-02)	J'432-S'212	43
1.2147	10.207	4.91(+00)	7.75(-04)	8.69(-01)	2.6958(-03)	I'474-D'254	44
1.2147	10.207	5.27(+00)	1.39(-01)	5.40(-01)	3.0089(-01)	M'414-P'234	45
1.2150	10.204	1.80(+01)	2.59(-02)	6.65(-01)	6.9043(-02)	M'454-P'232	46
1.2163	10.194	2.39(+00)	1.27(+00)	1.65(-01)	8.3673(-01)	C'234-D'256	47
1.2165	10.192	4.05(+00)	1.73(-01)	2.32(-01)	1.6088(-01)	K'234-S'212	48
1.2171	10.187	2.42(+00)	2.30(+00)	2.84(-01)	1.3091(+00)	E'212-P'232	49
1.2185	10.176	3.04(+00)	2.30(+00)	3.57(-01)	1.6443(+00)	E'212-P'234	50

$n = 3 \rightarrow n = 1; Z = 33;$

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.96157	12.894	2.44(−01)	7.28(−04)	2.06(−02)	3.0000(−05)	I'232-S 212	1
.96165	12.893	3.14(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	2
.96303	12.874	6.66(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	3
.96515	12.846	5.92(−02)	3.43(+00)	6.81(−03)	9.3329(−02)	J'234-S 212	4
.96550	12.842	2.30(−01)	2.04(−02)	9.57(−03)	7.8171(−04)	I'234-S 212	5
.96558	12.841	3.77(−01)	1.54(−02)	1.35(−02)	8.3187(−04)	I'254-S 212	6
.96663	12.827	3.01(−01)	2.22(+00)	2.48(−03)	2.2048(−02)	F'234-P 232	7
.96733	12.817	1.03(+01)	1.38(+00)	6.44(−01)	3.5626(+00)	C'234-S 212	8
.96803	12.808	9.29(−02)	3.85(+00)	3.32(−03)	2.5585(−02)	J'232-S 212	9
.96826	12.805	2.77(+00)	1.64(−01)	3.33(−02)	1.0943(−02)	F'232-P 232	10
.96842	12.803	1.62(+01)	1.20(−01)	7.75(−01)	1.8606(−01)	C'232-S 212	11
.96879	12.798	2.43(−01)	2.08(−01)	1.14(−02)	9.4766(−03)	M'234-P 232	12
.96907	12.794	5.11(+00)	2.90(−01)	2.19(−01)	2.5419(−01)	J'434-S 212	13
.96942	12.790	1.80(+00)	2.22(−02)	2.14(−01)	9.5244(−03)	J'432-S 212	14
.96942	12.790	1.32(+00)	1.64(+00)	1.47(−02)	4.8235(−02)	F'212-P 234	15
.96962	12.787	1.21(−01)	1.58(−01)	1.52(−02)	9.6177(−03)	M'434-P 232	16
.96990	12.783	1.31(+01)	2.22(+00)	1.08(−01)	9.6240(−01)	F'234-P 234	17
.97040	12.777	8.08(+00)	2.11(+00)	6.32(−02)	7.9987(−01)	F'256-P 234	18
.97050	12.775	1.61(+01)	1.68(−01)	8.15(−01)	2.7423(−01)	K'232-S 212	19
.97056	12.775	1.23(+01)	1.66(−01)	6.20(−01)	4.1028(−01)	K'234-S 212	20
.97096	12.769	3.12(+01)	8.61(−03)	2.78(−01)	4.7883(−03)	M'212-P 234	21
.97107	12.768	7.73(+00)	3.53(+00)	6.28(−02)	8.8530(−01)	F'254-P 234	22
.97109	12.768	1.53(+00)	6.16(−03)	1.54(−01)	3.8016(−03)	G'254-P 232	23
.97139	12.764	2.20(+01)	2.78(+00)	7.58(−01)	1.2658(+01)	M'256-P 234	24
.97139	12.764	2.52(+01)	1.27(+00)	4.67(−01)	2.3681(+00)	M'254-P 232	25
.97154	12.762	2.83(+00)	1.64(−01)	3.40(−02)	1.1158(−02)	F'232-P 234	26
.97154	12.762	7.57(+00)	1.52(−01)	7.99(−01)	4.8612(−01)	K'434-S 212	27
.97154	12.762	2.84(+01)	3.22(−02)	6.04(−01)	3.8928(−02)	M'232-P 232	28
.97158	12.761	1.65(+00)	2.61(−02)	8.45(−01)	4.4133(−02)	K'432-S 212	29
.97203	12.755	1.08(+00)	1.43(−01)	9.70(−02)	5.5654(−02)	M'414-P 232	30
.97207	12.755	1.00(+01)	2.08(−01)	4.68(−01)	3.9017(−01)	M'234-P 234	31
.97211	12.754	1.59(+00)	9.46(−02)	8.79(−02)	1.6622(−02)	M'432-P 232	32
.97273	12.746	5.72(+00)	1.71(+00)	5.47(−01)	5.6002(+00)	M'436-P 234	33
.97290	12.744	4.37(+00)	1.58(−01)	5.48(−01)	3.4667(−01)	M'434-P 234	34
.97324	12.739	5.06(+00)	3.14(−02)	1.58(−01)	1.9894(−02)	M'454-P 232	35
.97339	12.738	2.22(+00)	4.97(−03)	1.80(−01)	1.7925(−03)	M'452-P 232	36
.97373	12.733	2.27(+00)	3.29(−01)	2.42(−01)	3.1766(−01)	N'254-P 232	37
.97462	12.721	3.01(−01)	5.78(−05)	5.43(−02)	1.2545(−05)	N'454-P 232	38
.97464	12.721	1.48(−01)	2.18(+00)	1.71(−02)	7.4662(−02)	E'212-P 232	39
.97469	12.721	1.48(−01)	1.27(+00)	2.74(−03)	1.3905(−02)	M'254-P 234	40
.97470	12.720	1.70(−01)	1.54(−01)	3.56(−02)	1.0963(−02)	N'452-P 232	41
.97533	12.712	3.37(−01)	1.43(−01)	3.02(−02)	1.7315(−02)	M'414-P 234	42
.97655	12.696	3.63(−01)	3.14(−02)	1.14(−02)	1.4291(−03)	M'454-P 234	43
.97670	12.694	1.29(−01)	4.97(−03)	1.05(−02)	1.0413(−04)	M'452-P 234	44
.97700	12.690	5.91(−01)	4.17(+00)	9.79(−02)	8.1602(−01)	L'212-P 232	45
.97708	12.689	3.16(−01)	2.69(−01)	4.41(−02)	7.1217(−02)	N'256-P 234	46
.97796	12.678	9.38(−02)	2.18(+00)	1.08(−02)	4.7248(−02)	E'212-P 234	47
.98033	12.647	3.87(−01)	4.17(+00)	6.40(−02)	5.3362(−01)	L'212-P 234	48
1.1318	10.955	1.18(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.1384	10.891	2.31(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 33;$							
.96165	12.893	3.14(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
.96303	12.874	6.66(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.1316	10.957	3.24(+01)	1.05(+00)	2.92(−01)	1.8422(+00)	A'276-D'254	3
1.1316	10.957	1.09(+02)	2.46(−02)	9.29(−01)	9.1493(−02)	A'234-D'256	4
1.1318	10.955	1.18(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.1319	10.954	1.15(+02)	2.03(-02)	9.48(-01)	3.8417(-02)	A'232-D'254	6
1.1320	10.953	6.74(+01)	1.05(+00)	6.07(-01)	3.8259(+00)	A'276-D'256	7
1.1320	10.953	8.28(+01)	1.64(+00)	9.21(-01)	3.0178(+00)	F'212-P'234	8
1.1324	10.949	7.37(+01)	5.29(-01)	6.00(-01)	1.9052(+00)	A'256-D'254	9
1.1325	10.948	1.07(+02)	3.70(-03)	9.29(-01)	1.3737(-02)	A'254-D'254	10
1.1326	10.947	1.01(+02)	1.38(+00)	9.24(-01)	1.0170(+01)	A'278-D'256	11
1.1326	10.947	1.03(+02)	2.22(+00)	8.53(-01)	7.5757(+00)	F'234-P'234	12
1.1327	10.946	1.08(+02)	8.42(-03)	9.92(-01)	3.3405(-02)	B'234-S'212	13
1.1327	10.946	1.08(+02)	1.28(+00)	9.75(-01)	2.5059(+00)	B'232-S'212	14
1.1328	10.945	7.26(+01)	8.61(-03)	6.46(-01)	1.1136(-02)	M'212-P'232	15
1.1328	10.945	4.20(+01)	5.29(-01)	3.42(-01)	1.0857(+00)	A'256-D'256	16
1.1329	10.944	1.09(+02)	3.53(+00)	8.85(-01)	1.2480(+01)	F'254-P'232	17
1.1333	10.940	1.15(+02)	2.11(+00)	8.97(-01)	1.1346(+01)	F'256-P'234	18
1.1336	10.938	4.38(+01)	1.64(-01)	5.25(-01)	1.7258(-01)	F'232-P'232	19
1.1341	10.932	3.75(+00)	3.43(+00)	4.31(-01)	5.9145(+00)	J'234-S'212	20
1.1343	10.930	1.99(+01)	6.20(-04)	8.13(-01)	4.0294(-03)	I'278-D'256	21
1.1344	10.930	7.56(+00)	1.21(-03)	4.09(-01)	1.9833(-03)	I'434-D'256	22
1.1347	10.927	2.13(+00)	2.78(+00)	7.35(-02)	1.2273(+00)	M'256-P'234	23
1.1349	10.925	3.14(+01)	1.64(-01)	3.76(-01)	1.2371(-01)	F'232-P'234	24
1.1356	10.918	8.39(+00)	2.08(-01)	3.92(-01)	3.2660(-01)	M'234-P'234	25
1.1365	10.909	8.89(-01)	1.71(+00)	8.51(-02)	8.7116(-01)	M'436-P'234	26
1.1378	10.896	5.97(+00)	1.27(+00)	1.11(-01)	5.6206(-01)	M'254-P'232	27
1.1380	10.895	2.23(-01)	3.43(+00)	2.56(-02)	3.5123(-01)	J'234-D'254	28
1.1381	10.894	2.26(+01)	3.85(+00)	8.08(-01)	6.2260(+00)	J'232-S'212	29
1.1384	10.891	2.31(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	30
1.1385	10.890	1.39(+01)	2.04(-02)	5.79(-01)	4.7311(-02)	I'234-D'254	31
1.1386	10.890	1.78(+01)	3.13(-04)	6.72(-01)	4.2114(-04)	I'452-D'254	32
1.1388	10.888	2.60(+01)	6.32(-04)	8.18(-01)	3.1012(-03)	I'456-D'256	33
1.1388	10.887	4.07(+00)	2.65(-03)	4.52(-01)	7.1856(-03)	I'276-D'254	34
1.1388	10.887	1.41(+01)	9.46(-02)	7.77(-01)	1.4693(-01)	M'432-P'232	35
1.1391	10.885	1.56(+01)	1.54(-02)	5.61(-01)	3.4497(-02)	I'254-D'256	36
1.1392	10.884	1.97(+01)	1.27(+00)	3.66(-01)	1.8564(+00)	M'254-P'234	37
1.1392	10.884	1.91(+01)	3.05(-01)	8.28(-01)	2.0171(+00)	I'478-D'256	38
1.1395	10.880	1.70(+01)	2.90(-01)	7.30(-01)	8.4561(-01)	J'434-S'212	39
1.1398	10.877	2.25(+01)	1.17(-01)	9.35(-01)	6.5492(-01)	I'476-D'254	40
1.1400	10.876	2.09(+01)	9.11(-01)	8.28(-01)	4.5297(+00)	M'456-P'234	41
1.1400	10.876	5.93(+00)	2.22(-02)	7.07(-01)	3.1411(-02)	J'432-S'212	42
1.1401	10.875	5.99(+00)	1.09(-03)	8.75(-01)	3.7972(-03)	I'474-D'254	43
1.1401	10.875	6.34(+00)	1.43(-01)	5.68(-01)	3.2595(-01)	M'414-P'234	44
1.1404	10.872	2.15(+01)	3.14(-02)	6.73(-01)	8.4606(-02)	M'454-P'232	45
1.1415	10.861	2.66(+00)	1.38(+00)	1.66(-01)	9.1803(-01)	C'234-D'256	46
1.1416	10.860	5.08(+00)	1.66(-01)	2.56(-01)	1.6941(-01)	K'234-S'212	47
1.1423	10.854	2.27(+00)	2.18(+00)	2.62(-01)	1.1422(+00)	E'212-P'232	48
1.1436	10.841	3.22(+00)	2.18(+00)	3.72(-01)	1.6242(+00)	E'212-P'234	49
1.1461	10.818	3.58(-02)	7.64(-07)	3.92(-01)	1.7958(-06)	K'436-D'256	50
$n = 3 \rightarrow n = 1; Z = 34;$							
.90369	13.720	2.53(-01)	8.89(-04)	1.84(-02)	3.2641(-05)	I'232-S 212	1
.90410	13.714	3.51(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	2
.90545	13.693	7.99(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	3
.90711	13.668	7.49(-02)	3.32(+00)	7.60(-03)	1.0078(-01)	J'234-S 212	4
.90759	13.661	4.04(-01)	4.58(-03)	1.37(-02)	2.5189(-04)	I'234-S 212	5
.90764	13.660	2.97(-01)	6.76(-03)	9.34(-03)	2.5276(-04)	I'454-S 212	6
.90836	13.649	2.91(-01)	2.26(+00)	2.14(-03)	1.9339(-02)	F'234-P 232	7
.90926	13.636	1.15(+01)	1.49(+00)	6.49(-01)	3.8676(+00)	C'234-S 212	8
.90989	13.626	2.62(+00)	1.55(-01)	2.66(-02)	8.2363(-03)	F'232-P 232	9

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.91000	13.625	6.14(−02)	3.87(+00)	1.97(−03)	1.5265(−02)	J'232-S 212	10
.91032	13.620	2.18(−01)	2.05(−01)	9.03(−03)	7.4188(−03)	M'234-P 232	11
.91035	13.620	1.87(+01)	1.37(−01)	7.74(−01)	2.1137(−01)	C'232-S 212	12
.91093	13.611	6.25(+00)	3.23(−01)	2.25(−01)	2.9064(−01)	J'434-S 212	13
.91116	13.607	1.01(−01)	1.51(−01)	1.15(−02)	6.9223(−03)	M'434-P 232	14
.91121	13.607	1.62(+00)	1.67(+00)	1.61(−02)	5.3669(−02)	F'212-P 234	15
.91127	13.606	2.30(+00)	2.30(−02)	2.19(−01)	1.0073(−02)	J'432-S 212	16
.91163	13.600	1.49(+01)	2.26(+00)	1.10(−01)	9.9162(−01)	F'234-P 234	17
.91209	13.593	9.48(+00)	2.00(+00)	6.60(−02)	7.9350(−01)	F'256-P 234	18
.91219	13.592	1.78(+01)	1.61(−01)	8.15(−01)	2.6262(−01)	K'232-S 212	19
.91225	13.591	1.34(+01)	1.56(−01)	5.96(−01)	3.7190(−01)	K'234-S 212	20
.91265	13.585	3.70(+01)	1.46(−02)	3.07(−01)	8.9529(−03)	M'212-P 234	21
.91271	13.584	1.63(+00)	1.94(−03)	1.46(−01)	1.1357(−03)	G'254-P 232	22
.91279	13.583	8.93(+00)	3.49(+00)	6.44(−02)	9.0075(−01)	F'254-P 234	23
.91299	13.580	2.42(+01)	2.72(+00)	7.64(−01)	1.2470(+01)	M'256-P 234	24
.91299	13.580	2.85(+01)	1.31(+00)	4.65(−01)	2.4285(+00)	M'254-P 232	25
.91313	13.578	3.22(+01)	2.82(−02)	5.80(−01)	3.2686(−02)	M'232-P 232	26
.91318	13.577	1.61(+00)	1.55(−01)	1.63(−02)	5.0512(−03)	F'232-P 234	27
.91321	13.577	8.86(+00)	1.61(−01)	8.01(−01)	5.1482(−01)	K'434-S 212	28
.91325	13.576	1.94(+00)	2.76(−02)	8.47(−01)	4.6781(−02)	K'432-S 212	29
.91357	13.571	1.08(+00)	1.46(−01)	8.45(−02)	4.9362(−02)	M'414-P 232	30
.91361	13.571	1.14(+01)	2.05(−01)	4.71(−01)	3.8662(−01)	M'234-P 234	31
.91372	13.569	2.43(+00)	1.10(−01)	1.08(−01)	2.3640(−02)	M'432-P 232	32
.91430	13.561	6.93(+00)	1.79(+00)	5.68(−01)	6.1107(+00)	M'436-P 234	33
.91445	13.558	4.89(+00)	1.51(−01)	5.57(−01)	3.3603(−01)	M'434-P 234	34
.91476	13.554	5.72(+00)	4.05(−02)	1.54(−01)	2.4936(−02)	M'454-P 232	35
.91489	13.552	2.55(+00)	5.14(−03)	1.78(−01)	1.8303(−03)	M'452-P 232	36
.91512	13.548	2.91(+00)	3.17(−01)	2.57(−01)	3.2558(−01)	N'254-P 232	37
.91596	13.536	4.31(−01)	6.25(−05)	6.51(−02)	1.6256(−05)	N'454-P 232	38
.91604	13.535	1.58(−02)	1.28(+00)	2.35(−03)	6.0282(−03)	E'212-P 232	39
.91606	13.535	3.52(−01)	1.04(+00)	4.48(−02)	9.3314(−02)	N'452-P 232	40
.91630	13.531	1.66(−01)	1.31(+00)	2.70(−03)	1.4102(−02)	M'254-P 234	41
.91688	13.522	3.25(−01)	1.46(−01)	2.54(−02)	1.4838(−02)	M'414-P 234	42
.91808	13.505	3.64(−01)	4.05(−02)	9.81(−03)	1.5892(−03)	M'454-P 234	43
.91821	13.503	1.29(−01)	5.14(−03)	9.00(−03)	9.2537(−05)	M'452-P 234	44
.91822	13.503	6.59(−01)	4.16(+00)	1.05(−01)	8.7753(−01)	L'212-P 232	45
.91848	13.499	3.18(−01)	2.64(−01)	3.91(−02)	6.1971(−02)	N'256-P 234	46
.91937	13.486	8.39(−02)	1.28(+00)	1.25(−02)	3.2016(−02)	E'212-P 234	47
.92156	13.454	4.01(−01)	4.16(+00)	6.42(−02)	5.3419(−01)	L'212-P 234	48
1.0641	11.652	1.32(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.0705	11.582	2.78(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 34;$							
.90410	13.714	3.51(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
.90545	13.693	7.99(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.0638	11.655	3.37(+01)	1.01(+00)	2.69(−01)	1.6382(+00)	A'276-D'254	3
1.0639	11.654	1.22(+02)	2.66(−02)	9.30(−01)	9.9015(−02)	A'234-D'256	4
1.0641	11.652	1.32(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
1.0642	11.651	1.29(+02)	2.21(−02)	9.47(−01)	4.1937(−02)	A'232-D'254	6
1.0642	11.650	7.89(+01)	1.01(+00)	6.30(−01)	3.8362(+00)	A'276-D'256	7
1.0643	11.650	9.30(+01)	1.67(+00)	9.25(−01)	3.0881(+00)	F'212-P'234	8
1.0646	11.646	8.56(+01)	5.64(−01)	6.24(−01)	2.1103(+00)	A'256-D'254	9
1.0647	11.645	1.20(+02)	4.14(−03)	9.29(−01)	1.5392(−02)	A'254-D'254	10
1.0648	11.644	1.13(+02)	1.36(+00)	9.26(−01)	1.0040(+01)	A'278-D'256	11
1.0648	11.643	1.16(+02)	2.26(+00)	8.53(−01)	7.7093(+00)	F'234-P'234	12
1.0649	11.643	1.21(+02)	1.81(−02)	9.92(−01)	7.1663(−02)	B'234-S'212	13

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.0649	11.643	7.03(+01)	1.46(-02)	5.84(-01)	1.7021(-02)	M'212-P'232	14
1.0649	11.643	1.21(+02)	1.27(+00)	9.77(-01)	2.4848(+00)	B'232-S'212	15
1.0650	11.642	4.38(+01)	5.64(-01)	3.19(-01)	1.0783(+00)	A'256-D'256	16
1.0651	11.641	1.23(+02)	3.49(+00)	8.87(-01)	1.2396(+01)	F'254-P'232	17
1.0655	11.637	1.29(+02)	2.00(+00)	8.96(-01)	1.0766(+01)	F'256-P'234	18
1.0656	11.635	6.02(+01)	1.55(-01)	6.11(-01)	1.8931(-01)	F'232-P'232	19
1.0662	11.628	5.06(+00)	3.32(+00)	5.13(-01)	6.8105(+00)	J'234-S'212	20
1.0664	11.627	2.21(+01)	5.17(-04)	8.07(-01)	3.3401(-03)	I'278-D'256	21
1.0664	11.626	8.44(+00)	1.26(-03)	4.06(-01)	2.0511(-03)	I'434-D'256	22
1.0667	11.623	2.32(+00)	2.72(+00)	7.32(-02)	1.1938(+00)	M'256-P'234	23
1.0670	11.620	3.12(+01)	1.55(-01)	3.16(-01)	9.7943(-02)	F'232-P'234	24
1.0676	11.614	9.47(+00)	2.05(-01)	3.92(-01)	3.2194(-01)	M'234-P'234	25
1.0685	11.604	1.02(+00)	1.79(+00)	8.38(-02)	9.0142(-01)	M'436-P'234	26
1.0699	11.589	6.06(+00)	1.31(+00)	9.88(-02)	5.1580(-01)	M'254-P'232	27
1.0702	11.585	2.55(+01)	3.87(+00)	8.21(-01)	6.3507(+00)	J'232-S'212	28
1.0705	11.582	2.78(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	29
1.0706	11.581	1.39(+01)	4.58(-03)	4.71(-01)	8.6390(-03)	I'234-D'254	30
1.0706	11.580	2.20(+01)	2.66(-04)	6.92(-01)	3.6834(-04)	I'452-D'254	31
1.0708	11.579	4.31(+00)	3.38(-03)	4.00(-01)	8.1113(-03)	I'276-D'254	32
1.0708	11.578	2.91(+01)	4.27(-04)	8.35(-01)	2.1422(-03)	I'456-D'256	33
1.0709	11.578	1.74(+01)	1.10(-01)	7.73(-01)	1.6929(-01)	M'432-P'232	34
1.0711	11.575	1.54(+01)	6.76(-03)	4.83(-01)	1.3059(-02)	I'454-D'256	35
1.0712	11.574	2.35(+01)	3.33(-01)	8.33(-01)	2.2216(+00)	I'478-D'256	36
1.0712	11.574	2.34(+01)	1.31(+00)	3.81(-01)	1.9898(+00)	M'254-P'234	37
1.0715	11.571	2.02(+01)	3.23(-01)	7.26(-01)	9.3900(-01)	J'434-S'212	38
1.0718	11.568	1.94(+00)	5.21(-03)	3.98(-01)	1.2458(-02)	J'436-D'256	39
1.0718	11.568	2.82(+01)	1.32(-01)	9.47(-01)	7.5035(-01)	I'476-D'254	40
1.0720	11.566	2.53(+01)	9.92(-01)	8.40(-01)	5.0007(+00)	M'456-P'234	41
1.0720	11.566	7.47(+00)	2.30(-02)	7.10(-01)	3.2727(-02)	J'432-S'212	42
1.0720	11.566	7.26(+00)	1.43(-03)	8.80(-01)	5.0477(-03)	I'474-D'254	43
1.0720	11.566	7.62(+00)	1.46(-01)	5.96(-01)	3.4823(-01)	M'414-P'234	44
1.0723	11.562	2.52(+01)	4.05(-02)	6.79(-01)	1.0994(-01)	M'454-P'232	45
1.0734	11.551	6.39(+00)	1.56(-01)	2.83(-01)	1.7683(-01)	K'234-S'212	46
1.0734	11.551	2.95(+00)	1.49(+00)	1.66(-01)	9.8916(-01)	C'234-D'256	47
1.0741	11.543	3.28(+00)	1.04(+00)	4.18(-01)	8.6935(-01)	N'452-P'232	48
1.0754	11.529	2.48(+00)	1.28(+00)	3.68(-01)	9.4652(-01)	E'212-P'234	49
1.0776	11.505	4.41(-02)	9.30(-07)	4.16(-01)	2.3197(-06)	K'436-D'256	50
$n = 3 \rightarrow n = 1; Z = 35;$							
.85078	14.573	2.62(-01)	1.08(-03)	1.63(-02)	3.5072(-05)	I'232-S 212	1
.85149	14.561	3.92(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	2
.85281	14.538	9.49(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	3
.85405	14.517	9.24(-02)	3.20(+00)	8.19(-03)	1.0480(-01)	J'234-S 212	4
.85465	14.507	7.20(-01)	7.10(-04)	1.97(-02)	5.5868(-05)	I'254-S 212	5
.85510	14.500	2.80(-01)	2.29(+00)	1.84(-03)	1.6924(-02)	F'234-P 232	6
.85557	14.491	8.13(-02)	1.81(-03)	8.24(-03)	5.9707(-05)	I'474-S 212	7
.85619	14.481	1.28(+01)	1.59(+00)	6.54(-01)	4.1489(+00)	C'234-S 212	8
.85656	14.475	2.44(+00)	1.44(-01)	2.09(-02)	6.0119(-03)	F'232-P 232	9
.85690	14.469	1.97(-01)	2.06(-01)	7.26(-03)	5.9732(-03)	M'234-P 232	10
.85697	14.468	2.75(-02)	3.88(+00)	7.98(-04)	6.1963(-03)	J'232-S 212	11
.85727	14.463	2.15(+01)	1.56(-01)	7.76(-01)	2.4203(-01)	C'232-S 212	12
.85775	14.455	8.49(-02)	1.45(-01)	8.76(-03)	5.0774(-03)	M'434-P 232	13
.85781	14.454	7.62(+00)	3.59(-01)	2.32(-01)	3.3358(-01)	J'434-S 212	14
.85801	14.450	1.95(+00)	1.70(+00)	1.74(-02)	5.9063(-02)	F'212-P 234	15
.85812	14.448	2.93(+00)	2.37(-02)	2.23(-01)	1.0549(-02)	J'432-S 212	16
.85838	14.444	1.69(+01)	2.29(+00)	1.11(-01)	1.0187(+00)	F'234-P 234	17

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.85881	14.437	1.10(+01)	1.91(+00)	6.87(-02)	7.8532(-01)	F'256-P 234	18
.85891	14.435	1.94(+01)	1.53(-01)	8.13(-01)	2.4812(-01)	K'232-S 212	19
.85897	14.434	1.45(+01)	1.44(-01)	5.68(-01)	3.2799(-01)	K'234-S 212	20
.85936	14.428	4.31(+01)	2.24(-02)	3.37(-01)	1.5134(-02)	M'212-P 234	21
.85937	14.427	1.71(+00)	1.14(-04)	1.38(-01)	6.2543(-05)	G'254-P 232	22
.85954	14.425	1.03(+01)	3.46(+00)	6.62(-02)	9.1649(-01)	F'254-P 234	23
.85962	14.423	2.66(+01)	2.66(+00)	7.69(-01)	1.2267(+01)	M'256-P 234	24
.85963	14.423	3.23(+01)	1.34(+00)	4.64(-01)	2.4873(+00)	M'254-P 232	25
.85975	14.421	3.62(+01)	2.42(-02)	5.58(-01)	2.7000(-02)	M'232-P 232	26
.85992	14.418	1.03(+01)	1.69(-01)	8.03(-01)	5.4280(-01)	K'434-S 212	27
.85996	14.418	2.28(+00)	2.91(-02)	8.49(-01)	4.9371(-02)	K'432-S 212	28
.86016	14.414	1.06(+00)	1.47(-01)	7.22(-02)	4.2429(-02)	M'414-P 232	29
.86019	14.414	1.28(+01)	2.06(-01)	4.71(-01)	3.8804(-01)	M'234-P 234	30
.86036	14.411	3.44(+00)	1.24(-01)	1.25(-01)	3.0898(-02)	M'432-P 232	31
.86091	14.402	8.30(+00)	1.87(+00)	5.88(-01)	6.5914(+00)	M'436-P 234	32
.86105	14.399	5.48(+00)	1.45(-01)	5.65(-01)	3.2754(-01)	M'434-P 234	33
.86133	14.395	6.08(+00)	5.79(-02)	1.45(-01)	3.3601(-02)	M'454-P 232	34
.86144	14.393	2.89(+00)	5.24(-03)	1.75(-01)	1.8334(-03)	M'452-P 232	35
.86157	14.391	3.98(+00)	2.97(-01)	2.77(-01)	3.2830(-01)	N'254-P 232	36
.86237	14.377	6.17(-01)	6.22(-05)	7.76(-02)	1.9317(-05)	N'454-P 232	37
.86244	14.376	5.66(-02)	2.49(-01)	1.09(-02)	5.4442(-03)	N'452-P 232	38
.86254	14.374	3.75(-01)	2.07(+00)	3.51(-02)	1.4529(-01)	E'212-P 232	39
.86295	14.368	1.80(-01)	1.34(+00)	2.59(-03)	1.3881(-02)	M'254-P 234	40
.86347	14.359	3.14(-01)	1.47(-01)	2.14(-02)	1.2605(-02)	M'414-P 234	41
.86452	14.342	7.31(-01)	4.16(+00)	1.13(-01)	9.3806(-01)	L'212-P 232	42
.86465	14.339	3.66(-01)	5.79(-02)	8.73(-03)	2.0227(-03)	M'454-P 234	43
.86477	14.337	1.27(-01)	5.24(-03)	7.69(-03)	8.0538(-05)	M'452-P 234	44
.86494	14.335	3.18(-01)	2.59(-01)	3.46(-02)	5.3818(-02)	N'256-P 234	45
.86577	14.321	4.31(-02)	2.49(-01)	8.35(-03)	4.1531(-03)	N'452-P 234	46
.86588	14.319	5.89(-02)	2.07(+00)	5.52(-03)	2.2820(-02)	E'212-P 234	47
.86787	14.286	4.14(-01)	4.16(+00)	6.39(-02)	5.3128(-01)	L'212-P 234	48
1.0021	12.372	1.47(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
1.0085	12.294	3.32(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 35;$							
.85149	14.561	3.92(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
.85281	14.538	9.49(+00)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
1.0019	12.375	3.48(+01)	9.79(-01)	2.47(-01)	1.4515(+00)	A'276-D'254	3
1.0020	12.374	1.36(+02)	2.85(-02)	9.31(-01)	1.0624(-01)	A'234-D'256	4
1.0021	12.372	1.47(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
1.0022	12.371	1.43(+02)	2.40(-02)	9.46(-01)	4.5305(-02)	A'232-D'254	6
1.0023	12.370	9.17(+01)	9.79(-01)	6.52(-01)	3.8296(+00)	A'276-D'256	7
1.0023	12.369	1.04(+02)	1.70(+00)	9.27(-01)	3.1543(+00)	F'212-P'234	8
1.0026	12.366	9.89(+01)	5.98(-01)	6.46(-01)	2.3180(+00)	A'256-D'254	9
1.0027	12.365	1.34(+02)	4.59(-03)	9.28(-01)	1.7032(-02)	A'254-D'254	10
1.0029	12.363	1.30(+02)	2.29(+00)	8.53(-01)	7.8290(+00)	F'234-P'234	11
1.0029	12.363	1.26(+02)	1.34(+00)	9.27(-01)	9.9088(+00)	A'278-D'256	12
1.0029	12.363	6.55(+01)	2.24(-02)	5.13(-01)	2.3039(-02)	M'212-P'232	13
1.0029	12.362	1.35(+02)	3.00(-02)	9.93(-01)	1.1916(-01)	B'234-S'212	14
1.0029	12.362	1.36(+02)	1.26(+00)	9.79(-01)	2.4623(+00)	B'232-S'212	15
1.0031	12.361	4.54(+01)	5.98(-01)	2.96(-01)	1.0636(+00)	A'256-D'256	16
1.0031	12.360	1.38(+02)	3.46(+00)	8.88(-01)	1.2297(+01)	F'254-P'232	17
1.0031	12.360	6.79(+00)	1.08(-03)	4.22(-01)	9.1071(-04)	I'232-D'254	18
1.0035	12.356	1.44(+02)	1.91(+00)	8.95(-01)	1.0235(+01)	F'256-P'234	19
1.0035	12.355	8.05(+01)	1.44(-01)	6.89(-01)	1.9850(-01)	F'232-P'232	20
1.0041	12.347	6.52(+00)	3.20(+00)	5.79(-01)	7.3997(+00)	J'234-S'212	21

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
1.0043	12.346	2.45(+01)	4.28(-04)	8.02(-01)	2.7475(-03)	I'278-D'256	22
1.0046	12.342	2.53(+00)	2.66(+00)	7.31(-02)	1.1660(+00)	M'256-P'234	23
1.0053	12.333	1.07(+01)	2.06(-01)	3.92(-01)	3.2289(-01)	M'234-P'234	24
1.0063	12.321	1.14(+00)	1.87(+00)	8.10(-02)	9.0816(-01)	M'436-P'234	25
1.0078	12.303	6.12(+00)	1.34(+00)	8.80(-02)	4.7162(-01)	M'254-P'232	26
1.0082	12.298	2.87(+01)	3.88(+00)	8.32(-01)	6.4598(+00)	J'232-S'212	27
1.0085	12.294	3.32(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	28
1.0085	12.293	2.68(+01)	2.52(-04)	7.08(-01)	3.5654(-04)	I'452-D'254	29
1.0086	12.293	1.60(+01)	2.98(-03)	4.55(-01)	5.4263(-03)	I'454-D'254	30
1.0087	12.292	2.98(+01)	3.09(-04)	8.53(-01)	1.5820(-03)	I'456-D'256	31
1.0088	12.291	2.12(+01)	1.24(-01)	7.69(-01)	1.9080(-01)	M'432-P'232	32
1.0090	12.288	1.94(+01)	7.10(-04)	5.29(-01)	1.5038(-03)	I'254-D'256	33
1.0091	12.287	2.86(+01)	3.61(-01)	8.38(-01)	2.4221(+00)	I'478-D'256	34
1.0091	12.287	2.74(+01)	1.34(+00)	3.94(-01)	2.1146(+00)	M'254-P'234	35
1.0093	12.285	2.52(+01)	2.42(-02)	3.88(-01)	1.8776(-02)	M'232-P'234	36
1.0093	12.284	2.36(+01)	3.59(-01)	7.20(-01)	1.0337(+00)	J'434-S'212	37
1.0095	12.282	3.31(+00)	5.55(-03)	4.26(-01)	1.4188(-02)	J'436-D'256	38
1.0096	12.280	3.39(+01)	1.42(-01)	9.52(-01)	8.1295(-01)	I'476-D'254	39
1.0098	12.279	3.03(+01)	1.07(+00)	8.51(-01)	5.4609(+00)	M'456-P'234	40
1.0098	12.279	9.35(+00)	2.37(-02)	7.12(-01)	3.3701(-02)	J'432-S'212	41
1.0098	12.278	8.73(+00)	1.81(-03)	8.85(-01)	6.4114(-03)	I'474-D'254	42
1.0098	12.278	9.15(+00)	1.47(-01)	6.24(-01)	3.6688(-01)	M'414-P'234	43
1.0101	12.275	2.86(+01)	5.79(-02)	6.82(-01)	1.5806(-01)	M'454-P'232	44
1.0104	12.271	2.72(+00)	2.97(-01)	1.89(-01)	2.2459(-01)	N'254-P'232	45
1.0110	12.264	8.08(+00)	1.44(-01)	3.16(-01)	1.8221(-01)	K'234-S'212	46
1.0111	12.263	3.24(+00)	1.59(+00)	1.65(-01)	1.0489(+00)	C'234-D'256	47
1.0117	12.255	4.50(+00)	2.07(+00)	4.22(-01)	1.7442(+00)	E'212-P'232	48
1.0131	12.239	2.79(+00)	2.07(+00)	2.62(-01)	1.0825(+00)	E'212-P'234	49
1.0150	12.215	5.36(-02)	1.12(-06)	4.38(-01)	2.9521(-06)	K'436-D'256	50
$n = 3 \rightarrow n = 1; Z = 36;$							
.80230	15.454	2.70(-01)	1.31(-03)	1.43(-02)	3.7367(-05)	I'232-S 212	1
.80327	15.435	4.36(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	2
.80457	15.410	1.12(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	3
.80543	15.394	1.10(-01)	3.08(+00)	8.56(-03)	1.0543(-01)	J'234-S 212	4
.80598	15.383	1.69(-01)	1.73(+00)	1.35(-03)	4.6725(-03)	F'212-P 232	5
.80613	15.380	9.04(-01)	3.04(-04)	2.05(-02)	2.4906(-05)	I'254-S 212	6
.80630	15.377	2.69(-01)	2.33(+00)	1.59(-03)	1.4785(-02)	F'234-P 232	7
.80700	15.364	9.65(-02)	2.21(-03)	8.22(-03)	7.2554(-05)	I'474-S 212	8
.80756	15.353	1.43(+01)	1.67(+00)	6.58(-01)	4.4062(+00)	C'234-S 212	9
.80771	15.350	2.23(+00)	1.32(-01)	1.62(-02)	4.2825(-03)	F'232-P 232	10
.80795	15.346	1.80(-01)	2.11(-01)	5.90(-03)	4.9684(-03)	M'234-P 232	11
.80864	15.333	2.47(+01)	1.80(-01)	7.81(-01)	2.8048(-01)	C'232-S 212	12
.80881	15.329	7.23(-02)	1.40(-01)	6.75(-03)	3.7860(-03)	M'434-P 232	13
.80913	15.323	9.29(+00)	3.97(-01)	2.42(-01)	3.8477(-01)	J'434-S 212	14
.80926	15.321	2.32(+00)	1.73(+00)	1.86(-02)	6.4366(-02)	F'212-P 234	15
.80942	15.318	3.71(+00)	2.41(-02)	2.27(-01)	1.0936(-02)	J'432-S 212	16
.80959	15.315	1.90(+01)	2.33(+00)	1.12(-01)	1.0438(+00)	F'234-P 234	17
.81000	15.307	1.28(+01)	1.82(+00)	7.12(-02)	7.7593(-01)	F'256-P 234	18
.81010	15.305	2.09(+01)	1.43(-01)	8.09(-01)	2.3067(-01)	K'232-S 212	19
.81015	15.304	1.56(+01)	1.30(-01)	5.36(-01)	2.7936(-01)	K'234-S 212	20
.81050	15.297	1.78(+00)	4.59(-04)	1.29(-01)	2.3663(-04)	G'254-P 232	21
.81053	15.297	4.91(+01)	3.17(-02)	3.65(-01)	2.3163(-02)	M'212-P 234	22
.81073	15.293	2.92(+01)	2.60(+00)	7.73(-01)	1.2055(+01)	M'256-P 234	23
.81074	15.293	1.18(+01)	3.42(+00)	6.82(-02)	9.3387(-01)	F'254-P 234	24
.81075	15.293	3.63(+01)	1.37(+00)	4.63(-01)	2.5453(+00)	M'254-P 232	25

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.81085	15.291	4.05(+01)	2.04(-02)	5.39(-01)	2.1958(-02)	M'232-P 232	26
.81109	15.286	1.19(+01)	1.77(-01)	8.05(-01)	5.6993(-01)	K'434-S 212	27
.81112	15.286	2.65(+00)	3.05(-02)	8.50(-01)	5.1892(-02)	K'432-S 212	28
.81122	15.284	1.01(+00)	1.46(-01)	6.02(-02)	3.5236(-02)	M'414-P 232	29
.81125	15.283	1.44(+01)	2.11(-01)	4.70(-01)	3.9591(-01)	M'234-P 234	30
.81148	15.279	4.61(+00)	1.38(-01)	1.38(-01)	3.8124(-02)	M'432-P 232	31
.81199	15.269	9.84(+00)	1.93(+00)	6.07(-01)	7.0405(+00)	M'436-P 234	32
.81212	15.267	6.13(+00)	1.40(-01)	5.71(-01)	3.2076(-01)	M'434-P 234	33
.81237	15.262	5.48(+00)	9.95(-02)	1.24(-01)	4.9392(-02)	M'454-P 232	34
.81247	15.260	3.26(+00)	5.24(-03)	1.72(-01)	1.7976(-03)	M'452-P 232	35
.81252	15.259	6.13(+00)	2.53(-01)	2.95(-01)	2.9829(-01)	N'254-P 232	36
.81328	15.245	8.89(-01)	5.53(-05)	9.20(-02)	2.0367(-05)	N'454-P 232	37
.81334	15.244	1.58(-01)	8.84(-02)	2.82(-02)	4.9866(-03)	N'452-P 232	38
.81350	15.241	3.57(-01)	2.22(+00)	3.09(-02)	1.3691(-01)	E'212-P 232	39
.81406	15.230	1.91(-01)	1.37(+00)	2.43(-03)	1.3362(-02)	M'254-P 234	40
.81454	15.221	3.05(-01)	1.46(-01)	1.81(-02)	1.0615(-02)	M'414-P 234	41
.81533	15.207	8.08(-01)	4.15(+00)	1.20(-01)	9.9707(-01)	L'212-P 232	42
.81570	15.200	3.66(-01)	9.95(-02)	8.30(-03)	3.3017(-03)	M'454-P 234	43
.81580	15.198	1.24(-01)	5.24(-03)	6.54(-03)	6.8495(-05)	M'452-P 234	44
.81589	15.196	3.17(-01)	2.55(-01)	3.05(-02)	4.6669(-02)	N'256-P 234	45
.81668	15.182	3.41(-02)	8.84(-02)	6.08(-03)	1.0750(-03)	N'452-P 234	46
.81684	15.179	7.23(-02)	2.22(+00)	6.25(-03)	2.7746(-02)	E'212-P 234	47
.81869	15.144	4.25(-01)	4.15(+00)	6.33(-02)	5.2518(-01)	L'212-P 234	48
.94537	13.115	1.64(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	49
.95156	13.030	3.93(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	50
$n = 2 \rightarrow n = 1; Z = 36;$							
.80327	15.435	4.36(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'133-Y 111	1
.80457	15.410	1.12(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R'333-Y 111	2
.94509	13.119	3.57(+01)	9.44(-01)	2.26(-01)	1.2817(+00)	A'276-D'254	3
.94525	13.117	1.52(+02)	3.04(-02)	9.32(-01)	1.1312(-01)	A'234-D'256	4
.94537	13.115	1.64(+02)	0.00(+00)	1.00(+00)	0.0000(+00)	R 133-Y 111	5
.94547	13.114	1.58(+02)	2.57(-02)	9.44(-01)	4.8475(-02)	A'232-D'254	6
.94552	13.113	1.06(+02)	9.44(-01)	6.72(-01)	3.8078(+00)	A'276-D'256	7
.94558	13.112	1.16(+02)	1.73(+00)	9.29(-01)	3.2168(+00)	F'212-P'234	8
.94581	13.109	1.14(+02)	6.31(-01)	6.67(-01)	2.5264(+00)	A'256-D'254	9
.94589	13.108	1.49(+02)	5.02(-03)	9.27(-01)	1.8640(-02)	A'254-D'254	10
.94597	13.107	5.89(+01)	3.17(-02)	4.38(-01)	2.7769(-02)	M'212-P'232	11
.94602	13.106	1.45(+02)	2.33(+00)	8.53(-01)	7.9363(+00)	F'234-P'234	12
.94605	13.106	1.40(+02)	1.32(+00)	9.28(-01)	9.7782(+00)	A'278-D'256	13
.94608	13.105	1.51(+02)	4.35(-02)	9.93(-01)	1.7277(-01)	B'234-S'212	14
.94611	13.105	1.53(+02)	1.24(+00)	9.80(-01)	2.4390(+00)	B'232-S'212	15
.94624	13.103	4.68(+01)	6.31(-01)	2.75(-01)	1.0426(+00)	A'256-D'256	16
.94624	13.103	8.48(+00)	1.31(-03)	4.50(-01)	1.1745(-03)	I'232-D'254	17
.94627	13.103	1.54(+02)	3.42(+00)	8.89(-01)	1.2178(+01)	F'254-P'232	18
.94658	13.098	1.60(+02)	1.82(+00)	8.94(-01)	9.7519(+00)	F'256-P'234	19
.94662	13.098	1.04(+02)	1.32(-01)	7.55(-01)	1.9916(-01)	F'232-P'232	20
.94722	13.089	8.14(+00)	3.08(+00)	6.32(-01)	7.7829(+00)	J'234-S'212	21
.94731	13.088	2.70(+01)	3.52(-04)	7.96(-01)	2.2440(-03)	I'278-D'256	22
.94759	13.084	2.77(+00)	2.60(+00)	7.33(-02)	1.1428(+00)	M'256-P'234	23
.94829	13.075	1.20(+01)	2.11(-01)	3.93(-01)	3.3113(-01)	M'234-P'234	24
.94931	13.061	1.25(+00)	1.93(+00)	7.72(-02)	8.9580(-01)	M'436-P'234	25
.95080	13.040	6.14(+00)	1.37(+00)	7.83(-02)	4.3011(-01)	M'254-P'232	26
.95129	13.033	3.22(+01)	3.89(+00)	8.41(-01)	6.5504(+00)	J'232-S'212	27
.95156	13.030	3.93(+01)	0.00(+00)	1.00(+00)	0.0000(+00)	R 333-Y 111	28
.95163	13.029	3.23(+01)	2.63(-04)	7.23(-01)	3.7975(-04)	I'452-D'254	29
.95165	13.028	2.57(+01)	9.21(-04)	6.49(-01)	2.3915(-03)	I'454-D'254	30

Continued on next page

WL, Å	E, keV	A	G	K	QD	Transition	No
.95170	13.028	2.49(+01)	2.43(−04)	8.70(−01)	1.2710(−03)	J'436-D'256	31
.95181	13.026	2.56(+01)	1.38(−01)	7.66(−01)	2.1136(−01)	M'432-P'232	32
.95201	13.023	3.07(+01)	3.04(−04)	6.96(−01)	8.4531(−04)	I'254-D'256	33
.95206	13.023	1.63(+01)	2.77(−03)	6.24(−01)	1.0388(−02)	I'276-D'256	34
.95210	13.022	3.44(+01)	3.88(−01)	8.42(−01)	2.6169(+00)	I'478-D'256	35
.95214	13.022	3.18(+01)	1.37(+00)	4.06(−01)	2.2307(+00)	M'254-P'234	36
.95228	13.020	3.08(+01)	2.04(−02)	4.10(−01)	1.6709(−02)	M'232-P'234	37
.95234	13.019	2.72(+01)	3.97(−01)	7.10(−01)	1.1276(+00)	J'434-S'212	38
.95264	13.015	4.02(+01)	1.51(−01)	9.56(−01)	8.6800(−01)	I'476-D'254	39
.95274	13.014	3.60(+01)	1.15(+00)	8.60(−01)	5.9080(+00)	M'456-P'234	40
.95274	13.013	1.16(+01)	2.41(−02)	7.12(−01)	3.4292(−02)	J'432-S'212	41
.95278	13.013	1.04(+01)	2.21(−03)	8.89(−01)	7.8529(−03)	I'474-D'254	42
.95280	13.013	1.10(+01)	1.46(−01)	6.51(−01)	3.8111(−01)	M'414-P'234	43
.95303	13.010	2.99(+01)	9.95(−02)	6.77(−01)	2.6949(−01)	M'454-P'232	44
.95325	13.007	6.49(+00)	2.53(−01)	3.12(−01)	3.1592(−01)	N'254-P'232	45
.95379	12.999	1.03(+01)	1.30(−01)	3.54(−01)	1.8424(−01)	K'234-S'212	46
.95400	12.996	3.55(+00)	1.67(+00)	1.64(−01)	1.0969(+00)	C'234-D'256	47
.95455	12.989	4.81(+00)	2.22(+00)	4.16(−01)	1.8459(+00)	E'212-P'232	48
.95590	12.970	3.33(+00)	2.22(+00)	2.89(−01)	1.2803(+00)	E'212-P'234	49
.95765	12.947	6.46(−02)	1.34(−06)	4.59(−01)	3.7047(−06)	K'436-D'256	50