Power Laws and Gaussians for Stock Market Fluctuations

Çağlar Tuncay and Dietrich Stauffer^{*} Department of Physics, Middle East Technical University 06531 Ankara, Turkey caglart@metu.edu.tr stauffer@thp.uni-koeln.de

* Visiting from Institute for Theoretical Physics, Cologne University, D-50923 Köln, Euroland

Abstract

The daily volume of transaction on the New York Stock Exchange and its day-to-day fluctuations are analysed with respect to power-law tails as well long-term trends. We also model the transition to a Gaussian distribution for longer time intervals, like months instead of days.

Keywords: Fat tails, normal distribution, Pareto distribution. PACS numbers: 89.65.Gh

1 Introduction

The statistical analysis of stock market fluctuations has a long tradition, in economics [1] as well as physics [2]. It is widely accepted that the probability distribution function for relative price changes is neither a Gaussian nor a Lévy distribution but has power-law or "fat" tails. Thus the probability $P_>(r)$ for the relative price change (more precisely for the change r in the logarithm of the price) to be larger than r decays roughly as

$$P_{>}(r) \propto 1/r^3, \quad P(r) \propto 1/r^4 \tag{1}$$

where P(r) is the direct distribution, not the cumulative one.

Besides the price x also the volume V and the number of transactions T (both per day) is of interest [3], related through

$$V = xT \quad . \tag{2}$$

Here we are interested in daily closures and not in price changes during the trading day, and assume that one stock is followed which does not split into different companies, merge with other companies, or loses its identity for other reasons. For market indices like the Dow Jones (DJIA), and changing

its composition over the years, we simply define T as the ratio V/x. Our V is measured in dollars per day, or more generally in local currency units (lcu) per day.

In the next section we compare the long-time trends in x, V and T for the DJIA as well as for International Business Machines. Section 3 looks at the probability distribution functions for V and T and also for their daily changes, analogously to the well-known return distributions of Eq.(1). Section 4 offer a simple model to explain why the distribution of monthly returns deviates from Eq(1) and gets closer to a Gaussian [4, 5].

2 Long-time trends

For the DJIA [6] we see in Fig.1 that the price x(t) showed lot of different behaviour since 1940 [7], while the volume V(t) increased roughly exponentially. However, the fluctuations in V were quite strong in 1940 at the end of the Great Recession, and also in recent months. Perhaps these recent fluctuations signal a transition to a different regime, to be seen in the coming years. The data for T(t) show more coupling with the price x: In the last half century, exponential increase in x corresponded to a flat T(t) while a flat x was accompanied by an exponentially increasing T.

The exponential increase for V(t) is seen for the daily volume, the weekly volume, and the monthly volume, with the two latter quantities summing (not averaging) over the trading days in that time interval. However, the large fluctuations in V(t) in 1940 and now are seen clearer for the monthly than the weekly or daily volumes and thus are shown in Fig.1a,b. Similar results (not shown) were obtained for the NASDAQ and S & P 500 indices during the more recent decades.

Analogous data for the single company IBM instead of the index DJIA are shown in Fig.2a,b, and here the above observations for T cannot be repeated. Instead a price increase twice corresponded to a falling T.

3 Distributions

The distributions of the daily volumes and transactions would not be the analog of the return distributions in Eq.(1) since the returns are the price *changes*. Thus we look in Fig.3 at the changes from one day to the next,



Figure 1: DJIA for V (part a) and T (part b)

V(t) - V(t-1) and T(t) - T(t-1) for DJIA and IBM. We see no good power laws; instead an exponential or Gaussian distribution fits the data better overall. This conclusion should be regarded as preliminary; it is possible that more accurate data over a larger number of decades [2] would give a different result.

Thus within the limits of our statistics the probability distribution functions for volumes and their changes do not show the fat tails known from the price fluctuations.



Figure 2: IBM for V (part a) and T (part b)

4 Crossover

The above discrepancy between price and volume fluctuations shows up if we look at daily changes or even shorter times [2, 1]. If instead we look at price changes from one month to the other, a crossover towards a more Gaussian distribution of returns r is found [4]. We now offer a simple model to explain this crossover from the power-law of Eq.(1) to a Gaussian behavior,

$$\ln[P(r)/P(0)] \propto -r^2$$
 . (3)

We assume that the power law comes from intrinsic market behaviour, like herding [5, 4], while the Gaussian fluctuations come from outside economic



Figure 3: Probability distribution faction for the daily changes in T, plotted versus the squared change. The straight line corresponds to a Gaussian tail.

or political facts like inventions, wars, \dots [8]. For short times, few outside disturbances happen and the power-law prevails; in longer time intervals more outside events influence the prices, and if these outside events are random, they accumulate to a Gaussian influence.

As a quantitative model, we simulated a return distribution $P(r) \propto 1/r^4$ with integer r; one unit in r may correspond to a few tenths of a percent. (Each r is rounded from $\pm z^{-1/3}$ where z is taken randomly between 0 and 1.) Then each r produced in this random way is modified by m consecutive additions of +1, -1 and zero, with probabilities 1/4, 1/4, and 1/2, respectively. The case m = 0 is not shown and corresponds to Eq.(1); the cases



Figure 4: Crossover from power law for small m to Gaussian distribution for large m in a superposition of Pareto power and random noise. $m = 1(+), 10(\times)$ and 100(stars).

m = 1, 10, 100 are shown in Fig.4 from 10^8 samples. We see that m = 1 barely differs from the power law, while for m = 10 we see a Gaussian in the center and the power law in the tails. For m = 100 nearly the whole range follows a Gaussian, and the fat tails are so small that they would be visible only in high-quality statistics of real markets. Asymptotically, however, the tails should always follow the power law.

We thank Ondrej Hudak for comments on the manuscript. DS thanks Emre Sururi Taşci and Nazım Dugan for help with Turkish computers.

References

[1] T. Lux, Appl. Financial Economics 6 (1996) 463.

- [2] P. Gopikrishnan, M. Meyer, L.A. Nunes Amaral, H.E. Stanley, Eur. Phys. J. B 3 (1998) 139.
- [3] P. Gopikrishnan, V. Plerou, X. Gabaix, H. Eugene Stanley, Phys. Rev. E 62 (2000) R4493.
- [4] P. Gopikrishnan, V. Plerou, L.A.N. Amaral, M. Meyer and H.E.Stanley, Phys. Rev. E 60 (1999) 5305; L. Kullmann and J. Kertész, Int. J. Mod. Phys. C 12 (2001) 1211.
- [5] D. Stauffer, T.J.P. Penna, Physica A 256 (1998) 284.
- [6] For detailed information about DJIA and other NYSE indices and shares, URL: http://biz.yahoo.com/i/.
- [7] Ç. Tuncay, Central Eur. J. Phys. 4 (2006) 58.
- [8] D. Sornette. p.95 in: Extreme Events in Nature and Society, edited by S. Albeverio, V. Jentsch and H. Kantz. Springer, Berlin- Heidelberg 2006.