

This is the worksheet accompanying the paper E.Ferapontov & B.Kruglikov "Dispersionless integrable systems in 3D and Einstein-Weyl geometry".

The file ran on **Maple** version 16, the package **DifferentialGeometry** was used.

Integrable equations of type I have 5 normal forms and for them we check that integrability is equivalent to EW property.

>

> `with(DifferentialGeometry) : with(Tensor) : with(Tools) : with(JetCalculus) :`  
`with(LinearAlgebra) : with(PDEtools, D_Dx, declare, ToJet, FromJet) :`

[Equation 1] `u_{xx}+u_{yy}-(log(1-e^u))_{yy}-(log(1-e^u))_{tt}=0`

> `DGsetup([t, x, y], [u], J2) :`

> `F := u[2, 2] + u[3, 3] - TotalDiff(log(1 - exp(u[1])), [3, 3]) - TotalDiff(log(1 - exp(u[1])), [1, 1])`

$$F := u_{2,2} + u_{3,3} - \left( -\frac{e^{u[]}}{1 - e^{u[]}} u_3 - \frac{(e^{u[]})^2}{(1 - e^{u[]})^2} u_3 \right) u_3 + \frac{e^{u[]}}{1 - e^{u[]}} u_{3,3} - \left( -\frac{e^{u[]}}{1 - e^{u[]}} u_1 - \frac{(e^{u[]})^2}{(1 - e^{u[]})^2} u_1 \right) u_1 + \frac{e^{u[]}}{1 - e^{u[]}} u_{1,1} \quad (1)$$

> `A := Matrix([ [ diff(F, u[1, 1]), \frac{1}{2} diff(F, u[1, 2]), \frac{1}{2} diff(F, u[1, 3]) ], [ \frac{1}{2} diff(F, u[1, 2]), diff(F, u[2, 2]), \frac{1}{2} diff(F, u[2, 3]) ], [ \frac{1}{2} diff(F, u[1, 3]), \frac{1}{2} diff(F, u[2, 3]), diff(F, u[3, 3]) ] ] ) : AA := expand(MatrixInverse(A))`

$$AA := \begin{bmatrix} -\frac{-1 + e^{u[]}}{e^{u[]}} & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 - e^{u[]} \end{bmatrix} \quad (2)$$

> `DepVars := [u(t, x, y)] : FromJet(AA, DepVars)`

$$\begin{bmatrix} -\frac{-1 + e^{u(t, x, y)}}{e^{u(t, x, y)}} & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 - e^{u(t, x, y)} \end{bmatrix} \quad (3)$$

A is the matrix of the symbol of the operator (bi-vector) and AA is the matrix of the inverse metric.  
Both are defined up to conformal factor.

> `DGsetup([t, x, y], M) :`

> `g := evalDG((e^{-u(t, x, y)} - 1) \cdot dt \& dt + dx \& dx + (1 - e^{u(t, x, y)}) \cdot dy \& dy) :`

> `CotTen := CottonTensor(g) :`

>  $CTJ := ToJet(CotTen, DepVars, notation = jetnumbers)$

We remove output of the Cotton tensor - it is large, does not simplify to zero, meaning the equation is not linearizable. Next we compute the connection.

>  $C := Connection(a000 * dt \& t D_t \& t dt + a111 * dx \& t D_x \& t dx + a222 * dy \& t D_y \& t dy + a001 * (dt \& t D_t \& t dx + dx \& t D_t \& t dt) + a002 * (dt \& t D_t \& t dy + dy \& t D_t \& t dt) + a102 * (dx \& t D_t \& t dy + dy \& t D_t \& t dx) + a011 * (dt \& t D_x \& t dx + dx \& t D_x \& t dt) + a012 * (dt \& t D_x \& t dy + dy \& t D_x \& t dt) + a112 * (dx \& t D_x \& t dy + dy \& t D_x \& t dx) + a021 * (dt \& t D_y \& t dx + dx \& t D_y \& t dt) + a022 * (dt \& t D_y \& t dy + dy \& t D_y \& t dt) + a122 * (dx \& t D_y \& t dy + dy \& t D_y \& t dx) + a010 * dt \& t D_x \& t dt + a121 * dx \& t D_y \& t dx + a202 * dy \& t D_t \& t dy + a020 * dt \& t D_y \& t dt + a101 * dx \& t D_t \& t dx + a212 * dy \& t D_x \& t dy) :$

>  $TorsionTensor(C);$

$$0 \, dt \, D_t \, dt \quad (4)$$

>  $U1 := \kappa_{11}(u(t, x, y)) \cdot diff(u(t, x, y), t) + \kappa_{12}(u(t, x, y)) \cdot diff(u(t, x, y), x) + \kappa_{13}(u(t, x, y)) \cdot diff(u(t, x, y), y) :$

$U2 := \kappa_{21}(u(t, x, y)) \cdot diff(u(t, x, y), t) + \kappa_{22}(u(t, x, y)) \cdot diff(u(t, x, y), x) + \kappa_{23}(u(t, x, y)) \cdot diff(u(t, x, y), y) :$

$U3 := \kappa_{31}(u(t, x, y)) \cdot diff(u(t, x, y), t) + \kappa_{32}(u(t, x, y)) \cdot diff(u(t, x, y), x) + \kappa_{33}(u(t, x, y)) \cdot diff(u(t, x, y), y) :$

>  $Et := evalDG(DirectionalCovariantDerivative(D_t, g, C) + U1 \cdot g) :$

$Ex := evalDG(DirectionalCovariantDerivative(D_x, g, C) + U2 \cdot g) :$

$Ey := evalDG(DirectionalCovariantDerivative(D_y, g, C) + U3 \cdot g) :$

$U1 \cdot dt + U2 \cdot dx + U3 \cdot dy = -\omega$  is the 1-form (covector) defining the connection.

We have chosen them in the quasilinear 1st order form basing on the form of the PDE, but experiments show that we got the same answer for any general form.

We shall compute the coefficients  $U[i]$  from the EW condition.

>  $Eq000 := TensorInnerProduct(g, Et, dt \& t dt) :$   
 $Eq001 := TensorInnerProduct(g, Et, dt \& t dx) :$   
 $Eq002 := TensorInnerProduct(g, Et, dt \& t dy) :$   
 $Eq011 := TensorInnerProduct(g, Et, dx \& t dx) :$   
 $Eq012 := TensorInnerProduct(g, Et, dx \& t dy) :$   
 $Eq022 := TensorInnerProduct(g, Et, dy \& t dy) :$   
 $Eq100 := TensorInnerProduct(g, Ex, dt \& t dt) :$   
 $Eq101 := TensorInnerProduct(g, Ex, dt \& t dx) :$   
 $Eq102 := TensorInnerProduct(g, Ex, dt \& t dy) :$   
 $Eq111 := TensorInnerProduct(g, Ex, dx \& t dx) :$   
 $Eq112 := TensorInnerProduct(g, Ex, dx \& t dy) :$   
 $Eq122 := TensorInnerProduct(g, Ex, dy \& t dy) :$   
 $Eq200 := TensorInnerProduct(g, Ey, dt \& t dt) :$   
 $Eq201 := TensorInnerProduct(g, Ey, dt \& t dx) :$   
 $Eq202 := TensorInnerProduct(g, Ey, dt \& t dy) :$   
 $Eq211 := TensorInnerProduct(g, Ey, dx \& t dx) :$   
 $Eq212 := TensorInnerProduct(g, Ey, dx \& t dy) :$   
 $Eq222 := TensorInnerProduct(g, Ey, dy \& t dy) :$

>  $sA := solve(\{Eq000=0, Eq001=0, Eq002=0, Eq011=0, Eq012=0, Eq022=0, Eq100=0, Eq101=0, Eq102=0, Eq111=0, Eq112=0, Eq122=0, Eq200=0, Eq201=0, Eq202=0, Eq211=0, Eq212=0, Eq222=0\}, [a000, a001, a002, a010, a011, a012, a020, a021, a022, a101, a102, a111, a112, a121, a122, a202, a212, a222]) :$

>  $C1 := evalDG(subs(\{op(op(sA))\}, C)) :$

```

> evalDG(CovariantDerivative(g, C1) + g &t (U1·dt + U2·dx + U3 ·dy));
          0 dt dt dt
(5)

> R1 := CurvatureTensor(C1) : Ric1 := RicciTensor(R1) : T1 := SymmetrizeIndices(Ric1, [1, 2],
    "Symmetric") : Res := evalDG(T1 - V·g) :
> NEQtt := TensorInnerProduct(g, Res, dt &t dt) : NEQtx := TensorInnerProduct(g, Res, dt
    &t dx) :
NEQty := TensorInnerProduct(g, Res, dt &t dy) : NEQxx := TensorInnerProduct(g, Res, dx
    &t dx) :
NEQxy := TensorInnerProduct(g, Res, dx &t dy) : NEQyy := TensorInnerProduct(g, Res, dy
    &t dy) :
>
> NEQtt := ContractIndices(Res, D_t &t D_t, [[1, 1], [2, 2]]) : NEQtx := ContractIndices(Res,
    D_t &t D_x, [[1, 1], [2, 2]]) :
NEQty := ContractIndices(Res, D_t &t D_y, [[1, 1], [2, 2]]) : NEQxx := ContractIndices(Res,
    D_x &t D_x, [[1, 1], [2, 2]]) :
NEQxy := ContractIndices(Res, D_x &t D_y, [[1, 1], [2, 2]]) : NEQyy := ContractIndices(Res,
    D_y &t D_y, [[1, 1], [2, 2]]) :

```

Thus we got 5 equations specifying EW condition  $\text{Ricci}(\nabla)=V\cdot g$  for some scalar function  $V$ .

Next we restrict everything to the equation, and for this we pass to jet-notations. Then we solve for the terms  $\alpha[ij]$  of the coefficients  $U[i]$  of the covector.

```

> DGsetup([t, x, y], [u], J2, 4) :
> de := DifferentialEquationData([F], [u1, 1])
de := 
$$\left[ \{u_{1, 1}\}, \left[ u_{2, 2} + u_{3, 3} - \left( -\frac{e^u u_3}{1 - e^u} - \frac{(e^u)^2 u_3}{(1 - e^u)^2} \right) u_3 + \frac{e^u u_{3, 3}}{1 - e^u} - \left( -\frac{e^u u_1}{1 - e^u} \right. \right. \right. \\ \left. \left. \left. - \frac{(e^u)^2 u_1}{(1 - e^u)^2} \right) u_1 + \frac{e^u u_{1, 1}}{1 - e^u} \right] \right] \quad (6)$$


```

```
> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :
```

```
> Eq0 := Pullback(deTRA, ToJet(NEQtt, DepVars, notation = jetnumbers)) :
```

```
> VS := solve(Eq0, V) :
```

```
> Eq1 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQtx, DepVars, notation
    = jetnumbers)))) :
```

```
Eq2 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation
    = jetnumbers)))) :
```

```
Eq3 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation
    = jetnumbers)))) :
```

```
Eq4 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation
    = jetnumbers)))) :
```

```
Eq5 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation
    = jetnumbers)))) :
```

```
J2 > SQEI := simplify(diff(Eq1, u1, 2))
```

$$SQEI := -6 e^{3u} - 4 \alpha_{11}(u) e^{3u} - 4 \alpha_{22}(u) e^{3u} + \alpha_{11}(u) - 4 \alpha_{11}(u) e^u \quad (7)$$

$$\begin{aligned}
& + \kappa_{22}(u_{[]}) - 4 \kappa_{22}(u_{[]}) e^{u_{[]}} + 6 e^{2u_{[]}} - 2 e^u_{[]} + 6 \kappa_{22}(u_{[]}) e^{2u_{[]}} + \kappa_{11}(u_{[]}) e^{4u_{[]}} \\
& + \kappa_{22}(u_{[]}) e^{4u_{[]}} + 6 \kappa_{11}(u_{[]}) e^{2u_{[]}} + 2 e^{4u_{[]}}
\end{aligned}$$

>  $\text{simplify}(\text{diff}(Eq1, u_{1,3}))$

$$\kappa_{23}(u_{[]}) (-4 e^{3u_{[]}} + 1 - 4 e^u_{[]} + 6 e^{2u_{[]}} + e^{4u_{[]}}) \quad (8)$$

>  $\text{simplify}(\text{diff}(Eq1, u_{2,2}))$

$$\begin{aligned}
& - 4 \kappa_{12}(u_{[]}) e^{3u_{[]}} + \kappa_{12}(u_{[]}) - 4 \kappa_{12}(u_{[]}) e^{u_{[]}} - 5 \kappa_{21}(u_{[]}) e^{3u_{[]}} - \kappa_{21}(u_{[]}) e^{-u_{[]}} \\
& + 10 \kappa_{21}(u_{[]}) e^{2u_{[]}} + \kappa_{21}(u_{[]}) e^{4u_{[]}} - 10 \kappa_{21}(u_{[]}) e^u_{[]} + \kappa_{12}(u_{[]}) e^{4u_{[]}} \\
& + 6 \kappa_{12}(u_{[]}) e^{2u_{[]}} + 5 \kappa_{21}(u_{[]})
\end{aligned}$$

>  $\text{simplify}(\text{diff}(Eq1, u_{2,3}))$

$$\kappa_{13}(u_{[]}) (-4 e^{3u_{[]}} + 1 - 4 e^u_{[]} + 6 e^{2u_{[]}} + e^{4u_{[]}}) \quad (10)$$

>  $\text{simplify}(\text{diff}(Eq1, u_{3,3}))$

$$- \kappa_{21}(u_{[]}) (e^{3u_{[]}} + e^{-u_{[]}} - 4 e^{2u_{[]}} + 6 e^u_{[]} - 4) \quad (11)$$

>  $\text{simplify}(\text{diff}(Eq2, u_{1,2}))$

$$\kappa_{32}(u_{[]}) (3 e^{2u_{[]}} - 3 e^u_{[]} + 1 - e^{3u_{[]}}) \quad (12)$$

>  $SQE2 := \text{simplify}(\text{diff}(Eq2, u_{1,3}))$

$$\begin{aligned}
SQE2 := & 3 \kappa_{11}(u_{[]}) e^{2u_{[]}} + 3 \kappa_{33}(u_{[]}) e^{2u_{[]}} - 3 \kappa_{11}(u_{[]}) e^u_{[]} - 3 \kappa_{33}(u_{[]}) e^u_{[]} + \kappa_{11}(u_{[]}) \\
& - \kappa_{11}(u_{[]}) e^{3u_{[]}} + \kappa_{33}(u_{[]}) - \kappa_{33}(u_{[]}) e^{3u_{[]}}
\end{aligned}$$

>  $\text{simplify}(\text{diff}(Eq2, u_{2,2}))$

$$- \kappa_{31}(u_{[]}) (e^{3u_{[]}} + e^{-u_{[]}} - 4 e^{2u_{[]}} + 6 e^u_{[]} - 4) \quad (14)$$

>  $\text{simplify}(\text{diff}(Eq2, u_{2,3}))$

$$\kappa_{12}(u_{[]}) (3 e^{2u_{[]}} - 3 e^u_{[]} + 1 - e^{3u_{[]}}) \quad (15)$$

>  $\text{simplify}(\text{diff}(Eq2, u_{3,3}))$

$$\begin{aligned}
3 \kappa_{31}(u_{[]}) + 3 \kappa_{13}(u_{[]}) e^{2u_{[]}} - 3 \kappa_{31}(u_{[]}) e^u_{[]} - \kappa_{31}(u_{[]}) e^{-u_{[]}} + \kappa_{31}(u_{[]}) e^{2u_{[]}} \\
- 3 \kappa_{13}(u_{[]}) e^u_{[]} + \kappa_{13}(u_{[]}) - \kappa_{13}(u_{[]}) e^{3u_{[]}}
\end{aligned}$$

>  $\text{simplify}(\text{diff}(Eq3, u_{1,2}))$

$$- 252 \kappa_{12}(u_{[]}) e^{3u_{[]}} - 504 \kappa_{21}(u_{[]}) e^{3u_{[]}} + 420 \kappa_{21}(u_{[]}) e^{4u_{[]}} + 252 \kappa_{12}(u_{[]}) e^{4u_{[]}} \quad (17)$$

$$\begin{aligned}
& + 90 \kappa_{21}(u_{[]}) + 18 \kappa_{12}(u_{[]}) - 72 \kappa_{12}(u_{[]}) e^{\frac{u}{[]}} + 168 \kappa_{12}(u_{[]}) e^{\frac{2u}{[]}} \\
& - 20 \kappa_{21}(u_{[]}) e^{\frac{-u}{[]}} - 240 \kappa_{21}(u_{[]}) e^{\frac{u}{[]}} + 420 \kappa_{21}(u_{[]}) e^{\frac{2u}{[]}} - 2 \kappa_{12}(u_{[]}) e^{\frac{-u}{[]}} \\
& + 2 \kappa_{12}(u_{[]}) e^{\frac{8u}{[]}} + 2 \kappa_{21}(u_{[]}) e^{\frac{8u}{[]}} + 72 \kappa_{12}(u_{[]}) e^{\frac{6u}{[]}} - 18 \kappa_{12}(u_{[]}) e^{\frac{7u}{[]}} \\
& - 240 \kappa_{21}(u_{[]}) e^{\frac{5u}{[]}} + 90 \kappa_{21}(u_{[]}) e^{\frac{6u}{[]}} - 20 \kappa_{21}(u_{[]}) e^{\frac{7u}{[]}} + 2 \kappa_{21}(u_{[]}) e^{\frac{-2u}{[]}} \\
& - 168 \kappa_{12}(u_{[]}) e^{\frac{5u}{[]}}
\end{aligned}$$

>  $\text{simplify}(\text{diff}(Eq3, u_{1,3}))$

$$\begin{aligned}
& - 2 \kappa_{13}(u_{[]}) \left( -9 + e^{\frac{-u}{[]}} - 36 e^{\frac{6u}{[]}} - e^{\frac{8u}{[]}} + 84 e^{\frac{5u}{[]}} + 9 e^{\frac{7u}{[]}} - 84 e^{\frac{2u}{[]}} + 126 e^{\frac{3u}{[]}} \right. \\
& \left. - 126 e^{\frac{4u}{[]}} + 36 e^{\frac{u}{[]}} \right) \tag{18}
\end{aligned}$$

>  $SQE3 := \text{simplify}(\text{diff}(Eq3, u_{2,2}))$

$$\begin{aligned}
SQE3 := & 36 - 144 e^{\frac{u}{[]}} + 90 \kappa_{22}(u_{[]}) + 90 \kappa_{11}(u_{[]}) - 4 e^{\frac{-u}{[]}} - 504 e^{\frac{3u}{[]}} + 2 \kappa_{22}(u_{[]}) e^{\frac{8u}{[]}} \tag{19} \\
& + 2 \kappa_{11}(u_{[]}) e^{\frac{8u}{[]}} + 2 \kappa_{22}(u_{[]}) e^{\frac{-2u}{[]}} + 90 \kappa_{22}(u_{[]}) e^{\frac{6u}{[]}} - 20 \kappa_{22}(u_{[]}) e^{\frac{7u}{[]}} \\
& - 240 \kappa_{22}(u_{[]}) e^{\frac{5u}{[]}} - 240 \kappa_{11}(u_{[]}) e^{\frac{5u}{[]}} + 90 \kappa_{11}(u_{[]}) e^{\frac{6u}{[]}} - 20 \kappa_{11}(u_{[]}) e^{\frac{7u}{[]}} \\
& - 20 \kappa_{22}(u_{[]}) e^{\frac{-u}{[]}} + 2 e^{\frac{-2u}{[]}} \kappa_{11}(u_{[]}) - 20 e^{\frac{-u}{[]}} \kappa_{11}(u_{[]}) + 144 e^{\frac{6u}{[]}} + 336 e^{\frac{2u}{[]}} \\
& - 36 e^{\frac{7u}{[]}} - 336 e^{\frac{5u}{[]}} + 4 e^{\frac{8u}{[]}} + 420 \kappa_{22}(u_{[]}) e^{\frac{2u}{[]}} - 240 \kappa_{22}(u_{[]}) e^{\frac{u}{[]}} \\
& + 420 \kappa_{11}(u_{[]}) e^{\frac{2u}{[]}} - 504 \kappa_{11}(u_{[]}) e^{\frac{3u}{[]}} - 504 \kappa_{22}(u_{[]}) e^{\frac{3u}{[]}} + 420 \kappa_{11}(u_{[]}) e^{\frac{4u}{[]}} \\
& + 420 \kappa_{22}(u_{[]}) e^{\frac{4u}{[]}} - 240 \kappa_{11}(u_{[]}) e^{\frac{u}{[]}} + 504 e^{\frac{4u}{[]}}
\end{aligned}$$

>  $\text{simplify}(\text{diff}(Eq3, u_{2,3}))$

$$\begin{aligned}
& - 2 \kappa_{23}(u_{[]}) \left( 10 e^{\frac{-u}{[]}} - e^{\frac{8u}{[]}} - 45 e^{\frac{6u}{[]}} + 120 e^{\frac{5u}{[]}} - e^{\frac{-2u}{[]}} + 10 e^{\frac{7u}{[]}} + 252 e^{\frac{3u}{[]}} \right. \\
& \left. - 210 e^{\frac{4u}{[]}} - 45 + 120 e^{\frac{u}{[]}} - 210 e^{\frac{2u}{[]}} \right) \tag{20}
\end{aligned}$$

>  $SQE4 := \text{simplify}(\text{diff}(Eq3, u_{3,3}))$

$$\begin{aligned}
SQE4 := & 72 - 168 e^{\frac{u}{[]}} + 72 \kappa_{11}(u_{[]}) + 2 e^{\frac{-2u}{[]}} - 18 e^{\frac{-u}{[]}} - 252 e^{\frac{3u}{[]}} - 72 \kappa_{11}(u_{[]}) e^{\frac{5u}{[]}} \tag{21} \\
& + 18 \kappa_{11}(u_{[]}) e^{\frac{6u}{[]}} - 2 \kappa_{11}(u_{[]}) e^{\frac{7u}{[]}} + 2 e^{\frac{-2u}{[]}} \kappa_{11}(u_{[]}) - 18 e^{\frac{-u}{[]}} \kappa_{11}(u_{[]}) \\
& + 18 e^{\frac{6u}{[]}} + 252 e^{\frac{2u}{[]}} - 2 e^{\frac{7u}{[]}} - 72 e^{\frac{5u}{[]}} + 252 \kappa_{11}(u_{[]}) e^{\frac{2u}{[]}} - 252 \kappa_{11}(u_{[]}) e^{\frac{3u}{[]}} \\
& + 168 \kappa_{11}(u_{[]}) e^{\frac{4u}{[]}} - 168 \kappa_{11}(u_{[]}) e^{\frac{u}{[]}} + 168 e^{\frac{4u}{[]}}
\end{aligned}$$

$$\begin{aligned}
& > \text{simplify}(\text{diff}(Eq4, u_{1,2})) \\
& \quad \kappa 3 I(u_{[]}) (3 e^{-u_{[]}} + e^{u_{[]}} - e^{-2u_{[]}} - 3) \tag{22}
\end{aligned}$$

$$\begin{aligned}
& > \text{simplify}(\text{diff}(Eq4, u_{1,3})) \\
& \quad \kappa 2 I(u_{[]}) (3 e^{-u_{[]}} + e^{u_{[]}} - e^{-2u_{[]}} - 3) \tag{23}
\end{aligned}$$

$$\begin{aligned}
& > \text{simplify}(\text{diff}(Eq4, u_{2,2})) \\
& \quad \kappa 3 2(u_{[]}) (3 e^{-u_{[]}} + e^{u_{[]}} - e^{-2u_{[]}} - 3) \tag{24}
\end{aligned}$$

$$\begin{aligned}
& > SQE5 := \text{simplify}(\text{diff}(Eq4, u_{2,3})) \\
& SQE5 := \kappa 2 2(u_{[]}) e^{u_{[]}} + 3 \kappa 3 3(u_{[]}) e^{-u_{[]}} - \kappa 2 2(u_{[]}) e^{-2u_{[]}} + 3 \kappa 2 2(u_{[]}) e^{-u_{[]}} \\
& \quad - \kappa 3 3(u_{[]}) e^{-2u_{[]}} + \kappa 3 3(u_{[]}) e^{u_{[]}} - 3 \kappa 3 3(u_{[]}) - 3 \kappa 2 2(u_{[]}) + 2 e^{-2u_{[]}} - 4 e^{-u_{[]}} + 2 \tag{25}
\end{aligned}$$

$$\begin{aligned}
& > \text{simplify}(\text{diff}(Eq4, u_{3,3})) \\
& \quad \kappa 2 3(u_{[]}) (3 e^{-u_{[]}} + e^{u_{[]}} - e^{-2u_{[]}} - 3) \tag{26}
\end{aligned}$$

$$\begin{aligned}
& > \text{simplify}(\text{diff}(Eq5, u_{1,2})) \\
& 2 \kappa 1 2(u_{[]}) (-9 + e^{-u_{[]}} - 36 e^{6u_{[]}} - e^{8u_{[]}} + 84 e^{5u_{[]}} + 9 e^{7u_{[]}} - 84 e^{2u_{[]}} + 126 e^{3u_{[]}} \\
& \quad - 126 e^{4u_{[]}} + 36 e^{u_{[]}}) \tag{27}
\end{aligned}$$

$$\begin{aligned}
& > \text{simplify}(\text{diff}(Eq5, u_{1,3})) \\
& 252 \kappa 3 1(u_{[]}) e^{3u_{[]}} + 72 e^{5u_{[]}} \kappa 3 1(u_{[]}) + 2 \kappa 3 1(u_{[]}) e^{7u_{[]}} - 168 \kappa 3 1(u_{[]}) e^{4u_{[]}} \\
& \quad - 18 \kappa 3 1(u_{[]}) e^{6u_{[]}} - 252 \kappa 3 1(u_{[]}) e^{2u_{[]}} - 72 \kappa 3 1(u_{[]}) - 18 \kappa 1 3(u_{[]}) \\
& \quad + 2 \kappa 1 3(u_{[]}) e^{-u_{[]}} - 72 \kappa 1 3(u_{[]}) e^{6u_{[]}} - 2 \kappa 1 3(u_{[]}) e^{8u_{[]}} + 168 \kappa 1 3(u_{[]}) e^{5u_{[]}} \\
& \quad + 18 \kappa 1 3(u_{[]}) e^{7u_{[]}} - 2 \kappa 3 1(u_{[]}) e^{-2u_{[]}} + 18 \kappa 3 1(u_{[]}) e^{-u_{[]}} + 168 \kappa 3 1(u_{[]}) e^{u_{[]}} \\
& \quad - 168 \kappa 1 3(u_{[]}) e^{2u_{[]}} + 72 \kappa 1 3(u_{[]}) e^{u_{[]}} + 252 \kappa 1 3(u_{[]}) e^{3u_{[]}} - 252 \kappa 1 3(u_{[]}) e^{4u_{[]}} \tag{28}
\end{aligned}$$

$$\begin{aligned}
& > SQE6 := \text{simplify}(\text{diff}(Eq5, u_{2,2})) \\
& SQE6 := -90 + 240 e^{u_{[]}} - 90 \kappa 1 1(u_{[]}) - 2 e^{-2u_{[]}} + 20 e^{-u_{[]}} + 504 e^{3u_{[]}} - 2 \kappa 1 1(u_{[]}) e^{8u_{[]}} \\
& \quad + 240 \kappa 1 1(u_{[]}) e^{5u_{[]}} - 90 \kappa 1 1(u_{[]}) e^{6u_{[]}} + 20 \kappa 1 1(u_{[]}) e^{7u_{[]}} - 2 e^{-2u_{[]}} \kappa 1 1(u_{[]}) \\
& \quad + 20 e^{-u_{[]}} \kappa 1 1(u_{[]}) - 90 e^{6u_{[]}} - 420 e^{2u_{[]}} + 20 e^{7u_{[]}} + 240 e^{5u_{[]}} - 2 e^{8u_{[]}} \\
& \quad - 420 \kappa 1 1(u_{[]}) e^{2u_{[]}} + 504 \kappa 1 1(u_{[]}) e^{3u_{[]}} - 420 \kappa 1 1(u_{[]}) e^{4u_{[]}} + 240 \kappa 1 1(u_{[]}) e^{u_{[]}} \\
& \quad - 420 e^{4u_{[]}} \tag{29}
\end{aligned}$$

$$\begin{aligned} & \text{>} \text{simplify}(\text{diff}(Eq5, u_{2,3})) \\ & 2 \kappa 32(u_{[]}) \left( 126 e^{3u_{[]}} + 84 e^{u_{[]}} - 126 e^{2u_{[]}} + 36 e^{5u_{[]}} - 9 e^{6u_{[]}} + e^{7u_{[]}} - 84 e^{4u_{[]}} - 36 \right. \\ & \quad \left. + 9 e^{-u_{[]}} - e^{-2u_{[]}} \right) \end{aligned} \quad (30)$$

$$\begin{aligned} & \text{>} \text{SQE7} := \text{simplify}(\text{diff}(Eq5, u_{3,3})) \\ & \text{SQE7} := 252 \kappa 33(u_{[]}) e^{3u_{[]}} + 72 e^{5u_{[]}} \kappa 33(u_{[]}) + 2 \kappa 33(u_{[]}) e^{7u_{[]}} - 168 \kappa 33(u_{[]}) e^{4u_{[]}} \\ & \quad - 18 \kappa 33(u_{[]}) e^{6u_{[]}} - 72 \kappa 33(u_{[]}) - 72 \kappa 11(u_{[]}) + 18 \kappa 33(u_{[]}) e^{-u_{[]}} \\ & \quad - 2 \kappa 33(u_{[]}) e^{-2u_{[]}} + 72 \kappa 11(u_{[]}) e^{5u_{[]}} - 18 \kappa 11(u_{[]}) e^{6u_{[]}} + 2 \kappa 11(u_{[]}) e^{7u_{[]}} \\ & \quad - 2 e^{-2u_{[]}} \kappa 11(u_{[]}) + 18 e^{-u_{[]}} \kappa 11(u_{[]}) + 168 \kappa 33(u_{[]}) e^{u_{[]}} - 252 \kappa 33(u_{[]}) e^{2u_{[]}} \\ & \quad - 252 \kappa 11(u_{[]}) e^{2u_{[]}} + 252 \kappa 11(u_{[]}) e^{3u_{[]}} - 168 \kappa 11(u_{[]}) e^{4u_{[]}} + 168 \kappa 11(u_{[]}) e^{u_{[]}} \end{aligned} \quad (31)$$

$$\begin{aligned} & \text{>} \text{solve}([SQE1, SQE2, SQE3, SQE4, SQE5, SQE6], \{\kappa 11(u_{[]}), \kappa 22(u_{[]}), \kappa 33(u_{[]})\}) \\ & \quad \left\{ \kappa 11(u_{[]}) = -1, \kappa 22(u_{[]}) = \frac{e^{-u_{[]}} - e^u_{[]} - e^{-2u_{[]}} + 1}{3 e^{-u_{[]}} + e^u_{[]} - e^{-2u_{[]}} - 3}, \kappa 33(u_{[]}) = 1 \right\} \end{aligned} \quad (32)$$

Finally, by only studying the symbols of the EW equations, we determined completely the covector  $\omega$ . Now let us check the EW property in full.

```

M > DGsetup([t, x, y], M) :
> U1 := -diff(u(t, x, y), t) :
U2 :=  $\frac{e^{-u(t, x, y)} - e^{u(t, x, y)} - e^{-2u(t, x, y)} + 1}{3 e^{-u(t, x, y)} + e^{u(t, x, y)} - e^{-2u(t, x, y)} - 3} \cdot \text{diff}(u(t, x, y), x) :$ 
U3 := diff(u(t, x, y), y) :

> Et := evalDG(DirectionalCovariantDerivative(D_t, g, C) + U1·g) :
Ex := evalDG(DirectionalCovariantDerivative(D_x, g, C) + U2·g) :
Ey := evalDG(DirectionalCovariantDerivative(D_y, g, C) + U3·g) :
> Eq000 := TensorInnerProduct(g, Et, dt &t dt) :
Eq001 := TensorInnerProduct(g, Et, dt &t dx) :
Eq002 := TensorInnerProduct(g, Et, dt &t dy) :
Eq011 := TensorInnerProduct(g, Et, dx &t dx) :
Eq012 := TensorInnerProduct(g, Et, dx &t dy) :
Eq022 := TensorInnerProduct(g, Et, dy &t dy) :
Eq100 := TensorInnerProduct(g, Ex, dt &t dt) :
Eq101 := TensorInnerProduct(g, Ex, dt &t dx) :
Eq102 := TensorInnerProduct(g, Ex, dt &t dy) :
Eq111 := TensorInnerProduct(g, Ex, dx &t dx) :
Eq112 := TensorInnerProduct(g, Ex, dx &t dy) :
Eq122 := TensorInnerProduct(g, Ex, dy &t dy) :
Eq200 := TensorInnerProduct(g, Ey, dt &t dt) :
Eq201 := TensorInnerProduct(g, Ey, dt &t dx) :
Eq202 := TensorInnerProduct(g, Ey, dt &t dy) :
Eq211 := TensorInnerProduct(g, Ey, dx &t dx) :

```

```

Eq212 := TensorInnerProduct(g, Ey, dx & t dy) :
Eq222 := TensorInnerProduct(g, Ey, dy & t dy) :
> sA := solve( {Eq000=0, Eq001=0, Eq002=0, Eq011=0, Eq012=0, Eq022=0, Eq100=0,
                 Eq101=0, Eq102=0, Eq111=0, Eq112=0, Eq122=0, Eq200=0, Eq201=0, Eq202=0,
                 Eq211=0, Eq212=0, Eq222=0}, [a000, a001, a002, a010, a011, a012, a020, a021, a022,
                 a101, a102, a111, a112, a121, a122, a202, a212, a222] ) :
> C1 := evalDG( subs( {op(op(sA))}, C ) ) :
> evalDG(CovariantDerivative(g, C1) + g &t (U1·dt + U2·dx + U3·dy));
                                         0 dt dt dt

```

(33)

```

> R1 := CurvatureTensor(C1) : Ric1 := RicciTensor(R1) : T1 := SymmetrizeIndices(Ric1, [1, 2],
                                         "Symmetric") : Res := evalDG(T1 - V·g) :
> NEQtt := TensorInnerProduct(g, Res, dt &t dt) : NEQtx := TensorInnerProduct(g, Res, dt
                                         &t dx) :
NEQty := TensorInnerProduct(g, Res, dt &t dy) : NEQxx := TensorInnerProduct(g, Res, dx
                                         &t dx) :
NEQxy := TensorInnerProduct(g, Res, dx &t dy) : NEQyy := TensorInnerProduct(g, Res, dy
                                         &t dy) :
>
> DGsetup([t, x, y], [u], J2, 4) :
> de := DifferentialEquationData([F], [u1, 1])
de := 
$$\left[ \{u_{1, 1}\}, \left[ u_{2, 2} + u_{3, 3} - \left( -\frac{e^u u_3}{1 - e^u} - \frac{(e^u)^2 u_3}{(1 - e^u)^2} \right) u_3 + \frac{e^u u_{3, 3}}{1 - e^u} - \left( -\frac{e^u u_1}{1 - e^u} \right. \right. \right.$$


$$- \left. \left. \left. \frac{(e^u)^2 u_1}{(1 - e^u)^2} \right) u_1 + \frac{e^u u_{1, 1}}{1 - e^u} \right] \right]$$


```

> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :

> Eq0 := Pullback(deTRA, ToJet(NEQtt, DepVars, notation = jetnumbers)) :

> VS := solve(Eq0, V) :

> Eq1 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQtx, DepVars, notation = jetnumbers)))) :

> Eq2 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation = jetnumbers)))) :

> Eq3 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation = jetnumbers)))) :

> Eq4 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation = jetnumbers)))) :

> Eq5 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation = jetnumbers)))) :

> simplify([Eq1, Eq2, Eq3, Eq4, Eq5])

[0, 0, 0, 0, 0]

(35)

> **simplify(VS)**

$$\frac{1}{2} \left( 22880 u_{2, 2} + 22880 u_{3, 3} - 2 u_{3, 3}^{7u} - 3003 u_2^2 e^{2u} + e^{7u} u_2^2 + 5005 e^u u_2^2 \right)$$

(36)

$$\begin{aligned}
& + 1365 e^{3u} u_2^2 + e^{7u} u_1^2 - 2 e^{7u} u_{2,2} - 6435 u_2^2 + e^{7u} u_3^2 - 6435 u_3^2 - 6435 u_1^2 \\
& - 16016 u_{2,2} e^u - 16016 e^u u_{3,3} + 5005 e^u u_3^2 + 5005 e^u u_1^2 + 8736 e^{2u} u_{3,3} \\
& - 3003 e^{2u} u_3^2 - 3003 e^{2u} u_1^2 - 3640 e^{3u} u_{2,2} + 32 u_{3,3} e^{-8u} - 240 u_{2,2} e^{-7u} \\
& + 3003 u_1^2 e^{-3u} - 5005 u_1^2 e^{-2u} + 455 u_2^2 e^{-5u} - 1365 u_2^2 e^{-4u} + 1365 u_1^2 e^{3u} \\
& + 3003 u_2^2 e^{-3u} + 6435 u_1^2 e^{-u} - 455 u_1^2 e^{4u} - 455 u_2^2 e^{4u} + 105 u_2^2 e^{5u} - 455 \\
& u_3^2 e^{4u} - 1365 u_3^2 e^{-4u} + 15 u_3^2 e^{-7u} + 455 u_3^2 e^{-5u} - 105 u_3^2 e^{-6u} + 15 u_1^2 e^{-7u} \\
& + 3003 u_3^2 e^{-3u} + 15 u_2^2 e^{-7u} - 1365 u_1^2 e^{-4u} + 455 u_1^2 e^{-5u} - 105 u_1^2 e^{-6u} - 105 \\
& u_2^2 e^{-6u} - u_2^2 e^{-8u} - u_3^2 e^{-8u} - u_1^2 e^{-8u} + 1120 u_{2,2} e^{-6u} - 16016 u_{3,3} e^{-3u} \\
& + 1120 u_{3,3} e^{4u} + 8736 u_{3,3} e^{-4u} - 3640 u_{3,3} e^{-5u} + 1120 u_{3,3} e^{-6u} - 2 u_{3,3} e^{-9u} \\
& + 32 u_{2,2} e^{6u} - 3640 u_{2,2} e^{-5u} + 1120 u_{2,2} e^{4u} + 8736 u_{2,2} e^{-4u} \\
& - 16016 u_{2,2} e^{-3u} - 240 u_{2,2} e^{5u} - 240 u_{3,3} e^{5u} + 32 u_{2,2} e^{-8u} - 2 u_{2,2} e^{-9u} \\
& - 240 u_{3,3} e^{-7u} - 15 u_2^2 e^{6u} + 32 e^{6u} u_{3,3} + 105 u_1^2 e^{5u} + 105 u_3^2 e^{5u} - 15 u_1^2 e^{6u} \\
& - 15 u_3^2 e^{6u} - 3640 e^{3u} u_{3,3} + 1365 e^{3u} u_3^2 - 5005 u_3^2 e^{-2u} - 5005 u_2^2 e^{-2u} \\
& + 22880 u_{2,2} e^{-2u} - 25740 u_{2,2} e^{-u} + 6435 u_2^2 e^{-u} + 22880 u_{3,3} e^{-2u} \\
& - 25740 u_{3,3} e^{-u} + 6435 u_3^2 e^{-u} + 8736 u_{2,2} e^{2u} \Big) / \left( -24310 + e^{-9u} - 17 e^{-8u} \right. \\
& \left. + 136 e^{-7u} - 680 e^{-6u} + 2380 e^{-5u} + 12376 e^{-3u} + 19448 e^u - 19448 e^{-2u} \right. \\
& \left. + 24310 e^{-u} + 6188 e^{3u} - 136 e^{6u} - 12376 e^{2u} - 6188 e^{-4u} + 17 e^{7u} \right. \\
& \left. + 680 e^{5u} - e^{8u} - 2380 e^{4u} \right)
\end{aligned}$$

Perfect - the linerization metric is EW on the equation.

>

Let us checdk that the Coton tensor does not vanish

**J2 >** ToJet(ContractIndices(CotTen, dt & t dt, [[1, 1], [2, 2]]), DepVars, notation = jetnumbers)

$$\begin{aligned}
& \frac{1}{4} \frac{1}{\left(e^{-u} - 1\right)^3 \left(-1 + e^u\right)^2} \left( 4 u_3 u_2 u_1 e^{-u} - 2 u_2 u_3 u_1 - 2 u_1 e^u u_2 u_3 + 4 u_{2,3} u_1 e^{-u} \right. \tag{37} \\
& \left. - 9 u_{2,3} u_1 + 6 u_1 e^u u_{2,3} + 3 u_3 u_{1,2} e^{-u} - 6 u_{1,2} u_3 + 3 u_{1,2} u_3 e^u + 6 u_{1,2,3} e^u \right)
\end{aligned}$$

$$\begin{aligned}
& -7 u_2 u_{1,3} + 2 u_{1,2,3} e^{-u} + 5 u_2 u_{1,3} e^u + 3 u_{1,3} u_2 e^{-u} - 6 u_{1,2,3} - 2 u_{1,2,3} e^{2u} \\
& - u_2 u_{1,3} e^{2u} - u_1 e^{2u} u_{2,3} \Big) \\
\Rightarrow & \text{Pullback} \left( \text{detRA}, 4 u_3 u_2 u_1 e^{-u} - 2 u_2 u_3 u_1 - 2 u_1 e^u u_2 u_3 + 4 u_{2,3} u_1 e^{-u} - 9 u_{2,3} u_1 \right. \\
& + 6 u_1 e^u u_{2,3} + 3 u_3 u_{1,2} e^{-u} - 6 u_{1,2} u_3 + 3 u_{1,2} u_3 e^u + 6 u_{1,2,3} e^u - 7 u_2 u_{1,3} \\
& + 2 u_{1,2,3} e^{-u} + 5 u_2 u_{1,3} e^u + 3 u_{1,3} u_2 e^{-u} - 6 u_{1,2,3} - 2 u_{1,2,3} e^{2u} - u_2 u_{1,3} e^{2u} \\
& \left. - u_1 e^{2u} u_{2,3} \right) \\
4 u_3 u_2 u_1 e^{-u} - 2 u_2 u_3 u_1 - 2 u_1 e^u u_2 u_3 + 4 u_{2,3} u_1 e^{-u} - 9 u_{2,3} u_1 + 6 u_1 e^u u_{2,3} \\
& + 3 u_3 u_{1,2} e^{-u} - 6 u_{1,2} u_3 + 3 u_{1,2} u_3 e^u + 6 u_{1,2,3} e^u - 7 u_2 u_{1,3} + 2 u_{1,2,3} e^{-u} \\
& + 5 u_2 u_{1,3} e^u + 3 u_{1,3} u_2 e^{-u} - 6 u_{1,2,3} - 2 u_{1,2,3} e^{2u} - u_2 u_{1,3} e^{2u} - u_1 e^{2u} u_{2,3}
\end{aligned} \tag{38}$$

>>>

In what follows we repeat the same procedure for the four other equations, so we will not write detailed comments.

>>>

> restart : with(DifferentialGeometry) : with(Tensor) : with(Tools) : with(JetCalculus) :  
with(LinearAlgebra) : with(PDEtools, D\_Dx, declare, ToJet, FromJet) :

[Equation 2]  $\mathbf{u}_{xx} + \mathbf{u}_{yy} + (\mathbf{e}^\mathbf{u})_{tt} = 0$

> DGsetup([t, x, y], [u], J2) :

> F := u[2, 2] + u[3, 3] + TotalDiff(exp(u), [1, 1])

$$F := u_{2,2} + u_{3,3} + e^u u_1^2 + e^u u_{1,1} \tag{39}$$

> A := Matrix \left( \left[ \left[ \text{diff}(F, u[1,1]), \frac{1}{2} \text{diff}(F, u[1,2]), \frac{1}{2} \text{diff}(F, u[1,3]) \right], \left[ \frac{1}{2} \text{diff}(F, u[1,2]), \text{diff}(F, u[2,2]), \frac{1}{2} \text{diff}(F, u[2,3]) \right], \left[ \frac{1}{2} \text{diff}(F, u[1,3]), \frac{1}{2} \text{diff}(F, u[2,3]), \text{diff}(F, u[3,3]) \right] \right] \right) : AA := \text{expand}(\text{MatrixInverse}(A))

(40)

$$AA := \begin{bmatrix} \frac{1}{u} & 0 & 0 \\ e^u & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad (40)$$

>  $DepVars := [u(t, x, y)] : FromJet(AA, DepVars)$

$$\begin{bmatrix} \frac{1}{e^{u(t, x, y)}} & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad (41)$$

>  $DGsetup([t, x, y], M) :$

>  $g := evalDG(e^{-u(t, x, y)} \cdot dt \& dt + dx \& dx + dy \& dy) :$

>  $CotTen := CottonTensor(g) :$

>  $CTJ := ToJet(CotTen, DepVars, notation = jetnumbers) :$

>  $C := Connection(a000 * dt \& t D_t \& dt + a111 * dx \& t D_x \& t dx + a222 * dy \& t D_y \& t dy + a001 * (dt \& t D_t \& dx + dx \& t D_t \& dt) + a002 * (dt \& t D_t \& t dy + dy \& t D_t \& dt) + a102 * (dx \& t D_t \& t dy + dy \& t D_t \& dx) + a011 * (dt \& t D_x \& t dx + dx \& t D_x \& dt) + a012 * (dt \& t D_x \& t dy + dy \& t D_x \& t dt) + a112 * (dx \& t D_x \& t dy + dy \& t D_x \& t dx) + a021 * (dt \& t D_y \& t dx + dx \& t D_y \& t dt) + a022 * (dt \& t D_y \& t dy + dy \& t D_y \& t dt) + a122 * (dx \& t D_y \& t dy + dy \& t D_y \& t dx) + a010 * dt \& t D_x \& t dt + a121 * dx \& t D_y \& t dx + a202 * dy \& t D_t \& t dy + a020 * dt \& t D_y \& t dt + a101 * dx \& t D_t \& t dx + a212 * dy \& t D_x \& t dy) :$

>  $TorsionTensor(C);$

$$0 \, dt \, D_t \, dt \quad (42)$$

>  $U1 := \kappa_{11}(u(t, x, y)) \cdot diff(u(t, x, y), t) + \kappa_{12}(u(t, x, y)) \cdot diff(u(t, x, y), x) + \kappa_{13}(u(t, x, y)) \cdot diff(u(t, x, y), y) :$

$U2 := \kappa_{21}(u(t, x, y)) \cdot diff(u(t, x, y), t) + \kappa_{22}(u(t, x, y)) \cdot diff(u(t, x, y), x) + \kappa_{23}(u(t, x, y)) \cdot diff(u(t, x, y), y) :$

$U3 := \kappa_{31}(u(t, x, y)) \cdot diff(u(t, x, y), t) + \kappa_{32}(u(t, x, y)) \cdot diff(u(t, x, y), x) + \kappa_{33}(u(t, x, y)) \cdot diff(u(t, x, y), y) :$

>  $Et := evalDG(DirectionalCovariantDerivative(D_t, g, C) + U1 \cdot g) :$

$Ex := evalDG(DirectionalCovariantDerivative(D_x, g, C) + U2 \cdot g) :$

$Ey := evalDG(DirectionalCovariantDerivative(D_y, g, C) + U3 \cdot g) :$

>  $Eq000 := TensorInnerProduct(g, Et, dt \& t dt) :$

$Eq001 := TensorInnerProduct(g, Et, dt \& t dx) :$

$Eq002 := TensorInnerProduct(g, Et, dt \& t dy) :$

$Eq011 := TensorInnerProduct(g, Et, dx \& t dx) :$

$Eq012 := TensorInnerProduct(g, Et, dx \& t dy) :$

$Eq022 := TensorInnerProduct(g, Et, dy \& t dy) :$

$Eq100 := TensorInnerProduct(g, Ex, dt \& t dt) :$

$Eq101 := TensorInnerProduct(g, Ex, dt \& t dx) :$

$Eq102 := TensorInnerProduct(g, Ex, dt \& t dy) :$

$Eq111 := TensorInnerProduct(g, Ex, dx \& t dx) :$

$Eq112 := TensorInnerProduct(g, Ex, dx \& t dy) :$

$Eq122 := TensorInnerProduct(g, Ex, dy \& t dy) :$

```

Eq200 := TensorInnerProduct(g, Ey, dt & t dt) :
Eq201 := TensorInnerProduct(g, Ey, dt & t dx) :
Eq202 := TensorInnerProduct(g, Ey, dt & t dy) :
Eq211 := TensorInnerProduct(g, Ey, dx & t dx) :
Eq212 := TensorInnerProduct(g, Ey, dx & t dy) :
Eq222 := TensorInnerProduct(g, Ey, dy & t dy) :

> sA := solve( {Eq000=0, Eq001=0, Eq002=0, Eq011=0, Eq012=0, Eq022=0, Eq100=0,
    Eq101=0, Eq102=0, Eq111=0, Eq112=0, Eq122=0, Eq200=0, Eq201=0, Eq202=0,
    Eq211=0, Eq212=0, Eq222=0}, [a000, a001, a002, a010, a011, a012, a020, a021, a022,
    a101, a102, a111, a112, a121, a122, a202, a212, a222] ) :
> C1 := evalDG( subs( {op(op(sA))}, C ) ) :
> evalDG(CovariantDerivative(g, C1) + g & t (U1·dt + U2·dx + U3·dy));
                                         0 dt dt dt

```

(43)

```

> R1 := CurvatureTensor(C1) : Ric1 := RicciTensor(R1) : T1 := SymmetrizeIndices(Ric1, [1, 2],
    "Symmetric") : Res := evalDG(T1 - V·g) :
> NEQtt := ContractIndices(Res, D_t & t D_t, [[1, 1], [2, 2]]) : NEQtx := ContractIndices(Res,
    D_t & t D_x, [[1, 1], [2, 2]]) :
NEQty := ContractIndices(Res, D_t & t D_y, [[1, 1], [2, 2]]) : NEQxx := ContractIndices(Res,
    D_x & t D_x, [[1, 1], [2, 2]]) :
NEQxy := ContractIndices(Res, D_x & t D_y, [[1, 1], [2, 2]]) : NEQyy := ContractIndices(Res,
    D_y & t D_y, [[1, 1], [2, 2]]) :

```

```

> DGsetup([t, x, y], [u], J2, 4) :
> de := DifferentialEquationData([F], [u1, 1])
    de := [ {u1, 1}, [u2, 2 + u3, 3 + eu u12 + eu u1, 1] ]

```

(44)

```

> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :
>
> Eq0 := Pullback(deTRA, ToJet(NEQtt, DepVars, notation = jetnumbers)) :
> VS := solve(Eq0, V) :
> Eq1 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQtx, DepVars, notation
    = jetnumbers)))) :
Eq2 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation
    = jetnumbers)))) :
Eq3 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation
    = jetnumbers)))) :
Eq4 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation
    = jetnumbers)))) :
Eq5 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation
    = jetnumbers)))) :
> simplify(diff(Eq1, u1, 2))

```

-e<sup>u</sup> (x22(u) + x11(u))

```

> simplify(diff(Eq1, u1, 3))
                                         u
                                         -x23(u) e
> simplify(diff(Eq1, u2, 2))

```

(46)

$$-\mathbf{e}^{[1]} \kappa_{12}(u_{[]}) + \kappa_{21}(u_{[]}) \quad (47)$$

$$> \text{simplify}(\text{diff}(Eq1, u_{2,3})) \\ -\kappa_{13}(u_{[]}) \mathbf{e}^{[1]} \quad (48)$$

$$> \text{simplify}(\text{diff}(Eq1, u_{3,3})) \\ \kappa_{21}(u_{[]}) \quad (49)$$

$$> \text{simplify}(\text{diff}(Eq2, u_{1,2})) \\ -\kappa_{32}(u_{[]}) \mathbf{e}^{[1]} \quad (50)$$

$$> \text{simplify}(\text{diff}(Eq2, u_{1,3})) \\ -\mathbf{e}^{[1]} (\kappa_{11}(u_{[]}) + \kappa_{33}(u_{[]})) \quad (51)$$

$$> \text{simplify}(\text{diff}(Eq2, u_{2,2})) \\ \kappa_{31}(u_{[]}) \quad (52)$$

$$> \text{simplify}(\text{diff}(Eq3, u_{3,3})) \\ -2 - 2 \kappa_{11}(u_{[]}) \quad (53)$$

**M** > *DGsetup*([t, x, y], M) :

> *U1* := -*diff*(*u(t, x, y)*, t) :

*U2* := *diff*(*u(t, x, y)*, x) :

*U3* := *diff*(*u(t, x, y)*, y) :

> *Et* := *evalDG*(*DirectionalCovariantDerivative*(*D\_t*, g, C) + *U1*·g) :

*Ex* := *evalDG*(*DirectionalCovariantDerivative*(*D\_x*, g, C) + *U2*·g) :

*Ey* := *evalDG*(*DirectionalCovariantDerivative*(*D\_y*, g, C) + *U3*·g) :

> *Eq000* := *TensorInnerProduct*(g, *Et*, dt &t dt) :

*Eq001* := *TensorInnerProduct*(g, *Et*, dt &t dx) :

*Eq002* := *TensorInnerProduct*(g, *Et*, dt &t dy) :

*Eq011* := *TensorInnerProduct*(g, *Et*, dx &t dx) :

*Eq012* := *TensorInnerProduct*(g, *Et*, dx &t dy) :

*Eq022* := *TensorInnerProduct*(g, *Et*, dy &t dy) :

*Eq100* := *TensorInnerProduct*(g, *Ex*, dt &t dt) :

*Eq101* := *TensorInnerProduct*(g, *Ex*, dt &t dx) :

*Eq102* := *TensorInnerProduct*(g, *Ex*, dt &t dy) :

*Eq111* := *TensorInnerProduct*(g, *Ex*, dx &t dx) :

*Eq112* := *TensorInnerProduct*(g, *Ex*, dx &t dy) :

*Eq122* := *TensorInnerProduct*(g, *Ex*, dy &t dy) :

*Eq200* := *TensorInnerProduct*(g, *Ey*, dt &t dt) :

*Eq201* := *TensorInnerProduct*(g, *Ey*, dt &t dx) :

*Eq202* := *TensorInnerProduct*(g, *Ey*, dt &t dy) :

*Eq211* := *TensorInnerProduct*(g, *Ey*, dx &t dx) :

*Eq212* := *TensorInnerProduct*(g, *Ey*, dx &t dy) :

*Eq222* := *TensorInnerProduct*(g, *Ey*, dy &t dy) :

> *sA* := *solve*( {*Eq000*=0, *Eq001*=0, *Eq002*=0, *Eq011*=0, *Eq012*=0, *Eq022*=0, *Eq100*=0, *Eq101*=0, *Eq102*=0, *Eq111*=0, *Eq112*=0, *Eq122*=0, *Eq200*=0, *Eq201*=0, *Eq202*=0, *Eq211*=0, *Eq212*=0, *Eq222*=0}, [*a000*, *a001*, *a002*, *a010*, *a011*, *a012*, *a020*, *a021*, *a022*,

```

    a101, a102, a111, a112, a121, a122, a202, a212, a222]) :
> C1 := evalDG( subs( {op(op(sA))}, C ) ) :
> evalDG(CovariantDerivative(g, C1) + g & t (U1·dt + U2·dx + U3 ·dy));

$$0 \frac{\partial}{\partial t} dt \quad (54)$$


```

```

> R1 := CurvatureTensor(C1) : Ric1 := RicciTensor(R1) : T1 := SymmetrizeIndices(Ric1, [1, 2],
  "Symmetric") : Res := evalDG(T1 - V·g) :
> NEQtt := TensorInnerProduct(g, Res, dt & t dt) : NEQtx := TensorInnerProduct(g, Res, dt
  & t dx) :
NEQty := TensorInnerProduct(g, Res, dt & t dy) : NEQxx := TensorInnerProduct(g, Res, dx
  & t dx) :
NEQxy := TensorInnerProduct(g, Res, dx & t dy) : NEQyy := TensorInnerProduct(g, Res, dy
  & t dy) :

```

```

>
> DGsetup([t, x, y], [u], J2, 4) :
> de := DifferentialEquationData([F], [u1, 1])

$$de := \left[ \{u_{1, 1}\}, \left[ u_{2, 2} + u_{3, 3} + e^{u_1} u_1^2 + e^{u_1} u_{1, 1} \right] \right] \quad (55)$$


```

```

> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :
```

```
>
```

```
> Eq0 := Pullback(deTRA, ToJet(NEQtt, DepVars, notation = jetnumbers)) :
```

```
> VS := solve(Eq0, V) :
```

```
> Eq1 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQtx, DepVars, notation
  = jetnumbers)))) :
```

```
Eq2 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation
  = jetnumbers)))) :
```

```
Eq3 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation
  = jetnumbers)))) :
```

```
Eq4 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation
  = jetnumbers)))) :
```

```
Eq5 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation
  = jetnumbers)))) :
```

```
> simplify([Eq1, Eq2, Eq3, Eq4, Eq5])

$$[0, 0, 0, 0, 0] \quad (56)$$

```

```
> simplify(VS)
```

$$-\frac{1}{2} e^{u_1} u_1^2 - u_{2, 2} - u_{3, 3} \quad (57)$$

Perfect - the linerization metric is again EW on the equation.

```
>
```

Let us checdk that the Coton tensor does not vanish

```
J2 > ToJet(ContractIndices(CotTen, dt & t dx, [[1, 1], [2, 2]]), DepVars, notation
  = jetnumbers)
```

$$\frac{1}{4} u_3 u_{2, 2} - \frac{1}{4} u_{2, 2, 3} + \frac{1}{4} u_3 u_{3, 3} - \frac{1}{4} u_{3, 3, 3} \quad (58)$$

```
> Pullback(deTRA,  $\frac{1}{4} u_3 u_{2, 2} - \frac{1}{4} u_{2, 2, 3} + \frac{1}{4} u_3 u_{3, 3} - \frac{1}{4} u_{3, 3, 3}$ )
```

$$\frac{1}{4} u_3 u_{2, 2} - \frac{1}{4} u_{2, 2, 3} + \frac{1}{4} u_3 u_{3, 3} - \frac{1}{4} u_{3, 3, 3} \quad (59)$$

```

> restart : with(DifferentialGeometry) : with(Tensor) : with(Tools) : with(JetCalculus) :
with(LinearAlgebra) : with(PDEtools, D_Dx, declare, ToJet, FromJet) :
[Equation 3] (e^u·u)_xx+2u_xy+(e^u)_tt=0
> DGsetup([t, x, y], [u], J2) :
> F := TotalDiff(exp(u[]) - u[], [2, 2]) + 2 u[2, 3] + TotalDiff(exp(u[]), [1, 1])
F := e^u u_2^2 + (e^u - 1) u_{2, 2} + 2 u_{2, 3} + e^u u_1^2 + e^u u_{1, 1} (60)
> A := Matrix( [[ [diff(F, u[1, 1]), 1/2 diff(F, u[1, 2]), 1/2 diff(F, u[1, 3])], [1/2 diff(F, u[1, 2]), diff(F, u[2, 2]), 1/2 diff(F, u[2, 3])], [1/2 diff(F, u[1, 3]), 1/2 diff(F, u[2, 3]), diff(F, u[3, 3])] ] ] ) : AA := expand(MatrixInverse(A))
AA := 
$$\begin{bmatrix} \frac{1}{e^u} & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & -e^u + 1 \end{bmatrix}$$
 (61)
> DepVars := [u(t, x, y)] : FromJet(AA, DepVars)
AA := 
$$\begin{bmatrix} \frac{1}{e^{u(t, x, y)}} & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & -e^{u(t, x, y)} + 1 \end{bmatrix}$$
 (62)
> DGsetup([t, x, y], M) :
> g := evalDG(e^{-u(t, x, y)} · dt & t dt + (dx & t dy + dy & t dx) + (1 - e^{u(t, x, y)}) · dy & t dy) :
> CotTen := CottonTensor(g) :
> CTJ := ToJet(CotTen, DepVars, notation = jetnumbers) :
> C := Connection(a000 * dt & t D_t & t dt + a111 * dx & t D_x & t dx + a222 * dy & t D_y & t dy
+ a001 * (dt & t D_t & t dx + dx & t D_t & t dt) + a002 * (dt & t D_t & t dy + dy & t D_t
& t dt) + a102 * (dx & t D_t & t dy + dy & t D_t & t dx) + a011 * (dt & t D_x & t dx + dx
& t D_x & t dt) + a012 * (dt & t D_x & t dy + dy & t D_x & t dt) + a112 * (dx & t D_x & t dy
+ dy & t D_x & t dx) + a021 * (dt & t D_y & t dx + dx & t D_y & t dt) + a022 * (dt & t D_y

```

```

&t dy + dy &t D_y &t dt) + a122 * (dx &t D_y &t dy + dy &t D_y &t dx) + a010 * dt
&t D_x &t dt + a121 * dx &t D_y &t dx + a202 * dy &t D_t &t dy + a020 * dt &t D_y &t dt
+ a101 * dx &t D_t &t dx + a212 * dy &t D_x &t dy) :
> TorsionTensor(C);

$$0 \frac{dt}{D_t} \frac{dt}{dt}$$
 (63)

> U1 :=  $\kappa_{11}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{12}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{13}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y)$  :
U2 :=  $\kappa_{21}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{22}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{23}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y)$  :
U3 :=  $\kappa_{31}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{32}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{33}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y)$  :
> Et := evalDG(DirectionalCovariantDerivative(D_t, g, C) + U1·g) :
Ex := evalDG(DirectionalCovariantDerivative(D_x, g, C) + U2·g) :
Ey := evalDG(DirectionalCovariantDerivative(D_y, g, C) + U3·g) :
> Eq000 := TensorInnerProduct(g, Et, dt &t dt) :
Eq001 := TensorInnerProduct(g, Et, dt &t dx) :
Eq002 := TensorInnerProduct(g, Et, dt &t dy) :
Eq011 := TensorInnerProduct(g, Et, dx &t dx) :
Eq012 := TensorInnerProduct(g, Et, dx &t dy) :
Eq022 := TensorInnerProduct(g, Et, dy &t dy) :
Eq100 := TensorInnerProduct(g, Ex, dt &t dt) :
Eq101 := TensorInnerProduct(g, Ex, dt &t dx) :
Eq102 := TensorInnerProduct(g, Ex, dt &t dy) :
Eq111 := TensorInnerProduct(g, Ex, dx &t dx) :
Eq112 := TensorInnerProduct(g, Ex, dx &t dy) :
Eq122 := TensorInnerProduct(g, Ex, dy &t dy) :
Eq200 := TensorInnerProduct(g, Ey, dt &t dt) :
Eq201 := TensorInnerProduct(g, Ey, dt &t dx) :
Eq202 := TensorInnerProduct(g, Ey, dt &t dy) :
Eq211 := TensorInnerProduct(g, Ey, dx &t dx) :
Eq212 := TensorInnerProduct(g, Ey, dx &t dy) :
Eq222 := TensorInnerProduct(g, Ey, dy &t dy) :
> sA := solve( {Eq000=0, Eq001=0, Eq002=0, Eq011=0, Eq012=0, Eq022=0, Eq100=0,
Eq101=0, Eq102=0, Eq111=0, Eq112=0, Eq122=0, Eq200=0, Eq201=0, Eq202=0,
Eq211=0, Eq212=0, Eq222=0}, [a000, a001, a002, a010, a011, a012, a020, a021, a022,
a101, a102, a111, a112, a121, a122, a202, a212, a222] ) :
> C1 := evalDG( subs( {op(op(sA))}, C) ) :
> evalDG(CovariantDerivative(g, C1) + g &t (U1·dt + U2·dx + U3·dy));

$$0 \frac{dt}{dt} \frac{dt}{dt}$$
 (64)

> R1 := CurvatureTensor(C1) : Ric1 := RicciTensor(R1) : T1 := SymmetrizeIndices(Ric1, [1, 2],
"Symmetric") : Res := evalDG(T1 - V·g) :
> NEQtt := ContractIndices(Res, D_t &t D_t, [[1, 1], [2, 2]]) : NEQtx := ContractIndices(Res,
D_t &t D_x, [[1, 1], [2, 2]]) :
NEQty := ContractIndices(Res, D_t &t D_y, [[1, 1], [2, 2]]) : NEQxx := ContractIndices(Res,
D_x &t D_x, [[1, 1], [2, 2]]) :
NEQxy := ContractIndices(Res, D_x &t D_y, [[1, 1], [2, 2]]) : NEQyy := ContractIndices(Res,
D_y &t D_y, [[1, 1], [2, 2]]) :
> DGsetup([t, x, y], [u], J2, 4) :

```

$$\begin{aligned} > \text{de} := \text{DifferentialEquationData}([\text{F}], [u_{1,1}]) \\ & \quad \text{de} := \left[ \{u_{1,1}\}, \left[ e^{\frac{u}{[]}} u_2^2 + \left( e^{\frac{u}{[]}} - 1 \right) u_{2,2} + 2 u_{2,3} + e^{\frac{u}{[]}} u_1^2 + e^{\frac{u}{[]}} u_{1,1} \right] \right] \end{aligned} \quad (65)$$

>  $de2 := \text{Prolong}(\text{de}, 2) : deTRA := \text{Transformation}(de2) :$

>

>  $Eq0 := \text{Pullback}(\text{deTRA}, \text{ToJet}(\text{NEQtt}, \text{DepVars}, \text{notation} = \text{jetnumbers})) :$

>  $VS := \text{solve}(Eq0, V) :$

>  $Eq1 := \text{numer}(\text{subs}(V = VS, \text{Pullback}(\text{deTRA}, \text{ToJet}(\text{NEQtx}, \text{DepVars}, \text{notation} = \text{jetnumbers})))) :$

$Eq2 := \text{numer}(\text{subs}(V = VS, \text{Pullback}(\text{deTRA}, \text{ToJet}(\text{NEQty}, \text{DepVars}, \text{notation} = \text{jetnumbers})))) :$

$Eq3 := \text{numer}(\text{subs}(V = VS, \text{Pullback}(\text{deTRA}, \text{ToJet}(\text{NEQxx}, \text{DepVars}, \text{notation} = \text{jetnumbers})))) :$

$Eq4 := \text{numer}(\text{subs}(V = VS, \text{Pullback}(\text{deTRA}, \text{ToJet}(\text{NEQxy}, \text{DepVars}, \text{notation} = \text{jetnumbers})))) :$

$Eq5 := \text{numer}(\text{subs}(V = VS, \text{Pullback}(\text{deTRA}, \text{ToJet}(\text{NEQyy}, \text{DepVars}, \text{notation} = \text{jetnumbers})))) :$

J2 >  $SQE1 := \text{simplify}(\text{diff}(Eq1, u_{1,2}))$

$$SQE1 := -e^{\frac{u}{[]}} (\kappa_{22}(u_{[]}) + \kappa_{11}(u_{[]})) \quad (66)$$

>  $\text{simplify}(\text{diff}(Eq1, u_{1,3}))$

$$- \kappa_{23}(u_{[]}) e^{\frac{u}{[]}} \quad (67)$$

>  $\text{simplify}(\text{diff}(Eq1, u_{2,2}))$

$$- e^{\frac{u}{[]}} \kappa_{12}(u_{[]}) + \kappa_{21}(u_{[]}) e^{\frac{u}{[]}} - \kappa_{21}(u_{[]}) \quad (68)$$

>  $\text{simplify}(\text{diff}(Eq1, u_{2,3}))$

$$- \kappa_{13}(u_{[]}) e^{\frac{u}{[]}} + 2 \kappa_{21}(u_{[]}) \quad (69)$$

>  $\text{simplify}(\text{diff}(Eq2, u_{1,2}))$

$$- \kappa_{32}(u_{[]}) e^{\frac{u}{[]}} - 2 e^{\frac{2u}{[]}} \quad (70)$$

>  $\text{simplify}(\text{diff}(Eq2, u_{1,3}))$

$$- e^{\frac{u}{[]}} (\kappa_{33}(u_{[]}) + \kappa_{11}(u_{[]})) \quad (71)$$

>  $\text{simplify}(\text{diff}(Eq2, u_{2,2}))$

$$\kappa_{31}(u_{[]}) (e^{\frac{u}{[]}} - 1) \quad (72)$$

>  $\text{simplify}(\text{diff}(Eq2, u_{2,3}))$

$$- e^{\frac{u}{[]}} \kappa_{12}(u_{[]}) + 2 \kappa_{31}(u_{[]}) \quad (73)$$

>  $\text{simplify}(\text{diff}(Eq3, u_{1,2}))$

$$- 2 \kappa_{21}(u_{[]}) \quad (74)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq3, u_{2,2})) \\ & -2 u_{2,2} + 2 \end{aligned} \tag{75}$$

$$\begin{aligned} \mathbf{M} > \text{DGsetup}([t, x, y], M) : \\ > U1 := -\text{diff}(u(t, x, y), t) : \\ & U2 := \text{diff}(u(t, x, y), x) : \\ & U3 := -2e^{u(t, x, y)} \cdot \text{diff}(u(t, x, y), x) + \text{diff}(u(t, x, y), y) : \\ > Et := \text{evalDG}(\text{DirectionalCovariantDerivative}(D_t, g, C) + U1 \cdot g) : \\ & Ex := \text{evalDG}(\text{DirectionalCovariantDerivative}(D_x, g, C) + U2 \cdot g) : \\ & Ey := \text{evalDG}(\text{DirectionalCovariantDerivative}(D_y, g, C) + U3 \cdot g) : \\ > Eq000 := \text{TensorInnerProduct}(g, Et, dt \& t dt) : \\ & Eq001 := \text{TensorInnerProduct}(g, Et, dt \& t dx) : \\ & Eq002 := \text{TensorInnerProduct}(g, Et, dt \& t dy) : \\ & Eq011 := \text{TensorInnerProduct}(g, Et, dx \& t dx) : \\ & Eq012 := \text{TensorInnerProduct}(g, Et, dx \& t dy) : \\ & Eq022 := \text{TensorInnerProduct}(g, Et, dy \& t dy) : \\ & Eq100 := \text{TensorInnerProduct}(g, Ex, dt \& t dt) : \\ & Eq101 := \text{TensorInnerProduct}(g, Ex, dt \& t dx) : \\ & Eq102 := \text{TensorInnerProduct}(g, Ex, dt \& t dy) : \\ & Eq111 := \text{TensorInnerProduct}(g, Ex, dx \& t dx) : \\ & Eq112 := \text{TensorInnerProduct}(g, Ex, dx \& t dy) : \\ & Eq122 := \text{TensorInnerProduct}(g, Ex, dy \& t dy) : \\ & Eq200 := \text{TensorInnerProduct}(g, Ey, dt \& t dt) : \\ & Eq201 := \text{TensorInnerProduct}(g, Ey, dt \& t dx) : \\ & Eq202 := \text{TensorInnerProduct}(g, Ey, dt \& t dy) : \\ & Eq211 := \text{TensorInnerProduct}(g, Ey, dx \& t dx) : \\ & Eq212 := \text{TensorInnerProduct}(g, Ey, dx \& t dy) : \\ & Eq222 := \text{TensorInnerProduct}(g, Ey, dy \& t dy) : \\ > sA := \text{solve}(\{Eq000=0, Eq001=0, Eq002=0, Eq011=0, Eq012=0, Eq022=0, Eq100=0, \\ & Eq101=0, Eq102=0, Eq111=0, Eq112=0, Eq122=0, Eq200=0, Eq201=0, Eq202=0, \\ & Eq211=0, Eq212=0, Eq222=0\}, [a000, a001, a002, a010, a011, a012, a020, a021, a022, \\ & a101, a102, a111, a112, a121, a122, a202, a212, a222]) : \\ > C1 := \text{evalDG}(\text{subs}(\{\text{op}(\text{op}(sA))\}, C)) : \\ > \text{evalDG}(\text{CovariantDerivative}(g, C1) + g \& t (U1 \cdot dt + U2 \cdot dx + U3 \cdot dy)); \\ & 0 dt dt dt \end{aligned} \tag{76}$$

$$\begin{aligned} > R1 := \text{CurvatureTensor}(C1) : Ric1 := \text{RicciTensor}(R1) : T1 := \text{SymmetrizeIndices}(Ric1, [1, 2], \\ & "Symmetric") : Res := \text{evalDG}(T1 - V \cdot g) : \\ > NEQtt := \text{TensorInnerProduct}(g, Res, dt \& t dt) : NEQtx := \text{TensorInnerProduct}(g, Res, dt \\ & \& t dx) : \\ & NEQty := \text{TensorInnerProduct}(g, Res, dt \& t dy) : NEQxx := \text{TensorInnerProduct}(g, Res, dx \\ & \& t dx) : \\ & NEQxy := \text{TensorInnerProduct}(g, Res, dx \& t dy) : NEQyy := \text{TensorInnerProduct}(g, Res, dy \\ & \& t dy) : \\ > \\ > \text{DGsetup}([t, x, y], [u], J2, 4) : \\ > de := \text{DifferentialEquationData}([\mathbf{F}], [u_{1,1}]) \\ & de := \left[ \{u_{1,1}\}, \left[ e^{u_{1,1}} u_2^2 + (e^{u_{1,1}} - 1) u_{2,2} + 2 u_{2,3} + e^{u_{1,1}} u_1^2 + e^{u_{1,1}} u_{1,1} \right] \right] \end{aligned} \tag{77}$$

```

> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :
>
> Eq0 := Pullback(deTRA, ToJet(NEQtt, DepVars, notation = jetnumbers)) :
> VS := solve(Eq0, V) :
> Eq1 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQtx, DepVars, notation
= jetnumbers)))) :
Eq2 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation
= jetnumbers)))) :
Eq3 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation
= jetnumbers)))) :
Eq4 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation
= jetnumbers)))) :
Eq5 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation
= jetnumbers)))) :
> simplify([Eq1, Eq2, Eq3, Eq4, Eq5])
[0, 0, 0, 0, 0] (78)

```

> **simplify(VS)**

$$-\frac{1}{2} e^{u_1^2} u_1^2 + u_{2,2} - 2 u_{2,3} \quad (79)$$

So perfect - the linerization metric is again EW on the equation.

> Let us checdk that the Coton tensor does not vanish

```
J2 > ToJet(ContractIndices(CotTen, dt &t dt, [[1, 1], [2, 2]]), DepVars, notation
= jetnumbers)

$$\frac{1}{2} e^{2u_1^2} (2 u_2^2 u_1 + 3 u_2 u_{1,2} + 2 u_{2,2} u_1 + u_{1,2,2}) \quad (80)$$

```

```
> Pullback(deTRA, 2 u_2^2 u_1 + 3 u_2 u_{1,2} + 2 u_{2,2} u_1 + u_{1,2,2})

$$2 u_2^2 u_1 + 3 u_2 u_{1,2} + 2 u_{2,2} u_1 + u_{1,2,2} \quad (81)$$

```

```
> restart : with(DifferentialGeometry) : with(Tensor) : with(Tools) : with(JetCalculus) :
with(LinearAlgebra) : with(PDEtools, D_Dx, declare, ToJet, FromJet) :
```

[Equation 4] **u\_{xt}-(uu\_x)\_x-u\_{yy}=0**

```
> DGsetup([t, x, y], [u], J2) :
> F := u[1, 2] - u[1]·u[2, 2] - u[2]^2 - u[3, 3]
```

(82)

$$F := u_{1,2} - u_{[],2} - u_2^2 - u_{3,3} \quad (82)$$

>  $A := \text{Matrix}\left(\left[\left[\text{diff}(F, u[1, 1]), \frac{1}{2} \text{diff}(F, u[1, 2]), \frac{1}{2} \text{diff}(F, u[1, 3])\right], \left[\frac{1}{2} \text{diff}(F, u[1, 2]), \text{diff}(F, u[2, 2]), \frac{1}{2} \text{diff}(F, u[2, 3])\right], \left[\frac{1}{2} \text{diff}(F, u[1, 3]), \frac{1}{2} \text{diff}(F, u[2, 3]), \text{diff}(F, u[3, 3])\right]\right] : AA := \text{expand}(\text{MatrixInverse}(A))$

$$AA := \begin{bmatrix} 4u_{[]} & 2 & 0 \\ 2 & 0 & 0 \\ 0 & 0 & -1 \end{bmatrix} \quad (83)$$

>  $\text{DepVars} := [u(t, x, y)] : \text{FromJet}(AA, \text{DepVars})$

$$\begin{bmatrix} 4u(t, x, y) & 2 & 0 \\ 2 & 0 & 0 \\ 0 & 0 & -1 \end{bmatrix} \quad (84)$$

>  $DGsetup([t, x, y], M) :$

>  $g := \text{evalDG}(4u(t, x, y) \cdot dt \wedge dt + 2(dx \wedge dt \wedge dt + dt \wedge dx) - dy \wedge dt \wedge dy) :$

>  $\text{CotTen} := \text{CottonTensor}(g) :$

>  $\text{CTJ} := \text{ToJet}(\text{CotTen}, \text{DepVars}, \text{notation} = \text{jetnumbers}) :$

>  $C := \text{Connection}(a000 * dt \wedge D_t \wedge dt + a111 * dx \wedge D_x \wedge dt + a222 * dy \wedge D_y \wedge dt + a001 * (dt \wedge D_t \wedge dx + dx \wedge D_t \wedge dt) + a002 * (dt \wedge D_t \wedge dy + dy \wedge D_t \wedge dt) + a102 * (dx \wedge D_t \wedge dy + dy \wedge D_t \wedge dx) + a011 * (dt \wedge D_x \wedge dx + dx \wedge D_x \wedge dt) + a012 * (dt \wedge D_x \wedge dy + dy \wedge D_x \wedge dt) + a112 * (dx \wedge D_x \wedge dy + dy \wedge D_x \wedge dx) + a021 * (dt \wedge D_y \wedge dx + dx \wedge D_y \wedge dt) + a022 * (dt \wedge D_y \wedge dy + dy \wedge D_y \wedge dt) + a122 * (dx \wedge D_y \wedge dy + dy \wedge D_y \wedge dx) + a010 * dt \wedge D_x \wedge dt + a121 * dx \wedge D_y \wedge dt + a202 * dy \wedge D_t \wedge dt + a020 * dt \wedge D_y \wedge dt + a101 * dx \wedge D_t \wedge dx + a212 * dy \wedge D_x \wedge dt) :$

>  $\text{TorsionTensor}(C);$

$$0 \, dt \, D_t \, dt \quad (85)$$

>  $U1 := \kappa_{11}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{12}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{13}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y) :$

$U2 := \kappa_{21}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{22}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{23}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y) :$

$U3 := \kappa_{31}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{32}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{33}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y) :$

>  $E_t := \text{evalDG}(\text{DirectionalCovariantDerivative}(D_t, g, C) + U1 \cdot g) :$

$E_x := \text{evalDG}(\text{DirectionalCovariantDerivative}(D_x, g, C) + U2 \cdot g) :$

$E_y := \text{evalDG}(\text{DirectionalCovariantDerivative}(D_y, g, C) + U3 \cdot g) :$

>  $Eq000 := \text{TensorInnerProduct}(g, E_t, dt \wedge dt) :$

$Eq001 := \text{TensorInnerProduct}(g, E_t, dt \wedge dx) :$

$Eq002 := \text{TensorInnerProduct}(g, E_t, dt \wedge dy) :$

$Eq011 := \text{TensorInnerProduct}(g, E_t, dx \wedge dt) :$

$Eq012 := \text{TensorInnerProduct}(g, E_t, dx \wedge dy) :$

$Eq022 := \text{TensorInnerProduct}(g, E_t, dy \wedge dt) :$

$Eq100 := \text{TensorInnerProduct}(g, E_x, dt \wedge dt) :$

```

Eq101 := TensorInnerProduct(g, Ex, dt & t dx) :
Eq102 := TensorInnerProduct(g, Ex, dt & t dy) :
Eq111 := TensorInnerProduct(g, Ex, dx & t dx) :
Eq112 := TensorInnerProduct(g, Ex, dx & t dy) :
Eq122 := TensorInnerProduct(g, Ex, dy & t dy) :
Eq200 := TensorInnerProduct(g, Ey, dt & t dt) :
Eq201 := TensorInnerProduct(g, Ey, dt & t dx) :
Eq202 := TensorInnerProduct(g, Ey, dt & t dy) :
Eq211 := TensorInnerProduct(g, Ey, dx & t dx) :
Eq212 := TensorInnerProduct(g, Ey, dx & t dy) :
Eq222 := TensorInnerProduct(g, Ey, dy & t dy) :

> sA := solve( {Eq000=0, Eq001=0, Eq002=0, Eq011=0, Eq012=0, Eq022=0, Eq100=0,
    Eq101=0, Eq102=0, Eq111=0, Eq112=0, Eq122=0, Eq200=0, Eq201=0, Eq202=0,
    Eq211=0, Eq212=0, Eq222=0}, [a000, a001, a002, a010, a011, a012, a020, a021, a022,
    a101, a102, a111, a112, a121, a122, a202, a212, a222] ) :
> C1 := evalDG( subs( {op(op(sA))}, C ) ) :
> evalDG(CovariantDerivative(g, C1) + g & t (U1·dt + U2·dx + U3·dy));
                                         0 dt dt dt

```

(86)

```

> RI := CurvatureTensor(C1) : RicI := RicciTensor(RI) : T1 := SymmetrizeIndices(RicI, [1, 2],
    "Symmetric") : Res := evalDG(T1 - V·g) :
> NEQtt := ContractIndices(Res, D_t & t D_t, [[1, 1], [2, 2]]) : NEQtx := ContractIndices(Res,
    D_t & t D_x, [[1, 1], [2, 2]]) :
NEQty := ContractIndices(Res, D_t & t D_y, [[1, 1], [2, 2]]) : NEQxx := ContractIndices(Res,
    D_x & t D_x, [[1, 1], [2, 2]]) :
NEQxy := ContractIndices(Res, D_x & t D_y, [[1, 1], [2, 2]]) : NEQyy := ContractIndices(Res,
    D_y & t D_y, [[1, 1], [2, 2]]) :

>
> DGsetup([t, x, y], [u], J2, 4) :
> de := DifferentialEquationData([F], [u1, 2])
    de := [ {u1, 2}, [u1, 2 - u[ ] u2, 2 - u22 - u3, 3] ]

```

(87)

```

> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :
>
> Eq0 := Pullback(deTRA, ToJet(NEQtt, DepVars, notation = jetnumbers)) :
> VS := solve(Eq0, V) :
> Eq1 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQtx, DepVars, notation
    = jetnumbers)))) :
Eq2 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation
    = jetnumbers)))) :
Eq3 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation
    = jetnumbers)))) :
Eq4 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation
    = jetnumbers)))) :
Eq5 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation
    = jetnumbers)))) :
> simplify(diff(Eq1, u1, 1))
                                         -2 u[ ] x21(u[ ]) + 2 x11(u[ ])
> simplify(diff(Eq1, u1, 3))

```

(88)

$$-2 u_{[]} \times 23(u_{[]}) + 2 \times 13(u_{[]}) \quad (89)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq1, u_{2,2})) \\ & -2 u_{[]}^2 \times 11(u_{[]}) - 2 u_{[]}^2 \times 22(u_{[]}) \end{aligned} \quad (90)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq1, u_{2,3})) \\ & -2 u_{[]} \times 13(u_{[]}) \end{aligned} \quad (91)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq1, u_{3,3})) \\ & -8 - 2 u_{[]} \times 11(u_{[]}) - 2 u_{[]} \times 22(u_{[]}) + 2 \times 12(u_{[]}) \end{aligned} \quad (92)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq2, u_{1,1})) \\ & -\times 31(u_{[]}) \end{aligned} \quad (93)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq2, u_{1,3})) \\ & -\times 11(u_{[]}) - \times 33(u_{[]}) \end{aligned} \quad (94)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq2, u_{2,2})) \\ & -u_{[]} \times 32(u_{[]}) \end{aligned} \quad (95)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq2, u_{2,3})) \\ & 4 - \times 12(u_{[]}) \end{aligned} \quad (96)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq3, u_{2,2})) \\ & -2 u_{[]} \times 21(u_{[]}) - 2 \times 22(u_{[]}) \end{aligned} \quad (97)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq3, u_{3,3})) \\ & -2 \times 21(u_{[]}) \end{aligned} \quad (98)$$

$$\begin{aligned} > \text{simplify}(\text{diff}(Eq4, u_{2,3})) \\ & -\times 22(u_{[]}) - \times 33(u_{[]}) \end{aligned} \quad (99)$$

**M** > *DGsetup*([*t, x, y*], *M*) :  
*U1* := 4 *diff*(*u(t, x, y)*, *x*) :  
*U2* := 0 :  
*U3* := 0 :

> *Et* := *evalDG*(*DirectionalCovariantDerivative*(*D\_t*, *g*, *C*) + *U1*·*g*) :  
*Ex* := *evalDG*(*DirectionalCovariantDerivative*(*D\_x*, *g*, *C*) + *U2*·*g*) :  
*Ey* := *evalDG*(*DirectionalCovariantDerivative*(*D\_y*, *g*, *C*) + *U3*·*g*) :  
> *Eq000* := *TensorInnerProduct*(*g*, *Et*, *dt* & *t* *dt*) :  
*Eq001* := *TensorInnerProduct*(*g*, *Et*, *dt* & *t* *dx*) :  
*Eq002* := *TensorInnerProduct*(*g*, *Et*, *dt* & *t* *dy*) :  
*Eq011* := *TensorInnerProduct*(*g*, *Et*, *dx* & *t* *dx*) :  
*Eq012* := *TensorInnerProduct*(*g*, *Et*, *dx* & *t* *dy*) :  
*Eq022* := *TensorInnerProduct*(*g*, *Et*, *dy* & *t* *dy*) :  
*Eq100* := *TensorInnerProduct*(*g*, *Ex*, *dt* & *t* *dt*) :  
*Eq101* := *TensorInnerProduct*(*g*, *Ex*, *dt* & *t* *dx*) :  
*Eq102* := *TensorInnerProduct*(*g*, *Ex*, *dt* & *t* *dy*) :  
*Eq111* := *TensorInnerProduct*(*g*, *Ex*, *dx* & *t* *dx*) :  
*Eq112* := *TensorInnerProduct*(*g*, *Ex*, *dx* & *t* *dy*) :  
*Eq122* := *TensorInnerProduct*(*g*, *Ex*, *dy* & *t* *dy*) :

```

Eq200 := TensorInnerProduct(g, Ey, dt & t dt) :
Eq201 := TensorInnerProduct(g, Ey, dt & t dx) :
Eq202 := TensorInnerProduct(g, Ey, dt & t dy) :
Eq211 := TensorInnerProduct(g, Ey, dx & t dx) :
Eq212 := TensorInnerProduct(g, Ey, dx & t dy) :
Eq222 := TensorInnerProduct(g, Ey, dy & t dy) :

> sA := solve( {Eq000=0, Eq001=0, Eq002=0, Eq011=0, Eq012=0, Eq022=0, Eq100=0,
    Eq101=0, Eq102=0, Eq111=0, Eq112=0, Eq122=0, Eq200=0, Eq201=0, Eq202=0,
    Eq211=0, Eq212=0, Eq222=0}, [a000, a001, a002, a010, a011, a012, a020, a021, a022,
    a101, a102, a111, a112, a121, a122, a202, a212, a222] ) :
> C1 := evalDG( subs( {op(op(sA))}, C ) ) :
> evalDG(CovariantDerivative(g, C1) + g & t (U1·dt + U2·dx + U3·dy));

$$0 \frac{\partial}{\partial t} \frac{\partial}{\partial t} \frac{\partial}{\partial t} \quad (100)$$


```

```

> R1 := CurvatureTensor(C1) : Ric1 := RicciTensor(R1) : T1 := SymmetrizeIndices(Ric1, [1, 2],
    "Symmetric") : Res := evalDG(T1 - V·g) :
> NEQtt := TensorInnerProduct(g, Res, dt & t dt) : NEQtx := TensorInnerProduct(g, Res, dt
    & t dx) :
NEQty := TensorInnerProduct(g, Res, dt & t dy) : NEQxx := TensorInnerProduct(g, Res, dx
    & t dx) :
NEQxy := TensorInnerProduct(g, Res, dx & t dy) : NEQyy := TensorInnerProduct(g, Res, dy
    & t dy) :
>
> DGsetup([t, x, y], [u], J2, 4) :
> de := DifferentialEquationData([F], [u1, 2])

$$de := \left[ \{u_{1, 2}\}, \left[ u_{1, 2} - u_{1, 1} u_{2, 2} - u_2^2 - u_{3, 3} \right] \right] \quad (101)$$


```

```

> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :
>
> Eq0 := Pullback(deTRA, ToJet(NEQtx, DepVars, notation = jetnumbers)) :
> VS := solve(Eq0, V) :
> Eq1 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQtt, DepVars, notation
    = jetnumbers)))) :
Eq2 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation
    = jetnumbers)))) :
Eq3 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation
    = jetnumbers)))) :
Eq4 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation
    = jetnumbers)))) :
Eq5 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation
    = jetnumbers)))) :
> simplify([Eq1, Eq2, Eq3, Eq4, Eq5])

$$[0, 0, 0, 0, 0] \quad (102)$$


```

```

> simplify(VS)

$$-u_{2, 2} \quad (103)$$


```

Perfect - the linerization metric is again EW on the equation.

>  
Let us checdlk that the Coton tensor does not vanish

```

J2 > ToJet(ContractIndices(CotTen, dt & t dx, [[1, 1], [2, 2]]), DepVars, notation

```

$$=jetnumbers) \\ - \frac{1}{4} u_{2,2,3} \quad (104)$$

$$\textcolor{red}{>} \text{Pullback}\left(deTRA, - \frac{1}{4} u_{2,2,3}\right) \\ - \frac{1}{4} u_{2,2,3} \quad (105)$$

$\textcolor{red}{>} \text{restart : with(DifferentialGeometry) : with(Tensor) : with(Tools) : with(JetCalculus) :}$

$\text{with(LinearAlgebra) : with(PDEtools, D_Dx, declare, ToJet, FromJet) :}$

$\text{[Equation 5] } (\mathbf{u}^2)_{xy} + \mathbf{u}_{yy} + 2\mathbf{u}_{xt} = 0$

$\textcolor{red}{>} \text{DGsetup}([t, x, y], [u], J2) :$

$$\textcolor{red}{>} F := \text{TotalDiff}\left(u_{[]}^2, [2, 3]\right) + u[3, 3] + 2 u[1, 2] \\ F := 2 u_2 u_3 + 2 u_{[]} u_{2,3} + u_{3,3} + 2 u_{1,2} \quad (106)$$

$$\textcolor{red}{>} A := \text{Matrix}\left(\left[\left[\text{diff}(F, u[1, 1]), \frac{1}{2} \text{diff}(F, u[1, 2]), \frac{1}{2} \text{diff}(F, u[1, 3])\right], \left[\frac{1}{2} \text{diff}(F, u[1, 2]), \text{diff}(F, u[2, 2]), \frac{1}{2} \text{diff}(F, u[2, 3])\right], \left[\frac{1}{2} \text{diff}(F, u[1, 3]), \frac{1}{2} \text{diff}(F, u[2, 3]), \text{diff}(F, u[3, 3])\right]\right] : AA := \text{expand}(\text{MatrixInverse}(A))$$

$$AA := \begin{bmatrix} u_{[]}^2 & 1 & -u_{[]} \\ 1 & 0 & 0 \\ -u_{[]} & 0 & 1 \end{bmatrix} \quad (107)$$

$\textcolor{red}{>} \text{DepVars} := [u(t, x, y)] : \text{FromJet}(AA, DepVars)$

$$\begin{bmatrix} u(t, x, y)^2 & 1 & -u(t, x, y) \\ 1 & 0 & 0 \\ -u(t, x, y) & 0 & 1 \end{bmatrix} \quad (108)$$

$\textcolor{red}{>} \text{DGsetup}([t, x, y], M) :$

$\textcolor{green}{>} g := \text{evalDG}\left(\mathbf{u}(t, x, y)^2 \cdot dt \wedge dt + (dt \wedge dx + dx \wedge dt) - \mathbf{u}(t, x, y) \cdot (dt \wedge dy + dy \wedge dt) + dy \wedge dy\right) :$

$\textcolor{red}{>} \text{CotTen} := \text{CottonTensor}(g) :$

$\textcolor{red}{>} \text{CTJ} := \text{ToJet}(CotTen, DepVars, \text{notation} = \text{jetnumbers}) :$

```

> C := Connection(a000*dt &t D_t &t dt + a111*dx &t D_x &t dx + a222*dy &t D_y &t dy
+ a001*(dt &t D_t &t dx + dx &t D_t &t dt) + a002*(dt &t D_t &t dy + dy &t D_t
&t dt) + a102*(dx &t D_t &t dy + dy &t D_t &t dx) + a011*(dt &t D_x &t dx + dx
&t D_x &t dt) + a012*(dt &t D_x &t dy + dy &t D_x &t dt) + a112*(dx &t D_x &t dy
+ dy &t D_x &t dx) + a021*(dt &t D_y &t dx + dx &t D_y &t dt) + a022*(dt &t D_y
&t dy + dy &t D_y &t dt) + a122*(dx &t D_y &t dy + dy &t D_y &t dx) + a010*dt
&t D_x &t dt + a121*dx &t D_y &t dx + a202*dy &t D_t &t dy + a020*dt &t D_y &t dt
+ a101*dx &t D_t &t dx + a212*dy &t D_x &t dy) :
> TorsionTensor(C);

$$0 \frac{dt}{D_t} \frac{dt}{dt}$$
 (109)

> U1 :=  $\kappa_{11}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{12}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{13}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y)$  :
U2 :=  $\kappa_{21}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{22}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{23}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y)$  :
U3 :=  $\kappa_{31}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), t) + \kappa_{32}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), x) + \kappa_{33}(u(t, x, y)) \cdot \text{diff}(u(t, x, y), y)$  :

> Et := evalDG(DirectionalCovariantDerivative(D_t, g, C) + U1*g) :
Ex := evalDG(DirectionalCovariantDerivative(D_x, g, C) + U2*g) :
Ey := evalDG(DirectionalCovariantDerivative(D_y, g, C) + U3*g) :

> Eq000 := TensorInnerProduct(g, Et, dt &t dt) :
Eq001 := TensorInnerProduct(g, Et, dt &t dx) :
Eq002 := TensorInnerProduct(g, Et, dt &t dy) :
Eq011 := TensorInnerProduct(g, Et, dx &t dx) :
Eq012 := TensorInnerProduct(g, Et, dx &t dy) :
Eq022 := TensorInnerProduct(g, Et, dy &t dy) :
Eq100 := TensorInnerProduct(g, Ex, dt &t dt) :
Eq101 := TensorInnerProduct(g, Ex, dt &t dx) :
Eq102 := TensorInnerProduct(g, Ex, dt &t dy) :
Eq111 := TensorInnerProduct(g, Ex, dx &t dx) :
Eq112 := TensorInnerProduct(g, Ex, dx &t dy) :
Eq122 := TensorInnerProduct(g, Ex, dy &t dy) :
Eq200 := TensorInnerProduct(g, Ey, dt &t dt) :
Eq201 := TensorInnerProduct(g, Ey, dt &t dx) :
Eq202 := TensorInnerProduct(g, Ey, dt &t dy) :
Eq211 := TensorInnerProduct(g, Ey, dx &t dx) :
Eq212 := TensorInnerProduct(g, Ey, dx &t dy) :
Eq222 := TensorInnerProduct(g, Ey, dy &t dy) :

> sA := solve({Eq000=0, Eq001=0, Eq002=0, Eq011=0, Eq012=0, Eq022=0, Eq100=0,
Eq101=0, Eq102=0, Eq111=0, Eq112=0, Eq122=0, Eq200=0, Eq201=0, Eq202=0,
Eq211=0, Eq212=0, Eq222=0}, [a000, a001, a002, a010, a011, a012, a020, a021, a022,
a101, a102, a111, a112, a121, a122, a202, a212, a222]) :
> C1 := evalDG(subs({op(op(sA))}, C)) :
> evalDG(CovariantDerivative(g, C1) + g &t (U1*dt + U2*dx + U3*dy));

$$0 \frac{dt}{D_t} \frac{dt}{dt}$$
 (110)

> R1 := CurvatureTensor(C1) : Ric1 := RicciTensor(R1) : T1 := SymmetrizeIndices(Ric1, [1, 2],
"Symmetric") : Res := evalDG(T1 - V*g) :
> NEQtt := ContractIndices(Res, D_t &t D_t, [[1, 1], [2, 2]]) : NEQtx := ContractIndices(Res,
D_t &t D_x, [[1, 1], [2, 2]]) :

```

```

NEQty := ContractIndices(Res, D_t & t D_y, [[1, 1], [2, 2]]) : NEQxx := ContractIndices(Res,
D_x & t D_x, [[1, 1], [2, 2]]) :
NEQxy := ContractIndices(Res, D_x & t D_y, [[1, 1], [2, 2]]) : NEQyy := ContractIndices(Res,
D_y & t D_y, [[1, 1], [2, 2]]) :

> DGsetup([t, x, y], [u], J2, 4) :
> de := DifferentialEquationData([F], [u3, 3])
    de := [{u3, 3}, [2 u2 u3 + 2 u[ ] u2, 3 + u3, 3 + 2 u1, 2]] (111)
> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :
>
> Eq0 := Pullback(deTRA, ToJet(NEQty, DepVars, notation = jetnumbers)) :
> VS := solve(Eq0, V) :
> Eq1 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQtx, DepVars, notation
= jetnumbers)))) :
Eq2 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation
= jetnumbers)))) :
Eq3 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation
= jetnumbers)))) :
Eq4 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation
= jetnumbers)))) :
Eq5 := numer(subs(V = VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation
= jetnumbers)))) :
> simplify(diff(Eq1, u1, 1))
    -u[ ]2 x21(u[ ]) + 2 x11(u[ ]) (112)
> simplify(diff(Eq1, u1, 2))
    -4 u[ ] - u[ ]2 x11(u[ ]) - u[ ]2 x22(u[ ]) + 2 x12(u[ ]) (113)
> simplify(diff(Eq1, u1, 3))
    4 - u[ ]2 x23(u[ ]) + 2 x13(u[ ]) (114)
> simplify(diff(Eq1, u2, 2))
    -u[ ]2 x12(u[ ]) + 2 u[ ]3 (115)
> simplify(diff(Eq1, u2, 3))
    -2 u[ ]2 - u[ ]2 x13(u[ ]) (116)
> simplify(diff(Eq2, u1, 1))
    -u[ ] x31(u[ ]) - 2 x11(u[ ]) (117)
> simplify(diff(Eq2, u1, 2))
    6 u[ ] + 2 u[ ] x13(u[ ]) - u[ ] x32(u[ ]) - 2 x12(u[ ]) (118)
> simplify(diff(Eq2, u1, 3))
    -4 - u[ ] x33(u[ ]) - u[ ] x11(u[ ]) - 2 x13(u[ ]) (119)
> simplify(diff(Eq2, u2, 3))
    6 u[ ]2 + 2 u[ ]2 x13(u[ ]) - u[ ] x12(u[ ]) (120)

```

```

> simplify( diff( Eq3, u[1,2] ) )
-2 x21(u[])
(121)

> simplify( diff( Eq3, u[2,2] ) )
-2 x22(u[])
(122)

> simplify( diff( Eq3, u[2,3] ) )
-2 x23(u[])
(123)

> simplify( diff( Eq4, u[1,2] ) )
-x31(u[]) + 2 x23(u[])
(124)

> simplify( diff( Eq4, u[2,3] ) )
2 u[] x23(u[]) - x33(u[]) - x22(u[])
(125)

> simplify( diff( Eq4, u[2,2] ) )
-2 - x32(u[])
(126)

>

M > DGsetup([t,x,y],M):
> U1 := 2 u(t,x,y) · diff(u(t,x,y),x) - 2 · diff(u(t,x,y),y):
U2 := 0:
U3 := -2 · diff(u(t,x,y),x):
> Et := evalDG(DirectionalCovariantDerivative(D_t,g,C) + U1·g):
Ex := evalDG(DirectionalCovariantDerivative(D_x,g,C) + U2·g):
Ey := evalDG(DirectionalCovariantDerivative(D_y,g,C) + U3·g):
> Eq000 := TensorInnerProduct(g,Et,dt &t dt):
Eq001 := TensorInnerProduct(g,Et,dt &t dx):
Eq002 := TensorInnerProduct(g,Et,dt &t dy):
Eq011 := TensorInnerProduct(g,Et,dx &t dx):
Eq012 := TensorInnerProduct(g,Et,dx &t dy):
Eq022 := TensorInnerProduct(g,Et,dy &t dy):
Eq100 := TensorInnerProduct(g,Ex,dt &t dt):
Eq101 := TensorInnerProduct(g,Ex,dt &t dx):
Eq102 := TensorInnerProduct(g,Ex,dt &t dy):
Eq111 := TensorInnerProduct(g,Ex,dx &t dx):
Eq112 := TensorInnerProduct(g,Ex,dx &t dy):
Eq122 := TensorInnerProduct(g,Ex,dy &t dy):
Eq200 := TensorInnerProduct(g,Ey,dt &t dt):
Eq201 := TensorInnerProduct(g,Ey,dt &t dx):
Eq202 := TensorInnerProduct(g,Ey,dt &t dy):
Eq211 := TensorInnerProduct(g,Ey,dx &t dx):
Eq212 := TensorInnerProduct(g,Ey,dx &t dy):
Eq222 := TensorInnerProduct(g,Ey,dy &t dy):
> SA := solve({Eq000=0,Eq001=0,Eq002=0,Eq011=0,Eq012=0,Eq022=0,Eq100=0,
Eq101=0,Eq102=0,Eq111=0,Eq112=0,Eq122=0,Eq200=0,Eq201=0,Eq202=0,
Eq211=0,Eq212=0,Eq222=0}, [a000,a001,a002,a010,a011,a012,a020,a021,a022,
a101,a102,a111,a112,a121,a122,a202,a212,a222]):
> C1 := evalDG( subs({op(op(sA))},C) ):
> evalDG(CovariantDerivative(g,C1) + g &t (U1·dt + U2·dx + U3 ·dy));

```

(127)

```

> RI := CurvatureTensor(C1) : RicI := RicciTensor(RI) : T1 := SymmetrizeIndices(RicI, [1, 2],
    "Symmetric") : Res := evalDG(T1 - V·g) :
> NEQtt := TensorInnerProduct(g, Res, dt &t dt) : NEQtx := TensorInnerProduct(g, Res, dt
    &t dx) :
NEQty := TensorInnerProduct(g, Res, dt &t dy) : NEQxx := TensorInnerProduct(g, Res, dx
    &t dx) :
NEQxy := TensorInnerProduct(g, Res, dx &t dy) : NEQyy := TensorInnerProduct(g, Res, dy
    &t dy) :
>
> DGsetup([t, x, y], [u], J2, 4) :
> de := DifferentialEquationData([F], [u3, 3])
    de := [ {u3, 3}, [2 u2 u3 + 2 u1] u2, 3 + u3, 3 + 2 u1, 2] ] (128)

```

```

> de2 := Prolong(de, 2) : deTRA := Transformation(de2) :
>
> Eq0 := Pullback(deTRA, ToJet(NEQtx, DepVars, notation = jetnumbers)) :
> VS := solve(Eq0, V) :
> Eq1 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQtt, DepVars, notation
    = jetnumbers)))) :
Eq2 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQty, DepVars, notation
    = jetnumbers)))) :
Eq3 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxx, DepVars, notation
    = jetnumbers)))) :
Eq4 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQxy, DepVars, notation
    = jetnumbers)))) :
Eq5 := numer(subs(V=VS, Pullback(deTRA, ToJet(NEQyy, DepVars, notation
    = jetnumbers)))) :
> simplify([Eq1, Eq2, Eq3, Eq4, Eq5]) [0, 0, 0, 0, 0] (129)

```

```

> simplify(VS)
    -  $\frac{1}{2} u_2^2 + 2 u_{2, 3}$  (130)

```

Excellent - the linerization metric is EW on the equation in all cases!

Let us checdk that the Coton tensor does not vanish

```

J2 > ToJet(ContractIndices(CotTen, dt &t dt, [[1, 1], [2, 2]]), DepVars, notation
    = jetnumbers)
     $\frac{1}{2} u_{2, 2, 2}$  (131)

```

```

> Pullback(deTRA, u2, 2, 2)
    u2, 2, 2 (132)

```