Reply to "Comment on "On a new definition of quantum entropy""

Michele Campisi*

Department of Physics, University of North Texas Denton, TX 76203-1427, U.S.A.

(Dated: November 4, 2018)

The example provided in the comment [arXiv:0803.2241] concerns a situation where the system is initially at negative temperature. It is known that in such cases the Law of Entropy Decrease holds. Nevertheless, this does not challenge the validity of the Second Law of Thermodynamics.

In the comment [1] on "On a new Definition of Quantum entropy" [2], the author argues against the convenience of the new entropy operator

$$\hat{\mathcal{S}}(t) \doteq \ln(\hat{\mathcal{N}}(t) + \hat{1}/2) \tag{1}$$

on the basis of the fact that for an ensemble of identical quantum systems with finite spectrum, for which only the highest level is populated, one observes a decrease of the expectation of the entropy (1) and not an increase.

In regards to this we would like to point out that (see [3]) the expectation value of the entropy in (1)

- a) *increases* whenever the initial probability distribution is *decreasing*
- b) *decreases* whenever the initial probability distribution is *increasing*

A decreasing probability p_n is characterized by the condition

$$p_m \le p_n \quad \text{if} \quad m > n \tag{2}$$

An increasing probability p_n is characterized by the condition

$$p_m \ge p_n \quad \text{if} \quad m > n \tag{3}$$

The latter is often referred to as an "inverted population", which characterizes systems at "negative temperature".

It is evident that the example provided in the comment [1] belongs to the case of negative temperature, and this is the reason why one observes a decrease of entropy.

It has been discussed in [3] that the existence of a Law of Entropy Decrease in systems at negative temperature does not challenge the validity of the Second Law of Thermodynamics. This is because the *natural* state of matter is at positive temperature (Gibbs state), whereas negative temperatures can only be created artificially by spending entropy and work. So the *natural* evolution of the quantum entropy is towards larger values although it may move to lower values in *artificially* created situations.

The example of laser functioning well explains this point. To operate a laser we first create an inverted population from a Gibbs state at positive temperature that Nature provides us "for free". Secondly we make the excited states decay thus emitting a radiation. During the first step we spend entropy (the entropy of the system increases), whereas during the second step we gain entropy (the entropy of the system decreases). If we consider the total process consisting of the two steps, we immediately see that it is characterized by an overall *increase of entropy* because the very *initial state was at positive temperature*.

It must be stressed that, when operating a laser, an analogous *work balance* occurs [4]. In particular the laser functioning is based on the cyclic extraction of work from the negative temperature system during the second step. This is seemingly in contradiction with the second law as expressed by Thomson, according to which no work extraction is possible by means of cyclic transformation [4]. The contradiction is resolved once the work spent to create the inverted population is properly counted in the work balance.

Thus, in contrast to the intuitive expectation both Thomson and Clausius formulations *are indeed inverted* when an ensemble of excited states decays (if this was not true then we could not use lasers to our own advantage!). Nonetheless the overall balance of work and entropy conforms to the Second Law. Therefore, neither the convenience of work definition used in [4], nor the convenience of the new definition of entropy in Eq. (1), are to be questioned on these grounds. On the contrary they help us understand the quantum origins of the Second Law, and provide a coherent Quantum Thermodynamic scheme for studying the efficiency of both positive and negative temperature devices.

A more detailed discussion of the properties and fundamental implications of the new entropy definition can be found in [3].

- [1] K. Sadri, arXiv:0803.2241 (2008).
- [2] M. Campisi, arXiv:0803.0282 (2008).
- [3] M. Campisi, Studies In History and Philosophy of Modern Physics 39, 181 (2008).
- [4] A. E. Allahverdyan and T. M. Nieuwenhuizen, Physica A 305, 542 (2002).

^{*} Electronic address: campisi@unt.edu