Lattice distortion effects on the frustrated spin-1 triangularantiferromagnet A₃NiNb₂O₉ (A = Ba, Sr and Ca)

Z. Lu¹, L. Ge², G. Wang³, M. Russina¹, G. Guenther¹, C. R. dela Cruz⁴, R. Sinclair⁵, H. D. Zhou⁵, J. Ma^{3,6}*

 Helmholtz-Zentrum Berlin für Materialien und Energie, D-14109 Berlin, Germany
 School of Physics, Georgia Institute of Technology, Atlanta, GA 30332, USA
 Key Laboratory of Artificial Structures and Quantum Control, School of Physics and Astronomy, Shanghai Jiao Tong University, Shanghai 200240, China
 Neutron Scattering Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee
 Jusa
 Department of Physics and Astronomy, University of Tennessee, Knoxville, Tennessee
 USA
 Collaborative Innovation Center of Advanced Microstructures, Nanjing, Jiangsu
 210093, China

Abstract

In the geometrically frustrated materials with the low-dimensional and small spin moment, the quantum fluctuation could interfere with the complicated interplay of the spin, electron, lattice and orbital interactions, and host exotic ground states such as nematic spin-state and chiral liquid phase. While the quantum phases of the one-dimensional chain and S - $\frac{1}{2}$ two-dimensional triangular-lattice antiferromagnet (TLAF) had been more thoroughly investigated by both theorists and experimentalists, the work on S = 1 TLAF has been limited. We induced the lattice distortion into the TLAFs, A_3 NiNb₂O₉ (A = Ba, Sr, and Ca) with *S* (Ni²⁺) = 1, and applied the thermodynamic, magnetic and neutron scattering measurements. Although A_3 NiNb₂O₉ kept the non-collinear 120° antiferromagnetic phase as the ground state, the Ni²⁺-lattice changed from the equilateral triangle (A = Ba) into isosceles triangle (A = Sr and Ca). The inelastic neutron scattering data were simulated by the linear spin-wave theory, and the competition between the single-ion anisotropy and the exchange anisotropy from the distorted lattice was discussed.

I. INTRODUCTION

In the geometrically frustrated system, the complicated interaction(s) between electron, phonon, spin and orbital could lead to degenerate ground states, which introduce exotic properties and attracted a lot attention over the past decades [1-3]. Meanwhile, those degenerate states would easily be held by the symmetrical inconsistency and be destroyed by significant quantum fluctuations, not only induced by the complicated interactions among low dimensionality, geometrical frustration, small spin and the applied magnetic field, but also modified the classical Heisenberg model [4-5]. The triangular-lattice antiferromagnet (TLAF), one of the simplest frustrated two-dimensional (2D) material, had been suggested to be strongly influenced by the strong quantum spin fluctuations with small effective spin (S = 1/2 or 1) and exhibited a rich variety of interesting physics [6-8]. A striking example of these quantum phenomena is the transition from a non-collinear 120° spin configuration at 0 T into fractional-magnet lattice under a finite range of applied magnetic field, such as a collinear up-up-down (*uud*) phase corresponding to a magnetization plateau with one-third of its saturation value [9-13].

Recently, the theoretical research indicated the *uud* state as a commensurate analogue of the incommensurate spin-density-wave which was predicted and observed for frustrated one-dimensional spin-1 chains and $S = \frac{1}{2}$ TLAF [14, 15], and suggested the possibility for exotic magnetic excitations. While there was an enormous theoretical activity in the domain, a full consensus on the origin of the *uud* state, (even the ground magnetic state, non-collinear 120° at zero field) was limited. This is true as well for the state-of-the art experimental investigation of its spin excitations due to the lack of a triangular-lattice materials. Although the lattice distortion has been believed to influence the quantum effects in the systems of kagome, square, and triangular motifs via the antisymmetric Dzyaloshinsky-Moriya (DM) interaction and requires that the dynamic models include the item of lattice contribution [16-20], how the ground state of triangular lattice originate from the lattice is still unclear. If the distortion effect was gradually introduced in the system, it would be insightful to obtain the specific physical properties as the related lattice is changed.

Ba₃NiNb₂O₉ was one of the first-studied equilateral TLAFs with highly symmetric crystal structure, which was free from the antisymmetric DM interaction such that a simple Hamiltonian model was expected to describe the physics of this material. The crystal structure is trigonal, P-3m1: i) the corner oxygen was shared by the NiO₆ and NbO₆ octahedra; ii) Ni ions occupied the 1*b* Wyckoff sites and form the triangular lattice in the *ab*-plane; iii) Ba²⁺ ions built up the unit cell frame and split NiO₆ octahedra. As the *ab*-planes were separated by double nonmagnetic layers consisting of the Nb₂O₁₁ double octahedra and Ba²⁺ ions, it was expected that the inter-layer exchange interaction was much smaller compared to the nearest-neighbor (NN) exchange interaction in the *ab*-plane of Ni²⁺ ions and the compound could be treated or approximately treated as a 2D system.

In this paper, we focused on the ground state of the non-collinear 120° spin structure reported for the triangular-lattice antiferromagnets $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca). Since the magnetic exchange energies were sensitive to the bond lengths/angles of Ni and O ions, it was interesting to compare the family of $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca) as the structures are gradually distorted. As Sr²⁺ and Ca²⁺ ions were smaller than Ba²⁺ ion, the effect from the lattice distortion would be introduced gradually and the *A*-site effect on the exchange interactions were observed. In addition, a strong coupling between the successive magnetic phase transitions and the ferroelectricity had been observed in Ba₃NiNb₂O₉ and Sr₃NiNb₂O₉ by magnetic and electric bulk measurements [10, 21]. Our study on the lattice effect on the triangular lattice should not only discuss the quantum effect in TLAFs, but also be beneficial for the development of multiferroicity theory in low-dimensional frustrated materials [22].

II. EXPERIMENTAL

Polycrystalline $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca) samples were prepared by solid state reaction method. Stoichiometric mixtures of BaCO₃/SrCO₃/CaCO₃, NiO and Nb₂O₅ were ground together, and calcined in air at 1230 °C for 24 h. A commercial SQUID magnetometer (MPMS, Quantum Design) and a high-field vibrating sample magnetometer (VSM) were employed to measure the dc magnetization as a function of temperature and magnetic field. The specific heat was measured by the physical property measurement system (PPMS, Quantum Design) by two steps. First, the background specific heat was measured by an empty pucker with *N*-grease; then, a dense and solid thin plate of $A_3NiNb_2O_9$ sample with total mass around 10 mg was measured. After that, by subtracting the background specific heat from this total specific heat, we obtained the specific heat of the sample.

The neutron powder diffraction (NPD) measurements down to 0.3 K were performed using the HB-2A powder diffractometer at the High Flux Isotope Reactor (HFIR), Oak Ridge National Laboratory (ORNL), with a ³He insert system. About 5 g of pelletized powder for each sample was loaded in a vanadium can with He exchange gas. Data were collected at selected temperatures using two different wavelengths $\lambda = 1.538$ and 2.406 Å. The collimation was set as open-open-6'. The shorter wavelength was used to investigate the crystal structures with the higher *Q* coverage, while the longer wavelength was important for investigating the magnetic structures of the material with the lower *Q* coverage. The Rietveld refinements on the diffraction data were performed using the program FullProf [23].

The inelastic neutron scattering (INS) of polycrystalline $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca) samples were carried out on recently upgraded cold neutron direct-geometry timeof-flight spectrometer NEAT at Helmholtz-Zentrum Berlin [24]. The spectrometer allows to cover a wide range of energy transfers $\hbar\omega$ and scattering angles, thereby allowing determination of a large swath of the scattering intensity $S(Q,\omega)$ as a function of momentum transfer $\hbar Q$ and energy transfer $\hbar\omega$, where Q is the scattering vector. Around 4 g of each sample was packed in aluminum cans filled with He exchange gas. Each scan was counted around 6 hours with the incident neutron energy $E_i = 3.272$ meV.

III. **RESULTS**

A. Neutron powder diffraction

As shown in Figs. 1(a) and (b), low temperature NPD were employed at 8 and 0.3 K to identify the magnetic structure of polycrystalline Ca₃NiNb₂O₉. The space group could be indexed using a monoclinic unit cell, space group P 1 $2_1/c$ 1 (No. 14), with one Ni atom at the 2a (0, 0, 0) site and another one at the 2d site (1/2, 1/2, 1/2) and the other Ca, Nb and

O atoms at the 8f(x, y, z) site. By comparing the Rietveld refinement results of Ca₃NiNb₂O₉ patterns at 0.3 and 20 K (20 K data was not presented here), it suggested that no crystal structure (P 1 21/c 1) transition was observed down to 0.3 K. The (1/3, 1/3, 1/2) and (4/3, 1/3, 1/2) magnetic Bragg peaks were observed at 0.3 K and absent at 8 K with Q~0.85 Å⁻¹ and 2.0 Å⁻¹, which were consistent with the commensurate magnetic wave vector $\mathbf{qm} = [1/3, 1/3, 1/2]$ (Fig. 1(b)), suggesting a similar 120° spin structure to Ba₃NiNb₂O₉ and Sr₃NiNb₂O₉ at 0.3 K [10, 18]. The magnetic phase transition was displayed by the temperature dependence of the order parameter (OP), Fig. 1(c) measured as the temperature dependence of the [1/3 1/3 1/2] magnetic peak.

Parameters	Ba ₃ NiNb ₂ O ₉	Sr ₃ NiNb ₂ O ₉	Ca ₃ NiNb ₂ O ₉
Space group	P -3 2/m 1	P 1 2 ₁ /c 1	P 1 2 ₁ /c 1
lattice parameters	<i>a=b=</i> 5.7509(5) Å <i>c=</i> 7.0343(8) Å	<i>a</i> =9.7549(5) Å	<i>a</i> =9.5695(8) Å
		<i>b</i> =5.6387(1) Å	<i>b</i> =5.4472(2) Å
		<i>c</i> =16.9194(8) Å	<i>c</i> =16.7876(3) Å
Interaxial angles	$\alpha = \beta = 90^{\circ}$	$\alpha = \gamma = 90^{\circ}$	<i>α</i> =γ=90°
	γ=120°	$\beta = 125.066(4)^{\circ}$	$\beta = 125.718(3)^{\circ}$
t	1.031	0.972	0.938

TABLE I. The crystallographic properties of A_3 NiNb₂O₉ (A = Ba, Sr, and Ca).

Fig. 1(d) presents the schematic crystal structure of $A_3NiNb_2O_9$. For the tripleperovskite system $A_3NiNb_2O_9$, the Ni-triangular layers were split by the nonmagnetic corner shared Nb₂O₁₁ perovskite. As the substitution of the smaller ions into the Ba-site with Ca²⁺, the lattice of Ca₃NiNb₂O₉ was distorted from hexagonal (P -3 2/m 1) to monoclinic (P 1 2₁/c 1) space group as Sr₃NiNb₂O₉. Therefore, the equilateral Ni-triangle changed to the isosceles triangle by replacing the Ba²⁺ ions with Sr²⁺ and Ca²⁺ ions, Fig. 1(e). The Ba compound exhibited an equilateral Ni-triangle with bonds of 5.7509 Å. For the Sr compound, one longer bond of 5.6387 Å and two shorter bonds of 5.6339 Å were obtained; for the Ca compound, one shorter bond of 5.4470 Å and two longer bonds of 5.5056 Å were observed. The tolerance factor, t, suggested by Goldschmidt had been employed to describe the stability of perovskite phases: the deviation of t from t=1 could be applied to estimate the internal strain in perovskites and oxygen octahedral tilt due to the misfit of the A and B site ionic radii [25]. The definition of t was given by,

$$t = \frac{R_A + R_O}{\sqrt{2}(\langle R_B \rangle + R_O)}$$

where $\langle R_B \rangle$ is the average ionic radii for the B site ions [26], and R_A and R_O are the A and O site ionic radius, respectively.

The crystallographic properties of $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca) were given in TABLE I. For Ba₃NiNb₂O₉, the tolerance factor was bigger than 1 while it was smaller than 1 for Sr₃NiNb₂O₉. However, the *t* deviations from *t*=1 were similar with ~0.030, which suggests a similar distortion from the ideal perovskite for them. Therefore, the crystal structure distorted from hexagonal to monoclinic structure is expected to result to a smaller *t*. Moreover, the angles of the equilateral triangle in Ba₃NiNb₂O₉ were all 60°; for Sr₃NiNb₂O₉, they were 60.090°, 59.955° and 59.955°; and for Ca₃NiNb₂O₉, they were 58.93°, 60.535°, and 60.535°.

Bonds	Ba ₃ NiNb ₂ O ₉	Sr ₃ NiNb ₂ O ₉	Ca ₃ NiNb ₂ O ₉
<ba<sub>1/Sr₁/Ca₁-O></ba<sub>	2.8695(1)	2.7829(4)	2.7345(3)
<ba<sub>2/Sr₂/Ca₂-O></ba<sub>	2.8850(9)	2.8243(4)	2.8689(2)
<sr<sub>3/Ca₃-O></sr<sub>		2.8962(6)	2.8560(9)
<ni1-o></ni1-o>		1.9416(9)	2.1165(9)
<ni2-o></ni2-o>	2.0901(3)	2.0449(5)	2.0653(4)
<ni-o></ni-o>		1.9933(2)	2.0909(6)
<nb1-o></nb1-o>	1.9416(7)	2.0004(7)	2.0005(5)
<nb2-o></nb2-o>	2.0662(2)	2.0731(1)	2.0625(8)
<nb-o></nb-o>	2.0039(5)	2.0367(9)	2.0315(6)

TABLE II. The bond lengths of A_3 NiNb₂O₉ (A = Ba, Sr, and Ca).

TABLE II showed the bond lengths of $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca). Considering the bond-length, the six Ni-O bonds had the same lengths of 2.090 Å in Ba₃NiNb₂O₉. However, the smaller ionic radius of Nb⁵⁺, 0.64 Å, compared to 0.69 Å for Ni²⁺ in octahedral coordination resulted in breathing distortion (extension or contraction



FIG. 1. (a) The neutron powder diffraction (NPD) pattern of polycrystalline Ca₃NiNb₂O₉ performed at 0.3 K. The refinement was done using the monoclinic space group, P 1 2₁/c 1. (b) The NPD patterns taken at 0.3 and 8 K. The (1/3, 1/3, 1/2) and (4/3, 1/3, 1/2) magnetic Bragg peaks at 0.3 K was given based on the hexagonal P-3m1 space group. (c) Temperature dependence of the order parameter in Ca₃NiNb₂O₉. Lines were fits to one (dashed) or two (solid) order parameters. The latter fit the data better suggesting a two-step transition consistent with what is observed in the bulk magnetization measurements discussed in the next section. (d) The schematic crystal structure of A_3 NiNb₂O₉. (e) Triangle lattice of Ni²⁺ ions in *ab*-plane of A_3 NiNb₂O₉.

of the Nb-O bond lengths) of the NbO₆ octahedra with two different lengths of Nb-O bonds, 1.942 and 2.066 Å, respectively. In Sr₃NiNb₂O₉ and Ca₃NiNb₂O₉, A-site ion is too small to hold its occupied cub-octahedral site, and then a combination of the breathing and tilting distortions both occurred, which can reduce the volume of the interstice and thereby improve the structural stability. With decreasing the size of the A-site ion, for Sr₃NiNb₂O₉ the average bond lengths of A-O and B-O decreased, but for Ca₃NiNb₂O₉ with smallest A-site ion the <A-O> and <B-O> are bigger than those for Sr₃NiNb₂O₉ due to stronger lattice distortion.

In Fig. 1(c), the fitting of OP was assumed with one or two order parameters, shown as dashed and solid lines, respectively. T_{N1} =4.90 K was obtained by the single-OP fitting with $\beta_{one} \approx 0.39$. The two-OP fitting gave T_{N1} =4.85 K and T_{N2} =4.05 K and yielded critical exponents, $\beta_{two-1} \approx 0.34$ and $\beta_{two-2} \approx 0.36$, respectively, which were a better description of the data. It was worth noting that the obtained values were comparable with those of 2vector XY (β =0.35) or 3-vector Heisenberg (β =0.36) models. The latter fit the data better suggesting a two-step transition consistent with what is observed in the bulk magnetization measurements discussed in the next section. However, the effect of averaging in powder diffraction could only determine the 120° spin direction projected in the *ab*-plane and cannot determine whether the Ni-triangular layers are of the easy-axis or easy-plane type [27].

B. Magnetic susceptibility and heat capacity

Fig. 2 (a) shows the specific heat data of the Ca₃NiNb₂O₉ at different field. A peak was observed around 4.2 K in the zero field curve. According to the literature on Sr₃NiNb₂O₉ [10] and Ba₃NiNb₂O₉ [21], this peak corresponded to the long range magnetic order transition. As the magnetic field increased, the peaks shifted to lower temperature and became broader. In Fig. 2(b), C_p/T vs T and dC_p/dT vs T presented two anomalies as T_{N2} and T_{N1} , respectively, which were similar to Sr₃NiNb₂O₉ and should be related to the distorted lattice.



FIG. 2. (a) Temperature dependence of the specific heat for the polycrystalline Ca₃NiNb₂O₉ sample at different magnetic fields. The inset is the specific heat at zero field and fit - (b) Temperature dependence of C_p/T and dCp/dT around T_{N1} and T_{N2} at zero magnetic field.

The temperature dependence DC susceptibility of Ca₃NiNb₂O₉ with different magnetic fields were shown in Fig. 3(a). As the field increased, the magnetic transition temperatures decreased and became broader similar to the behavior of the heat capacity anomaly. The data at 0.02 T followed the Curie-Weiss law at high temperature (inset). Fitting the χ (T) data from 100-300 K with linear Curie-Weiss law, we obtained -28 K for the Curie-Weiss temperature (θ_{CW}) suggesting the dominance antiferromagnetic (AFM) exchange interactions. For Ca₃NiNb₂O₉, *S* = 1, the effective moment (μ_{eff}) was calculated as 3.16 μ_{B} /Ni with a corresponding Landé *g* factor of 2.23, based on $\mu_{eff} = g\sqrt{S(S+1)}\mu_{B}$,

which was comparable with those of Ba₃NiNb₂O₉, Sr₃NiNb₂O₉ and other compounds with Ni²⁺ ions [9, 10, 21, 28, 29].

The spin frustration ratio f was defined as the ratio of the absolute value of Curie-Weiss temperature (θ_{CW}) to transition temperature T_N , thus $f = |\theta_{CW}|/T_N$. For Sr₃NiNb₂O₉ and Ca₃NiNb₂O₉ samples, we chose the higher transition temperature, T_{N1} , for calculation. As shown in TABLE III, the frustration ratio f increased with decreasing the A-site ion radii, and Ca₃NiNb₂O₉ had the strongest frustration and competing interactions.



FIG. 3. (a) Temperature dependence of susceptibility around the phase transition at different fields. The inset is temperature dependence of χ and $1/\chi$ for the polycrystalline Ca₃NiNb₂O₉ sample at H = 0.02 T. The green line is the linear fit of $1/\chi$ from 100 K to 300 K. the (b) The temperature dependence of $d(\chi T)/dT$ and χ from 2.5 to 7 K.

Parameters	Ba ₃ NiNb ₂ O ₉	Sr ₃ NiNb ₂ O ₉	Ca ₃ NiNb ₂ O ₉
<i>T</i> _{N1} (K)	49	5.5	4.8
<i>T</i> _{N2} (K)	т.у	5.1	4.2
$ heta_{\mathrm{CW}}\left(\mathrm{K} ight)$	-16.4	-21.5	-28
$\mu_{ m eff}~(\mu_{ m B}~/{ m Ni})$	3.15	3.21	3.16
g	2.23	2.27	2.23
f	3.4	3.9	5.83

TABLE III. The parameters extracted from the specific heat and dc susceptibility measurements for $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca).

From Fig. 3(b), the χ data exhibited a clear peak at ~4.8 K, which was consistent with T_{N1} from the dC_p/dT data. Another peak could be observed from the $d(\chi T)/dT$ at ~4.2 K, which was related to a long range magnetic ordering and corresponds to T_{N2} defined from the specific heat, Fig. 2(b). It was worth noting for the Ca compound the two-step phase transition was not so strong and sensitive to different measurement techniques to some extent. For example, T_{N2} transition was more sensitive to thermal measurement while T_{N1} transition could be detected more easily by dc susceptibility. Fig. 4(a) compared the temperature dependence of C_p/T for the polycrystalline $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca) samples at zero magnetic field. The Ba-compound exhibited the sharpest peak with the lambda-type feature in specific heat data, which result from its single-step phase transition at zero field. As shown in Fig. 4(b), at low magnetic fields, temperature dependence of $d(\chi$ T)/dT for the polycrystalline Ba₃NiNb₂O₉ sample also showed a sharp peak at T_N , while the two nearby T_N peaks of the Sr and Ca compounds indicated a two-step transition for them.



FIG. 4. (a) The comparison of the specific heat for $A_3NiNb_2O_9$ at zero magnetic field. The inset is the magnetic entropy of $A_3NiNb_2O_9$. (b) The comparison of the $d(\chi T)/dT$ for $A_3NiNb_2O_9$ at very low magnetic fields.

Based on the mean-field theory, the Heisenberg Hamiltonian, $J \sum_{\langle i,j \rangle} (S_i S_j)$, could be approximately related to the exchange *J* and the Curie-Weiss temperature θ_{CW} , $J = -3k_B\theta_{CW}/zS(S+1)$. For $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca), each Ni²⁺ ion was surrounded by 6 NNs (z = 6) with the interaction *J* in the triangular lattice, hence, $J/k_B = -3\theta_{CW}/12$, and J_{Ba}/k_B , J_{Sr}/k_B , and J_{Ca}/k_B were ~ 4.1 K (0.35 meV), 5.4 K (0.46 meV), and 7.0 K (0.60 meV), respectively. Therefore, the Sr and Ca compounds would exhibit bigger I than the Ba compound according to the calculated results.

The magnetic entropy of the $A_3NiNb_2O_9$ were shown in the inset of Fig. 4(a). The total magnetic entropy suggests that the degree of disorder of these three compounds were Ca > Sr > Ba, which is consistent with the behavior of the tolerance factor t in TABLE I. To extract the magnetic contribution from the total heat capacity, an equation consisted of the linear combination of one Debye and several Einstein terms was used to estimate the lattice specific heat,

$$C_L(T) = C_D \left[9R \left(\frac{T}{\theta_D}\right)^3 \int_0^{\theta_D/T} \frac{x^4 e^x}{(e^x - 1)^2} dx \right] + \sum_i C_{E_i} \left[3R \left(\frac{\theta_{E_i}}{T}\right)^2 \frac{\exp\left(\frac{\theta_{E_i}}{T}\right)}{\left[\exp\left(\frac{\theta_{E_i}}{T}\right) - 1\right]^2} \right]$$

_

where R is the universal gas constant, θ_D , θ_E are the Debye and Einstein temperatures, respectively. C_D , C_{E_i} are the relative weights of the acoustic and the optical phonon contribution of the heat capacity. There are 15 atoms per formula in our system. The best fit to the data from 30 to 250 K resulted to one Debye and two Einstein terms with the proportion 1: 5: 9 for the C_D : C_{E_1} : C_{E_2} , and $\theta_D = 160$ K, $\theta_{E_1} = 255$ K, $\theta_{E_2} = 540$ K. The magnetic component of the specific heat C_m was obtained after subtracting the lattice contribution from the data. The magnetic entropy S_m was obtained by integrating C_m*T throughout the range of temperatures measured (inset of Fig. 4(a)). The Ni²⁺ has a spin-1 in this compound. The total entropy saturated at about 79.1% of the Rln3. The entropy loss could be due to the quantum fluctuation in this spin frustrated system. We also measured the heat capacity of the $Sr_3NiNb_2O_9$ and $Ba_3NiNb_2O_9$, and then processed the data with the same method of Ca₃NiNb₂O₉. The total magnetic entropy was about 73.9% and 88.7% of Rln3 for $Sr_3NiNb_2O_9$ and $Ba_3NiNb_2O_9$, respectively. The total magnetic entropy decreased as Ba> Ca >Sr, which indicated the smallest magnetic entropy loss of Ba compound due to its smallest lattice distortion. However, for the Sr and Ca compounds, the magnetic entropy losses were dominated by the competition effect between lattice distortion and quantum fluctuation.

C. Inelastic neutron scattering (INS)

To explore the spin dynamics of $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca) in details, we measured the magnetic excitations from INS spectra. Figs. 5(a)-(c) showed the powder spectrum of $A_3NiNb_2O_9$ (A = Ba, Sr, and Ca) at 1.5 K, below T_N. Similar as the S-1/2 TLAF compound, Ba₃CoSb₂O₉, both gapped and gapless modes were observed in the magnetic DOS [27]; meanwhile, unlike Ba₃CoSb₂O₉, there was no obvious continuum observed at higher energy, which might be due to the larger spin moment (S = 1) and the weak signal from powder average effect.

The low-energy magnon bandwidth of Ba₃NiNb₂O₉ was around 1.0 meV, which was lower than those of Sr₃NiNb₂O₉ and Ca₃NiNb₂O₉ (~1.25 meV). The magnetic DOS of the *A*₃NiNb₂O₉ (*A* = Ba, Sr, and Ca) system showed minimums around $Q \approx 0.85$ Å⁻¹, which notably corresponded to commensurate magnetic wave vector $\mathbf{qm} = [1/3, 1/3, 1/2]$. Moreover, the gaps of this branch at $\mathbf{qm} = [1/3, 1/3, 1/2]$ for Ba₃NiNb₂O₉ and Ca₃NiNb₂O₉ was around 0.6 meV, while Sr₃NiNb₂O₉ exhibited a similar gap of around 0.8 meV, Fig.6. The magnetic signals were momentum dependent due to stronger ridges of intensity at $Q \approx 0.85$ Å⁻¹ than $Q \approx 1.5$ Å⁻¹ and $Q \approx 2.0$ Å⁻¹.

The INS results were simulated by the linear spin-wave (LSW) theory based on the quasi-2D XXZ Hamiltonian on a vertically stacked triangular lattice, Figs. 5(d)-(f). The appropriate Heisenberg Hamiltonian was,

$$H = J \sum_{\langle i,j \rangle}^{\text{layer}} \left(S_i^x S_j^x + S_i^y S_j^y + \Delta S_i^z S_j^z \right) + J' \sum_{\langle l,m \rangle}^{\text{interlayer}} S_l \cdot S_m$$

where *J* and *J'* (*J*, *J'* > 0) were the intra- and inter-layer NN antiferromagnetic exchange energies, respectively. Δ (0 < $\Delta \le 1$) was the easy-plane exchange anisotropy from the same 120° structure as in the Heisenberg case. TABLE IV was the summary of the parameters in the Hamiltonian according to the LSW approximation.

The E-integrated scans were obtained in Fig. 6, INS measurements and powder averaged LSW approximation have a good agreement: the data of Ca compound could be explained as the most Heisenberg-like feature and the best fit was obtained.

In the $A_3NiNb_2O_9$ system, the Sr compound exhibited the largest intra-layer NN exchange (J = 0.36 meV), while the Ca compound obtained the largest inter-layer exchange

(J' = 0.3J). Hence, the intra- and inter-layer NN exchange satisfied these relations, $J_{Ba} < 0.3J$ $J_{Ca} < J_{Sr}$ and $J'_{Ba} < J'_{Sr} < J'_{Ca}$, respectively. And the mean-field-theory doesn't work for Sr₃NiNb₂O₉ and Ca₃NiNb₂O₉, as shown in TABLE IV. The biggest gap for the Sr compound (~0.8 meV) suggested the largest intra-plane NN exchange anisotropy than those of ~0.6 meV for the Ba and Ca compounds. When the Ba^{2+} ion was substituted with the smaller Sr^{2+} ion, the Ni²⁺ triangle changed from an equilateral triangle to an isosceles triangle, as shown in Fig. 1(e). The smaller A-site ions resulted in smaller triangle lattice and larger intra-plane exchange anisotropy. When the smallest Ca^{2+} ion was on the A-site, the lattice distortion was enhanced further, and the inter-plane interaction was strong enough to affect the intra-plane anisotropy, which presented the weak quantum effect. From the NPD data, the distances between the triangular *ab*-planes for the Ba, Sr and Ca compounds were 7.034 Å, 6.924 Å and 6.815 Å, respectively. And the ratios of the average intra-plane Ni-Ni bond lengths to these inter-layer distances were ~0.81 for the Ba and Sr compounds, and ~0.80 for the Ca one. Therefore, the shortest inter-layer distances and the smallest ratios of bond lengths to plane distances for the Ca compound led to very strong inter-plane coupling with the largest I'/I = 0.30 and reduced the I slightly to 0.31 meV (< $I_{\rm Sr}=0.36$ meV). In addition, the Ca compound showed more obvious gapless feature than the Sr compound from the fitting. The best fitting parameters of easy-plane exchange anisotropy were $\Delta = 0.95$ and $\Delta = 0.75$ for Ca₃NiNb₂O₉ and Sr₃NiNb₂O₉, respectively, as shown in TABLE IV. It indicated that the Ca-compound had less easy plane anisotropy compared to the Sr one due to its more dispersive feature with the similar bandwidth as the Sr compound.



FIG. 5. Powder spectra measured experimentally at 1.5 K on spectrometer NEAT: (a) Ba₃NiNb₂O₉, (b) Ca₃NiNb₂O₉, (c) Sr₃NiNb₂O₉ powder spectra at 1.5 K. The powder-average LSW approximation of (d) Ba₃NiNb₂O₉, (e) Ca₃NiNb₂O₉, (f) Sr₃NiNb₂O₉.

The competition of the easy-plane exchange anisotropy Δ and J'/J was treated as the dominant effect in the $A_3NiNb_2O_9$ system. Moreover, we also considered the easy-axis anisotropy, single ion anisotropy and DM effects in the system by the LSW approximation: 1) Easy-axis anisotropy could lift the entire band up, create a gap and modify the ordering wave vector; 2) If single ion anisotropy existed, the out of plane canting would be bigger and towards the collinear structure; 3) the DM interaction could open a gap at the wave vector for a single-crystal spectrum with the gapless (Goldstone) mode persisting at the Γ point. Since the Hamiltonian still had continuous symmetry in the *ab* plane, and the ground state could break it spontaneously. No matter how weak the powder spectra was, it would always be gapless.



FIG. 6. Comparison between experiment (red dots) and LSWT (the black line) simulation shown as energy-integrated within $0.2 \le E \le 1.5$ meV for: (a) Ba₃NiNb₂O₉, (b) Ca₃NiNb₂O₉, (c) Sr₃NiNb₂O₉.

TABLE IV. The summary of the exchange parameters in the Hamiltonian according to the LSW approximation.

Parameters	Ba ₃ NiNb ₂ O ₉	Ca ₃ NiNb ₂ O ₉	Sr ₃ NiNb ₂ O ₉
$J^{\rm MFT}$ (meV)	0.35	0.60	0.46
J (meV)	0.30	0.31	0.36
J' (meV)	0.015	0.093	0.018
J'/J	0.05	0.30	0.05
Δ	0.70	0.95	0.75
J' (meV) J' (meV) J'/J Δ	0.30 0.015 0.05 0.70	0.31 0.093 0.30 0.95	0.36 0.018 0.05 0.75

IV. DISCUSSION

To understand the intralayer antiferromagnetic interaction of the Ni²⁺ ions, we examined the superexchange interaction in the structure using Goodenough-Kanamori's theoretical framework [30], which discussed the relation between the symmetry of electron orbitals and superexchange interaction via a nonmagnetic anion. In Ba₃NiNb₂O₉, two superexchange pathways for the Ni²⁺ spins in the same layer were shown in Fig. 7(a), Ni²⁺-O²⁻-O²⁻-Ni²⁺ and Ni²⁺-O²⁻-Nb⁵⁺-O²⁻-Ni²⁺, respectively, by sharing the corner oxygens of the NiO₆ and NbO₆ octahedrons. Although the first Ni²⁺-O²⁻-O²⁻-Ni²⁺ superexchange pathway could be observed as the antiferromagnet, the connection of O²⁻-O²⁻ need to hybridize/distort the *s*-orbital or the other *p*-orbitals of O²⁻. For the second superexchange path of Ni²⁺-O²⁻-Nb⁵⁺-O²⁻-Ni⁵⁺. T(b), the superexchange interaction between the spins on the $d_{x^2-y^2}$ orbitals of the Ni²⁺ ions were considered. From the Rietveld refinements of neutron powder diffraction, the O²⁻-Nb⁵⁺-O²⁻ bond angle is very close to 90° at 91.13°, and the Ni²⁺-O²⁻-Nb⁵⁺ is 180°. In this case, the spin 1 on the left Ni²⁺ ion transferred to the $2p_y$ orbital of the O²⁻ by combining with the $2p_y$ orbital of the filled outermost Nb⁵⁺ 4*p* orbitals to form a molecular orbital while the spin 2 on the right Ni²⁺ ion transferred to the molecular

orbital composed of the $2p_x$ orbital of the O²⁻ and the Nb⁵⁺ ions. According to Hund's rule, these two spins on the p_y and p_x orbitals must be parallel. Thus, a ferromagnetic superexchange interaction formed between these two Ni²⁺ ions after these two spins transferred back to the $d_{x^2-y^2}$ orbitals of Ni²⁺. Therefore, the Ni²⁺-O²⁻-O²⁻-Ni²⁺ exchange had a shorter connection path and thereby a stronger orbital-distortion than the one of Ni²⁺-O²⁻-Nb⁵⁺-O²⁻-Ni²⁺. For Ba₃NiNb₂O₉, the distortion effect was not dominant, and the AFM interaction overcame the FM interaction. As the magnetic field was applied, the distortion effect was strengthened, and the FM interaction could be observed in the *uud* phase [10]. Similar competitive superexchange interactions in other TLMs with layered perovskite structures have been reported. For example, in Ba₃CoNb₂O₉, the AFM Co²⁺-O²⁻-Co²⁺ interaction, which resulted in a weak AFM interaction [31]. However, in other triangular magnet systems, such as, $AAg_2M(VO_4)_2$ (A = Ba, Sr; M = Co, Ni) [32], the AFM Co²⁺-O²⁻-Co²⁺ interaction was weaker than the FM Co²⁺-O²⁻-Co²⁺ interaction, and YCr(BO₃)₂, the AFM Cr³⁺-O²⁻-O²⁻-O²⁻-O²⁺-O²⁺-O²⁻-O²⁺-O²⁺-O²⁻-Cr³⁺ interaction [33].

As shown in Figs. 7(c) and (d), in $Sr_3NiNb_2O_9$ and $Ca_3NiNb_2O_9$, the lattice distortion resulted to the variation of the Ni²⁺-O²⁻ bond lengths. Most of the O²⁻-Nb⁵⁺-O²⁻ bond angles were distorted away from the ideal value of 90°, to as small as ~76° and some as large as ~104°. The Ni²⁺, O²⁻ and Nb⁵⁺ ions were not on the same line. Thus, the FM interactions were influenced by the distortion and led to stronger resultant AFM interactions. To obtain the *uud* phase, a higher magnetic field needed to be applied [21]. Meanwhile, the polarization of Sr and Ca compound should be smaller than that of Ba compound, and the re-entrant signal in pyroelectric current of Ba compound was absent [21].

Moreover, only one transition was observed in Ba₃NiNb₂O₉, which was consistent with the easy-plane anisotropy in this isotropic system. For Sr₃NiNb₂O₉ and Ca₃NiNb₂O₉ with distorted structures, the easy-axis anisotropy was excluded by the LSW approximation of the INS measurements while two magnetic transitions were observed in both compounds. An extra noncollinear magnetic phase existed at low temperature, which corresponded to the phase transition at T_{N1} , and the spin structure of this phase should be 120° in *ab* plane. For the S = 1 case, the high temperature transition from the paramagnet was not clear and a different phase diagram had been proposed by theory, specifically the stripe phase related to a spin reorientation in honeycomb lattice [34], and the zigzagging stripe phase in the isosceles triangular networks by the harmonic particle interaction [35].



FIG. 7. (a) Superexchange pathways for FM $Ni^{2+}-O^{2-}-O^{2-}-Ni^{2+}$ and AFM $Ni^{2+}-O^{2-}-Nb^{5+}-O^{2-}-Ni^{2+}$ interactions in Ba₃NiNb₂O₉. (b) Orbital configurations of FM interactions through $Ni^{2+}-O^{2-}-Nb^{5+}-O^{2-}-Ni^{2+}$ superexchange pathway in Ba₃NiNb₂O₉. (c) Superexchange pathways in Sr₃NiNb₂O₉. (d) Superexchange pathways in Ca₃NiNb₂O₉.

V. CONCLUSIONS

In summary, the lattice distortion effect on the magnetic ground states of spin-1 TLAF was investigated by comparing two isosceles triangular lattice antiferromagnets $Sr_3NiNb_2O_9$ and $Ca_3NiNb_2O_9$ with an equilateral triangular compound $Ba_3NiNb_2O_9$. Although the effective magnetic moment across the family is the same, the magnetic frustration of the system increases from the equilateral triangle to the isosceles one. Moreover, the two magnetic phase transitions were observed in A = Sr and Ca compared to one in A = Ba. However, the lattice distortion did not tune the easy plane anisotropy of the Ba compound. Instead, the lattice distortion generated an extra competitive magnetic phase with the 120° spin structure that has an out of *ab* plane canting at low temperatures for both Sr and Ca compounds and yielded larger inter-plane exchange energy with bigger anisotropy for the ground state of the spin-1 $A_3NiNb_2O_9$ TLAF.

Acknowledgement: J.M. and G.H.W. acknowledge support from the NSF China (grant 11774223). Thank the support from NSF-DMR-1350002. Research conducted at ORNL's High Flux Isotope Reactor was sponsored by the Scientific User Facilities Division, Office of Basic Energy Sciences, United States Department of Energy.

References

- 1 A. V. Chubokov, and D. I. Golosov, J. Phys.: Condens. Matter **3**, 69 (1991).
- 2 A. P. Ramirez, Ann. Rev. Mater. Res. **24**, 453 (1994).
- 3 L. Balents, Nature **464**, 199 (2010).
- 4 T. Sakai and H. Nakano, Phys. Rev. B **83**, 100405 (2011).
- 5 M. Mourigal, W. T. Fuhrman, A. L. Chernyshev, and M. E. Zhitomirsky, Phys. Rev. B **88**, 094407 (2013).
- 6 J. Alicea, A. V. Chubukov, and O. A. Starykh, Phys. Rev. Lett. **102**, 137201 (2009).
- J. G. Cheng, G. Li, L. Balicas, J. S. Zhou, J. B. Goodenough, C. Xu, and H. D. Zhou, Phys.
 Rev. Lett. 107, 197204 (2011).
- 8 J. Reuther and R. Thomale, Phys. Rev. B **83**, 024402 (2011).
- Y. Shirata, H. Tanaka, T. Ono, A. Matsuo, K. Kindo, and H. Nakano, J. Phys. Soc. Jpn. 80, 093702 (2011).
- 10 J. Hwang, E. S. Choi, F. Ye, C. R. Dela Cruz, Y. Xin, H. D. Zhou, and P. Schlottmann, Phys. Rev. Lett. **109**, 257205 (2012).
- 11 Y. Shirata, H. Tanaka, A. Matsuo, and K. Kindo, Phys. Rev. Lett. **108**, 057205 (2012).
- M. Lee, J. Hwang, E. S. Choi, J. Ma, C. R. Dela Cruz, M. Zhu, X. Ke, Z. L. Dun, and H. D.
 Zhou, Phys. Rev. B 89, 104420 (2014).
- 13 T. Susuki, N. Kurita, T. Tanaka, H. Nojiri, A. Matsuo, K. Kindo, and H. Tanaka, Phys. Rev. Lett. **110**, 267201 (2013).
- 14 O. A. Starykh, and L. Balents, Phys. Rev. B **89**, 104407 (2014).
- M. Mourigal, M. Enderle, B. Fak, R. K. Kremer, J. M. Law, A. Schneidewind, A. Hiess, and
 A. Prokofiev, Phys. Rev. Lett. 109, 027203 (2012).
- T. Ono, H. Tanaka, H. Aruga Katori, F. Ishikawa, H. Mitamura, and T. Goto, Phys. Rev. B67, 104431 (2003).
- Y. Fujii, T. Nakamura, H. Kikuchi, M. Chiba, T. Goto, S. Matsubara, K. Kodama, and M. Takigawa, Physica B: Condens. Matter **346-347**, 45 (2004).
- T. Ono, H. Tanaka, O. Kolomiyets, H. Mitamura, T. Goto, K. Nakajima, A. Oosawa, Y.
 Koike, K. Kakurai, and J. Klenke, J. Phys.: Condens. Matter 16, S773 (2004).

- M. A. Fayzullin, R. M. Eremina, M. V. Eremin, A. Dittl, N. van Well, F. Ritter, W. Assmus, J.
 Deisenhofer, H.-A. Krug von Nidda, and A. Loidl, Phys. Rev. B 88, 174421 (2013).
- S. A. Zvyagin, D. Kamenskyi, M. Ozerov, J. Wosnitza, M. Ikeda, T. Fujita, M. Hagiwara,
 A. I. Smirnov, T. A. Soldatov, A. Ya. Shapiro, J. Krzystek, R. Hu, H. Ryu, C. Petrovic, and
 M. E. Zhitomirsky, Phys. Rev. Lett. **112**, 077206 (2014).
- M. Lee, E. S. Choi, J. Ma, R. Sinclair, C. R. Dela Cruz, and H. D. Zhou, J. Phys.: Condens.
 Matter 28, 476004 (2016).
- H. J. Xiang, E. J. Kan, Y. Zhang, M. H. Whangbo, and X. G. Gong, Phys. Rev. Lett. 107, 157202 (2011).
- 23 J. Rodríguez-Carvajal, Physica B: Condens. Matter **192**, 55 (1993).
- M. Russina, G. Guenther, V. Grzimek, R. Gainov, M. Schlegel, L. Drescher, T. Kaulich, W. Graf, B. Urban, A. Daske, K. Grotjahn, R. Hellhammer, G. Buchert, H. Kutz, L. Rossa, O. Sauer, M. Fromme, D. Wallacher, K. Kiefer, B. Klemke, N. Grimm, S. Gerischer, N. Tsapatsaris, and K. Rolfs, Physica B: Condens. Matter (2017), https://doi.org/10.1016/j.physb.2017.12.026.
- 25 D. I. Woodward, and I. M. Reaney, Acta Cryst. B **61**, 387 (2005).
- J. B. Philipp, P. Majewski, L. Alff, A. Erb, R. Gross, T. Graf, M. S. Brandt, J. Simon, T.
 Walther, W. Mader, D. Topwal, and D. D. Sarma, Phys. Rev. B 68, 144431 (2003).
- J. Ma, Y. Kamiya, Tao Hong, H. B. Cao, G. Ehlers, W. Tian, C. D. Batista, Z. L. Dun, H. D.
 Zhou, and M. Matsuda, Phys. Rev. Lett. **116**, 087201 (2016).
- 28 M. Liu, H. Zhang, X. Huang, C. Ma, S. Dong, and J. M. Liu, Inorg. Chem. 55, 2709 (2016).
- M. Lee, E. S. Choi, X. Huang, J. Ma, C. R. Dela Cruz, M. Matsuda, W. Tian, Z. L. Dun, S.
 Dong, and H. D. Zhou, Phys. Rev. B **90**, 224402 (2014).
- 30 J. Kanamori, J. Phys. Chem. Solids **10**, 87 (1959).
- 31 K. Yokota, N. Kurita, and H. Tanaka, Phys. Rev. B **90**, 014403 (2014).
- A. Möller, N. E. Amuneke, P. Daniel, B. Lorenz, C. R. dela Cruz, M. Gooch, and P. C. W.
 Chu, Phys. Rev. B 85, 214422 (2012).
- 33 R. Sinclair, et al., Phys. Rev. B **95**, 174410 (2017).
- 34 J. Merino, and A. Ralko. arXiv:1801.07042 (2018).
- 35 F. Leoni, and Y. Shokef. arXiv:1801.09066v1 (2018).