

Group Envy Freeness and Group Pareto Efficiency in Fair Division with Indivisible Items

Martin Aleksandrov and Toby Walsh

Technical University of Berlin, Berlin, Germany
{martin.aleksandrov,toby.walsh}@tu-berlin.de

Abstract. We study the fair division of items to agents supposing that agents can form groups. We thus give natural generalizations of popular concepts such as envy-freeness and Pareto efficiency to groups of fixed sizes. *Group envy-freeness* requires that no group envies another group. *Group Pareto efficiency* requires that no group can be made better off without another group be made worse off. We study these new group properties from an axiomatic viewpoint. We thus propose new fairness taxonomies that generalize existing taxonomies. We further study *near* versions of these group properties as allocations for some of them may not exist. We finally give three prices of *group* fairness between group properties for three common social welfares (i.e. utilitarian, egalitarian and Nash).

Keywords: Multi-agent Systems · Social Choice · Fair Division · Groups

Introduction

Fair divisions become more and more challenging in the present world due to the ever-increasing demand for resources. This pressure forces us to achieve more complex allocations with less available resources. An especially challenging case of fair division deals with the allocation of *free-of-charge* and *indivisible* items (i.e. items cannot be divided, items cannot be purchased) to agents cooperating in *groups* (i.e. each agent maximizes multiple objectives) in the absence of information about these groups and their group preferences. For example, food banks in Australia give away perishable food products to charities that feed different *groups* of the community (e.g. Muslims) [18,20]. As a second example, social services in Germany provide medical benefits, donated food and affordable education to thousands of refugees and their *families*. We often do not know the group members or how they share group preferences for resources. Some other examples are the allocations of office rooms to research groups [12], cake to groups of guests [16,33], land to families [26], hospital rooms to medical teams [35] and memory to computer networks [31].

In this paper, we consider the fair division of items to agents under several assumptions. For example, the collection of items can be a mixture of goods and bads (e.g. meals, chores) [6,10,28]. We thus assume that each agent has some aggregate utility for a given bundle of items of another agent. However, these utilities can be shared arbitrarily among the sub-bundles of the bundle (e.g. monotonically, additively, modularly, etc.). As another example, the agents can form groups in an arbitrarily manner. We thus assume that each group has some aggregate utility for a given bundle of items

of another group. As in [33], we consider arithmetic-mean group utilities. We study this problem for five main reasons. First, people form groups naturally in practice (e.g. families, teams, countries). Second, group preferences are more expressive than individual preferences but also more complex (e.g. complementarities, substitutabilities). Third, we seek new group properties as many existing ones may be too demanding (e.g. coalitional fairness). Fourth, the principles in which groups form are normally not known. Fifth, with arithmetic-mean group utilities, we generalize existing fairness taxonomies [4,5] and characterization results for Pareto efficiency [9].

Two of the most important criteria in fair division are envy-freeness (i.e. no agent envies another agent) and Pareto efficiency (i.e. no agent can be made better off without another agent be made worse off) [14,15,17,43]. We propose *new* generalizations of these concepts for groups of fixed sizes. *Group envy-freeness* requires that no group envies another group. *Group Pareto efficiency* requires that no group can be made better off without another group be made worse off. We thus construct new sets of fairness properties, that let us interpolate between envy-freeness and proportionality (i.e. each agent gets $1/n$ their total utility for bundles), and utilitarian efficiency (i.e. the sum of agent's utilities is maximized) and Pareto efficiency. There is a reason why we focus on these two common properties and say not on other attractive properties such as group strategy-proofness. Group strategy-proofness may not be achievable with limited knowledge of the groups [3]. By comparison, both group envy-freeness and group Pareto efficiency are achievable. For example, the allocation of each bundle uniformly at random among agents is group envy-free, and the allocation of each bundle to a given agent is group Pareto efficient. This example further motivates why we study these two properties in isolation. In some instances, no allocation satisfies them in combination.

Common computational problems about group envy-freeness and group Pareto efficiency are inherently intractable even for problems of relatively small sizes [8,13,25]. For this reason, we focus on the axiomatic analysis of these properties. We propose a taxonomy of n layers of group envy-freeness properties such that group envy-freeness at layer k implies (in a logical sense) group envy-freeness at layer $k + 1$. This is perhaps a good news because envy-free allocations often do *not* exist and, as we show, allocations satisfying some properties in our taxonomy *always* exist. We propose another taxonomy of n layers of group Pareto efficiency properties such that group Pareto efficiency at layer $k + 1$ implies group Pareto efficiency at layer k . Nevertheless, it is not harder to achieve group Pareto efficiency than Pareto efficiency and such allocations still *always* exist. We also consider α -taxonomies of *near* group envy-freeness and *near* group Pareto efficiency properties for each $\alpha \in [0, 1]$. We finally use prices of *group* fairness to measure the “loss” in welfare efficiency between group properties.

Our paper is organized as follows. We next discuss related work and define our notions. We then present our taxonomy for group envy-freeness in the cases in which agents might be envy of groups (Theorem 1), groups might be envy of agents (Theorem 2) and groups might be envy of groups (Theorem 3). We continue with our taxonomy for group Pareto efficiency (Theorem 4) and generalize an important result from Pareto efficiency to group Pareto efficiency (Theorem 5). Further, we propose taxonomies of properties approximating group envy-freeness and group Pareto efficiency. Finally, we give the prices of group fairness (Theorem 6) and conclude our work.

Related work

Group fairness has been studied in the literature. Some notions compare the bundle of each group of agents to the bundle of any other group of agents based on Pareto dominance (i.e. all agents are weakly happier, and some agents are strictly happier) preference relations (e.g. coalitional fairness, strict fairness) [19,23,27,32,41,42,45]. Coalitional fairness implies both envy-freeness and Pareto efficiency. Perhaps this might be too demanding in practice as very often such allocations do not exist. For example, for a given allocation, it requires complete knowledge of agents' utilities for any bundles of items of any size in the allocation, whereas our notions require *only* knowledge of agents' utilities for their own bundles and the bundles of other agents in the allocation. Other group fairness notions are based on the idea that the bundle of each group should be perceived as fair by as many agents in the group as possible (e.g. unanimously envy-freeness, h -democratic fairness, majority envy-freeness) [34,39]. The authors suppose that the groups are disjoint and known (e.g. families), and the utilities of agents for items are known, whereas we suppose that the groups are *unknown*, thus possibly *overlap*, and the utilities of agents are in a *bundle* form.

More group fairness notions have been studied in the context of cake-cutting (e.g. arithmetic-mean-proportionality, geometric-mean-proportionality, minimum-proportionality, median-proportionality) [33]. These notions compare the aggregate bundle of each group of agents to their proportional (wrt the number of groups) aggregate bundle of all items. *Unlike* us, the authors assume that the group members and their monotonic valuations are part of the common knowledge. Group envy-freeness notions are also already used in combinatorial auctions with additive quasi-linear utilities and monetary transfers (e.g. envy-freeness of an individual towards a group, envy-freeness of a group towards a group) [40]. The authors assume that the agents' utilities for items and item prices are known. Conceptually, our notions of group envy-freeness resemble these notions but they do *not* use prices. We additionally study notions of near group fairness. Our near group fairness notions for groups of agents are inspired by α -fairness for individual agents [11,21,22,36,37].

Most of these existing works consider allocating divisible resources (e.g. land, cake) with money (e.g. exchange economies), whereas we consider allocating *indivisible* items *without* money. We further *cannot* directly apply most of these existing properties to our setting with unknown groups, bundle utilities and priceless items. As a result, we *cannot* directly inherit any of the existing results. In contrast, we can apply our group properties in settings in which the group members and their preferences are actually known. Therefore, our results are valid in some existing settings. Our properties are *new* and cannot be defined using the existing fairness framework proposed in [4]. Moreover, existing works are somehow related to our properties of group envy-freeness. However, we additionally propose properties of group Pareto efficiency. Also, most existing properties may *not* be guaranteed even with a single indivisible item (e.g. coalitional fairness). By comparison, *many* of our group envy-freeness properties and *all* of our group Pareto efficiency properties can be guaranteed. Furthermore, we use *new* prices of fairness for our group properties similarly as for other properties in other settings [2,7,24,30]. Finally, several related models are studied in [29,38,44]. However, none of these focuses on axiomatic properties such as ours.

Preliminaries

We consider a set $N = \{a_1, \dots, a_n\}$ of agents and a set $O = \{o_1, \dots, o_m\}$ of indivisible items. We write $\pi = (\pi_1, \dots, \pi_n)$ for an *allocation* of the items from O to the agents from N with (1) $\cup_{a \in N} \pi_a = O$ and (2) $\forall a, b \in N, a \neq b : \pi_a \cap \pi_b = \emptyset$, where π_a, π_b denote the bundles of items of agents $a, b \in N$ in π . We suppose that agents form groups. We thus write π_G for the bundle $\cup_{a \in G} \pi_a$ of items of group G , and $u_G(\pi_H)$ for the *utility* of G for the bundle π_H of items of group H . We assume *arithmetic-mean* group utilities. That is, $u_G(\pi_G) = \frac{1}{k} \cdot \sum_{a \in G} u_a(\pi_a)$ and $u_G(\pi_H) = \frac{1}{k \cdot h} \cdot \sum_{a \in G} \sum_{b \in H} u_a(\pi_b)$, where the group G has k agents, the group H has h agents and the utility $u_a(\pi_b) \in \mathbb{R}^{\geq 0}$ can be arbitrary for any agents $a, b \in N$ (i.e. monotonic, additive, modular, etc.).

We next define our group fairness properties. Group envy-freeness captures the envy of a group towards another group. Group Pareto efficiency captures the fact that we cannot make each group weakly better off, and some group strictly better off. These properties strictly generalize envy-freeness and Pareto efficiency whenever the group sizes are fixed. Near group fairness is a relaxation of group fairness.

Definition 1 (group envy-freeness) For $k, h \in \{1, \dots, n\}$, an allocation π is (k, h) -group envy-free (or simply $\text{GEF}_{k,h}$) iff, for each group G of k agents and each group H of h agents, $u_G(\pi_G) \geq u_G(\pi_H)$ holds.

Definition 2 (group Pareto efficiency) For $k \in \{1, \dots, n\}$, an allocation π is k -group Pareto efficient (or simply GPE_k) iff, there is no other allocation π' such that $u_G(\pi'_G) \geq u_G(\pi_G)$ holds for each group G of k agents, and $u_H(\pi'_H) > u_H(\pi_H)$ holds for some group H of k agents.

Definition 3 (near group envy-freeness) For $k, h \in \{1, \dots, n\}$ and $\alpha \in \mathbb{R}^{[0,1]}$, an allocation π is near (k, h) -group envy-free wrt α (or simply $\text{GEF}_{k,h}^\alpha$) iff, for each group G of k agents and each group H of h agents, $u_G(\pi_G) \geq \alpha \cdot u_G(\pi_H)$ holds.

Definition 4 (near group Pareto efficiency) For $k \in \{1, \dots, n\}$ and $\alpha \in \mathbb{R}^{[0,1]}$, an allocation π is near k -group Pareto efficient wrt α (or simply GPE_k^α) iff, there is no other allocation π' such that $\alpha \cdot u_G(\pi'_G) \geq u_G(\pi_G)$ holds for each group G of k agents, and $\alpha \cdot u_H(\pi'_H) > u_H(\pi_H)$ holds for some group H of k agents.

We use prices to measure the “loss” in the welfare $w(\pi)$ between these properties in a given allocation π . The *price of group envy-freeness* p_{GEF}^w is $\max_{k,h} \frac{\max_{\pi_1} w(\pi_1)}{\min_{\pi_2} w(\pi_2)}$ where π_1 is a (h, h) -group envy-free and π_2 is a (k, k) -group envy-free with $h \leq k$. The *price of group Pareto efficiency* p_{GPE}^w is $\max_{k,h} \frac{\max_{\pi_1} w(\pi_1)}{\min_{\pi_2} w(\pi_2)}$ where π_1 is a h -group Pareto efficient and π_2 is a k -group Pareto efficient with $h \geq k$. The *price of group fairness* p_{FAIR}^w is $\max_k \frac{\max_{\pi_1} w(\pi_1)}{\min_{\pi_2} w(\pi_2)}$ where π_1 is a (k, k) -group envy-free and π_2 is a k -group Pareto efficient. We consider these prices for common welfares such as the utilitarian welfare $u(\pi) = \sum_{a \in N} u_a(\pi_a)$, the egalitarian welfare $e(\pi) = \min_{a \in N} u_a(\pi_a)$ and the Nash welfare $n(\pi) = \prod_{a \in N} u_a(\pi_a)$.

Finally, we write Π_H for the *expected allocation* of group H that assigns a probability value to each bundle of items, and $\bar{u}_G(\Pi_H)$ for the *expected utility* of group G for Π_H . We observe that we can define our group properties in terms of expected utilities of groups for expected allocations of groups.

Group envy freeness

We start with group envy-freeness for arithmetic-mean group utilities. Our first main result is to give a taxonomy of strict implications between group envy-freeness notions for groups of fixed sizes (i.e. $\text{GEF}_{k,h}$ for fixed $k, h \in [1, n]$). We present the taxonomy in Figure 1.

$$\begin{array}{ccc} \text{GEF}_{k,h} & \Rightarrow & \text{GEF}_{k,h+1} \\ \Downarrow & & \Downarrow \\ \text{GEF}_{k+1,h} & \Rightarrow & \text{GEF}_{k+1,h+1} \end{array}$$

Fig. 1. A taxonomy of group envy-freeness properties for fixed $k, h \in [1, n]$.

Our taxonomy contains n^2 group envy-freeness axiomatic properties. By definition, we observe that $(1, 1)$ -group envy-freeness is equivalent to envy-freeness (or simply EF) and $(1, n)$ -group envy-freeness is equivalent to proportionality (or simply PROP). Moreover, we observe that $(n, 1)$ -group envy-freeness captures the envy of the group of all agents towards each agent. We call this property *grand envy-freeness* (or simply gEF). (n, n) -group envy-freeness is trivially satisfied by any allocation. In our taxonomy, we can interpolate between envy-freeness and proportionality, and even beyond. From this perspective, our taxonomy generalizes existing taxonomies of fairness concepts for individual agents with additive utilities [4,5]. We next prove the implications in our taxonomy. For this purpose, we distinguish between *agent-group* properties (i.e. $(1, h)$ -group envy-freeness), *group-agent* properties (i.e. $(k, 1)$ -group envy-freeness) and *group-group* properties (i.e. (k, h) -group envy-freeness) for $k \in [1, n]$ and $h \in [1, n]$.

Agent-group envy-freeness We now consider n properties for agent-group envy-freeness of actual allocations that capture the envy an individual agent might have towards a group of other agents. These properties let us move from envy-freeness to proportionality (i.e. there is $h \in [1, n]$ such that “EF \Rightarrow $\text{GEF}_{1,h}$ \Rightarrow PROP”). If an agent is envy-free of a group of $h \in [1, n]$ agents, then they are envy-free of a group of $q \geq h$ agents.

Theorem 1 For $h \in [1, n]$, $q \in [h, n]$ and arithmetic-mean group utilities, we have that $\text{GEF}_{1,h}$ implies $\text{GEF}_{1,q}$ holds.

Proof. Let us pick an allocation π . We show the result by induction on $i \in [h, q]$. In the base case, let i be equal to h . The result follows trivially in this case. In the induction hypothesis, suppose that π is $(1, i)$ -group envy-free for $i < q$. In the step case, let i be equal to q . By the hypothesis, we know that π is $(1, q - 1)$ -group envy-free. For the sake of contradiction, let us suppose that π is not $(1, q)$ -group envy-free. Consequently, there is a group of q agents and an agent, say $G = \{a_1, \dots, a_q\}$ and $a \notin G$, such that inequality (1) holds for G and a , and inequality (2) holds for G , a and each agent $a_j \in G$.

$$u_a(\pi_a) < u_a(\pi_G) = \frac{1}{q} \cdot \sum_{b \in G} u_a(\pi_b) \quad (1)$$

$$u_a(\pi_a) \geq u_a(\pi_{G \setminus \{a_j\}}) = \frac{1}{(q-1)} \cdot \sum_{b \in G \setminus \{a_j\}} u_a(\pi_b) \quad (2)$$

We derive $u_a(\pi_a) < u_a(\pi_{a_j})$ for each $a_j \in G$. Let us now form a group of $(q-1)$ agents from G , say $G \setminus \{a_q\}$. Agent a assigns arithmetic-mean value to the allocation of this group that is larger than the value they assign to their own allocation. This contradicts with the induction hypothesis. Hence, π is $(1, q)$ -group envy-free. The result follows. \square

By Theorem 1, we conclude that $(1, h)$ -group envy-freeness implies $(1, h+1)$ -group envy-freeness for $h \in [1, n]$. The opposite direction does not hold. Indeed, $(1, q)$ -group envy-freeness is a weaker property than $(1, h)$ -group envy-freeness for $q > h$. We illustrate this in Example 1.

Example 1 *Let us consider the fair division of 3 items o_1, o_2, o_3 between 3 agents a_1, a_2, a_3 . Further, let the utilities of agent a_1 for the items be 1, $3/2$ and 2, those of agent a_2 be $3/2$, 2, and 1, and the ones of agent a_3 be 2, 1 and $3/2$ respectively. Now, consider the allocation π that gives o_2 to a_1 , o_1 to a_2 and o_3 to a_3 . Each agent receives in π utility $3/2$. Hence, this allocation is not $(1, 1)$ -group envy-free (i.e. envy-free) as each agent assigns in it utility 2 to one of the other agents. In contrast, they assign in π utility $3/2$ to the group of all agents. We conclude that π is $(1, 3)$ -group envy-free (i.e. proportional). \square*

The result in Example 1 crucially depends on the fact that there are 3 agents in the problem. With 2 agents, agent-group envy-freeness is equivalent to envy-freeness which itself is equivalent to proportionality. Finally, Theorem 1 and Example 1 hold for expected allocations as well.

Group-agent envy-freeness We next consider n properties for group-agent envy-freeness of actual allocations that capture the envy a group of agents might have towards an individual agent outside the group. These properties let us move from envy-freeness to grand envy-freeness (i.e. there is $k \in [1, n]$ such that “EF \Rightarrow GEF $_{k,1}$ \Rightarrow gEF”). If a group of $k \in [1, n]$ agents is envy-free of a given agent, then a group of $p \geq k$ agents is envy-free of this agent.

Theorem 2 *For $k \in [1, n]$, $p \in [k, n]$ and arithmetic-mean group utilities, we have that GEF $_{k,1}$ implies GEF $_{p,1}$ holds.*

Proof. Let us pick an allocation π . As in the proof of Theorem 1, we show the result by induction on $i \in [k, p]$. The most interesting case is the step case. Let i be equal to p and suppose that π is $(p-1, 1)$ -group envy-free. For the sake of contradiction, let us suppose that π is not $(p, 1)$ -group envy-free. Consequently, there is a group of p agents and an agent, say $G = \{a_1, \dots, a_p\}$ and $a \notin G$, such that inequality (3) holds for G and a , and inequality (4) holds for G , a and each $a_j \in G$.

$$p \cdot u_G(\pi_G) = \sum_{b \in G} u_b(\pi_b) < \sum_{b \in G} u_b(\pi_a) \quad (3)$$

$$(p-1) \cdot u_{G \setminus \{a_j\}}(\pi_{G \setminus \{a_j\}}) = \sum_{b \in G \setminus \{a_j\}} u_b(\pi_b) \geq \sum_{b \in G \setminus \{a_j\}} u_b(\pi_a) \quad (4)$$

We derive $u_{a_j}(\pi_{a_j}) < u_{a_j}(\pi_a)$ for each $a_j \in G$. Let us now form a group of $(p-1)$ agents from G , say $G \setminus \{a_p\}$. This group assigns arithmetic-mean value to the allocation of agent a that is larger than the arithmetic-mean value they assign to their own allocation. This contradicts with the fact that π is $(p-1, 1)$ -group envy-free. We therefore conclude that π is $(p, 1)$ -group envy-free. \square

By Theorem 2, we conclude that $(k, 1)$ -group envy-freeness implies $(k+1, 1)$ -group envy-freeness for $k \in [1, n]$. However, $(p, 1)$ -group envy-freeness is a weaker property than $(k, 1)$ -group envy-freeness for $p > k$. We illustrate this in Example 2.

Example 2 *Let us consider again the instance in Example 1 and the allocation π that gives to each agent the item they value with $3/2$. We confirmed that π is not $(1, 1)$ -group envy-free (i.e. envy-free). However, π is $(3, 1)$ -group envy-free (i.e. grand envy-free) because the group of all agents assigns in π utility $3/2$ to their own allocation and utility $3/2$ to the allocation of each other agent.* \square

The choice of 3 agents in the problem in Example 2 is again crucial. With 2 agents, group-agent envy-freeness is equivalent to envy-freeness and proportionality. Finally, Theorem 2 and Example 2 hold for expected allocations as well.

Group-group envy-freeness We finally consider n^2 properties for group-group envy-freeness of actual allocations that captures the envy of a group of k agents towards another group of h agents. Similarly, we prove a number of implications between such properties for fixed parameters k, h and $p \geq k, q \geq h$.

Theorem 3 *For $k \in [1, n], p \in [k, n], h \in [1, n], q \in [h, n]$ and arithmetic-mean group utilities, we have that $\text{GEF}_{k,h}$ implies $\text{GEF}_{p,q}$ holds.*

Proof. We prove by inductions that (1) (p, h) -group envy-freeness implies (p, q) -group envy-freeness for any $p \in [1, n]$, and that (2) (k, h) -group envy-freeness implies (p, h) -group-envy freeness for any $h \in [1, n]$. We can then immediately conclude the result. For $p = 1$ in (1) and $h = 1$ in (2), the base cases of the inductions follow from Theorems 1 and 2. We start with (1). We consider only the step case. That is, let π be an allocation that is $(p, q-1)$ -group envy-free but not (p, q) -group envy-free. Hence, there are groups $G = \{a_1, \dots, a_p\}$ and $H = \{b_1, \dots, b_q\}$ such that inequality (5) holds for G and H , and inequality (6) holds for G, H and each $b_j \in H$.

$$\sum_{a \in G} u_a(\pi_a) < \frac{1}{q} \cdot \sum_{a \in G} \sum_{b \in H} u_a(\pi_b) \quad (5)$$

$$\sum_{a \in G} u_a(\pi_a) \geq \frac{1}{(q-1)} \cdot \sum_{a \in G} \sum_{b \in H \setminus \{b_j\}} u_a(\pi_b) \quad (6)$$

We derive $\sum_{a \in G} u_a(\pi_a) < \sum_{a \in G} u_a(\pi_{b_j})$ for each $b_j \in H$ which leads to a contradiction with the $(p, q-1)$ -group envy-freeness of π . We next prove (2) for $h = q$ in a similar fashion. Again, we consider only the step case. That is, let π be an allocation that is $(p-1, q)$ -group envy-free but not (p, q) -group envy-free. Hence, there are groups $G = \{a_1, \dots, a_p\}$ and $H = \{b_1, \dots, b_q\}$ such that inequality (5) holds for G and H , and inequality (7) holds for G, H and each $a_j \in G$.

$$\sum_{a \in G \setminus \{a_j\}} u_a(\pi_a) \geq \frac{1}{q} \cdot \sum_{a \in G \setminus \{a_j\}} \sum_{b \in H} u_a(\pi_b) \quad (7)$$

We obtain that $q \cdot u_{a_j}(\pi_{a_j}) < \sum_{b \in H} u_{a_j}(\pi_b)$ holds for each $a_j \in G$. Finally, this conclusion leads to a contradiction with the $(p-1, q)$ -group envy-freeness of π . The result follows. \square

By Examples 1 and 2, the opposite direction of the implication in Theorem 3 does not hold with 3 or more agents. With 2 agents, group-group envy-freeness is also equivalent to envy-freeness and proportionality. Finally, Theorem 3 also holds for expected allocations.

Group Pareto efficiency

We continue with group Pareto efficiency properties for arithmetic-mean group utilities. Our second main result is to give a taxonomy of strict implications between group Pareto efficiency notions for groups of fixed sizes (i.e. GPE_k for fixed $k \in [1, n]$). We present the taxonomy in Figure 2.

$$\text{GPE}_{k+1} \Rightarrow \text{GPE}_k$$

Fig. 2. A taxonomy of group Pareto efficiency properties for fixed $k \in [1, n]$.

Our taxonomy contains n group Pareto efficient axiomatic properties. By definition, we observe that 1-group Pareto efficiency is equivalent to Pareto efficiency, and n -group Pareto efficiency to utilitarian efficiency. In fact, we next prove that the k th layer of properties in our taxonomy is exactly between the $(k-1)$ th and $(k+1)$ th layers. It then follows that k -group Pareto efficiency implies j -group Pareto efficiency for any $k \in [1, n]$ and $j \in [1, k]$. We now show this result for actual allocations.

Theorem 4 *For $k \in [1, n]$, $j \in [1, k]$ and arithmetic-mean group utilities, we have that GPE_k implies GPE_j holds.*

Proof. The proof is by backward induction on $h \in [j, k]$ for a given allocation π . For $h = k$, the proof is trivial. For $h > j$, suppose that π is h -group Pareto efficient. For $h = j$, let us assume that π is not j -group Pareto efficient. We write G_j for the fact that group G has j agents. We derive that there is π' such that both inequalities (8) and (9) hold.

$$\forall G_j : \sum_{a \in G_j} u_a(\pi'_a) \geq \sum_{a \in G_j} u_a(\pi_a) \quad (8)$$

$$\exists H_j : \sum_{b \in H_j} u_b(\pi'_b) > \sum_{b \in H_j} u_b(\pi_b) \quad (9)$$

We next show that π' dominates π in a $(j+1)$ -group Pareto sense. That is, we show that inequalities (10) and (11) hold.

$$\forall G_{(j+1)} : \sum_{a \in G_{(j+1)}} u_a(\pi'_a) \geq \sum_{a \in G_{(j+1)}} u_a(\pi_a) \quad (10)$$

$$\exists H_{(j+1)} : \sum_{b \in H_{(j+1)}} u_b(\pi'_b) > \sum_{b \in H_{(j+1)}} u_b(\pi_b) \quad (11)$$

We start with inequality (10). Let $G_{(j+1)}$ be a group of $(j+1)$ agents for which inequality (10) does not hold. Further, let $G_j^a = G_{(j+1)} \setminus \{a\}$ be a group of j agents obtained from $G_{(j+1)}$ by excluding agent $a \in G_{(j+1)}$. By the fact that inequality (8) holds for G_j^a , we conclude that $u_a(\pi'_a) < u_a(\pi_a)$ holds for each $a \in G_{(j+1)}$. We can now form a set of j agents such that inequality (8) is violated for π' . Hence, inequality (10) must hold. We next show that inequality (11) holds as well. Let $H_{(j+1)}$ be an arbitrary group of $(j+1)$ agents for which inequality (11) does not hold. By inequality (8), we derive $u_b(\pi'_b) \leq u_b(\pi_b)$ for each $b \in H_{(j+1)}$. There cannot exist a group of j agents for which inequality (9) holds for π' . Hence, inequality (11) must hold. Finally, as both inequalities (10) and (11) hold, π is not $(j+1)$ -group Pareto efficient. This is a contradiction. \square

The implication in Theorem 4 does not reverse. Indeed, an allocation that is 1-group Pareto efficient might not be k -group Pareto efficient even for $k = 2$ and 2 agents. We illustrate this in Example 3.

Example 3 *Let us consider the fair division of 2 items o_1, o_2 between 2 agents a_1, a_2 . Further, suppose that a_1 likes o_1 with 1 and o_2 with 2, whilst a_2 likes o_1 with 2 and o_2 with 1. The allocation π_1 that gives both items to a_1 is 1-group Pareto efficient (i.e. Pareto efficient) but not 2-group Pareto efficient (i.e. utilitarian efficient). To see this, note that π_1 is 2-group Pareto dominated by another allocation π_2 that gives o_2 to a_1 and o_1 to a_2 . The utility of the group of two agents is $3/2$ in π_1 and 2 in π_2 . \square*

We next consider expected allocations. We know that an expected allocation that is Pareto efficient can be represented as a convex combination over actual allocations that are Pareto efficient [9] (cited by 502 other papers in Google Scholar). This result holds for actual allocations as well. We generalize this result to our setting with groups of agents and bundles of items. That is, we show that a k -group Pareto efficient expected allocation can be represented as a combination over k -group Pareto efficient actual allocations. We believe that our result is much more general than the existing one because it holds for arbitrary groups and bundle utilities (e.g. monotone, additive, modular, etc.). In contrast, not each convex combination over Pareto efficient actual allocations represents an expected allocation that is Pareto efficient [9]. This observation holds in our setting as well.

Theorem 5 For $k \in [1, n]$, a k -group Pareto efficient expected allocation can be represented as a convex combination over k -group Pareto efficient actual allocations.

Proof. Let Π_1 denote an expected allocation that is k -group Pareto efficient and c_1 be a convex combination over group Pareto efficient allocations that represents Π_1 . Further, let us assume that Π_1 cannot be represented as a convex combination over k -group Pareto efficient allocations. Therefore, there are two types of allocations in c_1 : (1) allocations that are j -group Pareto efficient for some $j \geq k$ and (2) allocations that are j -group Pareto efficient ex post for some $j < k$. By Theorem 4, allocations of type (1) are k -group Pareto efficient. And, by assumption, allocations of type (2) are not g -group Pareto efficient for any $g > j$. Let us consider such an allocation π in c_1 of type (2) that is not k -group Pareto efficient. Hence, π can be k -group Pareto improved by some other allocation π' . We can replace π with π' in c_1 and thus construct a new convex combination $c_{1,\pi}$. We can repeat this for some other allocation in $c_{1,\pi}$ of type (2) that is not k -group Pareto efficient. We thus eventually can construct a convex combination c_2 over k -group Pareto efficient ex post allocations with the following properties: (1) there is an allocation π_2 in c_2 for each allocation π_1 in c_1 and (2) the weight of π_2 in c_2 is equal to the weight of π_1 in c_1 . Let Π_2 denote the allocation represented by c_2 .

Let c_1 be over π_1 to π_h such that π_1 to π_i are k -group Pareto efficient and π_{i+1} to π_h are not group k -Pareto efficient. Further, by construction, let c_2 be over π_1 to π_i and π'_{i+1} to π'_h such that π'_g k -group Pareto dominates π_g for each $g \in [i+1, h]$. We derive $\sum_{a_l \in G} (u_{a_l}(\pi'_g) - u_{a_l}(\pi_g)) \geq 0$ for each group G of k agents and $\sum_{a_l \in H} (u_{a_l}(\pi'_g) - u_{a_l}(\pi_g)) > 0$ for some group H of k agents. The expected utility $\bar{u}_{a_l}(\Pi_1)$ of agent a_l in combination c_1 is equal to $\sum_{g \in [1, i]} w(\pi_g) \cdot u_{a_l}(\pi_g) + \sum_{g \in [i+1, h]} w(\pi_g) \cdot u_{a_l}(\pi_g)$. The expected utility $\bar{u}_{a_l}(\Pi_2)$ of agent a_l in combination c_2 is equal to $\sum_{g \in [1, i]} w(\pi_g) \cdot u_{a_l}(\pi_g) + \sum_{g \in [i+1, h]} w(\pi_g) \cdot u_{a_l}(\pi'_g)$. Therefore, $\sum_{a_l \in G} (\bar{u}_{a_l}(\Pi_2) - \bar{u}_{a_l}(\Pi_1)) \geq 0$ holds for each group G of k agents and $\sum_{a_l \in H} (\bar{u}_{a_l}(\Pi_2) - \bar{u}_{a_l}(\Pi_1)) > 0$ holds for some group H of k agents. Hence, Π_2 k -group Pareto dominates Π_1 . This is a contradiction with the k -group Pareto efficiency of Π_1 . \square

Theorem 5 suggests that there are fewer k -group Pareto efficient allocations than j -group Pareto efficient allocations for $j \in [1, k]$. In fact, there can be substantially fewer such allocations even with 2 agents. We illustrate this in Example 4.

Example 4 Let us consider again the instance in Example 3. Further, consider the expected allocation Π_ϵ in which agent a_1 receives item o_1 with probability 1 and item o_2 with probability $1 - \epsilon$, and agent a_2 receives item o_2 with probability ϵ . In Π_ϵ , a_1 receives expected utility $3 - 2\epsilon$ and a_2 receives expected utility ϵ . For each fixed $\epsilon \in [0, 1/2)$, Π_ϵ is 1-group Pareto efficient (i.e. Pareto efficient). Hence, there are infinitely many such allocations. By comparison, there is just one 2-group Pareto efficient (i.e. utilitarian efficient) allocation that gives to each agent the item they like with 2. \square

Interestingly, for an n -group Pareto efficient expected allocation, we can show both directions in Theorem 5. By definition, such allocations maximize the utilitarian welfare. We, therefore, conclude that an expected allocation is n -group Pareto efficient iff it can be represented as a convex combination over actual allocations that maximize the utilitarian welfare. Finally, Theorem 4 and Example 3 also hold for expected allocations and Theorem 5 and Example 4 also hold (trivially) for actual allocations.

Near group fairness

Near group fairness relaxes group fairness. Our near notions are inspired by α -fairness proposed in [11]. Let $k \in [1, n]$, $h \in [1, n]$ and $\alpha \in [0, 1]$. We start with near group envy-freeness (i.e. $\text{GEF}_{k,h}^\alpha$). For given k and h , we can always find a sufficiently small value for α such that a given allocation satisfies $\text{GEF}_{k,h}^\alpha$. Consequently, for given k and h , there is *always* some α such that at least one allocation is $\text{GEF}_{k,h}^\alpha$. By comparison, for given k and h , allocations that satisfy $\text{GEF}_{k,h}$ may *not* exist. Therefore, for given k , h and α , allocations that satisfy $\text{GEF}_{k,h}^\alpha$ may also *not* exist. For example, note that $\text{GEF}_{k,h}$ is equivalent to $\text{GEF}_{k,h}^\alpha$ for each k , h and $\alpha = 1$. Moreover, for given k , h and α , we have that $\text{GEF}_{k,h}$ implies $\text{GEF}_{k,h}^\alpha$ holds. However, there might be allocations that are near (k, h) -group envy-free with respect to α but not (k, h) -group envy-free. We illustrate this for actual allocations in Example 5.

Example 5 *Let us consider again the instance in Example 1 and the allocation π that gives to each agent the item they like with $3/2$. Recall that π is not $(1, 1)$ -group envy-free (i.e. envy-free). Each agent assigns in π utility 2 to one of the other agents and 1 to the other one. For $\alpha = 3/4$, they assign in π reduced utilities 2α , α to these agents. We conclude that π is near $(1, 1)$ -group envy-free wrt α (i.e. $3/4$ -envy-free). \square*

For a given α , we can show that Theorems 1, 2 and 3 hold for the notions $\text{GEF}_{k,h}^\alpha$ with any k and h . We can thus construct an α -taxonomy of near group envy-freeness concepts for each fixed α . Moreover, for $\alpha_1, \alpha_2 \in [0, 1]$ with $\alpha_2 \geq \alpha_1$, we observe that an allocation satisfies an α_2 -property in the α_2 -taxonomy only if the allocation satisfies the corresponding α_1 -property in the corresponding α_1 -taxonomy. We further note that $\text{GEF}_{k,h}^{\alpha_2}$ implies $\text{GEF}_{k,h}^{\alpha_1}$. By Example 5, this implication does not reverse.

We proceed with near group Pareto efficiency (i.e. GPE_k^α). For a given k , allocations satisfying GPE_k *always* exists. For given k and α , we immediately conclude that allocations satisfying GPE_k^α also *always* exists. Similarly as for near group envy-freeness, GPE_k is equivalent to GPE_k^α for each k and $\alpha = 1$, and GPE_k implies GPE_k^α for each k and α . However, there might be allocations that are near k -group Pareto efficient with respect to α but not k -group Pareto efficient. We illustrate this for actual allocations in Example 6.

Example 6 *Let us consider again the instance in Example 3 and the allocation π that gives to each agent the item they like with 1. This allocation is not 1-group Pareto efficient (i.e. Pareto efficient) because each agent receives utility 2 if they swap items in π . For $\alpha = 1/2$, π is not α -Pareto dominated by the allocation in which the items are swapped. Moreover, π is not α -Pareto dominated by any other allocation. We conclude that π is near 1-group Pareto efficient wrt α (i.e. $1/2$ -Pareto efficient). \square*

For a given α , we can also show that Theorem 4 holds for the notions GPE_k^α with any k . We can thus construct an α -taxonomy of near group Pareto efficiency properties for each fixed α . In contrast to near group envy-freeness, allocations that satisfy an α -property in an α -taxonomy always exists. Also, for $\alpha_1, \alpha_2 \in [0, 1]$ with $\alpha_2 \geq \alpha_1$, we observe that $\text{GPE}_k^{\alpha_2}$ implies $\text{GPE}_k^{\alpha_1}$ holds. By Example 6, we confirm that this is a strict implication. Theorem 5 further holds for near k -group Pareto efficiency. Finally, Examples 5 and 6 hold for expected allocations as well.

Prices of group fairness

We use *prices of group fairness* and measure the “loss” in social welfare efficiency between different “layers” in our taxonomies. Our prices are inspired by the price of fairness proposed in [7]. Prices of fairness are normally measured in the worst-case scenario. We proceed similarly and prove only the lower bounds of our prices for the utilitarian, the egalitarian and the Nash welfares in actual allocations.

Theorem 6 *The prices $p_{GEF}^u, p_{GPE}^u, p_{FAIR}^u$ are all at least the number n of agents, whereas the prices $p_{GEF}^e, p_{GPE}^e, p_{FAIR}^e$ and $p_{GEF}^n, p_{GPE}^n, p_{FAIR}^n$ are all unbounded.*

Proof. Let us consider the fair division of n items to n agents. Suppose that agent a_i likes item o_i with 1, and each other item with ϵ for some small $\epsilon \in (0, 1)$. For $k \in [1, n]$, let π_k denote an allocation in which k agents receive items valued with 1 and $(n - k)$ agents receive items valued with ϵ . By Theorem 3, π_n is k -group envy-free as each agent receives their most valued item. By Theorem 4, π_n is also k -group Pareto efficient. Further, for a fixed k , it is easy to check that π_k is also k -group envy-free and k -group Pareto efficient. We start with the utilitarian prices. The utilitarian welfare in π_n is n whereas the one in π_k is k as ϵ goes to 0. Consequently, the corresponding ratios for “layer” k in each taxonomy all go to n/k . Therefore, the corresponding prices go to n as k goes to 1. We next give the egalitarian and Nash prices. The egalitarian and Nash welfares in π_n are both equal to 1. These welfares in π_k are equal to ϵ and $\epsilon^{(n-k)}$ respectively. The corresponding ratios for “layer” k in each taxonomy are then equal to $1/\epsilon$ and $1/\epsilon^{(n-k)}$. Consequently, the corresponding prices go to ∞ as ϵ goes to 0. \square

Theorem 6 holds for expected allocations as well. Finally, it also holds for near group fair allocations.

Conclusions

We studied the fair division of items to agents supposing agents can form groups. We thus proposed new group fairness axiomatic properties. Group envy-freeness requires that no group envies another group. Group Pareto efficiency requires that no group can be made better off without another group be made worse off. We analyzed the relations between these properties and several existing properties such as envy-freeness and proportionality. We generalized an important result from Pareto efficiency to group Pareto efficiency. We moreover considered near group fairness properties. We finally computed three prices of group fairness between such properties for three common social welfares: the utilitarian welfare, the egalitarian welfare and the Nash welfare.

In future, we will study more group aggregators. For example, our results hold for arithmetic-mean group utilities (i.e. Theorems 1-6). We can however also show them for *geometric-mean*, *minimum*, or *maximum* group utilities (i.e. the root of the product over agents’ utilities for the bundle, the minimum over agents’ utilities for the bundle, the maximum over agents’ utilities for the bundle). We will also study the relations of our group properties to other fairness properties for individual agents such as *min-max fair share*, *max-min fair share* and *graph envy-freeness*. Finally, we submit that it is also worth adapting our group properties to other fair division settings as well [1].

References

1. Aleksandrov, M., Aziz, H., Gaspers, S., Walsh, T.: Online fair division: analysing a food bank problem. In: Proceedings of the Twenty-Fourth IJCAI 2015, Buenos Aires, Argentina, July 25-31, 2015. pp. 2540–2546 (2015)
2. Aleksandrov, M., Walsh, T.: Most competitive mechanisms in online fair division. In: KI 2017: Advances in Artificial Intelligence. pp. 44–57 (2017)
3. Aleksandrov, M., Walsh, T.: Pure Nash equilibria in online fair division. In: Sierra, C. (ed.) Proceedings of the Twenty-Sixth IJCAI 2017, Melbourne, Australia. pp. 42–48 (2017)
4. Aziz, H., Bouveret, S., Caragiannis, I., Giagkousi, I., Lang, J.: Knowledge, fairness, and social constraints. In: Proceedings of the Thirty-Second AAAI 2018, New Orleans, Louisiana, USA, February 2-7, 2018. AAAI Press (2018)
5. Aziz, H., Mackenzie, S., Xia, L., Ye, C.: Ex post efficiency of random assignments. In: Proceedings of the 2015 International AAMAS Conference, Istanbul, Turkey, May 4-8, 2015. pp. 1639–1640. IFAAMAS (2015)
6. Aziz, H., Rauchecker, G., Schryen, G., Walsh, T.: Algorithms for max-min share fair allocation of indivisible chores. In: Proceedings of the Thirty-First AAAI 2017, San Francisco, California, USA, February 4-9, 2017. pp. 335–341. AAAI Press (2017)
7. Bertsimas, D., Farias, V.F., Trichakis, N.: The price of fairness. *Operations Research* **59**(1), 17–31 (2011)
8. Bliem, B., Bredereck, R., Niedermeier, R.: Complexity of efficient and envy-free resource allocation: Few agents, resources, or utility levels. In: Proceedings of the Twenty-Fifth IJCAI 2016, New York, NY, USA, 9-15 July 2016. pp. 102–108 (2016)
9. Bogomolnaia, A., Moulin, H.: A new solution to the random assignment problem. *Journal of Economic Theory* **100**(2), 295–328 (2001)
10. Bogomolnaia, A., Moulin, H., Sandomirskiy, F., Yanovskaya, E.: Dividing goods and bads under additive utilities. *CoRR* **abs/1610.03745** (2016)
11. Borsuk, K.: Drei Stze über die n-dimensionale euklidische Sphäre. *Fundamenta Mathematicae* **20**(1), 177–190 (1933)
12. Bouveret, S., Cechlárová, K., Elkind, E., Igarashi, A., Peters, D.: Fair division of a graph. In: Proceedings of the Twenty-Sixth IJCAI 2017, August 19-25, 2017. pp. 135–141 (2017)
13. Bouveret, S., Lang, J.: Efficiency and envy-freeness in fair division of indivisible goods: Logical representation and complexity. *Journal of AI Research (JAIR)* **32**, 525–564 (2008)
14. Brams, S.J., Fishburn, P.C.: Fair division of indivisible items between two people with identical preferences: Envy-freeness, pareto-optimality, and equity. *Social Choice and Welfare* **17**(2), 247–267 (Mar 2000)
15. Brams, S.J., King, D.L.: Efficient fair division: Help the worst off or avoid envy? *Rationality and Society* **17**(4), 387–421 (2005)
16. Brams, S.J., Taylor, A.D.: Fair division - from cake-cutting to dispute resolution. Cambridge University Press (1996)
17. de Clippel, G.: Equity, envy and efficiency under asymmetric information. *Economics Letters* **99**(2), 265–267 (2008)
18. Davidson, P., Evans, R.: Poverty in Australia. ACOSS (2014)
19. Debreu, G.: Preference functions on measure spaces of economic agents. *Econometrica* **35**(1), 111–122 (1967)
20. Dorsch, P., Phillips, J., Crowe, C.: Poverty in Australia. ACOSS (2016)
21. Dubins, L.E., Spanier, E.H.: How to cut a cake fairly. *The American Mathematical Monthly* **68**(1), 1–17 (1961)
22. Hill, T.P.: Determining a fair border. *The American Mathematical Monthly* **90**(7), 438–442 (1983)

23. Husseinov, F.: A theory of a heterogeneous divisible commodity exchange economy. *Journal of Mathematical Economics* **47**(1), 54–59 (2011)
24. Kaleta, M.: Price of fairness on networked auctions. *Journal of Applied Mathematics* **2014**, 1–7 (2014)
25. de Keijzer, B., Bouveret, S., Klos, T., Zhang, Y.: On the complexity of efficiency and envy-freeness in fair division of indivisible goods with additive preferences. In: *Proceedings of the First International ADT Conference, Venice, Italy, October 20-23*. pp. 98–110 (2009)
26. Kokoye, S.E.H., Tovignan, S.D., Yabi, J.A., Yegbemey, R.N.: Econometric modeling of farm household land allocation in the municipality of Banikoara in northern Benin. *Land Use Policy* **34**, 72–79 (2013)
27. Lahaie, S., Parkes, D.C.: Fair package assignment. In: *Auctions, Market Mechanisms and Their Applications, First International ICST Conference, AMMA 2009, Boston, MA, USA, May 8-9, 2009, Revised Selected Papers*. p. 92 (2009)
28. Lumet, C., Bouveret, S., Lemaître, M.: Fair division of indivisible goods under risk. In: *ECAI. Frontiers in AI and Applications*, vol. 242, pp. 564–569. IOS Press (2012)
29. Manurangsi, P., Suksompong, W.: Computing an approximately optimal agreeable set of items. In: *Proceedings of the Twenty-Sixth IJCAI 2017, Melbourne, Australia, August 19-25, 2017*. pp. 338–344 (2017)
30. Nicosia, G., Pacifici, A., Pferschy, U.: Price of fairness for allocating a bounded resource. *European Journal of Operational Research* **257**(3), 933–943 (2017)
31. Parkes, D.C., Procaccia, A.D., Shah, N.: Beyond dominant resource fairness: Extensions, limitations, and indivisibilities. *ACM Transactions* **3**(1), 1–22 (2015)
32. Schmeidler, D., Vind, K.: Fair net trades. *Econometrica* **40**(4), 637–642 (1972)
33. Segal-Halevi, E., Nitzan, S.: Fair cake-cutting among groups. *CoRR* **abs/1510.03903** (2015)
34. Segal-Halevi, E., Suksompong, W.: Democratic fair division of indivisible goods. In: *Proceedings of the Twenty-Seventh IJCAI-ECAI 2018, Stockholm, Sweden, July 13-19, 2018* (2018), to appear
35. Smet, P.: Nurse rostering: models and algorithms for theory, practice and integration with other problems. *4OR* **14**(3), 327–328 (2016)
36. Steinhaus, H.: The problem of fair division. *Econometrica* **16**(1), 101–104 (1948)
37. Stone, A.H., Tukey, J.W.: Generalized sandwich theorems. *Duke Mathematical Journal* **9**(2), 356–359 (06 1942)
38. Suksompong, W.: Assigning a small agreeable set of indivisible items to multiple players. In: *Proceedings of the Twenty-Fifth IJCAI 2016, New York, NY, USA, 9-15 July 2016*. pp. 489–495. IJCAI/AAAI Press (2016)
39. Suksompong, W.: Approximate maximin shares for groups of agents. *Mathematical Social Sciences* **92**, 40–47 (2018)
40. Todo, T., Li, R., Hu, X., Mouri, T., Iwasaki, A., Yokoo, M.: Generalizing envy-freeness toward group of agents. In: *Proceedings of the Twenty-Second IJCAI 2011, Barcelona, Catalonia, Spain, July 16-22, 2011*. pp. 386–392 (2011)
41. Varian, H.R.: Equity, envy, and efficiency. *Journal of Economic Theory* **9**(1), 63–91 (1974)
42. Vind, K.: Edgeworth-allocations in an exchange economy with many traders. *International Economic Review* **5**(2), 165–177 (1964)
43. Weller, D.: Fair division of a measurable space. *Journal of Mathematical Economics* **14**(1), 5 – 17 (1985)
44. Yokoo, M.: Characterization of strategy/false-name proof combinatorial auction protocols: Price-oriented, rationing-free protocol. In: *Proceedings of the Eighteenth IJCAI 2003, Acapulco, Mexico, August 9-15, 2003*. pp. 733–742 (2003)
45. Zhou, L.: Strictly fair allocations in large exchange economies. *Journal of Economic Theory* **57**(1), 158–175 (1992)