On the link between monetary and star-shaped risk measures

Marlon Moresco email: marlonmoresco@hotmail.com

Marcelo Brutti Righi email: <marcelo.righi@ufrgs.br>

September 1, 2021

Abstract

Recently, [Castagnoli et al.](#page-8-0) [\(2021\)](#page-8-0) introduce the class of star-shaped risk measures as a generalization of convex and coherent ones, proving that there is a representation as the pointwise minimum of some family composed by convex risk measures. Concomitantly, [Jia et al.](#page-9-0) [\(2020\)](#page-9-0) prove a similar representation result for monetary risk measures, which are more general than star-shaped ones. Then, there is a question on how both classes are connected. In this letter, we provide an answer by casting light on the importance of the acceptability of 0, which is linked to the property of normalization. We then show that under mild conditions, a monetary risk measure is only a translation away from star-shapedness. Keywords: Risk measures, Star-shapedness, Acceptance sets, Representations, Convex risk measures.

1 Introduction

Since the seminal paper of [\(Artzner et al.](#page-8-1), [1999](#page-8-1)), axiomatic theory for risk measures has been receiving increasing attention. This literature categorizes each risk measure in a class depending on its axioms. The first of such classes to appear was the class of coherent risk measures. Soon after, in critique to positive homogeneity, [Föllmer and Schied](#page-8-2) [\(2002](#page-8-2)), and [Frittelli and Gianin](#page-9-1) [\(2002\)](#page-9-1) proposed the class of convex risk measures. New classes are constantly emerging in increasing diversity and generality, such as the class of law invariant, comonotone, and comonotonic convex risk measures. See [Kusuoka](#page-9-2) [\(2001\)](#page-9-2), [Frittelli and Gianin](#page-9-3) [\(2005](#page-9-3)), [Jouini et al.](#page-9-4) [\(2006](#page-9-4)) and [Song and Yan](#page-9-5) [\(2009](#page-9-5)). One of the broader classes is the monetary risk measures. See [Föllmer and Schied](#page-9-6) [\(2016](#page-9-6)) for a review.

Recently, [Castagnoli et al.](#page-8-0) [\(2021](#page-8-0)) propose the class of star-shaped risk measures, which can be understood as a generalization for positive homogeneity and convexity as well as the starshaped property of the generated acceptance set. This class is a significant generalization because it allows for the most used non-convex risk measure, the Value at Risk (VaR), to be in the same class as the convex risk measures. The authors found that a normalized monetary risk measure is star-shaped (see Definition [1\)](#page-1-0) if and only if it can be represented as the minimum of normalized convex risk measures. [Liebrich](#page-9-7) [\(2021](#page-9-7)) explores the role of star-shaped risk measures for infconvolution problems of risk sharing.

Nonetheless, [Jia et al.](#page-9-0) [\(2020](#page-9-0)) show that any monetary risk measure is the minimum of convex risk measures, without any mention of star-shapedness. In fact, they found that a functional is a monetary risk measure if and only if it is the minimum of all comonotone convex risk measures that dominate it. Thus, there seems to be a missing link between the two approaches. Since both take a minimum of convex risk measures, but one obtains a monetary risk measure and the other a star-shaped risk measure, a direct question would be if any monetary risk measure is also star-shaped, perhaps under normalization.

In this letter, we show that the answer to this question is no, even the missing link being the acceptability of 0 for the risk measure, which is implied by normalization. In this sense, we make clear the link between the value for risk measures at 0 and star-shapedness. Furthermore, we show that monetary risk measures are only at a translation away from star-shapedness. Formally, we have the following claim:

Let ρ be a monetary risk measure. Then $\rho - c$ is star-shaped for some $c \in \mathbb{R}$ if and only if

$$
\rho(X) = \min_{\Lambda}(X) = \rho_{\lambda}(X), \ \forall \ X,
$$

where Λ is a family of convex risk measures such that $\sup_{\Lambda} \rho_{\lambda}(0) < \infty$. In this case, we can take any $c \geq \sup_{\Lambda} \rho_{\lambda}(0)$.

Thus, the link between star-shaped and monetary risk measures is the representation of the translated risk measure as pointwise minimum of some family of convex risk measures, under the mild condition that the pointwise supremum of such family at 0 is finite.

In all that follows, $(\Omega, \mathfrak{F}, \mathbb{P})$ is a fixed underlying probability space. Every equality and inequality is to be understood as holding P-almost surely. We work on $L^{\infty} := L^{\infty}(\Omega, \mathfrak{F}, \mathbb{P})$, "the set of all (P-equivalence classes of) random variables X which are P-essentially bounded". E is the expectation under \mathbb{P} , and 1_A is the indicator function of event A. The remainder of this letter is structured as follows: section [2](#page-1-1) exposes a brief background on risk measures, with special attention to star-shapedness; section [3](#page-4-0) presents our main results, which are the role played by the acceptability of 0 and the link between monetary and star-shaped risk measures.

2 Background

We are interested in functionals that measure risk. In this sense, we expose below a formal definition of risk measures and the properties we shall consider in this letter.

Definition 1. A functional $\rho: L^{\infty} \to \mathbb{R} \cup \{-\infty, \infty\}$ may fulfill the following:

- (i) (Monotonicity) ρ is monotone if $Y \leq X$ implies $\rho(Y) \geq \rho(X)$ for every pair $X, Y \in L^{\infty}$.
- (ii) (Translation invariance) ρ is translation invariant if $\rho(X+c) = \rho(X) c$ for any $X \in L^{\infty}$ and $c \in \mathbb{R}$.
- (iii) (Normalization) ρ is normalized if $\rho(0) = 0$.
- (iv) (Convexity) ρ is convex if $\rho(\lambda X + (1 \lambda)Y) \leq \lambda \rho(X) + (1 \lambda) \rho(Y)$, for every pair $X, Y \in L^{\infty}$ and all $\lambda \in [0, 1]$.
- (v) (Positive homogeneity) ρ is positive homogeneous if $\rho(\lambda X) = \lambda \rho(X)$ for all $X \in L^{\infty}$ and $\lambda \geq 0$.
- (vi) (Star-shapedness) ρ is star-shaped if $\rho(\lambda X) \geq \lambda \rho(X)$ for all $X \in L^{\infty}$ and $\lambda \geq 1$.

We say the function is risk measure if it is not identically ∞ and does not attain $-\infty$. A monetary risk measure satisfies translation invariance and monotonicity. A convex risk measure is a convex monetary risk measure, and a coherent risk measure is a positive homogeneous convex risk measure. We say a risk measure is star-shaped if it fulfills star-shapedness and normalized if it possesses normalization.

Star-shapedness is a generalization of positive homogeneity, which in its turn implies normalization. It is equivalent to $\rho(\lambda X) \leq \lambda \rho(X)$ for $0 < \lambda < 1$. Thus, it is also implied by convexity if we have in addition $\rho(0) \leq 0$, which is the case for normalized risk measures. For the intuition on most properties above, we recommend [Föllmer and Schied](#page-9-6) [\(2016\)](#page-9-6) and references therein. The financial meaning of star-shapedness is well discussed in [Castagnoli et al.](#page-8-0) [\(2021](#page-8-0)).

Any risk measure has a set of acceptable positions, the so-called acceptance set. In the same vein, one can take the acceptance set as the primary object and define a risk measure through it. Once the acceptance set is taken as the primary object, it is natural to care about its properties. We now define such concepts.

Definition 2. Given a risk measure ρ , its acceptance set is defined as

$$
\mathcal{A}_{\rho} := \{ X \in L^{\infty} : \rho(X) \le 0 \}.
$$

Additionally, given an acceptance set $A \subseteq L^{\infty}$, its induced risk measure ρ_A is given by

$$
\rho_{\mathcal{A}}(X) = \inf \{ m \in \mathbb{R} : X + m \in \mathcal{A} \}, \ \forall \ X \in L^{\infty}.
$$

An acceptance set $A \subseteq L^{\infty}$ may have the following properties:

- (i) (Monotonicity) A is monotone if $X \in \mathcal{A}$ and $X \leq Y$, $Y \in L^{\infty}$ implies $Y \in \mathcal{A}$.
- (ii) (Monetarity) A is monetary if is monotone and $\inf\{m \in \mathbb{R} : m \in \mathcal{A}\} > -\infty$.
- (iii) (Normalization) A is normalized if is monotone and $\min\{m \in \mathbb{R} : m \in \mathcal{A}\} = 0$.
- (iv) (Convexity) A is convex if X and $Y \in \mathcal{A}$ implies $\lambda X + (1 \lambda)Y \in \mathcal{A}$.
- (v) (Conicity) A is a cone if $X \in \mathcal{A}$ implies $\lambda X \in \mathcal{A}$ for all $\lambda \geq 0$.
- (vi) (Star-shapedness) A is a star-shaped at V if $X \in \mathcal{A}$ implies for all $v \in V$ that $\lambda X + (1-\lambda)v \in$ A for all $\lambda \in (0, 1)$. Unless otherwise specified, star-shapedness is to be understood as starshapedness at 0.

We are actually introducing the nomenclature of normalized and monetary acceptance set. The intuition behind those properties can be found in [Föllmer and Schied](#page-9-6) [\(2016](#page-9-6)). Normalization was used in [Jia et al.](#page-9-0) [\(2020](#page-9-0)), but not under this appellation. It is worth noting that while starshapedness is a relaxation of conicity, it is also implied by convexity under $0 \in cl \mathcal{A}$, where cl means closure with respect to the essential supremum norm.

Remark 1. We use a broader definition of star-shapedness, as used in [Penot](#page-9-8) [\(2005](#page-9-8)) for example, because we use it as a tool. In the risk measures literature, only star-shapedness at 0 is considered. The definition found in [Castagnoli et al.](#page-8-0) [\(2021](#page-8-0)) is that S is star-shaped if and only if $\lambda s \in S$ for all $s \in S$ and $\lambda \in [0,1]$. We opt to use the open interval $(0,1)$ for λ instead of the closed [0, 1] since our sets do not necessarily contain 0. Of course, $\lambda = 1$ is always covered. Note that both definitions coincide for closed sets. Moreover, since we are on L^{∞} , all monetary risk measures are Lipschitz continuous, which implies the acceptance sets \mathcal{A}_{ρ} are closed. Our definition of star-shaped at 0 implies that $0 \in cl \mathcal{A}$ and both definitions are equivalent if $0 \in \mathcal{A}$.

The following result shows the interplay between any risk measure ρ with its acceptance set \mathcal{A}_{ρ} , as well as the interplay between any acceptance set A and its induced risk measure $\rho_{\mathcal{A}}$.

Proposition 1. (Propositions 2.1 and 2.2 of [Artzner et al.](#page-8-1) [\(1999\)](#page-8-1), Propositions 4.6 and 4.7 of [Föllmer and Schied](#page-9-6) [\(2016](#page-9-6)) and Proposition 2 of [Castagnoli et al.](#page-8-0) [\(2021\)](#page-8-0)). Given an acceptance set $A \subseteq L^{\infty}$ and a risk measure $\rho : L^{\infty} \to \mathbb{R}$, we have the following interplay.

- (i) (Monotonicity) If ρ is monotone, then A_{ρ} is also monotone. If A is monotone, then ρ_A is also monotone.
- (ii) (Monetarity) If ρ is a monetary risk measure, then A_{ρ} is monetary and $\rho = \rho_{A_{\rho}}$. If A is monetary, then ρ_A is monetary and the closure of A is equal to A_{ρ_A} .
- (iii) (Normalization) If ρ is a normalized monetary risk measure, then A_{ρ} is normalized. If A is normalized, then ρ_A is a normalized monetary risk measure.
- (iv) (Convexity) If ρ is convex, then A_{ρ} is convex. If A is convex, then ρ_A is convex.
- (v) (Positive Homogeneity) If ρ is positive homogeneous, then A_{ρ} is a cone. If A is a cone, then ρ_A is positive homogeneous.
- (vi) (Star-shapedness) If ρ is star-shaped, then A_{ρ} is star-shaped. If A is star-shaped, then ρ_A is star-shaped.

Remark 2. To take the closure of a monetary acceptance set does not alter the resulting risk measure. By the last Proposition we have $cl \mathcal{A} = \mathcal{A}_{\rho_{\mathcal{A}}}$ and $\rho_{\mathcal{A}} = \rho_{\mathcal{A}_{\rho_{\mathcal{A}}}} = \rho_{cl \mathcal{A}}$. Importantly, cl $A = A_{\rho_A}$ holds for the closure under the supremum norm, while this reasoning is not necessarily true for more general L^p spaces. For such spaces requiring the monetary risk measure to be lower semicontinuous in the natural p -norm is enough to maintain the results, see [Föllmer and Schied](#page-9-6) [\(2016\)](#page-9-6) for instance.

Regarding representations, [Jia et al.](#page-9-0) [\(2020](#page-9-0)) show that any monetary risk measure is the pointwise minimum of a family of convex risk measures. In its turn, [Castagnoli et al.](#page-8-0) [\(2021](#page-8-0)) show that any monetary normalized star-shaped risk measure is the pointwise minimum of normalized convex risk measures. Both theorems conclude that a positive homogeneous monetary risk measure is the pointwise minimum of a family of coherent risk measures. We now expose both results under our notation.

Theorem 1. (Theorems 3.1 and 3.4 of [Jia et al.](#page-9-0) [\(2020](#page-9-0))) A functional $\rho : L^{\infty} \to \mathbb{R}$ is a monetary risk measure if and only if

$$
\rho(X)=\min_{\Lambda}\rho_{\lambda}(X),\,\forall\,X\in L^{\infty},
$$

where Λ is a set of convex monetary risk measures. Furthermore, ρ is positive homogeneous if and only if Λ contains only coherent risk measures.

Theorem 2. (Theorem 5 of [Castagnoli et al.](#page-8-0) [\(2021](#page-8-0))) $\rho : L^{\infty} \to \mathbb{R}$ is a star-shaped normalized monetary risk measure if and only if

$$
\rho(X) = \min_{\Lambda} \rho_{\lambda}(X), \ \forall \ X \in L^{\infty},
$$

where Λ is a set of normalized convex risk measures. Furthermore, ρ is positive homogeneous if and only if Λ contains only coherent risk measures.

Remark 3. Both studies provide many representations closely related to the dual conjugate of convex risk measures or as the lower envelop of a family of risk measures. In fact, if ρ is a monetary (normalized star-shaped) risk measure, one can take $\Lambda = \{h(X): h$ is a (normalized) convex risk measure and ρ . Due to parsimony, we focus only on the main representations we expose since our results are also valid for all the remaining ones. Moreover, by the direct interplay of Proposition [1,](#page-3-0) we take the liberty to move between ρ_{λ} and \mathcal{A}_{λ} in Λ without further mention.

3 Main Results

In this section, we will compare the main results of [Jia et al.](#page-9-0) [\(2020\)](#page-9-0) and [Castagnoli et al.](#page-8-0) [\(2021](#page-8-0)), with particular emphasis on the acceptance of 0. The two theorems are strikingly similar. The only difference is that the minimum is star-shaped under normalization. The role of normalization is essential to obtain star-shapedness because the minimum of a family of convex risk measures is not necessarily star-shaped. Furthermore, under mild conditions, a monetary risk measure is only a translation away from star-shapedness. The next example illustrates this fact.

Example 1. Let $\rho_{\lambda}(X) := \rho(X) + f(\lambda), \ \lambda \in \mathbb{R}$, where $\rho: L^{\infty} \to \mathbb{R}$ is a convex risk measure and $f : \mathbb{R} \to \mathbb{R}_+$ satisfies $\min_{\lambda \in \mathbb{R}} f(\lambda) = f(\epsilon) > -\rho(0)$ and $\lim_{\lambda \to \infty} f(\lambda) = \infty$. Note that ρ_{λ} is not normalized, while it is clearly a convex risk measure. We claim that $\min_{\lambda \in \mathbb{R}} \rho_{\lambda}$ is not star-shaped. First of all, note that $\min_{\lambda \in \mathbb{R}} \rho_{\lambda}(X) = \rho(X) + \min_{\lambda \in \mathbb{R}} f(\lambda) = \rho_{\epsilon}(X)$. Moreover, for any $k > 1$ and constant X, we have

$$
\rho_{\epsilon}(kX) - k\rho_{\epsilon}(X) = \rho(0) - kX - k(\rho(0) - X) + f(\epsilon)(1 - k) = (f(\epsilon) + \rho(0)) (1 - k) < 0.
$$

Hence, there is $X \in L^{\infty}$ such that $\rho_{\epsilon}(kX) < k\rho_{\epsilon}(X)$ for $k > 1$, which implies that ρ_{ϵ} is not a star-shaped risk measure. Moreover, if ρ has in addition positive homogeneity, then the claim is valid for any $X \in L^{\infty}$ since $f(\epsilon) > -\rho(0) = 0$ implies

$$
\rho_{\epsilon}(kX) - k\rho_{\epsilon}(X) = \rho(kX) - k\rho(X) + (1-k)f(\epsilon) = f(\epsilon)(1-k) < 0.
$$

However, note that while this risk measure is not star-shaped it is only a translation away from

it. In fact, the functional

$$
\rho^*(X) := \min_{\lambda \in \mathbb{R}} \rho_\lambda(X) - \min_{\lambda \in \mathbb{R}} \rho_\lambda(0) = \rho(X) - \rho(0)
$$

is normalized and convex, which implies it is star-shaped. For a special case let $\rho(X) = \mathbb{E}[-X]$ and $f(\lambda) := \lambda 1_{\lambda \geq \epsilon} + \epsilon 1_{\lambda \leq \epsilon}$ for some $\epsilon > 0$. Then, for $\lambda \geq \epsilon$ we obtain $\rho_{\lambda}(X) = E[-X] + \lambda$ and

$$
\min_{\lambda \in \mathbb{R}} \rho_{\lambda}(X) = \min_{\lambda \ge \epsilon} \rho_{\lambda}(X) = \rho_{\epsilon}(X),
$$

which is not star-shaped.

The role played by normalization becomes more evident when we look from the perspective of acceptance sets. In fact, it is a sufficient condition for star-shapedness.

Proposition 2. Consider a family Λ of monetary convex normalized acceptance sets and \mathcal{A} := $\cup_{\Lambda} A_{\lambda}$. Then ρ_A is monetary normalized star-shaped risk measure.

Proof. We have by Proposition [1](#page-3-0) that ρ_A is star-shaped (convex) if and only if A is star-shaped (convex). Furthermore, for a family Λ of normalized acceptance sets it holds that $\mathcal{A} := \cup_{\Lambda} \mathcal{A}_{\lambda}$ is also normalized and $\rho_{\mathcal{A}}(X) = \inf_{\Lambda} \rho_{\mathcal{A}_{\lambda}}(X)$. We have that star-shapedness is preserved under union and convexity implies star-shapedness as long as the set contains 0 in its closure, which is implied by normalization. Thus, if each A_{λ} is normalized and convex, then A is star-shaped. Hence, by Proposition [1](#page-3-0) we get that ρ_A is also star-shaped.

Remark 4. While normalization gives us sufficient conditions to generate star-shaped risk measures, it is not necessary. In fact, instead of demanding for each A_{λ} to be normalized we could simply ask them to contain 0, which is equivalent to $\rho_{\mathcal{A}_{\lambda}}(0) = \inf \{m \in \mathbb{R} : m \in \mathcal{A}_{\lambda}\}\leq 0$. This, together with convexity is enough to guarantee that ρ_A is star-shaped. Star-shapedness in its turn implies $\rho(0) \leq 0$ since for any $\lambda \in (0,1)$ we have $\rho(0) = \rho(\lambda 0) \leq \lambda \rho(0)$. Moreover, even if convexity is relaxed to star-shapedness, the result of this Proposition would hold. Hence, the previous Proposition indicates that while [Castagnoli et al.](#page-8-0) [\(2021](#page-8-0)) demanded in their work that all risk measures be normalized, their result would remain true if it was replaced by the weaker assumption $\rho(0) \leq 0$.

We now provide a necessary condition for star shapedness of monetary risk measures.

Proposition 3. If a monetary risk measure ρ is star-shaped, then there exists a family Λ of convex risk measures with at least one member star-shaped such that

$$
\rho(X) = \min_{\Lambda} \rho_{\lambda}(X), \ \forall \ X \in L^{\infty}.
$$

Moreover, Λ can be taken as a family of comonotone convex risk measures.

Proof. By Theorem [1,](#page-3-1) as ρ is monetary there is a representation $\rho(X) = \min_{\Lambda} \rho_{\lambda}(X), \forall X \in L^{\infty}$, under convex risk measures Λ . We only need to show that Λ contains a star-shaped risk measure. This is equivalent to show for one $\rho_{\lambda} \in \Lambda$ that $\rho_{\lambda}(0) \leq 0$. As ρ is star-shaped we have that $0 \ge \rho(0) = \min_{\Lambda} \rho_{\lambda}(0) = \rho_{\lambda^*}(0)$ for some $\rho_{\lambda^*} \in \Lambda$. Hence, ρ_{λ^*} is star-shaped. The last claim is a direct consequence of Theorem 6.1 in [Jia et al.](#page-9-0) [\(2020](#page-9-0)).

The subsequent Propositions show that any monetary risk measure is just at a translation away from star-shapedness under the correct choice of acceptance sets.

Proposition 4. Let Λ be a family of convex monetary acceptance sets, $\mathcal{A} := \cup_{\Lambda} \mathcal{A}_{\lambda}$ and $\mathcal{B} :=$ cl($\cap_{\Lambda} A_{\lambda}$). Then for any $Y \in B$, $\rho_Y(X) := \rho_A(X + Y)$ is a star-shaped monetary risk measure. In particular, $\rho(X) := \rho_{\mathcal{A}}(X) - c$ is a star-shaped monetary risk measure for any $c \ge \rho_{\mathcal{B}}(0)$.

Proof. Firstly, note that B is a convex set, and $X \in \mathcal{A}$ or $X \in \mathcal{B}$ implies that X is contained in cl(\mathcal{A}_{λ}) for some λ . Thus, convexity of cl(\mathcal{A}_{λ}) yields that $k\mathcal{A} + (1-k)\mathcal{B} \subset \mathcal{A}$ for any $k \in (0,1)$, which is star-shapeness of A at B. Note that if $\mathcal{B} = \emptyset$, then the claim is vacuously true. Furthermore, the set $\mathcal{A}_Y = \mathcal{A} - Y = \{X - Y : X \in \mathcal{A}\}\$, with $Y \in \mathcal{B}$, is star-shaped at 0. In order to verify this claim note that for any $X \in \mathcal{A}_Y$ and $Y \in \mathcal{B}$ it follows that $X + Y \in \mathcal{A}$. Star-shapedness of A at Y implies that, for any $k \in (0,1)$, $k(X+Y)+(1-k)Y = kX+Y \in \mathcal{A}$. This is equivalent to $kX \in \mathcal{A}_Y$, which is star-shapedness at 0. In addition, we have that

$$
\rho_{\mathcal{A}_Y}(X) = \inf \{ m \in \mathbb{R} : X + m \in \mathcal{A}_Y \}
$$

=
$$
\inf \{ m \in \mathbb{R} : X + m \in \mathcal{A} - Y \}
$$

=
$$
\inf \{ m \in \mathbb{R} : X + m + Y \in \mathcal{A} \}
$$

=
$$
\rho_{\mathcal{A}}(X + Y) = \rho_Y(X).
$$

Thus, by Proposition [1](#page-3-0) we conclude that ρ_Y is star-shaped. To see that ρ is star-shaped, first note that $\rho_{\mathcal{B}}(0) = \inf \{m \in \mathbb{R} : m \in \mathcal{B}\} = \inf \{m \in \mathbb{R} \cap \mathcal{B}\} = \min \{m \in \mathbb{R} \cap \mathcal{B}\}.$ The minimum is attained because $\mathcal{B} \cap \mathbb{R}$ is closed and bounded below. Thus, by Monotonicity, if $c \in \mathbb{R}$ and $c \ge \rho_B(0), c \in \mathcal{B}$. Hence, by making $Y = c$ and considering the previous reasoning for ρ_Y , we have that ρ_c is star-shaped. Since as all those risk measures are monetary, we get for any $X \in L^{\infty}$ that $\rho_c(X) = \rho_A(X + c) = \rho(X)$.

Proposition 5. Let Λ be a family of monetary acceptance sets, with their respective monetary risk measures, and $\mathcal{B} := \cap_{\Lambda} A_{\lambda}$. Then $\mathcal{B} \cap \mathbb{R} \neq \emptyset$ if and only if $\mathcal{B} \neq \emptyset$ if and only if $\sup_{\Lambda} \rho_{\lambda}(0) =$ $\rho_{\mathcal{B}}(0) < \infty$.

Proof. Since we are on L^{∞} and the sets in Λ are monotone, $X \in \mathcal{B}$ implies ess sup $X \in \mathcal{B}$. In other words, B contains a constant, which is equivalent to $\mathcal{B} \cap \mathbb{R} \neq \emptyset$ if and only if $\mathcal{B} \neq \emptyset$. This fact leads to

$$
\sup_{\Lambda} \rho_{\lambda}(0) = \inf \left\{ m \in \mathbb{R} : m \in \mathcal{B} \right\} \le \operatorname{ess} \sup X < \infty.
$$

For the converse, if $\sup_{\Lambda} \rho_{\lambda}(0) < \infty$, then we get that

$$
\infty > \sup_{\Lambda} \rho_{\lambda}(0) = \inf \left\{ m \in \mathbb{R} : m \in \mathcal{B} \right\}.
$$

By monotonicity of B, we have that $m \in \mathcal{B} \cap \mathbb{R}$ for any $m > \rho_{\mathcal{B}}(0)$. Hence, $\mathcal{B} \neq \emptyset$.

Proposition 6. Let ρ be monetary. If \mathcal{A}_{ρ} is star-shaped at $Y \in L^{\infty}$, then $\mathcal{A}_{\rho} = \mathcal{A} := \bigcup_{\Lambda} \mathcal{A}_{\lambda}$ for a family Λ of convex acceptance sets with $\mathcal{B} := \cap_{\Lambda} A_{\lambda} \neq \emptyset$. Furthermore, $\rho = \min_{\Lambda} \rho_{A_{\lambda}}$, where each $\rho_{\mathcal{A}_{\lambda}}$ is a convex risk measure.

Proof. The fact that $A_{\rho} = A$ is direct from Theorem [2.](#page-4-1) We need to show that there exists a family of such sets with a non-empty intersection. For each $Z \in L^{\infty}$, let $\mathcal{A}_Z := \{X \in L^{\infty} : X \geq$ Z}. Note that each of such sets is convex and monetary. Additionally, $\mathcal{A}_{\rho} = \bigcup_{Z \in \mathcal{A}_{\rho}} \mathcal{A}_Z$. As \mathcal{A}_{ρ} is star-shaped at Y and monotone, it is also star-shaped at \mathcal{A}_{Y} . Thus, since \mathcal{A}_{ρ} is closed we have $\mathcal{A}_Y \subset \mathcal{A}_\rho$. Furthermore, any member of $\{\mathcal{A}_Z : Z \in \mathcal{A}_\rho\}$ is contained in \mathcal{A}_ρ . Thus, we have that $conv(\mathcal{A}_Z \cup \mathcal{A}_Y) \subset \mathcal{A}_{\rho}$ for all $Z \in \mathcal{A}_{\rho}$. Now, let $\Lambda := \{ conv(\mathcal{A}_Z \cup \mathcal{A}_Y) : Z \in \mathcal{A}_{\rho} \}.$ Clearly, $\mathcal{A}_{\rho} = \mathcal{A} := \cup_{\Lambda} \mathcal{A}_{\lambda}$ and $Y \in \mathcal{B} := \cap_{\Lambda} \mathcal{A}_{\lambda} \neq \emptyset$. Thus, the fact that $\rho = \inf_{\Lambda} \rho_{\mathcal{A}_{\lambda}}$ is directly obtained. Furthermore, it is straightforward from Proposition [1](#page-3-0) that each $\rho_{A_{\lambda}}$ is a convex risk measure. To show that the minimum is attained, firstly note that, for any $X \in L^{\infty}$, $X + \rho(X) \in \mathcal{A}_{\rho}$ and $\mathcal{A}_{X+\rho(X)} \subseteq \text{conv}(\mathcal{A}_{X+\rho(X)} \cup \mathcal{A}_Y) =: \mathcal{A}^* \in \Lambda$. Then, we have that

$$
\rho_{\mathcal{A}^*}(X) = \inf \{ m \in \mathbb{R} : X + m \in \mathcal{A}^* \}
$$

\n
$$
\leq \inf \{ m \in \mathbb{R} : X + m \in \mathcal{A}_{X + \rho(X)} \}
$$

\n
$$
= \inf \{ m \in \mathbb{R} : X + m \geq X + \rho(X) \}
$$

\n
$$
= \rho(X).
$$

On the other hand, we have $\rho_{\mathcal{A}^*}(X) \ge \inf_{\Lambda} \rho_{\mathcal{A}_{\lambda}}(X) \ge \rho(X)$. Hence, $\rho_{\mathcal{A}^*}(X) = \rho(X)$, which implies that the minimum is attained.

We are now in condition to prove our main result, which is the following Theorem below. Such a claim unifies the discussion above by exposing the interplay between monetary and star-shaped risk measures.

Theorem 3. Let ρ be a monetary risk measure. Then $\rho - c$ is star-shaped for some $c \in \mathbb{R}$ if and only if

$$
\rho(X) = \min_{\Lambda} \rho_{\lambda}(X), \ \forall \ X \in L^{\infty},
$$

where Λ is a family of convex risk measures such that $\sup_{\Lambda} \rho_{\lambda}(0) < \infty$. In this case, we can take any $c \geq \sup_{\Lambda} \rho_{\lambda}(0)$.

Proof. For the if part, let $c \in (\cap_{\Lambda} A_{\lambda}) \cap \mathbb{R}$. Note that such c exists by Proposition [5](#page-6-0) since $\rho_{\cap_A A_\lambda}(0) < \infty$. Thus, Proposition [4](#page-6-1) implies that $\rho - c$ is star-shaped. For the only if part, as $\rho - c$ is star-shaped, we have by Proposition [1](#page-3-0) that $\mathcal{A}_{\rho-c} = \mathcal{A}_{\rho} - c$ is also star-shaped and \mathcal{A}_{ρ} is star-shaped at c. Then, the representation as a minimum over Λ is given by Proposition [6.](#page-6-2) This implies $A_{\rho-c} = \cup_{\Lambda} A_{\lambda}$. By Proposition [5,](#page-6-0) the intersection of the acceptance sets in Λ contains some constant, which implies in $\sup_{\Lambda} \rho_{\lambda}(0) = \rho_{\cap_{\Lambda} A_{\lambda}}(0) < \infty$. Finally, by Proposition [4](#page-6-1) we can take any $c \ge \rho_{cl(\cap_{\Lambda} A_{\lambda})}(0) = \rho_{\cap_{\Lambda} A_{\lambda}}(0) = \sup_{\Lambda} \rho_{\lambda}(0).$

We end this letter with an example that illustrates that not every monetary risk measure is at a translation away from star-shapedness, reinforcing the importance for the condition in Theorem [3.](#page-7-0)

Example 2. Let $f : \mathbb{R} \to \mathbb{Z}$ be the floor function defined as $f(c) = \sup\{m \in \mathbb{Z} : m \leq c\}$, and ρ^* a convex risk measure. Then $\rho(X) := \rho^*(f(X))$ is not star-shaped under any translation. To verify that, note that for any constant X we have $\rho(X) = \rho^*(0) - f(X)$. Then, to show that it is not star-shaped under any translation is equivalent to show that for all $k \in \mathbb{R}$, which is the candidate for translation, there is some $\lambda \in (0,1)$ and some constant X such that

$$
\frac{f(\lambda X) - \lambda f(X)}{1 - \lambda} < k + \rho^*(0).
$$

By choosing $X = 1$ and taking $\lambda \to 1^-$ yields,

$$
\lim_{\lambda \to 1^{-}} \frac{f(\lambda) - \lambda f(1)}{1 - \lambda} = \lim_{\lambda \to 1^{-}} \frac{-\lambda}{1 - \lambda} = -\infty.
$$

Hence, for any $k \in \mathbb{R}$ we can find a $\lambda \in (0,1)$ such that $\frac{f(\lambda 1) - \lambda f(1)}{1 - \lambda} < k + \rho^*(0)$. Importantly, one should note that ρ is not translation invariant. However, $\rho_{A_{\rho}}$ is, and $A_{\rho} = A_{\rho_{A_{\rho}}}$. Therefore, $\rho_{A_{\rho}}$ is monetary, but not star-shaped risk measure. From this, Theorem [3](#page-7-0) implies that for any family Λ of convex sets such that $\mathcal{A}_{\rho} = \cup_{\Lambda} \mathcal{A}_{\lambda}$, it follows that $\cap_{\Lambda} \mathcal{A}_{\lambda} = \emptyset$. In order to complement this reasoning, in Figure [1](#page-8-3) we expose the acceptance set of some coherent risk measure ρ^* in red, and the acceptance set of $\rho(X) := \rho^*(f(X))$ in blue. It is visually clear that it does not matter how much we shift \mathcal{A}_{ρ} , which translates ρ , it will never be star-shaped.

Figure 1: In red is the acceptance set of some coherent risk measure and in blue is the acceptance set of the coherent risk measure composed with the floor function.

References

- Artzner, P., Delbaen, F., Eber, J.-M., and Heath, D. (1999). Coherent measures of risk. Mathematical Finance, 9(3):203–228.
- Castagnoli, E., Cattelan, G., Maccheroni, F., Tebaldi, C., and Wang, R. (2021). Star-shaped risk measures. arXiv preprint arXiv:2103.15790.
- Föllmer, H. and Schied, A. (2002). Convex measures of risk and trading constraints. Finance and stochastics, $6(4):429-447$.
- Föllmer, H. and Schied, A. (2016). Stochastic finance: an introduction in discrete time. Walter de Gruyter, 4 edition.
- Frittelli, M. and Gianin, E. R. (2005). Law invariant convex risk measures. In Advances in mathematical economics, pages 33–46. Springer.
- Frittelli, M. and Gianin, R. E. (2002). Putting order in risk measures. Journal of Banking \mathcal{B} Finance, 26(7):1473–1486.
- Jia, G., Xia, J., and Zhao, R. (2020). Monetary risk measures. arXiv preprint arXiv:2012.06751.
- Jouini, E., Schachermayer, W., and Touzi, N. (2006). Law invariant risk measures have the fatou property. In Advances in mathematical economics, pages 49–71. Springer.
- Kusuoka, S. (2001). On law invariant coherent risk measures. Advances in mathematical economics, pages 83–95.
- Liebrich, F.-B. (2021). Is "star-shaped" the new "convex"? risk sharing with heterogeneous beliefs.
- Penot, J.-P. (2005). The bearing of duality on microeconomics. In Advances in mathematical economics, pages 113–139. Springer.
- Song, Y. and Yan, J.-A. (2009). Risk measures with comonotonic subadditivity or convexity and respecting stochastic orders. Insurance: Mathematics and Economics, 45(3):459–465.