# A Survey of Reinforcement Learning for Optimization in Automation

Ahmad Farooq\*1 and Kamran Iqbal<sup>2</sup>

Abstract-Reinforcement Learning (RL) has become a critical tool for optimization challenges within automation, leading to significant advancements in several areas. This review article examines the current landscape of RL within automation, with a particular focus on its roles in manufacturing, energy systems, and robotics. It discusses state-of-the-art methods, major challenges, and upcoming avenues of research within each sector, highlighting RL's capacity to solve intricate optimization challenges. The paper reviews the advantages and constraints of RL-driven optimization methods in automation. It points out prevalent challenges encountered in RL optimization, including issues related to sample efficiency and scalability; safety and robustness; interpretability and trustworthiness; transfer learning and meta-learning; and real-world deployment and integration. It further explores prospective strategies and future research pathways to navigate these challenges. Additionally, the survey includes a comprehensive list of relevant research papers, making it an indispensable guide for scholars and practitioners keen on exploring this domain.

Index terms: Reinforcement Learning, Automation, Manufacturing, Energy Systems, Robotics

# I. INTRODUCTION

### A. Motivation

Reinforcement learning (RL) has emerged as a effective framework for sequential decision-making problems, enabling agents to learn optimal policies through interaction with the environment [1], [2] In recent years, RL has achieved remarkable success in various domains, including manufacturing [3], energy systems [4], and robotics [5]. The key advantage of RL lies in its ability to learn from trialand-error experience without requiring explicit supervision or a predefined model.

Simultaneously, optimization problems are ubiquitous in automation, spanning diverse areas such as production scheduling [6], process control [7], and inventory management [8]. These problems often involve complex decisionmaking under uncertainty, large-scale combinatorial search spaces, and dynamic environments. Traditional optimization approaches, such as mathematical programming and metaheuristics, have been extensively studied and applied to automation problems [9]. However, they often struggle with scalability, adaptability, and the need for domain-specific knowledge.

The intersection of RL and optimization in automation presents a promising avenue for addressing these challenges. By leveraging the power of RL to learn from experience and adapt to changing conditions, we can develop more efficient,

This work is not supported by any organization. This work is a preprint version of the paper published in the 2024 IEEE 20th International Conference on Automation Science and Engineering (CASE) held from August 28 to September 1, 2024, in Bari, Italy. The final version is available at IEEE Xplore under the conference proceedings.

\*Corresponding Author: Ahmad Farooq

flexible, and robust optimization algorithms for automation tasks [10], [11]. This has led to a growing body of research on RL-based optimization in various automation domains, which is the focus of this survey.

### B. Scope and Contributions

This survey paper aims to provide a comprehensive overview of RL techniques for optimization in automation. We focus on three key application domains: manufacturing, energy systems, and robotics. In each domain, we review representative works that demonstrate the effectiveness of RL in solving optimization problems and discuss the unique challenges and opportunities.

The main contributions of this survey are as follows:

1. We provide a systematic categorization of RL-based optimization approaches in automation, highlighting their strengths and limitations.

2. We discuss the state-of-the-art RL algorithms used for optimization in each application domain.

3. We identify common challenges faced by RL-based optimization in automation, including sample efficiency and scalability; safety and robustness; interpretability and trust-worthiness; transfer learning and meta-learning; and real-world deployment and integration, and discuss potential solutions and future research directions.

4. We present a comprehensive bibliography of relevant research papers, serving as a valuable resource for researchers and practitioners interested in this field.

To the best of our knowledge, this is the first survey paper that specifically focuses on RL for optimization in automation, covering a wide range of application domains and providing insights into the current state and future prospects of this rapidly growing field.

### C. Organization of the Paper

The remainder of this survey is organized as follows: Section II focuses on the applications of RL-based optimization in three major domains: manufacturing, energy systems, and robotics. For each domain, we provide a comparative analysis of the selected papers, highlighting their key findings, methodologies, and contributions. We also discuss the domain-specific challenges and opportunities. Section III discusses the common challenges faced by RL-based optimization in automation. We present an overview of the potential solutions and future research directions to address these challenges. Finally, Section IV concludes the survey, summarizing the key takeaways.

# **II. APPLICATION DOMAINS**

Reinforcement Learning (RL) has revolutionized automation in Manufacturing, Energy Systems, and Robotics. Figure



Fig. 1: Taxonomy of Application Domains of RL for Optimization in Automation

1 shows these major domains and their sub-domains that we will discuss in this section.

# A. Manufacturing

RL is revolutionizing manufacturing through advancements in production scheduling, inventory management, maintenance planning, and process control, showcasing its potential to tackle complex optimization challenges within this sector. In production scheduling, RL methods surpass traditional models by adeptly handling uncertainties, thereby enhancing profitability and customer service [6], [12]-[15]. For inventory management, RL techniques, particularly Deep Reinforcement Learning (DRL) and Multi-agent Reinforcement Learning (MARL), offer innovative solutions for managing stochastic demands and complex supply chains, leading to improved sales and reduced wastage [8], [16]-[19]. Maintenance planning benefits from RL's dynamic optimization capabilities, utilizing real-time data for maintenance schedules, thus improving system reliability and reducing downtimes [20]-[24]. In process control, RL's adaptability ensures product quality and operational efficiency, with methodologies like Explainable RL and DRL enhancing process understanding and control strategies [7], [25]-[28]. Future directions point towards developing risk-sensitive formulations, leveraging real-world data, and integrating smart systems to further enhance manufacturing efficiency. Table I encapsulates these insights by outlining key objectives, challenges addressed, RL approaches, outcomes, and future directions, alongside representative studies that underscore RL's transformative impact on manufacturing.

# B. Energy Systems

RL and DRL are transforming energy systems, offering innovative solutions across demand response, microgrid management, renewable energy integration, and Heating, Ventilation, and Air Conditioning (HVAC) control to optimize and enhance grid stability, sustainability, and energy efficiency. Demand response strategies benefit from DRL and MARL to dynamically adjust energy usage in response to utility signals, achieving up to 22% energy savings and more efficient electricity management [29]-[34]. In microgrid management, DRL and MARL approaches enhance grid resilience by optimizing energy distribution and usage, resulting in improved cost efficiency and increased system reliability [35]-[40]. For renewable energy integration, RL's capability to handle the variability of renewable sources leads to more effective energy dispatch strategies, ensuring grid stability and maximizing the use of renewable resources [4], [31], [41]-[44]. HVAC systems, as major energy consumers, see optimizations through DRL and batch RL methods, achieving significant reductions in energy consumption while maintaining occupant comfort [29], [45]-[49]. Looking ahead, the future promises advancements in adaptive strategies and bridging the simulation-experiment gap for demand response, enhanced learning efficiency for microgrid management, scalability and adaptability improvements in renewable energy integration, and wider applicability of pre-trained models for HVAC control. This narrative is encapsulated in the Table II, which outlines the key objectives, challenges addressed, RL methodologies, and outcomes for each subdomain, alongside future research directions and representative studies illustrating RL's significant role in advancing energy systems.

### C. Robotics

RL is revolutionizing robotics, making significant strides across motion planning, grasping and manipulation, multirobot coordination, and human-robot collaboration, thereby addressing intricate challenges inherent in the field. In motion planning, RL, particularly DRL and innovative methodologies like curriculum learning, empowers robots to adeptly navigate and execute tasks in dynamic environments, enhancing adaptability and task performance [50]–[52], [63]. Grasping and manipulation benefit from DRL's ability to process complex sensor inputs, enabling robots to interact with diverse objects and environments with unprecedented flexibility and efficiency [53], [54], [64]–[66]. Multi-robot coordination leverages DRL and MARL to facilitate sophisticated collaborative strategies among robots, optimizing collective actions to achieve common goals in complex and

Feature/Criteria	Production Scheduling	Inventory Management	Maintenance Planning	Process Control
Key Objectives	Optimize allocation of tasks to resources over time	Balance supply with demand, minimize costs, and ensure timely product availability	Minimize downtime, extend asset life, ensure safety	Ensure product quality, operational efficiency, and safety
Challenges Addressed	Handling complexities and uncertainties in scheduling tasks	Stochastic demand, perishable goods, multi-echelon supply chains Dynamic maintenance planning under system degradation		Controlling complex manufacturing processes
RL Approaches	DQN [6], Distributional RL [15], DRL [13], A2C [12]	DQN [17], PPO [19], A2C [16], DRL [8], Cooperative MARL [18]	Multi-Agent Actor Critic [24], Deep Q-learning [22], [23], Q-learning [21]	TRPO [26], DDPG [7], Dynamic Q-table [25]
Methodology Highlights	Superiority over traditional mixed integer linear programming models, competitive performance against heuristic methods	Comprehensive roadmap for DRL deployment, novel frameworks for multi-agent hierarchical inventory management	Analysis of RL/DRL applications, dynamic maintenance policies using Q-learning	Adaptation of RL for Statistical Process Control (SPC), integration of domain expertise, apprenticeship learning
Outcomes	Increased profitability, reduced inventory levels, improved customer service	Maximized sales, minimized perishable product wastage, optimized supply chain needs	Reduced maintenance activities, enhanced fleet availability, adapted maintenance policies	Enhanced SPC adaptability, improved control policies, handling nonlinearities in manufacturing
Future Directions	Development of risk-sensitive formulations, leveraging real-world data	Advanced cooperative strategies among agents, leveraging custom GPU-parallelized environments	Integration with smart factory systems, leveraging condition monitoring data	Utilization of real-world data for training, improving RL training efficiency
Representative Studies	Hubbs et al. [12], Shi et al. [13], Guo et al. [14], Esteso et al. [6], Mowbray et al. [15]	Boute et al. [8], Sultana et al. [16], De Moor et al. [17], Khirwar et al. [18], Leluc et al. [19]	Ogunfowora and Najjaran [20], Yousefi et al. [21], Yousefi et al. [22], Andrade et al. [23], Thomas et al. [24]	Viharos and Jakab [25], Nian, Liu, and Huang [7], Kuhnle et al. [26], Mowbray et al. [27], and Li, Du, Jiang [28]

TABLE I: Comparison of RL Approaches for Optimization in Manufacturing

Feature/Criteria	Demand Response	Microgrid Management	Renewable Energy Integration	HVAC Control
Key Objectives	Optimize energy usage and cost in response to utility signals, enhancing grid stability	Enhance grid resilience and efficiency, optimizing energy distribution and usage	Seamlessly integrate renewable energy into power systems, maximizing utilization while ensuring grid stability	Optimize HVAC systems for energy efficiency without compromising occupant comfort
Challenges Addressed	Adapting to dynamic pricing and demand, improving energy consumption efficiency	Managing diverse energy sources, ensuring reliable and efficient operation	Addressing variability and unpredictability of renewable sources	Balancing energy savings with thermal comfort requirements
RL Approaches	PPO [29], [30], MARL [31], [34], DQN [32], MADDPG [33]	DQN [39], PPO [37], A3C [35],	MA-DRL [42], Q-learning [31]	PPO [29], Batch Constrained Munchausen Deep Q-learning [47], Q-learning [48], A3C [45]
Methodology Highlights	Meta-learning for simulation-experiment gap, multi-agent systems for residential energy management	Expert knowledge integration, operational flexibility with proximal policy optimization	Analysis on RL's role, multi-task learning for system-wide optimization	Architecture optimization for demand response, safe control strategies, and energy consumption reduction
Outcomes	Up to 22% energy savings, efficient electricity usage management	Improved energy distribution and cost efficiency, increased resilience	Enhanced management of complex energy flows, significant performance improvements	Reduction in HVAC energy consumption, improved operational efficiency
Future Directions	Advanced cooperative strategies, bridging the simulation-experiment gap	Enhanced learning efficiency, integration with smart grid technologies	Scalability and adaptability of RL methods, robustness against environmental changes	Adaptability to diverse buildings, pre-training models, transfer learning applications
Representative Studies	Azuatalam et al. [29], Jang et al. [30], Ahrarinouri et al. [31], Lu et al. [32], Lu et al. [33], Zhang et al. [34]	Nakabi and Toivanen [35], Hu and Kwasinski [36], Zhang et al. [37], Zhang et al. [38], Shojaeighadikolaei et al. [39], Du and Li [40]	Yang et al. [41], Cao et al. [42], Chen et al. ([43], Sivamayil et al. [44], Perera and Kamalaruban [4], Ahrarinouri et al. [31]	Azuatalam et al. [29], Zhong et al. [45], Sierla et al. [46], Liu et al. [47], Yuan et al. [48], Biemann et al. [49]

TABLE II: Comparison of RL Approaches for Optimization in Energy Systems

Feature/Criteria	Motion Planning	Manipulation	Multi-robot Coordination	Human-robot Collab
Key Objectives	Enable robots to navigate	Enhance robotic interaction	Optimize collaborative	Facilitate effective
	and perform tasks in	with objects and	actions of multiple robots	interaction and cooperation
	dynamic environments	environments	for a common goal	between humans and robots
Challenges Addressed	Navigating complex and dynamic environments, learning from interaction	Adapting to diverse objects, leveraging complex sensor inputs	Resource competition, obstacle avoidance in cooperative tasks	Adaptation to human behaviors, ensuring safety and making intelligent decisions
RL Approaches	PPO [50], Q-learning [51], Soft Actor-Critic (SAC) [52]	DDPG [53], Double DQN [54]	Multi-Robot Coordination with Deep Reinforcement Learning (MRCDRL) [55], Multi Agent Deep Reinforcement Learning [56]	DQN [57], [58], SAC [59], [60], DDPG [61], Double DQN [62]
Methodology Highlights	EfficientLPT [52] for space robots, curriculum learning for robotic arms	Visuo-motor feedback, dexterous grasping in sparse environments	MRCDRL [55] for cooperative action, MARL for pick-and-place optimization	Human-centered DRL, explainable RL for interaction quality enhancement
Outcomes	Improved planning accuracy, learning from human demonstrations	Significant outperformance in grasping tasks, adaptability to grippers	Effective resource allocation and dynamic obstacle avoidance, applicability in smart manufacturing	Enhanced coordination in packaging tasks, adaptability to user habits during collaboration
Future Directions	Integration with sensory feedback, real-time adaptation	Incorporation of more complex sensory modalities, tactile feedback	corporation of more complex sensory alities, tactile feedback Scalable coordination strategies for larger teams, integration with smart environments	
Representative Studies	Wang et al. [63], Cao et al. [52], Zhou et al. [50], Yu and Chang [51]	Joshi et al. [54], Schuck et al. [53], Han et al. [64], Rivera et al. [65], Beigomi and Zhu [66]	Wang and Deng [55], Lan et al. [56], Yang [67], Lan et al. [68], Sadhu and Konar [69], Khamassi [70]	Ghadirzadeh et al. [57], Iucci et al. [58], Shafti et al. [59], Cai et al. [62], Thumm et al. [60], El-Shamouty et al. [61]

TABLE III: Comparison of RL Approaches for Optimization in Robotics

dynamic tasks [55], [56], [67]–[70]. Human-robot collaboration (HRC) sees advancements through DRL's capacity for learning from interactions and adapting to human behaviors, significantly improving cooperation in tasks ranging from manufacturing to daily assistance [57]–[62]. Future research directions emphasize the integration of sensory feedback for real-time adaptation in motion planning, enhancing grasping tasks with complex sensory and tactile feedback, developing scalable coordination strategies for larger robot teams, and personalizing HRC to adapt to human habits while enhancing safety and interpretability. Table III succinctly encapsulates these domains by detailing key objectives, challenges addressed, RL approaches, methodology highlights, outcomes, and future directions, alongside representative studies demonstrating RL's transformative impact on robotics.

# III. CHALLENGES, STATE OF THE ART, AND FUTURE DIRECTIONS

There has been a significant progress in the field of RL for optimization in automation; however, there are still challenges to be addressed. Table IV gives a comparison of these challenges, along with the state of the art in the field and future directions that we will discuss in this section.

# A. Sample Efficiency and Scalability

Sample efficiency and scalability are vital in RL to minimize training data and ensure solutions scale with task complexity. These challenges are particularly important in real-world applications where data collection is expensive or time-consuming [71], [72].

Current efforts to enhance sample efficiency and scalability include making past samples more reflective of the current model [71], [72], using evolution strategies and efficient memory in experience replay [73], [74], incorporating offline data for online learning [75], [76], and leveraging adaptive learning techniques [77], [78].

Future research should aim at algorithms with adaptive learning rates, domain-specific knowledge integration, efficient computational resource use, and cross-domain transfer learning to further improve sample efficiency and scalability in RL applications.

# B. Safety and Robustness

Ensuring safety and robustness in RL is crucial, especially for applications in critical domains like autonomous driving and healthcare. Safe RL algorithms aim to learn policies that satisfy safety constraints during both training and deployment [107].

Current strategies for ensuring safety include developing concepts of safety robustness [79], frameworks for robust policies [80], tackling observational adversarial attacks [81], integrating robust-control-barrier-function layers [82], managing safety requirements with robust action governor [83], enforcing safety via robust Model Predictive Control (MPC) [84], offering robustness guarantees [85], [86], improving policy robustness through falsification-based adversarial learning [87], and inducing a safety curriculum [108].

Challenges	Description	RL Approaches	State of the Art	Future Directions	Related Studies
Sample Efficiency and Scalability	Reducing the data needed for learning and ensuring scalability	PPO, SAC, Model-based Policy Optimization (MBPO), Dreamer, IMPALA, Acme	Model-based RL with planning algorithms, off-policy learning with prioritized experience replay, and large-scale distributed RL systems	Focus on algorithms with adaptive learning rates and cross-domain transfer learning	Tianyue Cao [71], Florian E. Dorner [72], Suri et al. [73] Yang et al. [74], Ball et al. [75] Li et al. [76], Ly et al. [77], Wang et al. [78]
Safety and Robustness	Ensuring RL policies perform safely under uncertain conditions	Constrained Policy Optimization (CPO), Lyapunov-based approaches, State-wise Safe RL, Probabilistic constraint methods	Formal methods for policy verification, robust adversarial training, and safe exploration techniques	Integrating formal verification methods and enhancing human-RL interaction	Hao Xiong and Xiumin Diao [79], Li et al. [80], Liu et al. [81], Emam et al. [82], Li et al. [83], [84], Queeney et al. [85], Md Asifur Rahman and Sarra M. Alqahtani [86], Wang et al. [87]
Interpretability and Trustworthiness	Developing RL models whose actions are transparent and understandable	MARL, Q-learning, Deep RL, DQN, PPO, TD3, SAC	Feature attribution, policy distillation, and interpretable models like decision trees and attention mechanisms	Improving the foundation of interpretable models and applying self-supervised learning for interpretable representations	Glanois et al. [88], Duo Xu and Faramarz Fekri [89]), Mansour et al. [90], Eckstein et al. [91], Alharin et al. [92], Shi et al. [93], Dao et al. [94].
Transfer Learning and Meta-learning	Enabling RL systems to rapidly adapt to new tasks using knowledge from past experiences	A3C, Meta-RL, Meta-RL with Context-conditioned Action Translator (MCAT), TD3	Context-based meta-learning frameworks, multi-task learning techniques, and fine-tuning pre-trained models	Developing algorithms that generalize across a wider range of tasks and enhance transfer learning capabilities	Hospedales et al. [95], Guo et al. [96], Narvekar et al. [97], Varma et al. [98], Sasso et al. [99], Ren et al. [100]
Real-world Deployment and Integration	Bridging the gap between theoretical advancements and practical utility in RL deployment	Behavior-Regularized Model-ENsemble (BREMEN), Distributional Maximum a Posteriori Policy Optimization (DMPO), Distributed Distributional Deterministic Policy Gradient (D4PG)	Scalable RL architectures, robust policy deployment strategies, and open-source benchmarks and toolkits	Prioritizing deployment efficiency, enhancing human-RL interaction, and fostering academia-industry collaboration	Dulac-Arnold et al. [101], Matsushima et al. [102], Yahmed et al. [103], Li et al. [104], Garau-Luis et al. [105], Kanso and Patra [106]

TABLE IV: Current Challenges, State of the Art, and Future Directions for RL for Optimization in Automation

Future research directions should focus on developing scalable safe RL algorithms for high-dimensional continuous control tasks, integrating formal verification methods with RL, and improving the adaptability of safe RL algorithms to dynamic environments.

### C. Interpretability and Trustworthiness

Ensuring RL models are interpretable and trustworthy is essential for applications in healthcare, autonomous systems, and finance, requiring transparent, understandable, and reliable decision-making processes.

Current research to improve interpretability includes distinguishing between interpretability and explainability [88], integrating symbolic logic with deep RL for transparency [89], achieving policy interpretability in structured environments [90], interpreting RL modeling in cognitive sciences [91], discovering interpretable features in vision-based RL [93], and introducing sparse evidence collection for human interpretation [94].

Advancements will focus on foundational improvements to make models intrinsically understandable, incorporating human feedback, advancing feature discovery techniques, and applying self-supervised learning for natural interpretability, aiming for a deeper human understanding of RL behaviors.

# D. Transfer Learning and Meta-learning

Transfer learning and meta-learning address the need for RL systems to efficiently adapt to new tasks using knowledge from past experiences, aiming to improve learning efficiency and generalization across various environments.

Hospedales et al. [95] highlight meta-learning's role in adaptability across tasks. Guo et al. [96] develop an action translator for meta-RL to enhance exploration and efficiency. Narvekar et al. [97] present a curriculum learning framework that uses task sequencing for improved learning in complex scenarios. Varma et al. [98] demonstrate the benefits of using pre-trained models like ResNet50 to boost RL performance. Sasso et al. [99] and Ren et al. [100] investigate multi-source transfer learning and meta-RL for fast adaptation based on human preferences.

Future efforts will focus on algorithms that better generalize across diverse tasks, with a push towards unsupervised and self-supervised learning to advance transfer learning capabilities. There's also a growing interest in models that autonomously leverage past knowledge.

# E. Real-world Deployment and Integration

Real-world RL model deployment involves overcoming the divide between theoretical research and practical application, ensuring model robustness, and aligning simulated training environments with real-world conditions.

Dulac-Arnold et al. [101] highlight real-world RL deployment challenges, introducing benchmarks for complexity. Matsushima et al. [102] focus on efficient deployment with minimal data. Yahmed et al. [103] outline deployment challenges and emphasize the need for solutions. Li et al. [104] advocate for incorporating human feedback during deployment for safety. Garau-Luis et al. [105] discuss DRL deployment advancements, while Kanso and Patra [106] discuss engineering solutions for RL scalability.

Future efforts will center on algorithms and frameworks enhancing deployment efficiency and real-world relevance, generalization from simulations to reality, improving human-RL interactions, and robust, scalable deployment platforms. Domain-specific challenges and academia-industry collaboration are pivotal for RL's real-world success.

# IV. CONCLUSION

Reinforcement Learning (RL) has showcased its vast capabilities in sectors such as manufacturing, energy systems, and robotics, driven by deep learning innovations that tackle complex challenges. Despite these advancements, real-world deployment introduces challenges requiring extensive research for practical RL implementation. This review emphasizes the need for improved sample efficiency, model safety, interpretability, and real-world integration strategies. To meet these requirements, a comprehensive approach is necessary, integrating algorithmic advancements, domain-specific insights, robust benchmarks, and understanding the balance between theory and practice. Moreover, integrating human feedback and ethical considerations is crucial for the responsible deployment of RL. Ultimately, RL's transition from theory to a key AI component marks significant progress, with ongoing efforts expected to overcome current obstacles, leveraging RL's full potential in intelligent decision-making and system optimization.

#### References

- [1] R. S. Sutton and A. G. Barto, *Reinforcement learning: An introduction*. MIT press, 2018.
- [2] V. Mnih, K. Kavukcuoglu, D. Silver, A. A. Rusu, J. Veness, M. G. Bellemare, A. Graves, M. Riedmiller, A. K. Fidjeland, G. Ostrovski *et al.*, "Human-level control through deep reinforcement learning," *nature*, vol. 518, no. 7540, pp. 529–533, 2015.
- [3] C. Li, P. Zheng, Y. Yin, B. Wang, and L. Wang, "Deep reinforcement learning in smart manufacturing: A review and prospects," *CIRP Journal of Manufacturing Science and Technology*, vol. 40, pp. 75– 101, 2023.
- [4] A. Perera and P. Kamalaruban, "Applications of reinforcement learning in energy systems," *Renewable and Sustainable Energy Reviews*, vol. 137, p. 110618, 2021.
- [5] J. Kober, J. A. Bagnell, and J. Peters, "Reinforcement learning in robotics: A survey," *The International Journal of Robotics Research*, vol. 32, no. 11, pp. 1238–1274, 2013.

- [6] A. Esteso, D. Peidro, J. Mula, and M. Díaz-Madroñero, "Reinforcement learning applied to production planning and control," *International Journal of Production Research*, vol. 61, no. 16, pp. 5772–5789, 2023.
- [7] R. Nian, J. Liu, and B. Huang, "A review on reinforcement learning: Introduction and applications in industrial process control," *Computers & Chemical Engineering*, vol. 139, p. 106886, 2020.
- [8] R. N. Boute, J. Gijsbrechts, W. Van Jaarsveld, and N. Vanvuchelen, "Deep reinforcement learning for inventory control: A roadmap," *European Journal of Operational Research*, vol. 298, no. 2, pp. 401– 412, 2022.
- [9] C. Blum and A. Roli, "Metaheuristics in combinatorial optimization: Overview and conceptual comparison," ACM computing surveys (CSUR), vol. 35, no. 3, pp. 268–308, 2003.
- [10] Y. Li, "Deep reinforcement learning: An overview," arXiv preprint arXiv:1701.07274, 2017.
- [11] K. Arulkumaran, M. P. Deisenroth, M. Brundage, and A. A. Bharath, "Deep reinforcement learning: A brief survey," *IEEE Signal Processing Magazine*, vol. 34, no. 6, pp. 26–38, 2017.
- [12] C. D. Hubbs, C. Li, N. V. Sahinidis, I. E. Grossmann, and J. M. Wassick, "A deep reinforcement learning approach for chemical production scheduling," *Computers & Chemical Engineering*, vol. 141, p. 106982, 2020.
- [13] D. Shi, W. Fan, Y. Xiao, T. Lin, and C. Xing, "Intelligent scheduling of discrete automated production line via deep reinforcement learning," *International journal of production research*, vol. 58, no. 11, pp. 3362– 3380, 2020.
- [14] F. Guo, Y. Li, A. Liu, and Z. Liu, "A reinforcement learning method to scheduling problem of steel production process," in *Journal of Physics: Conference Series*, vol. 1486, no. 7. IOP Publishing, 2020, p. 072035.
- [15] M. Mowbray, D. Zhang, and E. A. D. R. Chanona, "Distributional reinforcement learning for scheduling of chemical production processes," *arXiv preprint arXiv*:2203.00636, 2022.
- [16] N. N. Sultana, H. Meisheri, V. Baniwal, S. Nath, B. Ravindran, and H. Khadilkar, "Reinforcement learning for multi-product multi-node inventory management in supply chains," *arXiv preprint arXiv:2006.04037*, 2020.
- [17] B. J. De Moor, J. Gijsbrechts, and R. N. Boute, "Reward shaping to improve the performance of deep reinforcement learning in perishable inventory management," *European Journal of Operational Research*, vol. 301, no. 2, pp. 535–545, 2022.
- [18] M. Khirwar, K. S. Gurumoorthy, A. A. Jain, and S. Manchenahally, "Cooperative multi-agent reinforcement learning for inventory management," in *Joint European Conference on Machine Learning and Knowledge Discovery in Databases*. Springer, 2023, pp. 619–634.
- [19] R. Leluc, E. Kadoche, A. Bertoncello, and S. Gourvénec, "Marlim: Multi-agent reinforcement learning for inventory management," *arXiv* preprint arXiv:2308.01649, 2023.
- [20] O. Ogunfowora and H. Najjaran, "Reinforcement and deep reinforcement learning-based solutions for machine maintenance planning, scheduling policies, and optimization," *Journal of Manufacturing Systems*, vol. 70, pp. 244–263, 2023.
- [21] N. Yousefi, S. Tsianikas, and D. W. Coit, "Reinforcement learning for dynamic condition-based maintenance of a system with individually repairable components," *Quality Engineering*, vol. 32, no. 3, pp. 388– 408, 2020.
- [22] —, "Dynamic maintenance model for a repairable multi-component system using deep reinforcement learning," *Quality Engineering*, vol. 34, no. 1, pp. 16–35, 2022.
- [23] P. Andrade, C. Silva, B. Ribeiro, and B. F. Santos, "Aircraft maintenance check scheduling using reinforcement learning," *Aerospace*, vol. 8, no. 4, p. 113, 2021.
- [24] J. Thomas, M. P. Hernández, A. K. Parlikad, and R. Piechocki, "Network maintenance planning via multi-agent reinforcement learning," in 2021 IEEE International Conference on Systems, Man, and Cybernetics (SMC). IEEE, 2021, pp. 2289–2295.
- [25] Z. J. Viharos and R. Jakab, "Reinforcement learning for statistical process control in manufacturing," *Measurement*, vol. 182, p. 109616, 2021.
- [26] A. Kuhnle, M. C. May, L. Schäfer, and G. Lanza, "Explainable reinforcement learning in production control of job shop manufacturing system," *International Journal of Production Research*, vol. 60, no. 19, pp. 5812–5834, 2022.
- [27] M. Mowbray, R. Smith, E. A. Del Rio-Chanona, and D. Zhang, "Using process data to generate an optimal control policy via apprenticeship

and reinforcement learning," AIChE Journal, vol. 67, no. 9, p. e17306, 2021.

- [28] Y. Li, J. Du, and W. Jiang, "Reinforcement learning for process control with application in semiconductor manufacturing," *IISE Transactions*, pp. 1–15, 2023.
- [29] D. Azuatalam, W.-L. Lee, F. de Nijs, and A. Liebman, "Reinforcement learning for whole-building hvac control and demand response," *Energy and AI*, vol. 2, p. 100020, 2020.
- [30] D. Jang, L. Spangher, M. Khattar, U. Agwan, and C. Spanos, "Using meta reinforcement learning to bridge the gap between simulation and experiment in energy demand response," in *Proceedings of the Twelfth* ACM International Conference on Future Energy Systems, 2021, pp. 483–487.
- [31] M. Ahrarinouri, M. Rastegar, and A. R. Seifi, "Multiagent reinforcement learning for energy management in residential buildings," *IEEE Transactions on Industrial Informatics*, vol. 17, no. 1, pp. 659–666, 2020.
- [32] R. Lu, R. Bai, Z. Luo, J. Jiang, M. Sun, and H.-T. Zhang, "Deep reinforcement learning-based demand response for smart facilities energy management," *IEEE Transactions on Industrial Electronics*, vol. 69, no. 8, pp. 8554–8565, 2021.
- [33] R. Lu, Y.-C. Li, Y. Li, J. Jiang, and Y. Ding, "Multi-agent deep reinforcement learning based demand response for discrete manufacturing systems energy management," *Applied Energy*, vol. 276, p. 115473, 2020.
- [34] X. Zhang, R. Lu, J. Jiang, S. H. Hong, and W. S. Song, "Testbed implementation of reinforcement learning-based demand response energy management system," *Applied energy*, vol. 297, p. 117131, 2021.
- [35] T. A. Nakabi and P. Toivanen, "Deep reinforcement learning for energy management in a microgrid with flexible demand," *Sustainable Energy*, *Grids and Networks*, vol. 25, p. 100413, 2021.
- [36] R. Hu and A. Kwasinski, "Energy management for microgrids using a reinforcement learning algorithm," in 2021 IEEE Green Energy and Smart Systems Conference (IGESSC). IEEE, 2021, pp. 1–6.
- [37] B. Zhang, Z. Chen, and A. M. Ghias, "Deep reinforcement learningbased energy management strategy for a microgrid with flexible loads," in 2023 International Conference on Power Energy Systems and Applications (ICoPESA). IEEE, 2023, pp. 187–191.
- [38] W. Zhang, H. Qiao, X. Xu, J. Chen, J. Xiao, K. Zhang, Y. Long, and Y. Zuo, "Energy management in microgrid based on deep reinforcement learning with expert knowledge," in *International Workshop* on Automation, Control, and Communication Engineering (IWACCE 2022), vol. 12492. SPIE, 2022, pp. 275–284.
- [39] A. Shojaeighadikolaei, A. Ghasemi, A. G. Bardas, R. Ahmadi, and M. Hashemi, "Weather-aware data-driven microgrid energy management using deep reinforcement learning," in 2021 North American Power Symposium (NAPS). IEEE, 2021, pp. 1–6.
- [40] Y. Du and F. Li, "Intelligent multi-microgrid energy management based on deep neural network and model-free reinforcement learning," *IEEE Transactions on Smart Grid*, vol. 11, no. 2, pp. 1066–1076, 2019.
- [41] T. Yang, L. Zhao, W. Li, and A. Y. Zomaya, "Reinforcement learning in sustainable energy and electric systems: A survey," *Annual Reviews* in Control, vol. 49, pp. 145–163, 2020.
- [42] D. Cao, W. Hu, J. Zhao, G. Zhang, B. Zhang, Z. Liu, Z. Chen, and F. Blaabjerg, "Reinforcement learning and its applications in modern power and energy systems: A review," *Journal of modern power* systems and clean energy, vol. 8, no. 6, pp. 1029–1042, 2020.
- [43] X. Chen, G. Qu, Y. Tang, S. Low, and N. Li, "Reinforcement learning for selective key applications in power systems: Recent advances and future challenges," *IEEE Transactions on Smart Grid*, vol. 13, no. 4, pp. 2935–2958, 2022.
- [44] K. Sivamayil, E. Rajasekar, B. Aljafari, S. Nikolovski, S. Vairavasundaram, and I. Vairavasundaram, "A systematic study on reinforcement learning based applications," *Energies*, vol. 16, no. 3, p. 1512, 2023.
- [45] X. Zhong, Z. Zhang, R. Zhang, and C. Zhang, "End-to-end deep reinforcement learning control for hvac systems in office buildings," *Designs*, vol. 6, no. 3, p. 52, 2022.
- [46] S. Sierla, H. Ihasalo, and V. Vyatkin, "A review of reinforcement learning applications to control of heating, ventilation and air conditioning systems," *Energies*, vol. 15, no. 10, p. 3526, 2022.
- [47] H.-Y. Liu, B. Balaji, S. Gao, R. Gupta, and D. Hong, "Safe hvac control via batch reinforcement learning," in 2022 ACM/IEEE 13th International Conference on Cyber-Physical Systems (ICCPS). IEEE, 2022, pp. 181–192.

- [48] X. Yuan, Y. Pan, J. Yang, W. Wang, and Z. Huang, "Study on the application of reinforcement learning in the operation optimization of hvac system," in *Building Simulation*, vol. 14. Springer, 2021, pp. 75–87.
- [49] M. Biemann, F. Scheller, X. Liu, and L. Huang, "Experimental evaluation of model-free reinforcement learning algorithms for continuous hvac control," *Applied Energy*, vol. 298, p. 117164, 2021.
- [50] D. Zhou, R. Jia, and H. Yao, "Robotic arm motion planning based on curriculum reinforcement learning," in 2021 6th International Conference on Control and Robotics Engineering (ICCRE). IEEE, 2021, pp. 44–49.
- [51] T. Yu and Q. Chang, "Reinforcement learning based user-guided motion planning for human-robot collaboration," arXiv preprint arXiv:2207.00492, 2022.
- [52] Y. Cao, S. Wang, X. Zheng, W. Ma, X. Xie, and L. Liu, "Reinforcement learning with prior policy guidance for motion planning of dual-arm free-floating space robot," *Aerospace Science and Technology*, vol. 136, p. 108098, 2023.
- [53] M. Schuck, J. Brüdigam, A. Capone, S. Sosnowski, and S. Hirche, "Dext-gen: Dexterous grasping in sparse reward environments with full orientation control," arXiv preprint arXiv:2206.13966, 2022.
- [54] S. Joshi, S. Kumra, and F. Sahin, "Robotic grasping using deep reinforcement learning," in 2020 IEEE 16th International Conference on Automation Science and Engineering (CASE). IEEE, 2020, pp. 1461–1466.
- [55] D. Wang, H. Deng, and Z. Pan, "Mrcdrl: Multi-robot coordination with deep reinforcement learning," *Neurocomputing*, vol. 406, pp. 68–76, 2020.
- [56] X. Lan, Y. Qiao, and B. Lee, "Towards pick and place multi robot coordination using multi-agent deep reinforcement learning," in 2021 7th International Conference on Automation, Robotics and Applications (ICARA). IEEE, 2021, pp. 85–89.
- [57] A. Ghadirzadeh, X. Chen, W. Yin, Z. Yi, M. Björkman, and D. Kragic, "Human-centered collaborative robots with deep reinforcement learning," *IEEE Robotics and Automation Letters*, vol. 6, no. 2, pp. 566–571, 2020.
- [58] A. Iucci, A. Hata, A. Terra, R. Inam, and I. Leite, "Explainable reinforcement learning for human-robot collaboration," in 2021 20th International Conference on Advanced Robotics (ICAR). IEEE, 2021, pp. 927–934.
- [59] A. Shafti, J. Tjomsland, W. Dudley, and A. A. Faisal, "Real-world human-robot collaborative reinforcement learning," in 2020 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS). IEEE, 2020, pp. 11 161–11 166.
- [60] J. Thumm, F. Trost, and M. Althoff, "Human-robot gym: Benchmarking reinforcement learning in human-robot collaboration," arXiv preprint arXiv:2310.06208, 2023.
- [61] M. El-Shamouty, X. Wu, S. Yang, M. Albus, and M. F. Huber, "Towards safe human-robot collaboration using deep reinforcement learning," in 2020 IEEE international conference on robotics and automation (ICRA). IEEE, 2020, pp. 4899–4905.
- [62] Z. Cai, Z. Feng, L. Zhou, C. Ai, H. Shao, X. Yang *et al.*, "A framework and algorithm for human-robot collaboration based on multimodal reinforcement learning," *Computational Intelligence and Neuroscience*, vol. 2022, 2022.
- [63] J. Wang, T. Zhang, N. Ma, Z. Li, H. Ma, F. Meng, and M. Q.-H. Meng, "A survey of learning-based robot motion planning," *IET Cyber-Systems and Robotics*, vol. 3, no. 4, pp. 302–314, 2021.
- [64] D. Han, B. Mulyana, V. Stankovic, and S. Cheng, "A survey on deep reinforcement learning algorithms for robotic manipulation," *Sensors*, vol. 23, no. 7, p. 3762, 2023.
- [65] P. Rivera, J. Oh, E. Valarezo, G. Ryu, H. Jung, J. H. Lee, J. G. Jeong, and T.-S. Kim, "Reward shaping to learn natural object manipulation with an anthropomorphic robotic hand and hand pose priors via onpolicy reinforcement learning," in 2021 International Conference on Information and Communication Technology Convergence (ICTC). IEEE, 2021, pp. 167–171.
- [66] B. Beigomi and Z. H. Zhu, "Enhancing robotic grasping of free-floating targets with soft actor-critic algorithm and tactile sensors: a focus on the pre-grasp stage," in AIAA SCITECH 2024 Forum, 2024, p. 2419.
- [67] X. Yang, "Reinforcement learning for multi-robot system: A review," in 2021 2nd International Conference on Computing and Data Science (CDS). IEEE, 2021, pp. 203–213.
- [68] X. Lan, Y. Qiao, and B. Lee, "Coordination of a multi robot system for pick and place using reinforcement learning," in 2022 2nd

International Conference on Computers and Automation (CompAuto). IEEE, 2022, pp. 87–92.

- [69] A. K. Sadhu and A. Konar, Multi-agent coordination: A reinforcement learning approach. John Wiley & Sons, 2020.
- [70] M. Khamassi, "Adaptive coordination of multiple learning strategies in brains and robots," in *Theory and Practice of Natural Computing: 9th International Conference, TPNC 2020, Taoyuan, Taiwan, December* 7–9, 2020, Proceedings 9. Springer, 2020, pp. 3–22.
- [71] T. Cao, "Study of sample efficiency improvements for reinforcement learning algorithms," in 2020 IEEE Integrated STEM Education Conference (ISEC). IEEE, 2020, pp. 1–1.
- [72] F. E. Dorner, "Measuring progress in deep reinforcement learning sample efficiency," arXiv preprint arXiv:2102.04881, 2021.
- [73] K. Suri, X. Q. Shi, K. N. Plataniotis, and Y. A. Lawryshyn, "Maximum mutation reinforcement learning for scalable control," *arXiv preprint* arXiv:2007.13690, 2020.
- [74] D. Yang, X. Qin, X. Xu, C. Li, and G. Wei, "Sample efficient reinforcement learning method via high efficient episodic memory," *IEEE Access*, vol. 8, pp. 129 274–129 284, 2020.
- [75] P. J. Ball, L. Smith, I. Kostrikov, and S. Levine, "Efficient online reinforcement learning with offline data," in *International Conference* on Machine Learning. PMLR, 2023, pp. 1577–1594.
- [76] G. Li, Y. Wei, Y. Chi, Y. Gu, and Y. Chen, "Breaking the sample size barrier in model-based reinforcement learning with a generative model," *Advances in neural information processing systems*, vol. 33, pp. 12 861–12 872, 2020.
- [77] A. Ly, R. Dazeley, P. Vamplew, F. Cruz, and S. Aryal, "Elastic step ddpg: Multi-step reinforcement learning for improved sample efficiency," in 2023 International Joint Conference on Neural Networks (IJCNN). IEEE, 2023, pp. 01–06.
- [78] Z. Wang, J. Wang, Q. Zhou, B. Li, and H. Li, "Sample-efficient reinforcement learning via conservative model-based actor-critic," in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 36, no. 8, 2022, pp. 8612–8620.
- [79] H. Xiong and X. Diao, "Safety robustness of reinforcement learning policies: A view from robust control," *Neurocomputing*, vol. 422, pp. 12–21, 2021.
- [80] Z. Li, C. Hu, Y. Wang, Y. Yang, and S. E. Li, "Safe reinforcement learning with dual robustness," arXiv preprint arXiv:2309.06835, 2023.
- [81] Z. Liu, Z. Guo, Z. Cen, H. Zhang, J. Tan, B. Li, and D. Zhao, "On the robustness of safe reinforcement learning under observational perturbations," arXiv preprint arXiv:2205.14691, 2022.
- [82] Y. Emam, G. Notomista, P. Glotfelter, Z. Kira, and M. Egerstedt, "Safe reinforcement learning using robust control barrier functions," *IEEE Robotics and Automation Letters*, 2022.
- [83] Y. Li, N. Li, H. E. Tseng, A. Girard, D. Filev, and I. Kolmanovsky, "Safe reinforcement learning using robust action governor," in *Learning for Dynamics and Control.* PMLR, 2021, pp. 1093–1104.
- [84] M. Zanon and S. Gros, "Safe reinforcement learning using robust mpc," *IEEE Transactions on Automatic Control*, vol. 66, no. 8, pp. 3638– 3652, 2020.
- [85] J. Queeney, E. C. Ozcan, I. C. Paschalidis, and C. G. Cassandras, "Optimal transport perturbations for safe reinforcement learning with robustness guarantees," *arXiv preprint arXiv:2301.13375*, 2023.
- [86] M. A. Rahman and S. Alqahtani, "Task-agnostic safety for reinforcement learning," in *Proceedings of the 16th ACM Workshop on Artificial Intelligence and Security*, 2023, pp. 139–148.
- [87] X. Wang, S. Nair, and M. Althoff, "Falsification-based robust adversarial reinforcement learning," in 2020 19th IEEE International Conference on Machine Learning and Applications (ICMLA). IEEE, 2020, pp. 205–212.
- [88] C. Glanois, P. Weng, M. Zimmer, D. Li, T. Yang, J. Hao, and W. Liu, "A survey on interpretable reinforcement learning," *arXiv preprint* arXiv:2112.13112, 2021.
- [89] D. Xu and F. Fekri, "Interpretable model-based hierarchical reinforcement learning using inductive logic programming," *arXiv preprint* arXiv:2106.11417, 2021.
- [90] Y. Mansour, M. Moshkovitz, and C. Rudin, "There is no accuracyinterpretability tradeoff in reinforcement learning for mazes," *arXiv* preprint arXiv:2206.04266, 2022.
- [91] M. K. Eckstein, L. Wilbrecht, and A. G. Collins, "What do reinforcement learning models measure? interpreting model parameters in cognition and neuroscience," *Current opinion in behavioral sciences*, vol. 41, pp. 128–137, 2021.

- [92] A. Alharin, T.-N. Doan, and M. Sartipi, "Reinforcement learning interpretation methods: A survey," *IEEE Access*, vol. 8, pp. 171 058– 171 077, 2020.
- [93] W. Shi, G. Huang, S. Song, Z. Wang, T. Lin, and C. Wu, "Selfsupervised discovering of interpretable features for reinforcement learning," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 44, no. 5, pp. 2712–2724, 2020.
- [94] G. Dao, W. H. Huff, and M. Lee, "Learning sparse evidence-driven interpretation to understand deep reinforcement learning agents," in 2021 IEEE Symposium Series on Computational Intelligence (SSCI). IEEE, 2021, pp. 1–7.
- [95] T. Hospedales, A. Antoniou, P. Micaelli, and A. Storkey, "Metalearning in neural networks: A survey," *IEEE transactions on pattern* analysis and machine intelligence, vol. 44, no. 9, pp. 5149–5169, 2021.
- [96] Y. Guo, Q. Wu, and H. Lee, "Learning action translator for meta reinforcement learning on sparse-reward tasks," in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 36, no. 6, 2022, pp. 6792–6800.
- [97] S. Narvekar, B. Peng, M. Leonetti, J. Sinapov, M. E. Taylor, and P. Stone, "Curriculum learning for reinforcement learning domains: A framework and survey," *Journal of Machine Learning Research*, vol. 21, no. 181, pp. 1–50, 2020.
- [98] N. S. Varma, V. Sinha et al., "Effective reinforcement learning using transfer learning," in 2022 IEEE International Conference on Data Science and Information System (ICDSIS). IEEE, 2022, pp. 1–6.
- [99] R. Sasso, "Multi-source transfer learning for deep model-based reinforcement learning," Ph.D. dissertation, 2021.
- [100] Z. Ren, A. Liu, Y. Liang, J. Peng, and J. Ma, "Efficient meta reinforcement learning for preference-based fast adaptation," *Advances in Neural Information Processing Systems*, vol. 35, pp. 15 502–15 515, 2022.
- [101] G. Dulac-Arnold, N. Levine, D. J. Mankowitz, J. Li, C. Paduraru, S. Gowal, and T. Hester, "An empirical investigation of the challenges of real-world reinforcement learning," *arXiv preprint arXiv:2003.11881*, 2020.
- [102] T. Matsushima, H. Furuta, Y. Matsuo, O. Nachum, and S. Gu, "Deployment-efficient reinforcement learning via model-based offline optimization," arXiv preprint arXiv:2006.03647, 2020.
- [103] A. H. Yahmed, A. A. Abbassi, A. Nikanjam, H. Li, and F. Khomh, "Deploying deep reinforcement learning systems: A taxonomy of challenges," in 2023 IEEE International Conference on Software Maintenance and Evolution (ICSME). IEEE, 2023, pp. 26–38.
- [104] Z. Li, K. Xu, L. Liu, L. Li, D. Ye, and P. Zhao, "Deploying offline reinforcement learning with human feedback," *arXiv preprint* arXiv:2303.07046, 2023.
- [105] J. J. Garau-Luis, E. Crawley, and B. Cameron, "Evaluating the progress of deep reinforcement learning in the real world: aligning domain-agnostic and domain-specific research," *arXiv preprint arXiv:2107.03015*, 2021.
- [106] A. Kanso and K. Patra, "Engineering a platform for reinforcement learning workloads," in *Proceedings of the 1st International Conference on AI Engineering: Software Engineering for AI*, 2022, pp. 88–89.
- [107] J. Garcia and F. Fernández, "A comprehensive survey on safe reinforcement learning," *Journal of Machine Learning Research*, vol. 16, no. 1, pp. 1437–1480, 2015.
- [108] M. Turchetta, A. Kolobov, S. Shah, A. Krause, and A. Agarwal, "Safe reinforcement learning via curriculum induction," *Advances in Neural Information Processing Systems*, vol. 33, pp. 12151–12162, 2020.